

# INTERNATIONAL STANDARD

**ISO**  
**1100-1**

Second edition  
1996-02-15

---

---

## Measurement of liquid flow in open channels —

### Part 1:

Establishment and operation of a gauging  
station

ISO 1100-1:1996

<https://standards.iteh.ai/catalog/standards/sist/ca23b23e-5635-4236-87ad-6666caaf4a10/iso-1100-1-1996>

*Mesurage de débit des liquides dans les canaux découverts —*

*Partie 1: Établissement et exploitation d'une station hydrométrique*

INTERNATIONAL

ISO



Reference number  
ISO 1100-1:1996(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 1100-1 was prepared by Technical Committee ISO/TC 113, *Hydrometric determinations*, Subcommittee SC 1, *Velocity area methods*.

This second edition cancels and replaces the first edition (ISO 1100-1:1981), which has been technically revised.

ISO 1100 consists of the following parts, under the general title *Measurement of liquid flow in open channels*:

- Part 1: *Establishment and operation of a gauging station*
- Part 2: *Determination of the stage-discharge relation*

Annex A of this part of ISO 1100 is for information only.

© ISO 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

# Measurement of liquid flow in open channels —

## Part 1:

## Establishment and operation of a gauging station

### 1 Scope

**1.1** This part of ISO 1100 deals with the establishment and operation of a gauging station for the measurement of stage or discharge, or both, of a lake, reservoir, river or artificial open channel.

**1.2** Requirements are specified for stage and for stage-discharge stations in natural channels and stations with artificial structures, for direct discharge measurement and for measurement under ice conditions.

### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO 1100. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 1100 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 31:1992, *Quantities and units*, all parts.

ISO 748:—<sup>1)</sup>, *Measurement of liquid flow in open channels — Velocity-area methods*.

ISO 772:—<sup>2)</sup>, *Measurement of liquid flow in open channels — Vocabulary and symbols*.

ISO 1000:1992, *SI units and recommendations for the use of their multiples and of certain other units*.

ISO 1070:1992, *Liquid flow measurement in open channels — Slope-area method*.

ISO 1100-2:1982, *Liquid flow measurement in open channels — Part 2: Determination of the stage-discharge relation*.

ISO 3454:1983, *Liquid flow measurement in open channels — Direct depth sounding and suspension equipment*.

ISO 3846:1989, *Liquid flow measurement in open channels by weirs and flumes — Rectangular broad-crested weirs*.

ISO 3847:1977, *Liquid flow measurement in open channels by weirs and flumes — End-depth method for estimation of flow in rectangular channels with a free overfall*.

ISO 4359:1983, *Liquid flow measurement in open channels — Rectangular, trapezoidal and U-shaped flumes*.

ISO 4360:1984, *Liquid flow measurement in open channels by weirs and flumes — Triangular profile weirs*.

ISO 4369:1979, *Measurement of liquid flow in open channels — Moving-boat method*.

1) To be published. (Revision of ISO 748:1979)

2) To be published. (Revision of ISO 772:1988)

ISO 4373:1995, *Measurement of liquid flow in open channels — Water-level measuring devices.*

ISO 4375:1979, *Measurement of liquid flow in open channels — Cableway system for stream gauging.*

ISO 4377:1990, *Liquid flow measurement in open channels — Flat-V weirs.*

ISO 6416:1992, *Measurement of liquid flow in open channels — Measurement of discharge by the ultrasonic (acoustic) method.*

ISO 8368:1985, *Liquid flow measurement in open channels — Guidelines for the selection of flow gauging structures.*

ISO/TR 9123:1986, *Liquid flow measurements in open channels — Stage-fall-discharge relations.*

ISO 9196:1992, *Liquid flow measurement in open channels — Flow measurements under ice conditions.*

ISO 9213:1992, *Measurement of total discharge in open channels — Electromagnetic method using a full-channel-width coil.*

ISO 9555-1:1994, *Measurement of liquid flow in open channels — Tracer dilution methods for the measurement of steady flow — Part 1: General.*

ISO 9555-2:1992, *Measurement of liquid flow in open channels — Tracer dilution methods for the measurement of steady flow — Part 2: Radioactive tracers.*

ISO 9555-3:1992, *Measurement of liquid flow in open channels — Tracer dilution methods for the measurement of steady flow — Part 3: Chemical tracers.*

ISO 9555-4:1992, *Measurement of liquid flow in open channels — Tracer dilution methods for the measurement of steady flow — Part 4: Fluorescent tracers.*

### 3 Definitions

For the purposes of this part of ISO 1100, the definitions and symbols given in ISO 772 apply.

### 4 Units of measurement

The units of measurement used in this part of ISO 1100 are SI units in accordance with the appropriate parts of ISO 31 and ISO 1000.

## 5 Stage-discharge gauging stations (natural channels)

### 5.1 Principle

Water levels (stages) of rivers, lakes or reservoirs are used in delineating flood hazard areas, and in the design of structures in or near rivers, lakes or reservoirs.

The stage or water level of a stream or lake is the height of the water surface above an established datum plane.

Water-level records are obtained by systematic observations of a reference gauge, or from a water-level sensor.

When records of water level in streams are to be used as a basis for computation of discharge, the relation between stage and discharge should be determined.

In a stable channel with appropriate control of the downstream water level, a single relation may exist between stage and discharge. In this case, the relation shall be determined from discharge measurements at selected stages throughout the range of stage experienced at the station.

Discharges can be determined using either velocity-area methods according to ISO 748, tracer dilution methods according to ISO 9555-1, ISO 9555-2, ISO 9555-3 or ISO 9555-4, or ultrasonic methods using a temporary installation (see ISO 6416).

In the case where no single relation exists between stage and discharge, a relation may exist between the surface slope or fall, stage and discharge which may require the establishment of a second stage (slope) gauge. Relations shall then be established on the basis of these three factors, and discharge shall be determined from measurements of surface slope and stage (see ISO 1070 or ISO/TR 9123 as appropriate).

### 5.2 Main elements of a gauging station

The main elements required for establishing the historical records of discharge in a stream from water-level records are as follows:

- choice of control section or reach (see 5.2.1);
- stage-measuring device (see 5.2.2);
- stage-sensing and -recording device (see 5.2.3 and 5.2.5);

— discharge-measuring section (or reach) (see 5.2.6).

For a stage-measuring station, the aim of which is to establish stage records only, see 5.2.2 to 5.2.4.

### 5.2.1 Control section (or reach)

A control section or control reach of a channel is a natural or artificial section or reach whose physical characteristics are measured and used to determine the relation between stage (or stage and slope) and discharge.

A control section is one in which any change in the downstream stage does not affect the upstream stage. Whatever the discharge in the control section, a critical stage can always be recorded. In a control reach no critical stage can be recorded. A control section may be natural (e.g. a rock outcrop or sandbar) or artificial (e.g. a weir, flume or culvert).

The sensitivity of a control section or reach shall be such that any significant change in discharge shall result in either

- a measurable change in stage (for control sections), or
- a measurable change in stage at one extremity of the control reach, and a measurable change in surface slope between the two extremities.

In order to establish a stable stage-discharge relation, the control section or reach shall be stable, i.e. no change shall occur over time in its physical characteristics.

Several control sections may be considered for discharge measurement for one gauging station.

Under given discharge conditions, the presence of a downstream weir may create a water level which submerges an upstream weir used as a control section. This downstream weir may then be considered as the new control section.

### 5.2.2 Stage-measuring devices

Stage-sensing and -measuring devices are the basic elements of the equipment for measuring and recording stage. They shall be stable.

A vertical or inclined staff gauge shall be located near the stage sensor, to act as the reference gauge.

The water level indicated by the stage sensor should follow the water level indicated by the reference gauge.

### 5.2.2.1 Vertical and inclined staff gauges

Vertical and inclined staff gauges shall meet the functional requirements described in ISO 4373, which may be briefly summarized as follows.

- a) The graduations of a staff gauge shall be clearly, accurately and permanently marked directly on a smooth surface. The numerals shall be distinct and placed so that an ambiguous reading is not likely.
- b) The gauges shall be durable and easy to maintain. The material shall have a low coefficient of expansion, and shall be resistant to alternating wet and dry conditions and to wear or fading of the markings.
- c) The gauges shall be placed near the bank, in an easily accessible position, so that water level can be read from the shortest possible distance.
- d) The gauges shall be simple to install and use.
- e) The gauges shall be placed in a calm area, as close as possible to, and preferably in the same cross-section as, the stage sensor, without however affecting stage at this level. When the amplitude of variation of stage can exceed the capacity of a staff gauge, other additional elements may be installed in the same cross-sectional area, normal to the direction of flow.

### 5.2.2.2 Other devices

In some cases, a reference-point gauge with a device for locating the water level with respect to the reference may be substituted for a vertical or inclined gauge.

Needle gauges may be used when level variation is small (1 m max.) and when the water surface is stable.

When it is not possible to install vertical or inclined gauges, wire-weight gauges may be used if a structure exists permitting their installation over the water.

The functional requirements and conditions of installation of these gauges are specified in ISO 4373.

### 5.2.2.3 Gauge-zero elevation (see ISO 4373)

The establishment of the gauge zero shall be chosen so as to avoid negative readings. To ensure that the gauge zero remains the same over the duration of the station operation, care shall be taken to ensure that it

is fixed low enough, especially for sites where scour is severe.

The zero of the gauge shall be correlated with a national datum through a station benchmark. The gauge zero and the other gauge divisions should be checked annually with respect to this benchmark.

This procedure allows replacement of the gauge in case of destruction and maintenance of the same stage-discharge relation provided the control section is not modified. At least two independent station benchmarks should be established so that the gauge zero can be conveniently recovered if one of the benchmarks is lost or destroyed.

### 5.2.3 Stage-sensing devices

When variations in stage are small, stage records may be established by direct readings of the reference gauge by an observer. However, when stage varies rapidly, the station should preferably be equipped with a sensor and recorder (see also 5.4.5).

The stage sensor converts a change in stage into a proportional quantity of shaft rotation or electrical signal, which is then recorded. The stage sensor may be a mechanical, pressure, electronic or acoustic device. The recorder associated with a stage sensor may be a graphic (analog), digital, magnetic tape or electronic device.

#### 5.2.3.1 Float system

The typical float system consists of a float operating in a stilling well, a graduated steel tape or wire, a counterweight, a pulley and a pointer. The stage fluctuations are sensed by the float and converted into an angular moment of the pulley-bearing shaft.

The dimensions of the float and counterweight determine the sensor sensitivity and the driving torque on the output shaft. The functional requirements of stilling wells are given in ISO 4373 and are summarized as follows:

- to provide, within the well, an accurate representation of the water level in the channel;
- to damp out oscillations of the water surface;
- to accommodate the recording instrument and protect the float system.

#### 5.2.3.2 Pneumatic pressure sensor

This type of stage-sensing device is frequently used where the installation of a stilling well would be too

expensive or impractical. The principle of the sensor consists of discharging a small flow of compressed gas into a tube, the free end (orifice) of which has been placed in the water and fixed at an elevation below the level to be measured. The sensor at the opposite end of the tube detects the pressure of the gas, which is proportional to the head of water above the orifice. Servomanometer and servo beam balance devices are some of the mechanisms employed in which pressure is detected, and a strip chart recording or electrical signal is obtained through a servometer. Pressure transducers of appropriate range and accuracy based on a piezoresistive principle, quartz crystal or other type may also be used to produce an electrical signal proportional to the water head. The functional requirements and conditions of installation of these devices are described in ISO 4373.

#### 5.2.3.3 Diaphragm pressure sensor

This is a differential pressure transducer which senses the difference between hydrostatic and atmospheric pressures. The body of the sensor is fixed in the channel at an elevation below the lowest stage to be measured. It is fitted with a diaphragm, one face of which is in contact with the water and the other face is subjected to atmospheric pressure through a capillary tube which is vented to the atmosphere above water level.

The deformation of the diaphragm under hydrostatic pressure is converted into an electrical signal which is proportional to the head of water above the sensor.

The use of such sensors is generally limited to restricted measuring ranges because of the difficulty in meeting the accuracy requirements defined in 5.2.4 over extended measuring ranges. The installation requirements for these sensors are similar to those for pneumatic sensors.

#### 5.2.3.4 Downward-looking ultrasonic device

This device is located above the water surface, away from the influence of the banks. The time is measured for pulses of ultrasound to travel from the device to the water surface and back. The speed of sound in air is assessed either from a measurement of air temperature, or by direct measurement using a target placed at a fixed distance between the device and the water surface.

The manufacturer's recommendations for minimum distances between the device and the banks and water surface should be followed. In the presence of waves on the water surface, the device tends to determine the elevation of the wave crests. The range



of these devices (meeting the accuracy requirements of 5.2.4) is limited to about 2 m.

### 5.2.3.5 Upward-looking ultrasonic device

A transducer is located below the water surface away from the banks, and connected to an electronic unit. The time is measured for pulses of ultrasound to travel from the transducer to the water surface and back. The speed of sound in water is assessed either by direct measurement, using a target placed at a fixed distance above the transducer, or from data derived from an ultrasonic flowmeter (see ISO 6416) of which the level sensor is an integral part.

The manufacturer's recommendations for the minimum distances between the transducer and the banks and water surface should be followed. In the presence of waves on the water surface, the device tends to determine the elevation of the wave troughs.

A common configuration consists of a vertical tube extending above the water surface, with the transducer and target at the lower end.

### 5.2.3.6 Other stage sensors

Other types of sensors exist which operate according to mechanical principles (buoyancy), electrical principles (capacitance or resistance sensors), or optical principles.

However, they are not covered in this part of ISO 1100.

### 5.2.3.7 Maximum-stage gauge

A maximum-stage gauge may be used to obtain a record of the peak level reached during a flood when other methods of recording levels cannot be used. Peak discharges may be calculated from the water levels at two gauges installed some distance apart in a stretch of channel, provided that the time lag between measurements is negligible (see ISO 1070). These gauges do not meet the accuracy requirements of 5.2.4.

Maximum-stage gauges are locally made to different designs. Basically they may consist of a vertically installed tube of approximately 50 mm internal diameter, down the centre of which runs a rod. The tube is perforated to permit rising water to enter, the perforations being located to prevent drawdown or velocity head from affecting the static water level. The top of the tube shall be closed to prevent the entry of rain, but it should have an air vent to permit water to rise up the tube without significant delay. Powdered cork in the bottom of the tube floats on the

surface of the flood water, and is deposited on the centre rod as the water recedes, thus indicating the maximum stage. Alternatively, the centre rod may be coated with a paint whose colour is permanently affected by water.

## 5.2.4 Accuracy of stage measurements

For the measurement of stage, in certain installations an uncertainty of  $\pm 10$  mm may be satisfactory; in others, an uncertainty of  $\pm 3$  mm or better may be required; however, in no case should the uncertainty be greater than  $\pm 10$  mm, or  $\pm 0,1$  % of the range of the measuring device, whichever is greater (see ISO 4373).

## 5.2.5 Water-level recorders

### 5.2.5.1 Analog recorders

Analog recorders produce a continuous graphic record on a paper chart of the rise and fall of the stream with respect to time, as measured by the stage sensor.

Graphic recorders may be mechanical, with a shaft rotation as input signal delivered directly by the level sensor or electronic (e.g. potentiometric recorders).

Regardless of their type, graphic recorders shall meet the requirements of ISO 4373.

### 5.2.5.2 Digital paper tape recorders

Digital paper tape recorders punch or inscribe coded instantaneous or discrete values on paper tape at preselected time intervals.

### 5.2.5.3 Magnetic tape recorders

Magnetic type recorders record coded values of a variable on a magnetic tape at preselected time intervals. Coding may be incremental, i.e. only level variations between two measurements are recorded over the time interval, or discrete values may be recorded. In the latter case, the integer value is generally recorded in binary form. These recorders are coupled to stage sensors via encoders, such as a rotational shaft movement or an electronic encoder delivering electrical signals.

### 5.2.5.4 Electronic memory (solid state) recorders

These recorders store coded values in an electronic memory. Like magnetic tape recorders, they are coupled to stage sensors via digital coders suited to the signal delivered. Stored values may be retrieved on-site or remotely consulted, using an appropriate device.

### 5.2.6 Discharge-measuring section or reach (gauging section)

The establishment of the stage-discharge relation at a gauging station is carried out by direct measurement of discharge using the methods described in the appropriate International Standard.

In a permanent gauging station, the measurement section should be clearly identified and suitably equipped to provide satisfactory performance.

Regardless of the measuring method, the discharge through the discharge-measuring section or reach shall be the same as the discharge normal to the reference-stage gauge, over the entire range of discharge rates.

At a gauging station, different measuring sections or different methods may be used to cover the discharge range.

The various methods which can be used for calibrating a gauging station are:

- the velocity-area method using a current-meter (see ISO 748), the moving boat method (see ISO 4369) or floats (see ISO 748);
- the dilution method using a tracer (see ISO 9555-1, ISO 9555-2, ISO 9555-3, and ISO 9555-4);
- the ultrasonic method using a temporary installation in a self-calibrating mode (ISO 6416).

### 5.2.7 Discharge measurement by the velocity-area method

The principle of the method is to measure the mean velocity and the area of cross-section of flow, the product of which is the discharge.

The physical and hydraulic characteristics of the discharge measuring section shall meet the requirements of ISO 748 for the method to be implemented.

Where the site does not offer the main requirements for a gauging according to the specifications, conditions shall be improved as described below.

- a) Minor irregularities in the bank or bed causing local eddies shall be eliminated by trimming the bank to a regular line and a stable slope, and by removing from the bed any large stones or boulders.
- b) Trees obstructing the clear view of the measuring section or measuring reach shall be trimmed or

removed. The field of view of a measuring section shall extend sufficiently upstream to enable floating debris, which might damage a measuring instrument, to be seen in sufficient time to permit the removal of the instrument from the stream.

- c) Suitable access to the site shall be constructed where possible, to provide safe passage at all stages of flow and in all weather for personnel and for any vehicles used for the conveyance of instruments and equipment.

### 5.2.8 Discharge measurement by the dilution method

This method consists of injecting a tracer solution of known concentration into the stream and sampling the tracer concentration at a point further downstream, where turbulence has mixed the tracer uniformly throughout the cross-section.

The stream discharge is computed from a comparison between the concentrations of the injected solution and of the samples taken downstream.

The physical and hydraulic characteristics of the discharge measuring reach shall meet the requirements of the appropriate part of ISO 9555. The method relies on there being good mixing of the water and tracer throughout the entire cross-section. Adequate length of channel shall be used between the injection and sampling points.

## 5.3 Preliminary survey and selection criteria

The site selected for observation of stage should be determined by the purpose for which the records are collected, the accessibility of the site, and the availability of an observer if the gauge is nonrecording. Gauges on lakes and reservoirs are normally located near the outlet, but upstream from the zone where an increase in velocity causes a drawdown in water level. Gauges on large bodies of water should also be located so as to reduce the fetch of strong winds, which may cause damage or misleading data. Hydraulic conditions are an important factor in site selection on channels, particularly where water levels are used to compute discharge records.

### 5.3.1 Preliminary survey

Detailed examination of a large-scale map is required in the first instance. A low-altitude aerial survey (using a plane or helicopter) may be made if the basin is large and not readily accessible by road vehicles. This procedure gives a better view than ground surveys. Aerial views can be used as a basis for selecting po-



tential sites, which can then be evaluated and studied more precisely by ground reconnaissance. Ground reconnaissance will include a detailed visual examination of the site and enquiry among competent services to determine whether hydraulic work projects exist which could modify the stream bed regime. This enquiry should include an investigation of past flow history, low water, high water, overflow areas, floods and bed instability.

### 5.3.2 Selection criteria

A list of surveyed sites shall be established with their advantages and drawbacks as to the establishment of a gauging station. Selection shall then be made according to the following criteria.

#### 5.3.2.1 Measurement range

The site selected shall be such that it is possible to measure the entire range and all types of flow which may be encountered or which are required to be measured.

The entire range of measurement may be referred to one reference gauge, or certain ranges of discharge may be referred to different gauges. Different methods of calibration may be employed for separate parts of the range, the particular conditions relative to each of the methods of calibration being specified in the relevant International Standard (see clause 2 and annex A).

#### 5.3.2.2 Stability

The operation of a gauging station is based on the assumption of a relation between stage and discharge.

It is therefore desirable that this relation is stable at the selected site. This condition is met if the control section or reach is stable and not subject to variable backwater.

Sites where weed growth is prevalent shall be avoided, if possible.

There shall be no vortices, dead water or other abnormalities in flow. Sites where difficult ice conditions are prevalent shall be avoided, if possible.

#### 5.3.2.3 Sensitivity

The site shall be sensitive, such that a significant change in discharge, even for the lowest discharges, shall be accompanied by a significant change in stage. Small errors in stage readings during calibration at a

nonsensitive station can result in large errors in the discharges indicated by the stage-discharge relation.

A comparison shall be made between the change in discharge and the corresponding minimum change in stage to ensure that the sensitivity of the station is sufficient for the purpose for which the measurements are required.

#### 5.3.2.4 Scale readability

It is essential that the reference gauge is easily readable and accurate at all values of discharge, because stage readings are the basis of discharge measurements.

The water surface shall be calm to ensure that readings shall correspond to the indication of the stage sensor. The gauge and the sensor shall therefore be installed close to each other in a low-velocity area.

#### 5.3.2.5 Accessibility

Ideally the station should be accessible, or made accessible, at all seasons regardless of the discharge conditions.

#### 5.3.2.6 Silting

When the stream carries a high sediment load, silting of the gauge may occur, especially in low-velocity protected areas. Access to any stilling well should therefore be provided to permit quick and easy cleaning.

#### 5.3.2.7 Flood protection

Site inspection shall be carried out under low-water and high-water conditions to study currents and eddies. The sensor shall be placed out of reach of any floating debris to avoid accidental damage, and the recorder should be set at an elevation to avoid being flooded under high-water conditions.

Public records shall be consulted, the vegetation shall be observed and the population questioned to this end.

#### 5.3.2.8 Discharge measurements

During preliminary surveys, the possibility of using one method of discharge measurement for the whole discharge range shall be considered. It is preferable, but not essential, that the discharge measuring section, or reach, is situated at the gauging station, but it is satisfactory to use a measuring section at a different location from the gauge if the same discharge

is recorded at both places. Exploratory measurements should be carried out to check this requirement.

### 5.3.2.9 Possible site improvements

When the main requirements for a measuring site according to the specifications cannot all be satisfied, improvements such as those described below can be contemplated at the surveying stage.

- a) The loss of water from the main channel by spillage can often be avoided by constructing flood banks to confine the flow in a defined flood channel.
- b) Minor irregularities in the bank or bed causing local eddies may be eliminated by trimming the bank to a regular line and a stable slope, and by removing from the bed any large stones or boulders.
- c) Unstable banks should be protected wherever possible. Such protections shall extend upstream and downstream of a measuring section for a distance equal to at least one quarter of the bankfull width of the channel in each direction. In the case of float gauging, the whole of the measuring reach shall be protected.
- d) Instability of the bed may sometimes be corrected by introducing an artificial control which may also serve to improve the stage-discharge relation (sensitivity) or to create conditions in the measuring section for instruments to be effectively used. Occasionally, it may be possible to eliminate variable backwater effects by introducing an artificial control. Artificial controls are, however, not practicable in large alluvial rivers.
- e) Installation of cableways, walkways or footbridges as necessary.

## 5.4 Establishment of stage-discharge relation gauging station

### 5.4.1 General

The history of stage data shall be traced either by periodic observations of a reference gauge for streams having small variations in stage, or by continuous stage recording at intervals as necessary to define the hydrograph adequately.

The availability of a control section or reach establishing a stable relation between stage and discharge can convert stage records into discharge records.

However, a stage-discharge relation cannot always be established for alluvial rivers. In this case, the stage-discharge relation is only applicable for the interval of time for which it has been verified by discharge measurements.

### 5.4.2 Preparatory work

After the preliminary survey, a topographical survey shall be made when selecting a permanent site for a suitable measuring section. This shall include a plan of the site indicating the width of the water surface at a specified stage, the edges of the natural banks of the channel(s), the line of any definite discontinuity of the slope of these banks and the toe and crest of any artificial flood bank.

At sites where a permanent measuring section is warranted, the following preparatory work shall be carried out.

- a) All obstructions in the channel or floodway shall be indicated.
- b) A longitudinal section of the channel shall be drawn from a point downstream of a control, where this exists, to the upstream limit of the reach showing the level of the deepest part of the bed and water surface gradients at low and high stages.
- c) The reach containing the measuring section shall be checked to ensure that it contains no discontinuities that may affect the measurement results. At least five cross-sections shall be surveyed in the measuring reach: two cross-sections upstream from the measuring section and two downstream, at distances upstream and downstream of not less than one bankfull width of the channel.
- d) The control shall be defined by one or more cross-sections or by a close grid of levels over the area.
- e) The detailed survey of the reach shall be extended to an elevation well above the highest anticipated flood level.
- f) The spacing of levels or soundings should be close enough to reveal any abrupt change in the contour of the channel.
- g) The bed of the reach shall be examined for the presence of rocks or boulders, particularly in the vicinity of the measuring section.

- h) All key points at the site shall be permanently marked on the ground by markers sunk to such a depth below the surface as will secure them against movement. Cross-section markers should be on the line of the cross-section to facilitate the repetition of levels or soundings when the section is checked.
- i) Where the main requirements necessary for a suitable gauging site, as specified, are not present, conditions may be improved as described in 5.3.2.9.

### 5.4.3 Stage measurement and recording

A recorder shall be installed so as to produce a continuous record of stage at intervals as necessary to define the hydrograph adequately (but see 5.4.5.1). It may be desirable to establish gauges at both banks particularly when there is any risk of differential level.

A station benchmark shall be established to conform to 5.2.2.3.

If a section control regulates the stage at low and/or medium discharges at the gauging station, the gauge shall be situated upstream from the control and sufficiently remote from it to avoid any distortion of flow which might occur in that vicinity. It shall be close enough to ensure that a variable stage-discharge relation will not be introduced through the effect of wind or weed growth in the channel. Higher discharges are most often controlled by the general characteristics of the channel for a considerable distance downstream.

The reference gauge and water-level recorder shall be located as close as possible to the measuring reach unless floats are used to measure the velocities, in which case the reference gauge and water-level recorder shall be located near the midpoint of the measuring reach.

The reference gauge shall comply with 5.2.2 and ISO 4373.

### 5.4.4 Discharge measurement

The stage-discharge relation shall be established by measuring the discharges corresponding to respective stage values.

**5.4.4.1** When the station is to be calibrated using current meters to measure velocities, exploratory measurements of velocities shall be made in the proposed measuring section and in the cross-sections immediately upstream and downstream. When poss-

ible, the method of velocity distribution described in ISO 748 shall be used for these measurements to determine the feasibility of using reduced-point methods (see 5.3.2.8 and 5.2.6).

For stations calibrated with current-meters, a standard profile on the measuring cross-section shall be drawn, indicating the position of the cross-section markers. On this drawing, the positions selected for the measuring verticals may be recorded (see ISO 748). The bed levels of the cross-section shall be frequently checked and the profile revised, if necessary.

The velocity measurements described above shall be repeated at more than one stage to ensure that any abnormality of flow is detected.

If the site allows it, the discharge-measuring section may be equipped with a device for improving the measuring equipment to be used. Bridges and current-meter wading rods, cableways and current-meter suspension equipment shall conform to ISO 4375 and ISO 3454.

**5.4.4.2** When floats are to be used for velocity measurements, trial runs of floats shall be closely spaced across the width of the channel.

For stations calibrated with floats, a standard plan shall be prepared on which the lines of the selected floats, runs and the release points for floats shall be indicated. A copy of this plan shall be kept in the instrument house at all times (see ISO 748).

**5.4.4.3** When dilution techniques are to be used to calibrate the station, trial measurements should be made to check the efficiency of mixing (see ISO 9555-1).

### 5.4.5 Operation of a stage-discharge relation gauging station

**5.4.5.1** The production of a satisfactory record depends on the station being maintained in full operating order at all times. This requires efficient attention to the recorder and proper maintenance of the station, its equipment and its calibration. Where a station is fitted only with a reference gauge or reference gauges (vertical, inclined, wire-weight or hook) and no water-level recorder, the local observers shall be required to furnish readings at specified intervals of all the gauges in their care. Preferably the readings shall be made at fixed hours. The intervals between the readings shall be determined by the rate at which the water level at the site changes, but arrangements shall be made to have additional readings when the water level is changing more rapidly than usual.