



SLOVENSKI STANDARD
SIST EN 300 402-7 V1.4.5:2005
01-januar-2005

Digitalno omrežje z integriranimi storitvami (ISDN) – Protokol digitalne naročniške signalizacije št. 1 (DSS1) – Podatkovna povezovalna plast – 7. del: Abstraktni preskušalni niz (ATS) in delna dodatna informacija za preskušanje izvedbe protokola (PIXIT) – Proforma specifikacija za generični splošni protokol

Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 7: Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the general protocol

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 402-7 V1.4.5:2005](https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005)

<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005>

Ta slovenski standard je istoveten z: EN 300 402-7 Version 1.4.5

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
35.100.20	Podatkovni povezovalni sloj	Data link layer

SIST EN 300 402-7 V1.4.5:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 402-7 V1.4.5:2005

<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005>

ETSI EN 300 402-7 V1.4.5 (2000-07)

European Standard (Telecommunications series)

**Integrated Services Digital Network (ISDN);
Digital Subscriber Signalling System No. one (DSS1) protocol;
Data link layer;
Part 7: Abstract Test Suite (ATS) and partial Protocol
Implementation eXtra Information for Testing (PIXIT)
proforma specification for the general protocol**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN 300 402-7 V1.4.5:2005](https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005)

<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005>



Reference

REN/SPAN-05140-7

KeywordsATS, D-channel, DSS1, ISDN, LAPD, layer 2,
network, PIXIT, QSIG, SSIG, user**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 402-7 V1.4.5:2005<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-7e5fb8aa6288/sist-en-300-402-7-v1-4-5-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:

editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights	5
Foreword	5
1 Scope	6
2 References	6
3 Definitions and abbreviations	7
3.1 Definitions	7
3.2 Abbreviations	7
4 Abstract Test Method (ATM)	8
5 Untestable test purposes	8
6 ATS conventions	8
6.1 Declarations part	8
6.1.1 Type definitions	8
6.1.1.1 Simple type definitions	8
6.1.1.2 Structured type definitions	8
6.1.1.2.1 TTCN structured type definitions	8
6.1.1.2.2 ASN.1 structured type definitions	9
6.1.1.3 ASP type definitions	9
6.1.1.3.1 TTCN ASP type definitions	9
6.1.1.3.2 ASN.1 ASP type definitions	9
6.1.1.4 PDU type definitions	10
6.1.1.4.1 TTCN PDU type definitions	10
6.1.1.4.2 ASN.1 PDU type definitions	10
6.1.2 Test suite constants	10
6.1.3 Test suite parameters	10
6.1.4 Variables	10
6.1.4.1 Test suite variables	10
6.1.4.2 Test case variables	10
6.1.5 Test suite operation definitions	10
6.2 Constraints part	11
6.2.1 Structured type constraint declaration	11
6.2.2 ASN.1 type constraint declaration	11
6.2.3 ASP type constraint declaration	11
6.2.3.1 ASN.1 ASP type constraint declaration	11
6.2.3.2 TTCN ASP type constraint declaration	11
6.2.4 PDU type constraint declaration	12
6.2.4.1 ASN.1 PDU type constraint declaration	12
6.2.4.2 TTCN PDU type constraint declaration	12
6.2.5 Derived constraints	12
6.2.6 Parameterized constraints	12
6.2.7 Value assignment	12
6.2.7.1 Specific values	12
6.2.7.2 Matching values	13
6.3 Dynamic part	13
6.3.1 Test cases	13
6.3.2 Test steps	13
6.3.3 Defaults	13

7	ATS to TP map.....	13
8	PCTR conformance.....	13
9	PIXIT conformance.....	14
10	ATS conformance.....	14
Annex A (normative): Protocol Conformance Test Report (PCTR) proforma.....		15
A.1	Identification summary.....	15
A.1.1	Protocol conformance test report.....	15
A.1.2	IUT identification.....	15
A.1.3	Testing environment.....	16
A.1.4	Limits and reservations.....	16
A.1.5	Comments.....	16
A.2	IUT conformance status.....	16
A.3	Static conformance summary.....	16
A.4	Dynamic conformance summary.....	17
A.5	Static conformance review report.....	17
A.6	Test campaign report.....	17
A.7	Observations.....	29
Annex B (normative): Partial PIXIT proforma.....		30
B.1	Identification summary.....	30
B.2	Abstract test suite summary.....	30
B.3	Test laboratory.....	30
B.4	Client (of the test laboratory).....	31
B.5	System Under Test (SUT).....	31
B.6	Protocol information.....	32
B.6.1	Protocol identification.....	32
B.6.2	Configuration to be tested.....	32
B.6.3	Configuration options.....	32
B.6.4	Test management timers.....	33
B.6.5	Sending of messages by IUT.....	33
B.6.6	Parameter values.....	33
Annex C (normative): Abstract Test Suite (ATS).....		34
C.1	The TTCN Graphical form (TTCN.GR).....	34
C.2	The TTCN Machine Processable form (TTCN.MP).....	34
Annex D (informative): General structure of ATS.....		35
Bibliography.....		36
History.....		37

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 7 of a multi-part standard covering the Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer, as identified below:

- Part 1: "General aspects [ITU-T Recommendation Q.920 (1993), modified]";
- Part 2: "General protocol specification [ITU-T Recommendation Q.921 (1993), modified]";
- Part 3: "Frame relay protocol specification";
- Part 4: "Protocol Implementation Conformance Statement (PICS) proforma specification for the general protocol";
- Part 5: "Protocol Implementation Conformance Statement (PICS) proforma specification for the frame relay protocol";
- Part 6: "Test Suite Structure and Test Purposes (TSS&TP) specification for the general protocol";
- Part 7: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the general protocol".**

National transposition dates

Date of adoption of this EN:	26 May 2000
Date of latest announcement of this EN (doa):	31 August 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2001
Date of withdrawal of any conflicting National Standard (dow):	28 February 2001

1 Scope

This seventh part of EN 300 402 specifies the Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma for the user-network interface data link layer at the T reference point or coincident S and T reference point (as defined in ITU-T Recommendation I.411 [9]) of implementations conforming to the standard for the general data link layer protocol for the pan-European Integrated Services Digital Network (ISDN) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol, ETS 300 402-2 [1].

ETS 300 402-6 [3] specifies the Test Suite Structure and Test Purposes (TSS&TP) related to this ATS and partial PIXIT proforma specification.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- IT'S STANDARD PREVIEW
(standards.iteh.ai)
- SIST EN 300 402-7 V1.4.5:2005
<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d-254612963871>
- [1] ETSI ETS 300 402-2 (1995): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 2: General protocol specification [ITU-T Recommendation Q.921 (1993), modified]".
- [2] ETSI ETS 300 402-4 (1996): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 4: Protocol Implementation Conformance statement (PICS) proforma specification for the general protocol".
- [3] ETSI ETS 300 402-6 (1997): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Data link layer; Part 6: Test Suite Structure and Test Purposes (TSS&TP) specification for the general protocol".
- [4] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [5] ISO/IEC 9646-2: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract Test Suite specification".
- [6] ISO/IEC 9646-3: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [7] ISO/IEC 9646-4: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 4: Test realization".
- [8] ISO/IEC 9646-5: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process".
- [9] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces - Reference configurations".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply:

Abstract Test Suite (ATS): see ISO/IEC 9646-1 [4].

Implementation Under Test (IUT): see ISO/IEC 9646-1 [4].

Lower Tester (LT): see ISO/IEC 9646-1 [4].

Point of Control and Observation (PCO): see ISO/IEC 9646-1 [4].

Protocol Conformance Test Report (PCTR): see ISO/IEC 9646-1 [4].

Protocol Implementation Conformance Statement (PICS): see ISO/IEC 9646-1 [4].

PICS proforma: see ISO/IEC 9646-1 [4].

Protocol Implementation eXtra Information for Testing (PIXIT): see ISO/IEC 9646-1 [4].

PIXIT proforma: see ISO/IEC 9646-1 [4].

System Under Test (SUT): see ISO/IEC 9646-1 [4].

Upper Tester (UT): see ISO/IEC 9646-1 [4].

IT-1 STANDARD PREVIEW
(standards.iteh.ai)

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

ASP	Abstract Service Primitive
ATM	Abstract Test Method
ATS	Abstract Test Suite
CM	Co-ordination Message
ExTS	Executable Test Suite
IUT	Implementation Under Test
LT	Lower Tester
MOT	Means Of Testing
PCO	Point of Control and Observation
PCTR	Protocol Conformance Test Report
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation eXtra Information for Testing
SUT	System Under Test
TP	Test Purpose
TTCN	Tree and Tabular Combined Notation
UT	Upper Tester

4 Abstract Test Method (ATM)

The remote test method is applied for this ATS. The Point of Control and Observation (PCO) resides at the service access point between layers 1 and 2. This PCO is named "L" (for Lower). The L PCO is used to control and observe the behaviour of the Implementation Under Test (IUT) and test case verdicts are assigned depending on the behaviour observed at this PCO.




Figure 1: Remote test method

5 Untestable test purposes

There are no untestable test purposes associated with this ATS.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

6 ATS conventions

<https://standards.iteh.ai/catalog/standards/sist/70fa9b74-2bb5-40e8-af5d->

This clause is structured similarly to the structure of a TTCN ATS. However, the names of the subclauses are arranged in a way more suitable to the present document.

6.1 Declarations part

6.1.1 Type definitions

6.1.1.1 Simple type definitions

Where appropriate, simple types have a length, a value list or a range restriction attached.

Simple types defined as being of some string type (e.g. BIT STRING, OCTET STRING), have a length restriction or a value list attached.

Simple types, defined as being of INTEGER type, have a value list or a range restriction attached.

6.1.1.2 Structured type definitions

6.1.1.2.1 TTCN structured type definitions

All structured type definitions are provided with a full name.

All elements in every structured type definition, defined as being of some string type (e.g. BIT STRING, OCTET STRING), have a length restriction attached.

6.1.1.2.2 ASN.1 structured type definitions

There are no ASN.1 structured type definitions in the ATS.

6.1.1.3 ASP type definitions

6.1.1.3.1 TTCN ASP type definitions

TTCN ASP type definitions only contain one PDU or no PDU at all.

All TTCN ASP type definitions are provided with a full identifier.

Some ASPs are not parameterized as shown in the example in table 1. Such ASPs are only used for requesting or receiving service from the lower layer.

Table 1: TTCN ASP type definition PH_ACT_IN

TTCN ASP Type Definition		
ASP NAME : PH_ACT_IN(PH_Activate_Indication)		
PCO Type : PSAP		
Comments :		
Parameter Name	Parameter Type	Comments
Detailed Comments :		

Table 2 shows an example of a parameterized ASP, PH_DATA_RQ, which is an ASP to be sent and contains a PDU and a Priority Indicator.

Table 2: TTCN ASP type definition PH_DATA_RQ

TTCN ASP Type Definition		
ASP NAME : PH_DATA_RQ(PH_DATA_Request)		
PCO Type : PSAP		
Comments :		
Parameter Name	Parameter Type	Comments
PI (Priority Indicator)	INTEGER	
MU (MessageUnit)	PDU	Data Link Layer peer to peer message
Detailed Comments :		

Table 3 shows an example of a parameterized ASP, PH_DATA_IN, which is an ASP to be received and contains a PDU and no Priority Indicator.

Table 3: TTCN ASP type definition PH_DATA_IN

TTCN ASP Type Definition		
ASP NAME : PH_DATA_IN(PH_DATA_Indication)		
PCO Type : PSAP		
Comments :		
Parameter Name	Parameter Type	Comments
MU (MessageUnit)	PDU	Data Link Layer peer to peer message
Detailed Comments :		

6.1.1.3.2 ASN.1 ASP type definitions

There are no ASN.1 ASP type definitions in the ATS.

6.1.1.4 PDU type definitions

6.1.1.4.1 TTCN PDU type definitions

The TTCN PDU type reflects the actual data being transferred or received. All PDUs are embedded in ASPs.

If a specific PDU type definition contains elements defined in terms of a pre-defined type, that element has a restriction attached to it.

6.1.1.4.2 ASN.1 PDU type definitions

There are no ASN.1 PDU type definitions in the ATS.

6.1.2 Test suite constants

Each test suite constant is defined in terms of a predefined type or a referenced type. The values given in the value column will remain unchanged throughout the test suite.

6.1.3 Test suite parameters

Each test suite parameter is defined in terms of a predefined type.

6.1.4 Variables

6.1.4.1 Test suite variables

No test suite variables are used or defined in this ATS.

6.1.4.2 Test case variables

Each test case variable is defined in terms of a predefined type.

Where test case variables are used in constraints, they are passed as formal parameters.

6.1.5 Test suite operation definitions

The description part of a test suite operation definition uses either natural language or a procedural definition.

Table 4: Test suite operation definition using natural language

Test Suite Operation Definition	
Operation Name	: RANDOM (low:INTEGER; high:INTEGER)
Result Type	: INTEGER
Comments	:
Description	
The return value represents a random value between "low" and "high" values.	
This operation is useful to provide the RI value during TEI management.	
Detailed comments	: