ETSI GS NFV-SOL 002 V3.3.1 (2020-08)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e6ec/etsi-gs-nfv-sol-002-v3.3.1-2020-08

Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models; RESTful protocols specification for the Ve-Vnfm Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/NFV-SOL002ed331

Keywords
API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2102478-4c4d-488f-99bb-1f5eb8e0e5/etsi-gs-nfv-sol-002-v3.3.1-2020-08

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights 15
Foreword 15
Modal verbs terminology 15
1 Scope 16
2 References 16
2.1 Normative references 16
2.2 Informative references 16
3 Definition of terms, symbols and abbreviations 17
3.1 Terms 17
3.2 Symbols 17
3.3 Abbreviations 17
4 General aspects 18
4.1 Overview 18
4.2 Void 19
4.3 Void 19
4.4 Common data types 19
4.4.1 Structured data types 19
4.4.1.1 Introduction 19
4.4.1.2 Void 19
4.4.1.3 Void 19
4.4.1.3a Void 19
4.4.1.4 Void 19
4.4.1.5 Type: VnfInstanceSubscriptionFilter 19
4.4.1.6 Void 20
4.4.2 Simple data types and enumerations 20
4.4.2.1 Introduction 20
4.4.2.2 Simple data types 20
4.4.2.3 Enumerations 20
4.5 Void 20
4.6 Void 20
4.7 Void 20
5 VNF Lifecycle Management interface 20
5.1 Description 20
5.1a API version 22
5.2 Resource structure and methods 22
5.3 Sequence diagrams (informative) 25
5.3.1 Flow of the creation of a VNF instance resource 25
5.3.2 Flow of the deletion of a VNF instance resource 25
5.3.3 Flow of VNF lifecycle management operations triggered by task resources 26
5.3.4 Flow of automatic invocation of VNF scaling and VNF healing 28
5.3.5 Flow of the Query VNF operation 30
5.3.6 Flow of the Modify VNF Information operation 31
5.3.7 Flow of the Get Operation Status operation 32
5.3.8 Flow of managing subscriptions 33
5.3.9 Flow of sending notifications 35
5.3.10 Flow of retrying a VNF lifecycle management operation 36
5.3.11 Flow of rolling back a VNF lifecycle management operation 37
5.3.12 Flow of failing a VNF lifecycle management operation 38
5.3.13 Flow of cancelling a VNF lifecycle management operation 39
5.3.14 Flow of creation of a VNF snapshot resource 42
5.3.15 Flow of the Query VNF Snapshot operation 42
5.3.16 Flow of the deletion of a VNF snapshot resource 43
5.4 Resources 43
5.4.1 Introduction 43

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43ce-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol002-v3.3.1-2020-08

5.4.1.1 Overview 43
5.4.1.2 Task resources that trigger VNF LCM operations 44
5.4.1a Resource: API versions 45
5.4.2 Resource: VNF instances 45
5.4.2.1 Description 45
5.4.2.2 Resource definition 45
5.4.2.3 Resource methods 46
5.4.2.3.1 POST 46
5.4.2.3.2 GET 47
5.4.2.3.3 PUT 48
5.4.2.3.4 PATCH 49
5.4.2.3.5 DELETE 49
5.4.3 Resource: Individual VNF instance 49
5.4.3.1 Description 49
5.4.3.2 Resource definition 49
5.4.3.3 Resource methods 49
5.4.3.3.1 POST 49
5.4.3.3.2 GET 49
5.4.3.3.3 PUT 50
5.4.3.3.4 PATCH 50
5.4.3.3.5 DELETE 51
5.4.4 Resource: Instantiate VNF task 52
5.4.4.1 Description 52
5.4.4.2 Resource definition 52
5.4.4.3 Resource methods 52
5.4.4.3.1 POST 52
5.4.4.3.2 GET 53
5.4.4.3.3 PUT 53
5.4.4.3.4 PATCH 54
5.4.4.3.5 DELETE 54
5.4.5 Resource: Scale VNF task 54
5.4.5.1 Description 54
5.4.5.2 Resource definition 54
5.4.5.3 Resource methods 54
5.4.5.3.1 POST 54
5.4.5.3.2 GET 55
5.4.5.3.3 PUT 55
5.4.5.3.4 PATCH 55
5.4.5.3.5 DELETE 56
5.4.6 Resource: Scale VNF to Level task 56
5.4.6.1 Description 56
5.4.6.2 Resource definition 56
5.4.6.3 Resource methods 56
5.4.6.3.1 POST 56
5.4.6.3.2 GET 57
5.4.6.3.3 PUT 57
5.4.6.3.4 PATCH 57
5.4.6.3.5 DELETE 58
5.4.7 Resource: Change VNF Flavour task 58
5.4.7.1 Description 58
5.4.7.2 Resource definition 58
5.4.7.3 Resource methods 58
5.4.7.3.1 POST 58
5.4.7.3.2 GET 60
5.4.7.3.3 PUT 60
5.4.7.3.4 PATCH 61
5.4.7.3.5 DELETE 61
5.4.8 Resource: Terminate VNF task 61
5.4.8.1 Description 61
5.4.8.2 Resource definition 61
5.4.8.3 Resource methods 61
5.4.8.3.1 POST 61

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

5.4.8.3.2 GET 62
5.4.8.3.3 PUT 62
5.4.8.3.4 PATCH 62
5.4.8.3.5 DELETE 62
5.4.9 Resource: Heal VNF task 62
5.4.9.1 Description 62
5.4.9.2 Resource definition 63
5.4.9.3 Resource methods 63
5.4.9.3.1 POST 63
5.4.9.3.2 GET 64
5.4.9.3.3 PUT 64
5.4.9.3.4 PATCH 64
5.4.9.3.5 DELETE 65
5.4.10 Resource: Operate VNF task 65
5.4.10.1 Description 65
5.4.10.2 Resource definition 65
5.4.10.3 Resource methods 65
5.4.10.3.1 POST 65
5.4.10.3.2 GET 66
5.4.10.3.3 PUT 67
5.4.10.3.4 PATCH 67
5.4.10.3.5 DELETE 67
5.4.11 Resource: Change external VNF connectivity task 67
5.4.11.1 Description 67
5.4.11.2 Resource definition 67
5.4.11.3 Resource methods 68
5.4.11.3.1 POST 68
5.4.11.3.2 GET 68
5.4.11.3.3 PUT 69
5.4.11.3.4 PATCH 69
5.4.11.3.5 DELETE 69
5.4.11a Resource: Change current VNF package task 69
5.4.11a.1 Description 69
5.4.11a.2 Resource definition 70
5.4.11a.3 Resource methods 70
5.4.11a.3.1 POST 70
5.4.11a.3.2 GET 72
5.4.11a.3.3 PUT 72
5.4.11a.3.4 PATCH 72
5.4.11a.3.5 DELETE 72
5.4.12 Resource: VNF LCM operation occurrences 72
5.4.12.1 Description 72
5.4.12.2 Resource definition 73
5.4.12.3 Resource methods 73
5.4.12.3.1 POST 73
5.4.12.3.2 GET 73
5.4.12.3.3 PUT 74
5.4.12.3.4 PATCH 74
5.4.12.3.5 DELETE 74
5.4.13 Resource: Individual VNF LCM operation occurrence 75
5.4.13.1 Description 75
5.4.13.2 Resource definition 75
5.4.13.3 Resource methods 75
5.4.13.3.1 POST 75
5.4.13.3.2 GET 75
5.4.13.3.3 PUT 76
5.4.13.3.4 PATCH 76
5.4.13.3.5 DELETE 76
5.4.14 Resource: Retry operation task 76
5.4.14.1 Description 76
5.4.14.2 Resource definition 76
5.4.14.3 Resource methods 77

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

5.4.14.3.1 POST 77
5.4.14.3.2 GET 78
5.4.14.3.3 PUT 78
5.4.14.3.4 PATCH 78
5.4.14.3.5 DELETE 78
5.4.15 Resource: Rollback operation task 78
5.4.15.1 Description 78
5.4.15.2 Resource definition 78
5.4.15.3 Resource methods 78
5.4.15.3.1 POST 78
5.4.15.3.2 GET 79
5.4.15.3.3 PUT 79
5.4.15.3.4 PATCH 80
5.4.15.3.5 DELETE 80
5.4.16 Resource: Fail operation task 80
5.4.16.1 Description 80
5.4.16.2 Resource definition 80
5.4.16.3 Resource methods 80
5.4.16.3.1 POST 80
5.4.16.3.2 GET 81
5.4.16.3.3 PUT 81
5.4.16.3.4 PATCH 81
5.4.16.3.5 DELETE 81
5.4.17 Resource: Cancel operation task 82
5.4.17.1 Description 82
5.4.17.2 Resource definition 82
5.4.17.3 Resource methods 82
5.4.17.3.1 POST 82
5.4.17.3.2 GET 83
5.4.17.3.3 PUT 83
5.4.17.3.4 PATCH 83
5.4.17.3.5 DELETE 83
5.4.18 Resource: Subscriptions 84
5.4.18.1 Description 84
5.4.18.2 Resource definition 84
5.4.18.3 Resource methods 84
5.4.18.3.1 POST 84
5.4.18.3.2 GET 85
5.4.18.3.3 PUT 86
5.4.18.3.4 PATCH 86
5.4.18.3.5 DELETE 86
5.4.19 Resource: Individual subscription 86
5.4.19.1 Description 86
5.4.19.2 Resource definition 87
5.4.19.3 Resource methods 87
5.4.19.3.1 POST 87
5.4.19.3.2 GET 87
5.4.19.3.3 PUT 87
5.4.19.3.4 PATCH 87
5.4.19.3.5 DELETE 88
5.4.20 Resource: Notification endpoint 88
5.4.20.1 Description 88
5.4.20.2 Resource definition 88
5.4.20.3 Resource methods 88
5.4.20.3.1 POST 88
5.4.20.3.2 GET 89
5.4.20.3.3 PUT 89
5.4.20.3.4 PATCH 90
5.4.20.3.5 DELETE 90
5.4.21 Resource: Create VNF snapshot task 90
5.4.21.1 Description 90
5.4.21.2 Resource definition 90

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

5.4.21.3 Resource methods 90
5.4.21.3.1 POST 90
5.4.21.3.2 GET 92
5.4.21.3.3 PUT 92
5.4.21.3.4 PATCH 92
5.4.21.3.5 DELETE 92
5.4.22 Resource: Revert to VNF snapshot task 92
5.4.22.1 Description 92
5.4.22.2 Resource definition 93
5.4.22.3 Resource methods 93
5.4.22.3.1 POST 93
5.4.22.3.2 GET 94
5.4.22.3.3 PUT 94
5.4.22.3.4 PATCH 95
5.4.22.3.5 DELETE 95
5.4.23 Resource: VNF snapshots 95
5.4.23.1 Description 95
5.4.23.2 Resource definition 95
5.4.23.3 Resource methods 95
5.4.23.3.1 POST 95
5.4.23.3.2 GET 96
5.4.23.3.3 PUT 98
5.4.23.3.4 PATCH 98
5.4.23.3.5 DELETE 98
5.4.24 Resource: Individual VNF snapshot 98
5.4.24.1 Description 98
5.4.24.2 Resource definition 99
5.4.24.3 Resource methods 99
5.4.24.3.1 POST 99
5.4.24.3.2 GET 99
5.4.24.3.3 PUT 99
5.4.24.3.5 DELETE 100
5.5 Data model 100
5.5.1 Introduction 100
5.5.2 Resource and notification data types 100
5.5.2.1 Introduction 100
5.5.2.2 Type: VnfInstance 101
5.5.2.3 Type: CreateVnfRequest 105
5.5.2.4 Type: InstantiateVnfRequest 106
5.5.2.5 Type: ScaleVnfRequest 106
5.5.2.6 Type: ScaleVnfToLevelRequest 107
5.5.2.7 Type: ChangeVnfFlavourRequest 107
5.5.2.8 Type: TerminateVnfRequest 107
5.5.2.9 Type: HealVnfRequest 108
5.5.2.10 Type: OperateVnfRequest 109
5.5.2.11 Type: ChangeExtVnfConnectivityRequest 109
5.5.2.11a Type: ChangeCurrentVnfPkgRequest 110
5.5.2.12 Type: VnfInfoModificationRequest 110
5.5.2.12a Type: VnfInfoModifications 111
5.5.2.13 Type: VnfLcmOpOcc 112
5.5.2.14 Type: CancelMode 114
5.5.2.15 Type: LccnSubscriptionRequest 114
5.5.2.16 Type: LccnSubscription 115
5.5.2.17 Type: VnfLcmOperationOccurrenceNotification 115
5.5.2.18 Type: VnfIdentifierCreationNotification 118
5.5.2.19 Type: VnfIdentifierDeletionNotification 118
5.5.2.20 Type: CreateVnfSnapshotInfoRequest 118
5.5.2.21 Type: CreateVnfSnapshotRequest 119
5.5.2.22 Type: VnfSnapshotInfo 119
5.5.2.23 Type: VnfSnapshot 120
5.5.2.24 Type: RevertToVnfSnapshotRequest 120
5.5.3 Referenced structured data types 120

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-4ace-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

5.5.3.1 Introduction 120
5.5.3.2 Type: ExtVirtualLinkData 121
5.5.3.3 Type: ExtVirtualLinkInfo 121
5.5.3.4 Type: ExtManagedVirtualLinkData 121
5.5.3.5 Type: ExtManagedVirtualLinkInfo 122
5.5.3.6 Type: VnfExtCpData 122
5.5.3.6a Type: VnfExtCpConfig 123
5.5.3.6b Type: CpProtocolData 123
5.5.3.6c Type: IpOverEthernetAddressData 124
5.5.3.7 Type: ScaleInfo 125
5.5.3.8 Type: VnfcResourceInfo 125
5.5.3.9 Type: VnfVirtualLinkResourceInfo 126
5.5.3.10 Type: VirtualStorageResourceInfo 126
5.5.3.11 Type: VnfLinkPortInfo 126
5.5.3.12 Type: ExtLinkPortInfo 127
5.5.3.12a Type: ExtLinkPortData 127
5.5.3.13 Type: ResourceHandle 128
5.5.3.14 Void 128
5.5.3.15 Void 128
5.5.3.15a Type: CpProtocolInfo 128
5.5.3.16 Type: IpOverEthernetAddressInfo 128
5.5.3.17 Type: MonitoringParameter 129
5.5.3.18 Type: LifecycleChangeNotificationsFilter 130
5.5.3.19 Type: AffectedVnfc 130
5.5.3.20 Type: AffectedVirtualLink 131
5.5.3.20a Type: AffectedExtLinkPort 132
5.5.3.21 Type: AffectedVirtualStorage 132
5.5.3.22 Type: LccnLinks 133
5.5.3.23 Type: VnfcInfo 133
5.5.3.24 Type: VnfcInfoModifications 134
5.5.3.25 Type: VnfExtCpInfo 134
5.5.3.26 Type: VnfcSnapshotInfo 135
5.5.3.27 Type: ModificationsTriggeredByVnfPkgChange 136
5.5.4 Referenced simple data types and enumerations 137
5.5.4.1 Introduction 137
5.5.4.2 Simple data types 137
5.5.4.3 Enumeration: VnfOperationalStateType 137
5.5.4.4 Enumeration: StopType 137
5.5.4.5 Enumeration: LcmOperationType 138
5.5.4.6 Enumeration: LcmOperationStateType 138
5.5.4.7 Enumeration: CancelModeType 138
5.5.4.8 Enumeration: LcmOpOccNotificationVerbosityType 139
5.6 Success and error states of VNF lifecycle management operations 139
5.6.1 Basic concepts for error handling (informative) 139
5.6.1.1 Motivation 139
5.6.1.2 Failure resolution strategies: Retry and Rollback 139
5.6.1.3 Error handling at VNFM and EM 140
5.6.2 States and state transitions of a VNF lifecycle management operation occurrence 141
5.6.2.1 General 141
5.6.2.2 States of a VNF lifecycle management operation occurrence 142
5.6.2.3 Error handling operations that change the state of a VNF lifecycle management operation occurrence 144
5.6.3 Detailed flows for error handling 145
5.6.3.1 Immediate failure 145
5.6.3.2 Failure in "STARTING" state 146
5.6.3.3 Failure during actual LCM operation execution 146
5.6.3.4 LCM operation cancellation 148

6 VNF Performance Management interface 148
6.1 Description 148
6.1a API version 148
6.2 Resource structure and methods 148

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-4ece-44e8-a9bb-e4f8cb8e6e65/etsi-gs-nfv-sol-002-v3.3.1-2020-08

6.3 Sequence diagrams (informative) 149
6.3.1 Flow of creating a PM job 149
6.3.1a Flow of updating the callback URI of a PM job 150
6.3.2 Flow of querying/reading PM jobs 151
6.3.3 Flow of deleting a PM job 152
6.3.4 Flow of obtaining performance reports 153
6.3.5 Flow of creating a threshold 154
6.3.5a Flow of updating the callback URI of a threshold 155
6.3.6 Flow of querying/reading thresholds 155
6.3.7 Flow of deleting thresholds 156
6.3.8 Void 157
6.3.9 Flow of sending notifications 157
6.4 Resources 157
6.4.1 Introduction 157
6.4.1a Resource: API versions 157
6.4.2 Resource: PM jobs 158
6.4.2.1 Description 158
6.4.2.2 Resource definition 158
6.4.2.3 Resource methods 158
6.4.2.3.1 POST 158
6.4.2.3.2 GET 159
6.4.2.3.3 PUT 161
6.4.2.3.4 PATCH 161
6.4.2.3.5 DELETE 161
6.4.3 Resource: Individual PM job 161
6.4.3.1 Description 161
6.4.3.2 Resource definition 161
6.4.3.3 Resource methods 161
6.4.3.3.1 POST 161
6.4.3.3.2 GET 161
6.4.3.3.3 PUT 162
6.4.3.3.4 PATCH 162
6.4.3.3.5 DELETE 163
6.4.4 Resource: Individual performance report 164
6.4.4.1 Description 164
6.4.4.2 Resource definition 164
6.4.4.3 Resource methods 164
6.4.4.3.1 POST 164
6.4.4.3.2 GET 164
6.4.4.3.3 PUT 165
6.4.4.3.4 PATCH 165
6.4.4.3.5 DELETE 165
6.4.5 Resource: Thresholds 165
6.4.5.1 Description 165
6.4.5.2 Resource definition 165
6.4.5.3 Resource methods 165
6.4.5.3.1 POST 165
6.4.5.3.2 GET 166
6.4.5.3.3 PUT 167
6.4.5.3.4 PATCH 167
6.4.5.3.5 DELETE 167
6.4.6 Resource: Individual threshold 167
6.4.6.1 Description 167
6.4.6.2 Resource definition 168
6.4.6.3 Resource methods 168
6.4.6.3.1 POST 168
6.4.6.3.2 GET 168
6.4.6.3.3 PUT 168
6.4.6.3.4 PATCH 169
6.4.6.3.5 DELETE 170
6.4.7 Void 170
6.4.8 Void 170

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

6.4.9 Resource: Notification endpoint 170
6.4.9.1 Description 170
6.4.9.2 Resource definition 170
6.4.9.3 Resource methods 171
6.4.9.3.1 POST 171
6.4.9.3.2 GET 171
6.4.9.3.3 PUT 172
6.4.9.3.4 PATCH 172
6.4.9.3.5 DELETE 172
6.5 Data Model 172
6.5.1 Introduction 172
6.5.2 Resource and notification data types 172
6.5.2.1 Introduction 172
6.5.2.2 Void 172
6.5.2.3 Void 172
6.5.2.4 Type: ThresholdCrossedNotification 172
6.5.2.5 Type: PerformanceInformationAvailableNotification 173
6.5.2.6 Type: CreatePmJobRequest 174
6.5.2.7 Type: PmJob 175
6.5.2.8 Type: CreateThresholdRequest 176
6.5.2.9 Type: Threshold 176
6.5.2.10 Type: PerformanceReport 177
6.5.2.11 Type: ThresholdModifications 178
6.5.2.12 Type: PmJobModifications 178
6.5.3 Referenced structured data types 178
6.5.3.1 Introduction 178
6.5.3.2 Void 178
6.5.3.3 Type: PmJobCriteria 178
6.5.3.4 Type: ThresholdCriteria 179
6.5.4 Referenced simple data types and enumerations 180
6.5.4.1 Introduction 180
6.5.4.2 Simple data types 180
6.5.4.3 Enumeration: CrossingDirectionType 180

7 VNF Fault Management interface 180
7.1 Description 180
7.1a API version 180
7.2 Resource structure and methods 181
7.3 Sequence diagrams (informative) 182
7.3.1 Flow of the Get Alarm List operation 182
7.3.2 Escalate perceived severity task flow 182
7.3.3 Flow of acknowledging alarm 183
7.3.4 Flow of managing subscriptions 184
7.3.5 Flow of sending notifications 185
7.4 Resources 186
7.4.1 Introduction 186
7.4.1a Resource: API versions 186
7.4.2 Resource: Alarms 186
7.4.2.1 Description 186
7.4.2.2 Resource definition 186
7.4.2.3 Resource methods 186
7.4.2.3.1 POST 186
7.4.2.3.2 GET 186
7.4.2.3.3 PUT 187
7.4.2.3.4 PATCH 187
7.4.2.3.5 DELETE 188
7.4.3 Resource: Individual alarm 188
7.4.3.1 Description 188
7.4.3.2 Resource definition 188
7.4.3.3 Resource methods 188
7.4.3.3.1 POST 188
7.4.3.3.2 GET 188

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43c2-4e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

7.4.3.3.3 PUT 189
7.4.3.3.4 PATCH 189
7.4.3.3.5 DELETE 190
7.4.4 Resource: Escalate Perceived Severity task 190
7.4.4.1 Description 190
7.4.4.2 Resource definition 190
7.4.4.3 Resource Methods 191
7.4.4.3.1 POST 191
7.4.4.3.2 GET 191
7.4.4.3.3 PUT 191
7.4.4.3.4 PATCH 191
7.4.4.3.5 DELETE 192
7.4.5 Resource: Subscriptions 192
7.4.5.1 Description 192
7.4.5.2 Resource definition 192
7.4.5.3 Resource methods 192
7.4.5.3.1 POST 192
7.4.5.3.2 GET 193
7.4.5.3.3 PUT 194
7.4.5.3.4 PATCH 194
7.4.5.3.5 DELETE 194
7.4.6 Resource: Individual subscription 194
7.4.6.1 Description 194
7.4.6.2 Resource definition 195
7.4.6.3 Resource methods 195
7.4.6.3.1 POST 195
7.4.6.3.2 GET 195
7.4.6.3.3 PUT 195
7.4.6.3.4 PATCH 196
7.4.6.3.5 DELETE 196
7.4.7 Resource: Notification endpoint 196
7.4.7.1 Description 196
7.4.7.2 Resource definition 196
7.4.7.3 Resource methods 197
7.4.7.3.1 POST 197
7.4.7.3.2 GET 197
7.4.7.3.3 PUT 198
7.4.7.3.4 PATCH 198
7.4.7.3.5 DELETE 198
7.5 Data Model 198
7.5.1 Introduction 198
7.5.2 Resource and notification data types 198
7.5.2.1 Introduction 198
7.5.2.2 Type: FmSubscriptionRequest 198
7.5.2.3 Type: FmSubscription 199
7.5.2.4 Type: Alarm 199
7.5.2.5 Type: AlarmNotification 200
7.5.2.6 Type: AlarmClearedNotification 200
7.5.2.7 Type: PerceivedSeverityRequest 201
7.5.2.8 Type: AlarmListRebuiltNotification 201
7.5.2.9 Type: AlarmModifications 201
7.5.3 Referenced structured data types 201
7.5.3.1 Introduction 201
7.5.3.2 Type: FmNotificationsFilter 202
7.5.3.3 Type: FaultyResourceInfo 202
7.5.4 Referenced simple data types and enumerations 202
7.5.4.1 Introduction 202
7.5.4.2 Simple data types 202
7.5.4.3 Enumeration: PerceivedSeverityType 202
7.5.4.4 Enumeration: EventType 203
7.5.4.5 Enumeration: FaultyResourceType 203

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e4cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

8 VNF Indicator interface....204
8.1 Description....204
8.1a API version....204
8.2 Resource structure and methods....204
8.3 Sequence diagrams (informative)....206
8.3.1 Flow of querying VNF indicators....206
8.3.2 Flow of reading a VNF indicator....207
8.3.3 Flow of managing subscriptions....207
8.3.4 Flow of sending notifications....209
8.4 Resources....210
8.4.1 Introduction....210
8.4.1a Resource: API versions....210
8.4.2 Resource: VNF indicators....210
8.4.2.1 Description....210
8.4.2.2 Resource definition....210
8.4.2.3 Resource methods....210
8.4.2.3.1 POST....210
8.4.2.3.2 GET....210
8.4.2.3.3 PUT....211
8.4.2.3.4 PATCH....211
8.4.2.3.5 DELETE....211
8.4.3 Resource: VNF indicators related to a VNF instance....211
8.4.3.1 Description....211
8.4.3.2 Resource definition....212
8.4.3.3 Resource methods....212
8.4.3.3.1 POST....212
8.4.3.3.2 GET....212
8.4.3.3.3 PUT....213
8.4.3.3.4 PATCH....213
8.4.3.3.5 DELETE....213
8.4.4 Resource: Individual VNF indicator....213
8.4.4.1 Description....213
8.4.4.2 Resource definition....214
8.4.4.3 Resource methods....214
8.4.4.3.1 POST....214
8.4.4.3.2 GET....214
8.4.4.3.3 PUT....215
8.4.4.3.4 PATCH....215
8.4.4.3.5 DELETE....215
8.4.5 Resource: Subscriptions....215
8.4.5.1 Description....215
8.4.5.2 Resource definition....215
8.4.5.3 Resource methods....215
8.4.5.3.1 POST....215
8.4.5.3.2 GET....217
8.4.5.3.3 PUT....218
8.4.5.3.4 PATCH....218
8.4.5.3.5 DELETE....218
8.4.6 Resource: Individual subscription....218
8.4.6.1 Description....218
8.4.6.2 Resource definition....218
8.4.6.3 Resource methods....218
8.4.6.3.1 POST....218
8.4.6.3.2 GET....218
8.4.6.3.3 PUT....219
8.4.6.3.4 PATCH....219
8.4.6.3.5 DELETE....219
8.4.7 Resource: Notification endpoint....220
8.4.7.1 Description....220
8.4.7.2 Resource definition....220
8.4.7.3 Resource methods....220
8.4.7.3.1 POST....220

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43cc-44e8-89bb-e1cf5eb8e665/etsi-gs-nfv-sol-002-v3.3.1-2020-08

8.4.7.3.2 GET 220
8.4.7.3.3 PUT 221
8.4.7.3.4 PATCH 221
8.4.7.3.5 DELETE 221
8.5 Data model 221
8.5.1 Introduction 221
8.5.2 Resource and notification data types 221
8.5.2.1 Introduction 221
8.5.2.2 Type: VnfIndicator 221
8.5.2.3 Type: VnfIndicatorSubscriptionRequest 222
8.5.2.4 Type: VnfIndicatorSubscription 222
8.5.2.5 Type: VnfIndicatorValueChangeNotification 222
8.5.2.6 Type: SupportedIndicatorsChangeNotification 223
8.5.3 Referenced structured data types 224
8.5.3.1 Introduction 224
8.5.3.2 Type: VnfIndicatorNotificationsFilter 224
8.5.4 Referenced simple data types and enumerations 224

9 VNF Configuration interface 224
9.1 Description 224
9.1a API version 225
9.2 Resource structure and methods 225
9.3 Sequence diagrams (informative) 225
9.3.1 Flow of setting the VNF configuration 225
9.4 Resources 226
9.4.1 Introduction 226
9.4.1a Resource: API versions 226
9.4.2 Resource: Configuration 226
9.4.2.1 Description 226
9.4.2.2 Resource definition 226
9.4.2.3 Resource methods 227
9.4.2.3.1 POST 227
9.4.2.3.2 GET 227
9.4.2.3.3 PUT 227
9.4.2.3.4 PATCH 227
9.4.2.3.5 DELETE 228
9.5 Data model 228
9.5.1 Introduction 228
9.5.2 Resource and notification data types 228
9.5.2.1 Introduction 228
9.5.2.2 Type: VnfConfigModifications 228
9.5.3 Referenced structured data types 229
9.5.3.1 Introduction 229
9.5.3.2 Type: VnfConfiguration 229
9.5.3.3 Type: VnfConfigurationData 230
9.5.3.4 Type: VnfcConfigurationData 230
9.5.3.5 Type: CpConfiguration 230
9.5.3.6 Type: CpAddress 231
9.5.4 Referenced simple data types and enumerations 231

Annex A (informative): Mapping operations to protocol elements 232

A.1 Overview 232
A.2 VNF Lifecycle Management interface 232
A.3 VNF Performance Management interface 233
A.4 VNF Fault Management interface 233
A.5 VNF Indicator interface 234
A.6 VNF Configuration interface 234

Annex B (informative): Explanations 235

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/f2a02478-43c7-44e8-89bb-c4cf5cb8c665/etsi-gs-nfv-sol-002-v3.3.1-2020-08