



Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models; RESTful protocols specification for the Or-Vnfm Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

ReferenceRGS/NFV-SOL003ed331

KeywordsAPI, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

| | |
|--|----|
| Intellectual Property Rights | 20 |
| Foreword..... | 20 |
| Modal verbs terminology..... | 20 |
| 1 Scope | 21 |
| 2 References | 21 |
| 2.1 Normative references | 21 |
| 2.2 Informative references..... | 22 |
| 3 Definition of terms, symbols and abbreviations..... | 23 |
| 3.1 Terms..... | 23 |
| 3.2 Symbols..... | 23 |
| 3.3 Abbreviations | 23 |
| 4 General aspects..... | 24 |
| 4.1 Overview | 24 |
| 4.2 Void..... | 25 |
| 4.3 Void..... | 25 |
| 4.4 Common data types..... | 25 |
| 4.4.1 Structured data types..... | 25 |
| 4.4.1.1 Introduction..... | 25 |
| 4.4.1.2 Void..... | 25 |
| 4.4.1.3 Void..... | 25 |
| 4.4.1.3a Void..... | 25 |
| 4.4.1.4 Void..... | 25 |
| 4.4.1.5 Type: VnfInstanceSubscriptionFilter | 25 |
| 4.4.1.6 Type: VimConnectionInfo | 26 |
| 4.4.1.7 Type: ResourceHandle | 27 |
| 4.4.1.8 Void..... | 28 |
| 4.4.1.9 Void..... | 28 |
| 4.4.1.10 Type: VnfExtCpData | 28 |
| 4.4.1.10a Type: VnfExtCpConfig | 28 |
| 4.4.1.10b Type: CpProtocolData..... | 29 |
| 4.4.1.10c Type: IpOverEthernetAddressData | 29 |
| 4.4.1.11 Type: ExtVirtualLinkData | 30 |
| 4.4.1.12 Type: ExtManagedVirtualLinkData..... | 30 |
| 4.4.1.13 Void..... | 31 |
| 4.4.1.14 Type: ExtLinkPortData | 31 |
| 4.4.2 Simple data types and enumerations..... | 31 |
| 4.4.2.1 Introduction..... | 31 |
| 4.4.2.2 Simple data types | 31 |
| 4.4.2.3 Enumerations | 32 |
| 4.5 Void..... | 32 |
| 4.6 Void..... | 32 |
| 4.7 Void..... | 32 |
| 5 VNF Lifecycle Management interface..... | 32 |
| 5.1 Description | 32 |
| 5.1a API version..... | 33 |
| 5.2 Resource structure and methods..... | 33 |
| 5.3 Sequence diagrams (informative)..... | 36 |
| 5.3.1 Flow of the creation of a VNF instance resource..... | 36 |
| 5.3.2 Flow of the deletion of a VNF instance resource..... | 37 |
| 5.3.3 Flow of VNF lifecycle management operations triggered by task resources..... | 38 |
| 5.3.4 Flow of automatic invocation of VNF scaling and VNF healing..... | 40 |
| 5.3.5 Flow of the Query VNF operation | 42 |
| 5.3.6 Flow of the Modify VNF Information operation | 43 |
| 5.3.7 Flow of the Get Operation Status operation..... | 45 |

| | | |
|-----------|---|----|
| 5.3.8 | Flow of managing subscriptions | 46 |
| 5.3.9 | Flow of sending notifications..... | 47 |
| 5.3.10 | Flow of retrying a VNF lifecycle management operation..... | 48 |
| 5.3.11 | Flow of rolling back a VNF lifecycle management operation | 49 |
| 5.3.12 | Flow of failing a VNF lifecycle management operation..... | 50 |
| 5.3.13 | Flow of cancelling a VNF lifecycle management operation..... | 51 |
| 5.3.14 | Flow of creation of a VNF snapshot resource..... | 54 |
| 5.3.15 | Flow of the Query VNF Snapshot operation | 54 |
| 5.3.16 | Flow of modify VNF snapshot resource information | 55 |
| 5.3.17 | Flow of fetching the VNF state snapshot content | 55 |
| 5.3.18 | Flow of the deletion of a VNF snapshot resource..... | 56 |
| 5.4 | Resources | 57 |
| 5.4.1 | Introduction..... | 57 |
| 5.4.1.1 | Overview | 57 |
| 5.4.1.2 | Task resources that trigger VNF LCM operations | 57 |
| 5.4.1a | Resource: API versions..... | 59 |
| 5.4.2 | Resource: VNF instances..... | 59 |
| 5.4.2.1 | Description | 59 |
| 5.4.2.2 | Resource definition | 59 |
| 5.4.2.3 | Resource methods | 59 |
| 5.4.2.3.1 | POST | 59 |
| 5.4.2.3.2 | GET | 60 |
| 5.4.2.3.3 | PUT | 62 |
| 5.4.2.3.4 | PATCH..... | 62 |
| 5.4.2.3.5 | DELETE..... | 62 |
| 5.4.3 | Resource: Individual VNF instance | 62 |
| 5.4.3.1 | Description..... | 62 |
| 5.4.3.2 | Resource definition | 62 |
| 5.4.3.3 | Resource methods | 62 |
| 5.4.3.3.1 | POST | 62 |
| 5.4.3.3.2 | GET | 62 |
| 5.4.3.3.3 | PUT | 63 |
| 5.4.3.3.4 | PATCH..... | 63 |
| 5.4.3.3.5 | DELETE..... | 64 |
| 5.4.4 | Resource: Instantiate VNF task | 65 |
| 5.4.4.1 | Description | 65 |
| 5.4.4.2 | Resource definition | 65 |
| 5.4.4.3 | Resource methods | 65 |
| 5.4.4.3.1 | POST | 65 |
| 5.4.4.3.2 | GET | 67 |
| 5.4.4.3.3 | PUT | 67 |
| 5.4.4.3.4 | PATCH..... | 67 |
| 5.4.4.3.5 | DELETE..... | 67 |
| 5.4.5 | Resource: Scale VNF task | 67 |
| 5.4.5.1 | Description | 67 |
| 5.4.5.2 | Resource definition | 67 |
| 5.4.5.3 | Resource methods | 67 |
| 5.4.5.3.1 | POST | 67 |
| 5.4.5.3.2 | GET | 69 |
| 5.4.5.3.3 | PUT | 69 |
| 5.4.5.3.4 | PATCH..... | 69 |
| 5.4.5.3.5 | DELETE..... | 69 |
| 5.4.6 | Resource: Scale VNF to Level task | 69 |
| 5.4.6.1 | Description | 69 |
| 5.4.6.2 | Resource definition | 69 |
| 5.4.6.3 | Resource methods | 69 |
| 5.4.6.3.1 | POST | 69 |
| 5.4.6.3.2 | GET | 71 |
| 5.4.6.3.3 | PUT | 71 |
| 5.4.6.3.4 | PATCH..... | 71 |
| 5.4.6.3.5 | DELETE..... | 71 |
| 5.4.7 | Resource: Change VNF Flavour task | 71 |

| | | |
|-------------|---|----|
| 5.4.7.1 | Description | 71 |
| 5.4.7.2 | Resource definition | 71 |
| 5.4.7.3 | Resource methods | 71 |
| 5.4.7.3.1 | POST | 71 |
| 5.4.7.3.2 | GET | 73 |
| 5.4.7.3.3 | PUT | 73 |
| 5.4.7.3.4 | PATCH | 73 |
| 5.4.7.3.5 | DELETE | 73 |
| 5.4.8 | Resource: Terminate VNF task | 73 |
| 5.4.8.1 | Description | 73 |
| 5.4.8.2 | Resource definition | 73 |
| 5.4.8.3 | Resource methods | 74 |
| 5.4.8.3.1 | POST | 74 |
| 5.4.8.3.2 | GET | 75 |
| 5.4.8.3.3 | PUT | 75 |
| 5.4.8.3.4 | PATCH | 75 |
| 5.4.8.3.5 | DELETE | 75 |
| 5.4.9 | Resource: Heal VNF task | 75 |
| 5.4.9.1 | Description | 75 |
| 5.4.9.2 | Resource definition | 75 |
| 5.4.9.3 | Resource methods | 76 |
| 5.4.9.3.1 | POST | 76 |
| 5.4.9.3.2 | GET | 77 |
| 5.4.9.3.3 | PUT | 77 |
| 5.4.9.3.4 | PATCH | 77 |
| 5.4.9.3.5 | DELETE | 77 |
| 5.4.10 | Resource: Operate VNF task | 77 |
| 5.4.10.1 | Description | 77 |
| 5.4.10.2 | Resource definition | 78 |
| 5.4.10.3 | Resource methods | 78 |
| 5.4.10.3.1 | POST | 78 |
| 5.4.10.3.2 | GET | 79 |
| 5.4.10.3.3 | PUT | 79 |
| 5.4.10.3.4 | PATCH | 79 |
| 5.4.10.3.5 | DELETE | 79 |
| 5.4.11 | Resource: Change external VNF connectivity task | 80 |
| 5.4.11.1 | Description | 80 |
| 5.4.11.2 | Resource definition | 80 |
| 5.4.11.3 | Resource methods | 80 |
| 5.4.11.3.1 | POST | 80 |
| 5.4.11.3.2 | GET | 81 |
| 5.4.11.3.3 | PUT | 81 |
| 5.4.11.3.4 | PATCH | 81 |
| 5.4.11.3.5 | DELETE | 82 |
| 5.4.11a | Resource: Change current VNF package task | 82 |
| 5.4.11a.1 | Description | 82 |
| 5.4.11a.2 | Resource definition | 83 |
| 5.4.11a.3 | Resource methods | 83 |
| 5.4.11a.3.1 | POST | 83 |
| 5.4.11a.3.2 | GET | 85 |
| 5.4.11a.3.3 | PUT | 85 |
| 5.4.11a.3.4 | PATCH | 85 |
| 5.4.11a.3.5 | DELETE | 85 |
| 5.4.12 | Resource: VNF LCM operation occurrences | 85 |
| 5.4.12.1 | Description | 85 |
| 5.4.12.2 | Resource definition | 86 |
| 5.4.12.3 | Resource methods | 86 |
| 5.4.12.3.1 | POST | 86 |
| 5.4.12.3.2 | GET | 86 |
| 5.4.12.3.3 | PUT | 87 |
| 5.4.12.3.4 | PATCH | 87 |
| 5.4.12.3.5 | DELETE | 87 |

| | | |
|------------|---|-----|
| 5.4.13 | Resource: Individual VNF LCM operation occurrence | 88 |
| 5.4.13.1 | Description | 88 |
| 5.4.13.2 | Resource definition | 88 |
| 5.4.13.3 | Resource methods | 88 |
| 5.4.13.3.1 | POST | 88 |
| 5.4.13.3.2 | GET | 88 |
| 5.4.13.3.3 | PUT | 89 |
| 5.4.13.3.4 | PATCH | 89 |
| 5.4.13.3.5 | DELETE | 89 |
| 5.4.14 | Resource: Retry operation task | 89 |
| 5.4.14.1 | Description | 89 |
| 5.4.14.2 | Resource definition | 89 |
| 5.4.14.3 | Resource methods | 90 |
| 5.4.14.3.1 | POST | 90 |
| 5.4.14.3.2 | GET | 91 |
| 5.4.14.3.3 | PUT | 91 |
| 5.4.14.3.4 | PATCH | 91 |
| 5.4.14.3.5 | DELETE | 91 |
| 5.4.15 | Resource: Rollback operation task | 91 |
| 5.4.15.1 | Description | 91 |
| 5.4.15.2 | Resource definition | 91 |
| 5.4.15.3 | Resource methods | 91 |
| 5.4.15.3.1 | POST | 91 |
| 5.4.15.3.2 | GET | 92 |
| 5.4.15.3.3 | PUT | 92 |
| 5.4.15.3.4 | PATCH | 93 |
| 5.4.15.3.5 | DELETE | 93 |
| 5.4.16 | Resource: Fail operation task | 93 |
| 5.4.16.1 | Description | 93 |
| 5.4.16.2 | Resource definition | 93 |
| 5.4.16.3 | Resource methods | 93 |
| 5.4.16.3.1 | POST | 93 |
| 5.4.16.3.2 | GET | 94 |
| 5.4.16.3.3 | PUT | 94 |
| 5.4.16.3.4 | PATCH | 94 |
| 5.4.16.3.5 | DELETE | 95 |
| 5.4.17 | Resource: Cancel operation task | 95 |
| 5.4.17.1 | Description | 95 |
| 5.4.17.2 | Resource definition | 95 |
| 5.4.17.3 | Resource methods | 95 |
| 5.4.17.3.1 | POST | 95 |
| 5.4.17.3.2 | GET | 96 |
| 5.4.17.3.3 | PUT | 96 |
| 5.4.17.3.4 | PATCH | 97 |
| 5.4.17.3.5 | DELETE | 97 |
| 5.4.18 | Resource: Subscriptions | 97 |
| 5.4.18.1 | Description | 97 |
| 5.4.18.2 | Resource definition | 97 |
| 5.4.18.3 | Resource methods | 97 |
| 5.4.18.3.1 | POST | 97 |
| 5.4.18.3.2 | GET | 98 |
| 5.4.18.3.3 | PUT | 99 |
| 5.4.18.3.4 | PATCH | 100 |
| 5.4.18.3.5 | DELETE | 100 |
| 5.4.19 | Resource: Individual subscription | 100 |
| 5.4.19.1 | Description | 100 |
| 5.4.19.2 | Resource definition | 100 |
| 5.4.19.3 | Resource methods | 100 |
| 5.4.19.3.1 | POST | 100 |
| 5.4.19.3.2 | GET | 100 |
| 5.4.19.3.3 | PUT | 101 |
| 5.4.19.3.4 | PATCH | 101 |

| | | |
|------------|---|-----|
| 5.4.19.3.5 | DELETE | 101 |
| 5.4.20 | Resource: Notification endpoint | 102 |
| 5.4.20.1 | Description | 102 |
| 5.4.20.2 | Resource definition | 102 |
| 5.4.20.3 | Resource methods | 102 |
| 5.4.20.3.1 | POST | 102 |
| 5.4.20.3.2 | GET | 102 |
| 5.4.20.3.3 | PUT | 103 |
| 5.4.20.3.4 | PATCH | 103 |
| 5.4.20.3.5 | DELETE | 103 |
| 5.4.21 | Resource: Create VNF snapshot task | 103 |
| 5.4.21.1 | Description | 103 |
| 5.4.21.2 | Resource definition | 103 |
| 5.4.21.3 | Resource methods | 104 |
| 5.4.21.3.1 | POST | 104 |
| 5.4.21.3.2 | GET | 105 |
| 5.4.21.3.3 | PUT | 106 |
| 5.4.21.3.4 | PATCH | 106 |
| 5.4.21.3.5 | DELETE | 106 |
| 5.4.22 | Resource: Revert to VNF snapshot task | 106 |
| 5.4.22.1 | Description | 106 |
| 5.4.22.2 | Resource definition | 106 |
| 5.4.22.3 | Resource methods | 107 |
| 5.4.22.3.1 | POST | 107 |
| 5.4.22.3.2 | GET | 108 |
| 5.4.22.3.3 | PUT | 108 |
| 5.4.22.3.4 | PATCH | 108 |
| 5.4.22.3.5 | DELETE | 108 |
| 5.4.23 | Resource: VNF snapshots | 108 |
| 5.4.23.1 | Description | 108 |
| 5.4.23.2 | Resource definition | 108 |
| 5.4.23.3 | Resource methods | 108 |
| 5.4.23.3.1 | POST | 108 |
| 5.4.23.3.2 | GET | 109 |
| 5.4.23.3.3 | PUT | 111 |
| 5.4.23.3.4 | PATCH | 111 |
| 5.4.23.3.5 | DELETE | 111 |
| 5.4.24 | Resource: Individual VNF snapshot | 111 |
| 5.4.24.1 | Description | 111 |
| 5.4.24.2 | Resource definition | 111 |
| 5.4.24.3 | Resource methods | 112 |
| 5.4.24.3.1 | POST | 112 |
| 5.4.24.3.2 | GET | 112 |
| 5.4.24.3.3 | PUT | 112 |
| 5.4.24.3.4 | PATCH | 112 |
| 5.4.24.3.5 | DELETE | 113 |
| 5.4.25.1 | Description | 114 |
| 5.4.25.2 | Resource definition | 114 |
| 5.4.25.3 | Resource methods | 115 |
| 5.4.25.3.1 | POST | 115 |
| 5.4.25.3.2 | GET | 115 |
| 5.4.25.3.3 | PUT | 116 |
| 5.4.25.3.4 | PATCH | 116 |
| 5.4.25.3.5 | DELETE | 116 |
| 5.5 | Data model | 116 |
| 5.5.1 | Introduction | 116 |
| 5.5.2 | Resource and notification data types | 116 |
| 5.5.2.1 | Introduction | 116 |
| 5.5.2.2 | Type: VnfInstance | 116 |
| 5.5.2.3 | Type: CreateVnfRequest | 121 |
| 5.5.2.4 | Type: InstantiateVnfRequest | 122 |
| 5.5.2.5 | Type: ScaleVnfRequest | 123 |

| | | |
|-----------|---|-----|
| 5.5.2.6 | Type: ScaleVnfToLevelRequest | 123 |
| 5.5.2.7 | Type: ChangeVnfFlavourRequest | 124 |
| 5.5.2.8 | Type: TerminateVnfRequest | 125 |
| 5.5.2.9 | Type: HealVnfRequest | 125 |
| 5.5.2.10 | Type: OperateVnfRequest | 126 |
| 5.5.2.11 | Type: ChangeExtVnfConnectivityRequest | 126 |
| 5.5.2.11a | Type: ChangeCurrentVnfPkgRequest | 127 |
| 5.5.2.12 | Type: VnfInfoModificationRequest | 128 |
| 5.5.2.12a | Type: VnfInfoModifications | 128 |
| 5.5.2.13 | Type: VnfLcmOpOcc | 129 |
| 5.5.2.14 | Type: CancelMode | 131 |
| 5.5.2.15 | Type: LccnSubscriptionRequest | 131 |
| 5.5.2.16 | Type: LccnSubscription | 132 |
| 5.5.2.17 | Type: VnfLcmOperationOccurrenceNotification | 132 |
| 5.5.2.18 | Type: VnfIdentifierCreationNotification | 135 |
| 5.5.2.19 | Type: VnfIdentifierDeletionNotification | 135 |
| 5.5.2.20 | Type: CreateVnfSnapshotInfoRequest | 136 |
| 5.5.2.21 | Type: CreateVnfSnapshotRequest | 136 |
| 5.5.2.22 | Type: VnfSnapshotInfo | 136 |
| 5.5.2.23 | Type: VnfSnapshot | 137 |
| 5.5.2.24 | Type: VnfSnapshotInfoModificationRequest | 138 |
| 5.5.2.25 | Type: VnfSnapshotInfoModifications | 138 |
| 5.5.2.26 | Type: RevertToVnfSnapshotRequest | 138 |
| 5.5.3 | Referenced structured data types | 138 |
| 5.5.3.1 | Introduction | 138 |
| 5.5.3.2 | Type: ExtVirtualLinkInfo | 139 |
| 5.5.3.3 | Type: ExtManagedVirtualLinkInfo | 139 |
| 5.5.3.4 | Type: ScaleInfo | 139 |
| 5.5.3.5 | Type: VnfcResourceInfo | 140 |
| 5.5.3.6 | Type: VnfVirtualLinkResourceInfo | 141 |
| 5.5.3.7 | Type: VirtualStorageResourceInfo | 141 |
| 5.5.3.8 | Type: VnfLinkPortInfo | 141 |
| 5.5.3.9 | Type: ExtLinkPortInfo | 142 |
| 5.5.3.9a | Void | 143 |
| 5.5.3.9b | Type: CpProtocolInfo | 143 |
| 5.5.3.10 | Type: IpOverEthernetAddressInfo | 143 |
| 5.5.3.11 | Type: MonitoringParameter | 144 |
| 5.5.3.12 | Type: LifecycleChangeNotificationsFilter | 144 |
| 5.5.3.13 | Type: AffectedVnfc | 145 |
| 5.5.3.14 | Type: AffectedVirtualLink | 147 |
| 5.5.3.14a | Type: AffectedExtLinkPort | 148 |
| 5.5.3.15 | Type: AffectedVirtualStorage | 148 |
| 5.5.3.16 | Type: LccnLinks | 149 |
| 5.5.3.17 | Type: VnfExtCpInfo | 150 |
| 5.5.3.18 | Type: VnfLinkPortData | 150 |
| 5.5.3.19 | Type: VnfcSnapshotInfo | 151 |
| 5.5.3.20 | Type: VnfStateSnapshotInfo | 151 |
| 5.5.3.21 | Type: ModificationsTriggeredByVnfPkgChange | 152 |
| 5.5.4 | Referenced simple data types and enumerations | 152 |
| 5.5.4.1 | Introduction | 152 |
| 5.5.4.2 | Simple data types | 152 |
| 5.5.4.3 | Enumeration: VnfOperationalStateType | 152 |
| 5.5.4.4 | Enumeration: StopType | 153 |
| 5.5.4.5 | Enumeration: LcmOperationStateType | 153 |
| 5.5.4.6 | Enumeration: CancelModeType | 153 |
| 5.5.4.7 | Enumeration: LcmOperationType | 154 |
| 5.5.4.8 | Enumeration: LcmOpOccNotificationVerbosityType | 154 |
| 5.6 | Success and error states of VNF lifecycle management operations | 154 |
| 5.6.1 | Basic concepts for error handling (informative) | 154 |
| 5.6.1.1 | Motivation | 154 |
| 5.6.1.2 | Failure resolution strategies: Retry and Rollback | 155 |
| 5.6.1.3 | Error handling at VNFM and NFVO | 155 |

| | | |
|-----------|---|-----|
| 5.6.2 | States and state transitions of a VNF lifecycle management operation occurrence..... | 156 |
| 5.6.2.1 | General..... | 156 |
| 5.6.2.2 | States of a VNF lifecycle management operation occurrence..... | 157 |
| 5.6.2.3 | Error handling operations that change the state of a VNF lifecycle management operation occurrence..... | 160 |
| 5.6.3 | Detailed flows for error handling..... | 161 |
| 5.6.3.1 | Immediate failure..... | 161 |
| 5.6.3.2 | Failure in "STARTING" state..... | 161 |
| 5.6.3.3 | Failure during actual LCM operation execution..... | 162 |
| 5.6.3.4 | LCM operation cancellation..... | 164 |
| 6 | VNF Performance Management interface..... | 164 |
| 6.1 | Description..... | 164 |
| 6.1a | API version..... | 164 |
| 6.2 | Resource structure and methods..... | 164 |
| 6.3 | Sequence diagrams (informative)..... | 166 |
| 6.3.1 | Flow of creating a PM job..... | 166 |
| 6.3.1a | Flow of updating the callback URI of a PM job..... | 167 |
| 6.3.2 | Flow of querying/reading PM jobs..... | 167 |
| 6.3.3 | Flow of deleting a PM job..... | 168 |
| 6.3.4 | Flow of obtaining performance reports..... | 169 |
| 6.3.5 | Flow of creating a threshold..... | 170 |
| 6.3.5a | Flow of updating the callback URI of a threshold..... | 171 |
| 6.3.6 | Flow of querying/reading thresholds..... | 171 |
| 6.3.7 | Flow of deleting thresholds..... | 172 |
| 6.3.8 | Void..... | 173 |
| 6.3.9 | Flow of sending notifications..... | 173 |
| 6.4 | Resources..... | 173 |
| 6.4.1 | Introduction..... | 173 |
| 6.4.1a | Resource: API versions..... | 173 |
| 6.4.2 | Resource: PM jobs..... | 174 |
| 6.4.2.1 | Description..... | 174 |
| 6.4.2.2 | Resource definition..... | 174 |
| 6.4.2.3 | Resource methods..... | 174 |
| 6.4.2.3.1 | POST..... | 174 |
| 6.4.2.3.2 | GET..... | 175 |
| 6.4.2.3.3 | PUT..... | 177 |
| 6.4.2.3.4 | PATCH..... | 177 |
| 6.4.2.3.5 | DELETE..... | 177 |
| 6.4.3 | Resource: Individual PM job..... | 177 |
| 6.4.3.1 | Description..... | 177 |
| 6.4.3.2 | Resource definition..... | 177 |
| 6.4.3.3 | Resource methods..... | 177 |
| 6.4.3.3.1 | POST..... | 177 |
| 6.4.3.3.2 | GET..... | 177 |
| 6.4.3.3.3 | PUT..... | 178 |
| 6.4.3.3.4 | PATCH..... | 178 |
| 6.4.3.3.5 | DELETE..... | 179 |
| 6.4.4 | Resource: Individual performance report..... | 179 |
| 6.4.4.1 | Description..... | 179 |
| 6.4.4.2 | Resource definition..... | 180 |
| 6.4.4.3 | Resource methods..... | 180 |
| 6.4.4.3.1 | POST..... | 180 |
| 6.4.4.3.2 | GET..... | 180 |
| 6.4.4.3.3 | PUT..... | 180 |
| 6.4.4.3.4 | PATCH..... | 181 |
| 6.4.4.3.5 | DELETE..... | 181 |
| 6.4.5 | Resource: Thresholds..... | 181 |
| 6.4.5.1 | Description..... | 181 |
| 6.4.5.2 | Resource definition..... | 181 |
| 6.4.5.3 | Resource methods..... | 181 |
| 6.4.5.3.1 | POST..... | 181 |

| | | |
|-----------|---|-----|
| 6.4.5.3.2 | GET | 182 |
| 6.4.5.3.3 | PUT | 183 |
| 6.4.5.3.4 | PATCH..... | 183 |
| 6.4.5.3.5 | DELETE..... | 183 |
| 6.4.6 | Resource: Individual threshold | 183 |
| 6.4.6.1 | Description | 183 |
| 6.4.6.2 | Resource definition | 184 |
| 6.4.6.3 | Resource methods | 184 |
| 6.4.6.3.1 | POST | 184 |
| 6.4.6.3.2 | GET | 184 |
| 6.4.6.3.3 | PUT | 184 |
| 6.4.6.3.4 | PATCH..... | 184 |
| 6.4.6.3.5 | DELETE..... | 185 |
| 6.4.7 | Void | 186 |
| 6.4.8 | Void | 186 |
| 6.4.9 | Resource: Notification endpoint | 186 |
| 6.4.9.1 | Description | 186 |
| 6.4.9.2 | Resource definition | 186 |
| 6.4.9.3 | Resource methods | 186 |
| 6.4.9.3.1 | POST | 186 |
| 6.4.9.3.2 | GET | 187 |
| 6.4.9.3.3 | PUT | 187 |
| 6.4.9.3.4 | PATCH..... | 188 |
| 6.4.9.3.5 | DELETE..... | 188 |
| 6.5 | Data Model..... | 188 |
| 6.5.1 | Introduction..... | 188 |
| 6.5.2 | Resource and notification data types | 188 |
| 6.5.2.1 | Introduction..... | 188 |
| 6.5.2.2 | Void..... | 188 |
| 6.5.2.3 | Void..... | 188 |
| 6.5.2.4 | Type: ThresholdCrossedNotification | 188 |
| 6.5.2.5 | Type: PerformanceInformationAvailableNotification | 189 |
| 6.5.2.6 | Type: CreatePmJobRequest | 190 |
| 6.5.2.7 | Type: PmJob | 191 |
| 6.5.2.8 | Type: CreateThresholdRequest | 191 |
| 6.5.2.9 | Type: Threshold | 192 |
| 6.5.2.10 | Type: PerformanceReport | 193 |
| 6.5.2.11 | Type: ThresholdModifications | 193 |
| 6.5.2.12 | Type: PmJobModifications | 194 |
| 6.5.3 | Referenced structured data types | 194 |
| 6.5.3.1 | Introduction..... | 194 |
| 6.5.3.2 | Void..... | 194 |
| 6.5.3.3 | Type: PmJobCriteria | 194 |
| 6.5.3.4 | Type: ThresholdCriteria | 195 |
| 6.5.4 | Referenced simple data types and enumerations | 195 |
| 6.5.4.1 | Introduction..... | 195 |
| 6.5.4.2 | Simple data types | 195 |
| 6.5.4.3 | Enumeration: CrossingDirectionType..... | 196 |
| 7 | VNF Fault Management interface..... | 196 |
| 7.1 | Description | 196 |
| 7.1a | API version..... | 196 |
| 7.2 | Resource structure and methods..... | 196 |
| 7.3 | Sequence diagrams (informative)..... | 197 |
| 7.3.1 | Flow of the Get Alarm List operation..... | 197 |
| 7.3.2 | Flow of acknowledging alarm | 198 |
| 7.3.3 | Flow of managing subscriptions | 199 |
| 7.3.4 | Flow of sending notifications..... | 200 |
| 7.4 | Resources | 201 |
| 7.4.1 | Introduction..... | 201 |
| 7.4.2 | Resource: Alarms..... | 201 |
| 7.4.2.1 | Description | 201 |

| | | |
|-----------|---|-----|
| 7.4.2.2 | Resource definition | 201 |
| 7.4.2.3 | Resource methods | 201 |
| 7.4.2.3.1 | POST | 201 |
| 7.4.2.3.2 | GET | 201 |
| 7.4.2.3.3 | PUT | 202 |
| 7.4.2.3.4 | PATCH | 203 |
| 7.4.2.3.5 | DELETE | 203 |
| 7.4.3 | Resource: Individual alarm | 203 |
| 7.4.3.1 | Description | 203 |
| 7.4.3.2 | Resource definition | 203 |
| 7.4.3.3 | Resource methods | 203 |
| 7.4.3.3.1 | POST | 203 |
| 7.4.3.3.2 | GET | 203 |
| 7.4.3.3.3 | PUT | 204 |
| 7.4.3.3.4 | PATCH | 204 |
| 7.4.3.3.5 | DELETE | 205 |
| 7.4.4 | Resource: Subscriptions | 205 |
| 7.4.4.1 | Description | 205 |
| 7.4.4.2 | Resource definition | 205 |
| 7.4.4.3 | Resource methods | 205 |
| 7.4.4.3.1 | POST | 205 |
| 7.4.4.3.2 | GET | 206 |
| 7.4.4.3.3 | PUT | 208 |
| 7.4.4.3.4 | PATCH | 208 |
| 7.4.4.3.5 | DELETE | 208 |
| 7.4.5 | Resource: Individual subscription | 208 |
| 7.4.5.1 | Description | 208 |
| 7.4.5.2 | Resource definition | 208 |
| 7.4.5.3 | Resource methods | 208 |
| 7.4.5.3.1 | POST | 208 |
| 7.4.5.3.2 | GET | 208 |
| 7.4.5.3.3 | PUT | 209 |
| 7.4.5.3.4 | PATCH | 209 |
| 7.4.5.3.5 | DELETE | 209 |
| 7.4.6 | Resource: Notification endpoint | 210 |
| 7.4.6.1 | Description | 210 |
| 7.4.6.2 | Resource definition | 210 |
| 7.4.6.3 | Resource methods | 210 |
| 7.4.6.3.1 | POST | 210 |
| 7.4.6.3.2 | GET | 211 |
| 7.4.6.3.3 | PUT | 211 |
| 7.4.6.3.4 | PATCH | 211 |
| 7.4.6.3.5 | DELETE | 211 |
| 7.5 | Data Model | 211 |
| 7.5.1 | Introduction | 211 |
| 7.5.2 | Resource and notification data types | 211 |
| 7.5.2.1 | Introduction | 211 |
| 7.5.2.2 | Type: FmSubscriptionRequest | 212 |
| 7.5.2.3 | Type: FmSubscription | 212 |
| 7.5.2.4 | Type: Alarm | 212 |
| 7.5.2.5 | Type: AlarmNotification | 213 |
| 7.5.2.6 | Type: AlarmClearedNotification | 213 |
| 7.5.2.7 | Type: AlarmListRebuiltNotification | 214 |
| 7.5.2.8 | Type: AlarmModifications | 214 |
| 7.5.3 | Referenced structured data types | 215 |
| 7.5.3.1 | Introduction | 215 |
| 7.5.3.2 | Type: FmNotificationsFilter | 215 |
| 7.5.3.3 | Type: FaultyResourceInfo | 215 |
| 7.5.4 | Referenced simple data types and enumerations | 215 |
| 7.5.4.1 | Introduction | 215 |
| 7.5.4.2 | Simple data types | 216 |
| 7.5.4.3 | Enumeration: PerceivedSeverityType | 216 |

| | | |
|-----------|--|-----|
| 7.5.4.4 | Enumeration: EventType | 216 |
| 7.5.4.5 | Enumeration: FaultyResourceType | 216 |
| 8 | VNF Indicator interface | 217 |
| 8.1 | Description | 217 |
| 8.1a | API version | 217 |
| 8.2 | Resource structure and methods | 217 |
| 8.3 | Sequence diagrams (informative) | 218 |
| 8.3.1 | Flow of querying VNF indicators | 218 |
| 8.3.2 | Flow of reading a VNF indicator | 219 |
| 8.3.3 | Flow of managing subscriptions | 220 |
| 8.3.4 | Flow of sending notifications | 221 |
| 8.4 | Resources | 222 |
| 8.4.1 | Introduction | 222 |
| 8.4.1a | Resource: API versions | 222 |
| 8.4.2 | Resource: VNF indicators | 222 |
| 8.4.2.1 | Description | 222 |
| 8.4.2.2 | Resource definition | 222 |
| 8.4.2.3 | Resource methods | 222 |
| 8.4.2.3.1 | POST | 222 |
| 8.4.2.3.2 | GET | 222 |
| 8.4.2.3.3 | PUT | 223 |
| 8.4.2.3.4 | PATCH | 224 |
| 8.4.2.3.5 | DELETE | 224 |
| 8.4.3 | Resource: VNF indicators related to a VNF instance | 224 |
| 8.4.3.1 | Description | 224 |
| 8.4.3.2 | Resource definition | 224 |
| 8.4.3.3 | Resource methods | 224 |
| 8.4.3.3.1 | POST | 224 |
| 8.4.3.3.2 | GET | 224 |
| 8.4.3.3.3 | PUT | 225 |
| 8.4.3.3.4 | PATCH | 226 |
| 8.4.3.3.5 | DELETE | 226 |
| 8.4.4 | Resource: Individual VNF indicator | 226 |
| 8.4.4.1 | Description | 226 |
| 8.4.4.2 | Resource definition | 226 |
| 8.4.4.3 | Resource methods | 226 |
| 8.4.4.3.1 | POST | 226 |
| 8.4.4.3.2 | GET | 226 |
| 8.4.4.3.3 | PUT | 227 |
| 8.4.4.3.4 | PATCH | 227 |
| 8.4.4.3.5 | DELETE | 227 |
| 8.4.5 | Resource: Subscriptions | 227 |
| 8.4.5.1 | Description | 227 |
| 8.4.5.2 | Resource definition | 227 |
| 8.4.5.3 | Resource methods | 227 |
| 8.4.5.3.1 | POST | 227 |
| 8.4.5.3.2 | GET | 229 |
| 8.4.5.3.3 | PUT | 230 |
| 8.4.5.3.4 | PATCH | 230 |
| 8.4.5.3.5 | DELETE | 230 |
| 8.4.6 | Resource: Individual subscription | 230 |
| 8.4.6.1 | Description | 230 |
| 8.4.6.2 | Resource definition | 230 |
| 8.4.6.3 | Resource methods | 231 |
| 8.4.6.3.1 | POST | 231 |
| 8.4.6.3.2 | GET | 231 |
| 8.4.6.3.3 | PUT | 231 |
| 8.4.6.3.4 | PATCH | 231 |
| 8.4.6.3.5 | DELETE | 231 |
| 8.4.7 | Resource: Notification endpoint | 232 |
| 8.4.7.1 | Description | 232 |

| | | |
|-----------|--|-----|
| 8.4.7.2 | Resource definition | 232 |
| 8.4.7.3 | Resource methods | 232 |
| 8.4.7.3.1 | POST | 232 |
| 8.4.7.3.2 | GET | 233 |
| 8.4.7.3.3 | PUT | 233 |
| 8.4.7.3.4 | PATCH | 233 |
| 8.4.7.3.5 | DELETE | 233 |
| 8.5 | Data model | 234 |
| 8.5.1 | Introduction | 234 |
| 8.5.2 | Resource and notification data types | 234 |
| 8.5.2.1 | Introduction | 234 |
| 8.5.2.2 | Type: VnfIndicator | 234 |
| 8.5.2.3 | Type: VnfIndicatorSubscriptionRequest | 234 |
| 8.5.2.4 | Type: VnfIndicatorSubscription | 234 |
| 8.5.2.5 | Type: VnfIndicatorValueChangeNotification | 235 |
| 8.5.2.6 | Type: SupportedIndicatorsChangeNotification | 235 |
| 8.5.3 | Referenced structured data types | 236 |
| 8.5.3.1 | Introduction | 236 |
| 8.5.3.2 | Type: VnfIndicatorNotificationsFilter | 236 |
| 8.5.4 | Referenced simple data types and enumerations | 236 |
| 9 | VNF Lifecycle Operation Granting interface | 237 |
| 9.1 | Description | 237 |
| 9.1a | API version | 238 |
| 9.2 | Resource structure and methods | 238 |
| 9.3 | Sequence diagrams (informative) | 238 |
| 9.3.1 | Flow of grant request with synchronous response | 238 |
| 9.3.2 | Flow of grant request with asynchronous response | 239 |
| 9.4 | Resources | 240 |
| 9.4.1 | Introduction | 240 |
| 9.4.1a | Resource: API versions | 240 |
| 9.4.2 | Resource: Grants | 240 |
| 9.4.2.1 | Description | 240 |
| 9.4.2.2 | Resource definition | 240 |
| 9.4.2.3 | Resource methods | 241 |
| 9.4.2.3.1 | POST | 241 |
| 9.4.2.3.2 | GET | 241 |
| 9.4.2.3.3 | PUT | 242 |
| 9.4.2.3.4 | PATCH | 242 |
| 9.4.2.3.5 | DELETE | 242 |
| 9.4.3 | Resource: Individual grant | 242 |
| 9.4.3.1 | Description | 242 |
| 9.4.3.2 | Resource definition | 242 |
| 9.4.3.3 | Resource methods | 242 |
| 9.4.3.3.1 | POST | 242 |
| 9.4.3.3.2 | GET | 242 |
| 9.4.3.3.3 | PUT | 243 |
| 9.4.3.3.4 | PATCH | 243 |
| 9.4.3.3.5 | DELETE | 243 |
| 9.5 | Data model | 243 |
| 9.5.1 | Introduction | 243 |
| 9.5.2 | Resource and notification data types | 243 |
| 9.5.2.1 | Introduction | 243 |
| 9.5.2.2 | Type: GrantRequest | 244 |
| 9.5.2.3 | Type: Grant | 245 |
| 9.5.3 | Referenced structured data types | 248 |
| 9.5.3.1 | Introduction | 248 |
| 9.5.3.2 | Type: ResourceDefinition | 248 |
| 9.5.3.3 | Type: GrantInfo | 248 |
| 9.5.3.4 | Type: ZoneInfo | 249 |
| 9.5.3.5 | Type: ZoneGroupInfo | 250 |
| 9.5.3.6 | Type: PlacementConstraint | 250 |