



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfv Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

ReferenceRGS/NFV-SOL005ed261

KeywordsAPI, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	17
1 Scope	18
2 References	18
2.1 Normative references	18
2.2 Informative references.....	19
3 Definition of terms, symbols and abbreviations.....	19
3.1 Terms.....	19
3.2 Symbols.....	19
3.3 Abbreviations	20
4 General Aspects.....	21
4.1 Overview	21
4.2 Void.....	21
4.3 Void.....	21
4.4 Common data types	21
4.4.1 Structured data types.....	21
4.4.1.1 Introduction.....	21
4.4.1.2 Void.....	22
4.4.1.3 Void.....	22
4.4.1.3a Void.....	22
4.4.1.4 Void.....	22
4.4.1.5 Type: NsInstanceSubscriptionFilter	22
4.4.1.6 Type: ResourceHandle	22
4.4.1.7 Void.....	23
4.4.2 Simple data types	23
4.5 Void.....	23
4.6 Void.....	23
4.7 Void.....	23
5 NSD Management interface	23
5.1 Description	23
5.1a API version.....	24
5.2 Resource structure and methods.....	24
5.3 Sequence diagrams (informative).....	26
5.3.1 Flow of the creation of an individual NS descriptor resource.....	26
5.3.2 Flow of the uploading of NSD content	27
5.3.3 Flow of the fetching of NSD content	27
5.3.4 Flow of the update of an individual NS descriptor resource.....	28
5.3.5 Flow of the deletion of an individual NS descriptor resource.....	29
5.3.6 Flow of the querying/reading of NS descriptor resources.....	30
5.3.7 Flow of the creation of an individual PNF descriptor resource	31
5.3.8 Flow of the uploading of PNFD content	32
5.3.9 Flow of the fetching of PNFD content.....	33
5.3.10 Flow of the deletion of an individual PNF descriptor resource	33
5.3.11 Flow of the querying/reading of PNF descriptor resources	34
5.3.12 Flow of managing subscriptions	35
5.3.13 Flow of sending notifications.....	37
5.4 Resources	38
5.4.1 Introduction.....	38
5.4.1a Resource: API versions.....	38
5.4.2 Resource: NS Descriptors.....	38
5.4.2.1 Description	38
5.4.2.2 Resource definition	38
5.4.2.3 Resource methods	39

5.4.2.3.1	POST	39
5.4.2.3.2	GET	39
5.4.2.3.3	PUT	40
5.4.2.3.4	PATCH	40
5.4.2.3.5	DELETE	41
5.4.3	Resource: Individual NS Descriptor	41
5.4.3.1	Description	41
5.4.3.2	Resource definition	41
5.4.3.3	Resource methods	41
5.4.3.3.1	POST	41
5.4.3.3.2	GET	41
5.4.3.3.3	PUT	42
5.4.3.3.4	PATCH	42
5.4.3.3.5	DELETE	43
5.4.4	Resource: NSD Content	44
5.4.4.1	Description	44
5.4.4.2	Resource definition	44
5.4.4.3	Resource methods	44
5.4.4.3.1	POST	44
5.4.4.3.2	GET	45
5.4.4.3.3	PUT	46
5.4.4.3.4	PATCH	47
5.4.4.3.5	DELETE	47
5.4.5	Resource: PNF Descriptors	48
5.4.5.1	Description	48
5.4.5.2	Resource definition	48
5.4.5.3	Resource methods	48
5.4.5.3.1	POST	48
5.4.5.3.2	GET	49
5.4.5.3.3	PUT	50
5.4.5.3.4	PATCH	50
5.4.5.3.5	DELETE	50
5.4.6	Resource: Individual PNF Descriptor	50
5.4.6.1	Description	50
5.4.6.2	Resource definition	51
5.4.6.3	Resource methods	51
5.4.6.3.1	POST	51
5.4.6.3.2	GET	51
5.4.6.3.3	PUT	51
5.4.6.3.4	PATCH	51
5.4.6.3.5	DELETE	52
5.4.7	Resource: PNFD Content	53
5.4.7.1	Description	53
5.4.7.2	Resource definition	53
5.4.7.3	Resource methods	53
5.4.7.3.1	POST	53
5.4.7.3.2	GET	53
5.4.7.3.3	PUT	54
5.4.7.3.4	PATCH	55
5.4.7.3.5	DELETE	55
5.4.8	Resource: Subscriptions	55
5.4.8.1	Description	55
5.4.8.2	Resource definition	55
5.4.8.3	Resource methods	56
5.4.8.3.1	POST	56
5.4.8.3.2	GET	56
5.4.8.3.3	PUT	57
5.4.8.3.4	PATCH	57
5.4.8.3.5	DELETE	58
5.4.9	Resource: Individual subscription	58
5.4.9.1	Description	58
5.4.9.2	Resource definition	58

5.4.9.3	Resource methods	58
5.4.9.3.1	POST	58
5.4.9.3.2	GET	58
5.4.9.3.3	PUT	59
5.4.9.3.4	PATCH	59
5.4.9.3.5	DELETE	59
5.4.10	Resource: Notification endpoint	59
5.4.10.1	Description	59
5.4.10.2	Resource definition	60
5.4.10.3	Resource methods	60
5.4.10.3.1	POST	60
5.4.10.3.2	GET	60
5.4.10.3.3	PUT	61
5.4.10.3.4	PATCH	61
5.4.10.3.5	DELETE	61
5.5	Data model	61
5.5.1	Introduction	61
5.5.2	Resource and notification data types	61
5.5.2.1	Type: NsdInfoModifications	61
5.5.2.2	Type: NsdInfo	62
5.5.2.3	Type: CreateNsdInfoRequest	63
5.5.2.4	Type: PnfdInfoModifications	63
5.5.2.5	Type: PnfdInfo	63
5.5.2.6	Type: CreatePnfdInfoRequest	64
5.5.2.7	Type: NsdmSubscriptionRequest	64
5.5.2.8	Type: NsdmSubscription	65
5.5.2.9	Type: NsdOnboardingNotification	65
5.5.2.10	Type: NsdOnboardingFailureNotification	66
5.5.2.11	Type: NsdChangeNotification	66
5.5.2.12	Type: NsdDeletionNotification	67
5.5.2.13	Type: PnfdOnboardingNotification	67
5.5.2.14	Type: PnfdOnboardingFailureNotification	67
5.5.2.15	Type: PnfdDeletionNotification	68
5.5.3	Referenced structured data types	68
5.5.3.1	Introduction	68
5.5.3.2	Type: NsdmNotificationsFilter	68
5.5.3.3	Type: NsdmLinks	69
5.5.3.4	Type: PnfdmLinks	70
5.5.4	Referenced simple data types and enumerations	70
5.5.4.1	Introduction	70
5.5.4.2	Simple data types	70
5.5.4.3	Enumeration: NsdOperationalStateType	70
5.5.4.4	Enumeration: NsdUsageStateType	70
5.5.4.5	Enumeration: NsdOnboardingStateType	71
5.5.4.6	Enumeration: PnfdOnboardingStateType	71
5.5.4.7	Enumeration: PnfdUsageStateType	71
6	NS Lifecycle Management interface	71
6.1	Description	71
6.1a	API version	72
6.2	Resource structure and methods	72
6.3	Sequence diagrams (informative)	74
6.3.1	Flow of the creation of a NS instance resource	74
6.3.2	Flow of the deletion of a NS instance resource	75
6.3.3	Flow of NS lifecycle management operations triggered by task resources	76
6.3.4	Flow of the get operations status operation	78
6.3.5	Flow of managing subscriptions	79
6.3.6	Flow of sending notifications	81
6.3.7	Flow of retrying a NS lifecycle management operation	82
6.3.8	Flow of rolling back a NS lifecycle management operation	83
6.3.9	Flow of continuing a NS lifecycle management operation	84
6.3.10	Flow of failing a NS lifecycle management operation	86

6.3.11	Flow of cancelling a NS lifecycle management operation.....	87
6.4	Resources	87
6.4.1	Introduction.....	87
6.4.1a	Resource: API versions.....	88
6.4.2	Resource: NS Instances	88
6.4.2.1	Description	88
6.4.2.2	Resource definition	88
6.4.2.3	Resource methods	88
6.4.2.3.1	POST	88
6.4.2.3.2	GET	89
6.4.2.3.3	PUT	90
6.4.2.3.4	PATCH.....	90
6.4.2.3.5	DELETE.....	90
6.4.3	Resource: Individual NS Instance.....	90
6.4.3.1	Description.....	90
6.4.3.2	Resource definition	91
6.4.3.3	Resource methods	91
6.4.3.3.1	POST	91
6.4.3.3.2	GET	91
6.4.3.3.3	PUT	91
6.4.3.3.4	PATCH.....	91
6.4.3.3.5	DELETE.....	92
6.4.4	Resource: Instantiate NS task	92
6.4.4.1	Description	92
6.4.4.2	Resource definition	92
6.4.4.3	Resource methods	93
6.4.4.3.1	POST	93
6.4.4.3.2	GET	93
6.4.4.3.3	PUT	93
6.4.4.3.4	PATCH.....	93
6.4.4.3.5	DELETE.....	94
6.4.5	Resource: Scale NS task	94
6.4.5.1	Description.....	94
6.4.5.2	Resource definition	94
6.4.5.3	Resource methods	94
6.4.5.3.1	POST	94
6.4.5.3.2	GET	95
6.4.5.3.3	PUT	95
6.4.5.3.4	PATCH.....	95
6.4.5.3.5	DELETE.....	95
6.4.6	Resource: Update NS task	95
6.4.6.1	Description.....	95
6.4.6.2	Resource definition	96
6.4.6.3	Resource methods	96
6.4.6.3.1	POST	96
6.4.6.3.2	GET	96
6.4.6.3.3	PUT	97
6.4.6.3.4	PATCH.....	97
6.4.6.3.5	DELETE.....	97
6.4.7	Resource: Heal NS task	97
6.4.7.1	Description.....	97
6.4.7.2	Resource definition	97
6.4.7.3	Resource methods	97
6.4.7.3.1	POST	97
6.4.7.3.2	GET	98
6.4.7.3.3	PUT	98
6.4.7.3.4	PATCH.....	98
6.4.7.3.5	DELETE.....	98
6.4.8	Resource: Terminate NS task.....	98
6.4.8.1	Description.....	98
6.4.8.2	Resource definition	99
6.4.8.3	Resource methods	99

6.4.8.3.1	POST	99
6.4.8.3.2	GET	100
6.4.8.3.3	PUT	100
6.4.8.3.4	PATCH	100
6.4.8.3.5	DELETE	100
6.4.9	Resource: NS LCM operation occurrences	100
6.4.9.1	Description	100
6.4.9.2	Resource definition	100
6.4.9.3	Resource methods	100
6.4.9.3.1	POST	100
6.4.9.3.2	GET	100
6.4.9.3.3	PUT	102
6.4.9.3.4	PATCH	102
6.4.9.3.5	DELETE	102
6.4.10	Resource: Individual NS LCM operation occurrence	103
6.4.10.1	Description	103
6.4.10.2	Resource definition	103
6.4.10.3	Resource methods	103
6.4.10.3.1	POST	103
6.4.10.3.2	GET	103
6.4.10.3.3	PUT	104
6.4.10.3.4	PATCH	104
6.4.10.3.5	DELETE	104
6.4.11	Resource: Retry operation task	104
6.4.11.1	Description	104
6.4.11.2	Resource definition	104
6.4.11.3	Resource methods	104
6.4.11.3.1	POST	104
6.4.11.3.2	GET	105
6.4.11.3.3	PUT	105
6.4.11.3.4	PATCH	105
6.4.11.3.5	DELETE	105
6.4.12	Resource: Rollback operation task	106
6.4.12.1	Description	106
6.4.12.2	Resource definition	106
6.4.12.3	Resource methods	106
6.4.12.3.1	POST	106
6.4.12.3.2	GET	107
6.4.12.3.3	PUT	107
6.4.12.3.4	PATCH	107
6.4.12.3.5	DELETE	107
6.4.13	Resource: Continue operation task	108
6.4.13.1	Description	108
6.4.13.2	Resource definition	108
6.4.13.3	Resource methods	108
6.4.13.3.1	POST	108
6.4.13.3.2	GET	109
6.4.13.3.3	PUT	109
6.4.13.3.4	PATCH	109
6.4.13.3.5	DELETE	109
6.4.14	Resource: Fail operation task	110
6.4.14.1	Description	110
6.4.14.2	Resource definition	110
6.4.14.3	Resource methods	110
6.4.14.3.1	POST	110
6.4.14.3.2	GET	111
6.4.14.3.3	PUT	111
6.4.14.3.4	PATCH	111
6.4.14.3.5	DELETE	111
6.4.15	Resource: Cancel operation task	112
6.4.15.1	Description	112
6.4.15.2	Resource definition	112

6.4.15.3	Resource methods	112
6.4.15.3.1	POST	112
6.4.15.3.2	GET	113
6.4.15.3.3	PUT	113
6.4.15.3.4	PATCH	113
6.4.15.3.5	DELETE	113
6.4.16	Resource: Subscriptions	114
6.4.16.1	Description	114
6.4.16.2	Resource definition	114
6.4.16.3	Resource methods	114
6.4.16.3.1	POST	114
6.4.16.3.2	GET	115
6.4.16.3.3	PUT	116
6.4.16.3.4	PATCH	116
6.4.16.3.5	DELETE	116
6.4.17	Resource: Individual subscription	116
6.4.17.1	Description	116
6.4.17.2	Resource definition	116
6.4.17.3	Resource methods	117
6.4.17.3.1	POST	117
6.4.17.3.2	GET	117
6.4.17.3.3	PUT	117
6.4.17.3.4	PATCH	117
6.4.17.3.5	DELETE	117
6.4.18	Resource: Notification endpoint	118
6.4.18.1	Description	118
6.4.18.2	Resource definition	118
6.4.18.3	Resource methods	118
6.4.18.3.1	POST	118
6.4.18.3.2	GET	119
6.4.18.3.3	PUT	119
6.4.18.3.4	PATCH	119
6.4.18.3.5	DELETE	119
6.5	Data model	120
6.5.1	Introduction	120
6.5.2	Resource and notification data types	120
6.5.2.1	Introduction	120
6.5.2.2	Type: LcnSubscriptionRequest	120
6.5.2.3	Type: NsLcmOpOcc	120
6.5.2.4	Type: LcnSubscription	122
6.5.2.5	Type: NsLcmOperationOccurrenceNotification	122
6.5.2.6	Type: NsIdentifierCreationNotification	123
6.5.2.7	Type: NsIdentifierDeletionNotification	124
6.5.2.8	Type: NsChangeNotification	124
6.5.2.9	Type: CreateNsRequest	125
6.5.2.10	Type: NsInstance	125
6.5.2.11	Type: InstantiateNsRequest	126
6.5.2.12	Type: UpdateNsRequest	127
6.5.2.13	Type: HealNsRequest	129
6.5.2.14	Type: ScaleNsRequest	129
6.5.2.15	Type: TerminateNsRequest	130
6.5.2.16	Type: CancelMode	130
6.5.3	Referenced structured data types	130
6.5.3.1	Introduction	130
6.5.3.2	Type: AffectedVnf	130
6.5.3.3	Type: AffectedPnf	131
6.5.3.4	Type: AffectedVirtualLink	131
6.5.3.5	Type: AffectedVnffg	132
6.5.3.6	Type: AffectedNs	132
6.5.3.7	Type: AffectedSap	133
6.5.3.8	Type: LifecycleChangeNotificationsFilter	133
6.5.3.9	Type: LcnLinks	134

6.5.3.10	Type: SapData.....	135
6.5.3.11	Type: CpProtocolData.....	135
6.5.3.12	Type: IpOverEthernetAddressData.....	135
6.5.3.13	Type: PnfInfo.....	136
6.5.3.14	Type: AddPnfData.....	136
6.5.3.15	Type: ModifyPnfData.....	137
6.5.3.16	Type: PnfExtCpData.....	137
6.5.3.17	Type: PnfExtCpInfo.....	137
6.5.3.18	Type: IpOverEthernetAddressInfo.....	137
6.5.3.19	Type: VnfInstanceData.....	138
6.5.3.19a	Type: NestedNsInstanceData.....	138
6.5.3.20	Type: VnfLocationConstraint.....	139
6.5.3.21	Type: LocationConstraints.....	139
6.5.3.21a	Type: ParamsForNestedNs.....	139
6.5.3.22	Type: ParamsForVnf.....	139
6.5.3.23	Type: AffinityOrAntiAffinityRule.....	140
6.5.3.24	Type: InstantiateVnfData.....	140
6.5.3.25	Type: ChangeVnfFlavourData.....	141
6.5.3.26	Type: ExtVirtualLinkData.....	141
6.5.3.27	Type: ExtManagedVirtualLinkData.....	142
6.5.3.28	Type: ExtLinkPortData.....	142
6.5.3.29	Type: VnfExtCpData.....	142
6.5.3.30	Type: VnfExtCpConfig.....	143
6.5.3.31	Type: OperateVnfData.....	143
6.5.3.32	Type: ModifyVnfInfoData.....	144
6.5.3.33	Type: ChangeExtVnfConnectivityData.....	144
6.5.3.34	Type: AssocNewNsdVersionData.....	144
6.5.3.35	Type: MoveVnfInstanceData.....	145
6.5.3.36	Type: AddVnffgData.....	145
6.5.3.37	Type: UpdateVnffgData.....	145
6.5.3.38	Type: NfpData.....	146
6.5.3.39	Type: ChangeNsFlavourData.....	146
6.5.3.40	Type: NfpRule.....	146
6.5.3.41	Type: Mask.....	147
6.5.3.42	Type: PortRange.....	148
6.5.3.43	Type: HealNsData.....	148
6.5.3.44	Type: HealVnfData.....	148
6.5.3.45	Type: ScaleNsData.....	149
6.5.3.46	Type: ScaleNsByStepsData.....	149
6.5.3.47	Type: ScaleNsToLevelData.....	150
6.5.3.48	Type: NsScaleInfo.....	150
6.5.3.49	Type: ScaleVnfData.....	150
6.5.3.50	Type: ScaleToLevelData.....	151
6.5.3.51	Type: VnfScaleInfo.....	151
6.5.3.52	Type: ScaleByStepData.....	151
6.5.3.53	Type: NsVirtualLinkInfo.....	151
6.5.3.54	Void.....	152
6.5.3.55	Type: NsLinkPortInfo.....	152
6.5.3.56	Type: NsCpHandle.....	152
6.5.3.57	Type: VnfInstance.....	153
6.5.3.58	Type: CpProtocolInfo.....	156
6.5.3.59	Type: ExtManagedVirtualLinkInfo.....	156
6.5.3.60	Type: VnfcResourceInfo.....	156
6.5.3.61	Type: VnfVirtualLinkResourceInfo.....	157
6.5.3.62	Type: ExtVirtualLinkInfo.....	157
6.5.3.63	Type: ExtLinkPortInfo.....	158
6.5.3.64	Type: VnfLinkPortInfo.....	158
6.5.3.65	Type: VnffgInfo.....	159
6.5.3.66	Type: NfpInfo.....	159
6.5.3.67	Type: SapInfo.....	159
6.5.3.68	Type: NsMonitoringParameter.....	160
6.5.3.69	Type: VnfMonitoringParameter.....	160

6.5.3.70	Type: VnfExtCpInfo	160
6.5.3.71	Type: CpGroupInfo	161
6.5.3.72	Type: CpPairInfo	161
6.5.3.73	Type: ForwardingBehaviour InputParameters	161
6.5.4	Referenced simple data types and enumerations	162
6.5.4.1	Introduction	162
6.5.4.2	Simple data types	162
6.5.4.3	Enumeration: NsLcmOpType	162
6.5.4.4	Enumeration: NsLcmOperationStateType	162
6.5.4.5	Enumeration: NsComponentType	163
6.5.4.6	Enumeration: LcmOpNameForChangeNotificationType	163
6.5.4.7	Enumeration: LcmOpOccStatusForChangeNotificationType	163
6.5.4.8	Enumeration: OperationalStates	164
6.5.4.9	Enumeration: StopType	164
6.5.4.10	Enumeration: CancelModeType	164
6.6	Handling of errors during NS lifecycle management operations	165
6.6.1	Basic concepts (informative)	165
6.6.1.1	Motivation	165
6.6.1.2	Failure resolution strategies: Retry, Rollback and Continue	165
6.6.1.3	Error handling at NFVO and OSS/BSS	165
6.6.2	States and state transitions of a NS lifecycle management operation occurrence	167
6.6.2.1	General	167
6.6.2.2	States of a NS lifecycle management operation occurrence	167
6.6.2.3	Error handling operations that change the state of a NS lifecycle operation	170
6.6.3	Detailed flows	170
6.6.3.1	Immediate failure	170
6.6.3.2	Failure during actual NS LCM operation execution	171
6.6.3.3	LCM operation cancellation	172
7	NS Performance Management interface	173
7.1	Description	173
7.1a	API version	173
7.2	Resource structure and methods	173
7.3	Sequence diagrams (informative)	174
7.3.1	Flow of creating a PM job	174
7.3.2	Flow of querying/reading PM jobs	175
7.3.3	Flow of deleting a PM job	176
7.3.4	Flow of obtaining performance reports	176
7.3.5	Flow of creating a threshold	177
7.3.6	Flow of querying/reading thresholds	178
7.3.7	Flow of deleting thresholds	178
7.3.8	Flow of managing subscriptions	179
7.3.9	Flow of sending notifications	181
7.4	Resources	182
7.4.1	Introduction	182
7.4.1a	Resource: API versions	182
7.4.2	Resource: PM jobs	182
7.4.2.1	Description	182
7.4.2.2	Resource definition	182
7.4.2.3	Resource methods	182
7.4.2.3.1	POST	182
7.4.2.3.2	GET	183
7.4.2.3.3	PUT	184
7.4.2.3.4	PATCH	184
7.4.2.3.5	DELETE	185
7.4.3	Resource: Individual PM job	185
7.4.3.1	Description	185
7.4.3.2	Resource definition	185
7.4.3.3	Resource methods	185
7.4.3.3.1	POST	185
7.4.3.3.2	GET	185
7.4.3.3.3	PUT	186

7.4.3.3.4	PATCH.....	186
7.4.3.3.5	DELETE.....	186
7.4.4	Resource: Individual performance report	187
7.4.4.1	Description.....	187
7.4.4.2	Resource definition	187
7.4.4.3	Resource methods	187
7.4.4.3.1	POST	187
7.4.4.3.2	GET	187
7.4.4.3.3	PUT	188
7.4.4.3.4	PATCH.....	188
7.4.4.3.5	DELETE.....	188
7.4.5	Resource: Thresholds.....	188
7.4.5.1	Description.....	188
7.4.5.2	Resource definition	188
7.4.5.3	Resource methods	188
7.4.5.3.1	POST	188
7.4.5.3.2	GET	189
7.4.5.3.3	PUT	190
7.4.5.3.4	PATCH.....	190
7.4.5.3.5	DELETE.....	190
7.4.6	Resource: Individual threshold.....	190
7.4.6.1	Description.....	190
7.4.6.2	Resource definition	191
7.4.6.3	Resource methods	191
7.4.6.3.1	POST	191
7.4.6.3.2	GET	191
7.4.6.3.3	PUT	191
7.4.6.3.4	PATCH.....	192
7.4.6.3.5	DELETE.....	192
7.4.7	Resource: Subscriptions.....	192
7.4.7.1	Description.....	192
7.4.7.2	Resource definition	192
7.4.7.3	Resource methods	192
7.4.7.3.1	POST	192
7.4.7.3.2	GET	193
7.4.7.3.3	PUT	194
7.4.7.3.4	PATCH.....	195
7.4.7.3.5	DELETE.....	195
7.4.8	Resource: Individual subscription.....	195
7.4.8.1	Description.....	195
7.4.8.2	Resource definition	195
7.4.8.3	Resource methods	195
7.4.8.3.1	POST	195
7.4.8.3.2	GET	195
7.4.8.3.3	PUT	196
7.4.8.3.4	PATCH.....	196
7.4.8.3.5	DELETE.....	196
7.4.9	Resource: Notification endpoint	197
7.4.9.1	Description.....	197
7.4.9.2	Resource definition	197
7.4.9.3	Resource methods	197
7.4.9.3.1	POST	197
7.4.9.3.2	GET	197
7.4.9.3.3	PUT	198
7.4.9.3.4	PATCH.....	198
7.4.9.3.5	DELETE.....	198
7.5	Data Model.....	198
7.5.1	Introduction.....	198
7.5.2	Resource and notification data types	198
7.5.2.1	Introduction.....	198
7.5.2.2	Type: PmSubscriptionRequest	198
7.5.2.3	Type: PmSubscription.....	199

7.5.2.4	Type: ThresholdCrossedNotification	199
7.5.2.5	Type: PerformanceInformationAvailableNotification	200
7.5.2.6	Type: CreatePmJobRequest	200
7.5.2.7	Type: PmJob	201
7.5.2.8	Type: CreateThresholdRequest	201
7.5.2.9	Type: Threshold	201
7.5.2.10	Type: PerformanceReport	202
7.5.3	Referenced structured data types	202
7.5.3.1	Introduction	202
7.5.3.2	Type: PmNotificationsFilter	202
7.5.3.3	Type: PmJobCriteria	203
7.5.3.4	Type: ThresholdCriteria	204
7.5.4	Referenced simple data types and enumerations	204
7.5.4.1	Introduction	204
7.5.4.2	Simple data types	204
7.5.4.3	Enumeration: CrossingDirectionType	204
8	NS Fault Management interface	205
8.1	Description	205
8.1a	API version	205
8.2	Resource structure and methods	205
8.3	Sequence diagrams (informative)	206
8.3.1	Flow of the Get Alarm List operation	206
8.3.2	Flow of acknowledging alarm	207
8.3.3	Flow of managing subscriptions	207
8.3.4	Flow of sending notifications	209
8.4	Resources	209
8.4.1	Introduction	209
8.4.1a	Resource: API versions	210
8.4.2	Resource: Alarms	210
8.4.2.1	Description	210
8.4.2.2	Resource definition	210
8.4.2.3	Resource methods	210
8.4.2.3.1	POST	210
8.4.2.3.2	GET	210
8.4.2.3.3	PUT	212
8.4.2.3.4	PATCH	212
8.4.2.3.5	DELETE	212
8.4.3	Resource: Individual alarm	212
8.4.3.1	Description	212
8.4.3.2	Resource definition	212
8.4.3.3	Resource methods	212
8.4.3.3.1	POST	212
8.4.3.3.2	GET	212
8.4.3.3.3	PUT	213
8.4.3.3.4	PATCH	213
8.4.3.3.5	DELETE	214
8.4.4	Resource: Subscriptions	214
8.4.4.1	Description	214
8.4.4.2	Resource definition	214
8.4.4.3	Resource methods	215
8.4.4.3.1	POST	215
8.4.4.3.2	GET	216
8.4.4.3.3	PUT	217
8.4.4.3.4	PATCH	217
8.4.4.3.5	DELETE	217
8.4.5	Resource: Individual subscription	218
8.4.5.1	Description	218
8.4.5.2	Resource definition	218
8.4.5.3	Resource methods	218
8.4.5.3.1	POST	218
8.4.5.3.2	GET	218

8.4.5.3.3	PUT	219
8.4.5.3.4	PATCH	219
8.4.5.3.5	DELETE	219
8.4.6	Resource: Notification endpoint	219
8.4.6.1	Description	219
8.4.6.2	Resource definition	219
8.4.6.3	Resource methods	220
8.4.6.3.1	POST	220
8.4.6.3.2	GET	220
8.4.6.3.3	PUT	221
8.4.6.3.4	PATCH	221
8.4.6.3.5	DELETE	221
8.5	Data Model	221
8.5.1	Introduction	221
8.5.2	Resource and notification data types	221
8.5.2.1	Introduction	221
8.5.2.2	Type: FmSubscriptionRequest	221
8.5.2.3	Type: FmSubscription	222
8.5.2.4	Type: Alarm	222
8.5.2.5	Type: AlarmNotification	223
8.5.2.6	Type: AlarmClearedNotification	223
8.5.2.7	Type: AlarmListRebuiltNotification	224
8.5.2.8	Type: AlarmModifications	224
8.5.3	Referenced structured data types	224
8.5.3.1	Introduction	224
8.5.3.2	Type: FmNotificationsFilter	224
8.5.3.3	Type: FaultyResourceInfo	225
8.5.3.4	Type: FaultyComponentInfo	225
8.5.4	Referenced simple data types and enumerations	225
8.5.4.1	Introduction	225
8.5.4.2	Simple data types	225
8.5.4.3	Enumeration: PerceivedSeverityType	226
8.5.4.4	Enumeration: EventType	226
8.5.4.5	Enumeration: FaultyResourceType	226
9	VNF Package Management interface	227
9.1	Description	227
9.1a	API version	227
9.2	Resource structure and methods	227
9.3	Sequence diagrams (informative)	229
9.3.1	Flow of the creation of an individual VNF package resource	229
9.3.2	Flow of the uploading of VNF package content	229
9.3.3	Flow of querying/reading VNF package information	231
9.3.4	Flow of reading the VNFD of an on-boarded VNF package	231
9.3.5	Flow of updating information of a VNF package	232
9.3.6	Flow of deleting a VNF package resource	233
9.3.7	Flow of fetching an on-boarded VNF package	234
9.3.8	Flow of fetching a VNF package artifact	235
9.3.9	Flow of managing subscriptions	235
9.3.10	Flow of sending notifications	237
9.4	Resources	237
9.4.1	Introduction	237
9.4.1a	Resource: API versions	238
9.4.2	Resource: VNF packages	238
9.4.2.1	Description	238
9.4.2.2	Resource definition	238
9.4.2.3	Resource methods	238
9.4.2.3.1	POST	238
9.4.2.3.2	GET	239
9.4.2.3.3	PUT	240
9.4.2.3.4	PATCH	240
9.4.2.3.5	DELETE	241