

**SLOVENSKI STANDARD**  
**oSIST prEN 300 392-3-13 V1.2.0:2019**  
**01-november-2019**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskem vmesniku (ISI) - 13. poddel: Neodvisnost transportnih plasti dodatne omrežne funkcije: skupinski klic (ANF-ISIGC)**

Terrestrial Trunked Radio (TETRA) - Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 13: Transport layer independent Additional Network Feature Group Call (ANF-ISIGC)

Ta slovenski standard je istoveten z: **ETSI EN 300 392-3-13 V1.2.0 (2019-08)**

**ICS:**

33.070.10      Prizemni snopovni radio  
                  (TETRA)      Terrestrial Trunked Radio  
                  (TETRA)

**oSIST prEN 300 392-3-13 V1.2.0:2019      en**

iTeh STANDARD PREVIEW  
(Standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/8435c85c-220a-4432-9116-d350076324be/osist-pren-300-392-3-13-v1.2.0-2019>

# Draft ETSI EN 300 392-3-13 V1.2.0 (2019-08)



**Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 3: Interworking at the Inter-System Interface (ISI);  
Sub-part 13: Transport layer independent  
Additional Network Feature Group Call (ANF-ISIGC)**

THIS IS A DRAFT DOCUMENT  
<https://standards.itec.ae/Logos/standards/4432-9116-d350076324belot-pr-en-300-392-3-13-v1.2.0-2019.pdf>

---

Reference

REN/TCCE-03261

---

Keywords

management, mobility, TETRA

***ETSI***

650 Route des Lucioles  
 F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
 Association à but non lucratif enregistrée à la  
 Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

---

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.  
 Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.  
 All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
 of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and  
 of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

## Contents

Intellectual Property Rights .....	9
Foreword.....	9
Modal verbs terminology.....	11
1 Scope .....	12
2 References .....	13
2.1 Normative references .....	13
2.2 Informative references.....	14
3 Definition of terms, symbols and abbreviations.....	14
3.1 Terms.....	14
3.2 Symbols.....	15
3.3 Abbreviations .....	15
4 ANF-ISIGC stage 1 specification.....	17
4.1 Description .....	17
4.1.1 General description .....	17
4.1.2 Qualifications on applicability to TETRA basic services .....	17
4.2 Procedures .....	18
4.2.1 Provision/withdrawal .....	18
4.2.2 Normal procedures.....	18
4.2.2.1 Activation/deactivation/registration/interrogation .....	18
4.2.2.2 Invocation and operation.....	18
4.2.2.3 ANF-ISIGC - the service provider .....	18
4.2.2.3.1 General .....	18
4.2.2.3.2 Establishing the group call at the originating and controlling TETRA SwMI .....	19
4.2.2.3.3 Establishing the group call at a participating TETRA SwMI .....	21
4.2.2.3.4 Delaying the group call .....	22
4.2.2.3.5 Control of call time-out timers .....	22
4.2.2.3.6 Acknowledged group call procedures.....	23
4.2.2.3.7 Colliding call setup signalling.....	23
4.2.2.3.8 Joining of calls.....	24
4.2.2.3.9 Maintenance of the group call .....	24
4.2.2.3.10 Termination of the group call .....	26
4.2.3 Exceptional procedures.....	27
4.2.3.1 Activation/deactivation/registration/interrogation .....	27
4.2.3.2 Invocation and operation.....	27
4.3 Interaction with TETRA supplementary services and other TETRA ANFs .....	27
4.3.1 General.....	27
4.3.2 Calling Line Identification Presentation (SS-CLIP) .....	27
4.3.3 Connected Line Identification Presentation (SS-COLP) .....	28
4.3.4 Calling/Connected Line Identification Restriction (SS-CLIR).....	28
4.3.5 Call Report (SS-CR) .....	28
4.3.6 Talking Party Identification (SS-TPI).....	28
4.3.7 Call Forwarding Unconditional (SS-CFU) .....	28
4.3.8 Call Forwarding on Busy (SS-CFB).....	28
4.3.9 Call Forwarding on No Reply (SS-CFNRY) .....	28
4.3.10 Call Forwarding on Not Reachable (SS-CFNRC) .....	28
4.3.11 List Search Call (SS-LSC) .....	28
4.3.12 Call Authorized by Dispatcher (SS-CAD).....	28
4.3.13 Short Number Addressing (SS-SNA) .....	28
4.3.14 Area Selection (SS-AS) .....	28
4.3.15 Access Priority (SS-AP) .....	29
4.3.16 Priority Call (SS-PC) .....	29
4.3.17 Call Waiting (SS-CW) .....	29
4.3.18 Call Hold (SS-HOLD) .....	29
4.3.19 Call Completion to Busy Subscriber (SS-CCBS) .....	29

4.3.20	Late Entry (SS-LE) .....	29
4.3.21	Pre-emptive Priority Call (SS-PPC).....	29
4.3.22	Include Call (SS-IC) .....	29
4.3.23	Barring of Outgoing Calls (SS-BOC).....	29
4.3.24	Barring of Incoming Calls (SS-BIC) .....	30
4.3.25	Discreet Listening (SS-DL) .....	30
4.3.26	Ambience Listening (SS-AL) .....	30
4.3.27	Dynamic Group Number Assignment (SS-DGNA).....	30
4.3.28	Call Completion on No Reply (SS-CCNR) .....	30
4.3.29	Call Retention (SS-CRT) .....	30
4.3.30	Additional Network Features - Inter-System Interface Individual Call (ANF-ISIIC) .....	30
4.3.31	ISI Short Data (ANF-ISISD) .....	30
4.3.32	ISI Mobility Management (ANF-ISIMM) .....	30
5	ANF-ISIGC stage 2 specification.....	31
5.1	Functional model.....	31
5.1.1	Functional model description.....	31
5.1.2	Description of functional entities.....	32
5.1.2.1	ISI group call originating entity, FE1.....	32
5.1.2.2	Originating SwMI CC application functional entity, FE1' .....	32
5.1.2.3	ISI group home entity/group call controlling entity, FE2 .....	33
5.1.2.4	Group home SwMI/Controlling SwMI CC application functional entity, FE2' .....	33
5.1.2.5	ISI group call participating entity, FE3 .....	34
5.1.2.6	Participating SwMI CC application functional entity, FE3' .....	34
5.2	Information flow .....	34
5.2.1	Information flow diagrams .....	34
5.2.1.1	General Information about Information Flow Diagrams.....	34
5.2.1.2	Successful group call set-up over ISI using ANF-ISIGC.....	35
5.2.1.3	Acknowledged group call set-up over ISI using ANF-ISIGC.....	43
5.2.1.4	Partial group call set-up over ISI using ANF-ISIGC .....	44
5.2.1.5	Delay of group call set-up over ISI using ANF-ISIGC .....	47
5.2.1.6	Interaction with an active group call .....	50
5.2.1.7	Unsuccessful group call set-up over ISI using ANF-ISIGC.....	52
5.2.1.8	Call Maintenance procedures - Request to transmit.....	54
5.2.1.9	Call maintenance procedures - Cease transmission.....	60
5.2.1.10	Call Maintenance procedures - Use of ISI-TX WAIT and ISI-TX CONTINUE .....	64
5.2.1.11	Call Maintenance procedures - Information flow to participating SwMI(s) .....	64
5.2.1.12	Call Disconnection procedures - Controlling SwMI disconnects the call .....	65
5.2.1.13	Call Disconnection procedures - Participating SwMI disconnects from the call .....	65
5.2.1.14	Call Disconnection procedures - Call Owner disconnects the whole call .....	67
5.2.2	Definitions of Information Flows .....	68
5.2.2.1	General about Information Flows .....	68
5.2.2.2	ISI_CONNECT .....	68
5.2.2.3	ISI_DISCONNECT .....	68
5.2.2.4	ISI_INFO .....	69
5.2.2.5	ISI_INTERACT .....	70
5.2.2.6	ISI_ORIGINATING SETUP .....	70
5.2.2.7	ISI_POLL.....	71
5.2.2.8	ISI_REJECT.....	72
5.2.2.9	ISI_RELEASE .....	72
5.2.2.10	ISI_REROUTE .....	73
5.2.2.11	ISI_RESOURCE .....	73
5.2.2.12	ISI_SETUP.....	73
5.2.2.13	ISI_TX-CEASED.....	74
5.2.2.14	ISI_TX-CONTINUE.....	75
5.2.2.15	ISI_TX-DEMAND.....	75
5.2.2.16	ISI_TX-GRANTED.....	75
5.2.2.17	ISI_TX-INTERRUPT .....	76
5.2.2.18	ISI_TX-WAIT.....	76
5.3	Functional Entity Actions (FEAs) .....	76
5.3.1	Functional Entity Actions of FE1 .....	76
5.3.2	Functional Entity Actions of FE1' .....	77

5.3.3	Functional Entity Actions of FE2 .....	78
5.3.4	Functional entity actions of FE2' .....	81
5.3.5	Functional Entity Action of FE3 .....	81
5.3.6	Functional entity actions of FE3' .....	83
6	ANF-ISIGC stage 3 specification.....	85
6.1	ANF-ISIGC description .....	85
6.2	ANF-ISIGC operational requirements.....	85
6.3	ANF-ISIGC coding requirements.....	85
6.3.1	TETRA ANF-ISIGC PDUs .....	85
6.3.1.1	General Information about PDU Descriptions .....	85
6.3.1.2	ISI-ORIGINATING SETUP PDU sent by the originating SwMI - used to forward a call set-up request .....	85
6.3.1.3	ISI-SETUP INITIATE PDU sent by the controlling SwMI - used for setting up a group call .....	86
6.3.1.4	ISI-INFO PDU .....	88
6.3.1.5	ISI-SETUP ACKNOWLEDGE PDU sent by the originating or a participating SwMI - used as a call set-up response .....	89
6.3.1.6	ISI-DELAY PDU sent by the originating or a participating SwMI - used to delay call set-up.....	91
6.3.1.7	ISI-CONNECT PDU sent by the controlling SwMI - used for connecting the call .....	91
6.3.1.8	ISI-POLL USER PDU sent by the controlling SwMI - used for polling .....	92
6.3.1.9	ISI-POLL RESPONSE PDU sent by a participating SwMI - used as a polling response .....	92
6.3.1.10	ISI-TX DEMAND PDU sent by a participating SwMI - used to request transmission permission .....	93
6.3.1.11	ISI-RESOURCE PDU sent by the controlling SwMI - used to request reservation of resources .....	93
6.3.1.12	ISI-RESOURCE RESPONSE PDU sent by a participating SwMI - used as a resource response .....	94
6.3.1.13	ISI-TX CEASED PDU sent by a participating SwMI and a controlling SwMI - used to request/inform cease of transmission .....	94
6.3.1.14	ISI-TX GRANTED PDU sent by the controlling SwMI - used to inform grant of transmission.....	95
6.3.1.15	TETRA PDU sent by the controlling SwMI - used to inform interruption of transmission.....	97
6.3.1.16	ISI-TX CONTINUE PDU sent by a participating SwMI - used to inform of continuation in an active group call .....	97
6.3.1.17	ISI-TX WAIT PDU sent by a participating SwMI - used to inform of withdrawal from an active group call .....	97
6.3.1.18	ISI-REJECT PDU .....	97
6.3.1.19	ISI-DISCONNECT PDU sent by the originating SwMI or a participating SwMI.....	98
6.3.1.20	ISI-RELEASE PDU sent by the controlling SwMI .....	98
6.3.1.21	ISI-REROUTE PDU sent by the group home SwMI or the linking controlling SwMI - used to re-route the call .....	99
6.3.2	TETRA PDU information element coding .....	99
6.3.2.1	General about the TETRA PDU Information Encoding .....	99
6.3.2.2	Additional information to existing information element at the ISI .....	99
6.3.2.2.1	Call status .....	99
6.3.2.2.2	Call time-out, set-up phase .....	100
6.3.2.2.3	Call time-out.....	100
6.3.2.2.4	Disconnect cause information element.....	100
6.3.2.2.5	Group basic migration profile.....	101
6.3.2.2.6	PDU type .....	102
6.3.2.2.7	SS-migration profile .....	102
6.3.2.3	New information elements used at the ISI .....	103
6.3.2.3.1	Call amalgamation.....	103
6.3.2.3.2	Call diverted to dispatcher.....	103
6.3.2.3.3	Call owner request.....	103
6.3.2.3.4	Call resource time-out .....	103
6.3.2.3.5	Calling group identifier .....	104
6.3.2.3.6	Calling party information present.....	104
6.3.2.3.7	Connected party SSI and extension .....	104
6.3.2.3.8	Controlling/originating/participating SwMI MNI .....	104
6.3.2.3.9	Critical connected party/requesting party/transmitting party SSI and extension.....	104
6.3.2.3.10	Critical user list.....	104
6.3.2.3.11	Disconnect type .....	105
6.3.2.3.12	Dispatcher acceptance .....	105
6.3.2.3.13	External group member identity .....	105
6.3.2.3.14	External subscriber number digits .....	105

6.3.2.3.15	External subscriber number length .....	106
6.3.2.3.16	External subscriber number parameters.....	106
6.3.2.3.17	Group attachment indicator .....	106
6.3.2.3.18	Group call SwMI type .....	107
6.3.2.3.19	Group information .....	107
6.3.2.3.20	ISI-INFO type.....	107
6.3.2.3.21	Linking group type identifier.....	107
6.3.2.3.22	Numbering plan identifier .....	108
6.3.2.3.23	Poll request type .....	108
6.3.2.3.24	Poll result identifier .....	108
6.3.2.3.25	Reject cause information element.....	108
6.3.2.3.26	Resource allocation .....	109
6.3.2.3.27	Resource indicator .....	109
6.3.2.3.28	Screening indicator.....	110
6.3.2.3.29	Security level at air interface .....	110
6.3.2.3.30	Setup response time-out.....	110
6.3.2.3.31	Set-up type.....	111
6.3.2.3.32	Speech service chosen/requested/used .....	111
6.3.2.3.33	Speech services supported.....	111
6.3.2.3.34	SS-CLIR invoked for calling/transmitting/restoring/connected party .....	111
6.3.2.3.35	Call specific group profiles present .....	112
6.3.2.3.36	Transmission Ceased .....	112
6.3.2.3.37	Type of number .....	112
6.4	ANF-ISIGC state definitions .....	112
6.4.1	States at the originating SwMI.....	112
6.4.1.1	IDLE .....	112
6.4.1.2	FORWARD CALL .....	113
6.4.1.3	WAIT CONNECT .....	113
6.4.1.4	DELAY GROUP CALL .....	114
6.4.1.5	CALL DISCONNECT .....	114
6.4.1.6	CALL RELEASE.....	114
6.4.2	States at the controlling SwMI.....	114
6.4.2.1	IDLE .....	114
6.4.2.2	GROUP CALL INITIATE.....	115
6.4.2.3	DELAY GROUP CALL .....	115
6.4.2.4	ACTIVE.....	116
6.4.3	States at the participating SwMI.....	116
6.4.3.1	IDLE .....	116
6.4.3.2	WAIT CONNECT .....	117
6.4.3.3	DELAY ENTRY.....	117
6.4.3.4	DELAY GROUP CALL .....	117
6.4.3.5	ACTIVE.....	118
6.4.3.6	CALL DISCONNECT .....	118
6.4.3.7	CALL RELEASE.....	119
6.5	ANF-ISIGC signalling procedures .....	119
6.5.1	General about ANF-ISIGC Signalling Procedures .....	119
6.5.2	Call set-up procedures .....	119
6.5.2.1	Forward set-up request.....	119
6.5.2.2	Group linking .....	119
6.5.2.3	Call request in the (Linking) Controlling SwMI .....	119
6.5.2.4	Call confirmation and call characteristics notification by the originating and participating SwMI(s) .....	120
6.5.2.5	Call confirmation indication and call connected by the controlling SwMI.....	121
6.5.2.6	Delay of call set-up .....	121
6.5.2.7	Failure of call establishment .....	122
6.5.2.8	Multiple calling parties .....	122
6.5.2.8.1	General about Multiple Calling parties.....	122
6.5.2.8.2	A new calling party appears at a SwMI not currently in the group call.....	123
6.5.2.8.3	A new, compatible, calling party appears at a SwMI where a group call is active.....	123
6.5.2.8.4	A new, compatible, calling party appears at an OSwMI where a group call is still in the setup phase.....	123

6.5.2.8.5	A new, compatible, calling party appears at an PSwMI where a group call is still in the setup phase.....	123
6.5.2.8.6	A new calling party requesting an emergency call appears at a SwMI where the existing call is not at an emergency priority .....	123
6.5.2.8.7	A new, non-compatible, calling party appears at a SwMI where a group call is already active....	123
6.5.2.8.8	A new calling party appears at a CSwMI that only supports a single ISI-ORIGINATING SETUP PDU.....	124
6.5.2.8.9	The sending of subsequent ISI-ORIGINATING SETUP PDUs to the CSwMI.....	124
6.5.2.9	Security level.....	124
6.5.3	Acknowledge group call .....	125
6.5.4	Call maintenance procedures .....	125
6.5.4.1	General about Call maintenance procedures .....	125
6.5.4.2	Transmission control procedures .....	125
6.5.4.3	Call modification and/or continuation.....	127
6.5.4.4	DTMF procedures .....	127
6.5.5	Call disconnection procedures .....	127
6.6	Protocol interaction between ANF-ISIGC and supplementary services and other ANFs .....	128
6.6.1	Call Forwarding Unconditional (SS-CFU) .....	128
6.6.2	Call Authorized by Dispatcher (SS-CAD).....	128
6.6.3	Area Selection (SS-AS) and selected area number .....	128
6.6.4	Priority Call (SS-PC) .....	129
6.6.5	Pre-emptive Priority Call (SS-PPC).....	129
6.6.6	Include Call (SS-IC) .....	129
6.6.7	Call Retention (SS-CRT) .....	129
6.6.8	Interactions with other supplementary services .....	129
6.7	ANF-ISIGC parameter values (timers).....	130

**Annex A (normative):      Specification and Description Language (SDL) representation of procedures .....** 131

A.1	General .....	131
A.2	SDL representation of an ANF-ISIGC entity at FE1 .....	131
A.3	SDL representation of an ANF-ISIGC entity at FE2 .....	134
A.4	SDL representation of an ANF-ISIGC entity at FE3 .....	138

**Annex B (normative):      Stage 2 description of the interactions between ANF-ISIGC and SS-CAD when invoked for the called group.....** 142

B.1	Information flow diagrams .....	142
B.1.1	Group call set-up when SS-CAD is invoked for called group.....	142
B.2	Definition of information flows .....	153
B.2.1	General .....	153
B.2.2	ISI_THROUGH CONNECT .....	153
B.3	Functional Entity Actions (FEAs) .....	153
B.3.1	General .....	153
B.3.2	Functional entity actions of FE1.....	153
B.3.3	Functional entity actions of FE1' .....	154
B.3.4	Functional entity actions of FE2.....	154
B.3.5	Functional entity actions of FE2' .....	154
B.3.6	Functional entity actions of FE3.....	155
B.3.7	Functional entity actions of FE3' .....	155

**Annex C (informative):      Signalling Diagram Examples.....** 156

C.1	Call Setup .....	156
C.1.1	Call Setup General.....	156
C.1.2	Single calling party, no queuing for resources .....	156
C.1.3	Single calling party, some queuing for resources .....	157
C.1.4	Single calling party, some queuing for resources, different connect strategy .....	159
C.1.5	Single calling party, some queuing for resources, showing multiple releasing .....	161

C.1.6	Multiple calling parties, a new calling party is on a SwMI not currently in the call .....	163
C.1.7	Multiple calling parties, the new setup from the second OSwMI is received while the CSwMI is delaying the call .....	164
C.1.8	Multiple calling parties, the new setup from the second OSwMI is received while the CSwMI is activating the call.....	166
C.1.9	Multiple calling parties during delayed setup, a new calling party is on a SwMI not currently in the call ....	168
C.1.10	Multiple calling parties, a new calling party on a SwMI not currently in the call is granted transmission ....	169
C.1.11	Multiple calling parties, the new calling party is granted transmission.....	171
C.1.12	Multiple calling parties, a PSwMI transitions back into a OSwMI .....	173
C.1.13	Multiple calling parties and no PSwMI.....	174
C.1.14	Multiple calling parties at the same SwMI.....	175
C.1.15	Successful Group Call Establishment. The CSwMI does not accept more than one calling party.....	176
C.1.16	Late Entry .....	177
C.1.17	A SwMI joins with a Connected Call.....	178
C.1.18	An emergency priority call to a group that is already in an active, non-emergency, call.....	178
C.1.19	A call collision at startup.....	180
C.1.20	Partial successful group call establishment, call is not accepted by a PSwMI .....	181
C.1.21	Unsuccessful group call establishment rejected by an OswMI .....	181
C.1.22	Unsuccessful group call establishment, the CSwMI cannot accept some parameters, such as <i>resource allocation</i> , in the ISI SETUP ACKNOWLEDGE PDU from an OswMI .....	182
C.1.23	Unsuccessful Group Call Establishment, OSwMI or Party times out .....	183
C.1.24	Unsuccessful group call establishment rejected by the CSwMI.....	183
C.2	Call maintenance .....	185
C.3	Call termination.....	187
C.3.1	The release of a SwMI from a call .....	187
C.3.2	Call disconnection, as a result of a PSwMI disconnecting .....	187
C.3.3	Call disconnection by the CSwMI.....	188
<b>Annex D (informative):</b>	<b>Bibliography.....</b>	<b>189</b>
<b>Annex E (informative):</b>	<b>Change Requests.....</b>	<b>190</b>
History .....		191

*TELESTANDARDS*  
Full standard:  
<https://standards.iteh.it/catalog/standard?4432-9116-d350076324be/osit-pr-en-300-392-3-13-v1.2.0-2019>

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

# Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee TETRA and Critical Communications Evolution (TCCE), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 3, sub-part 13 of a multi-part deliverable covering the Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D), as identified below:

Part 1: "General network design";

Part 2: "Air Interface (AI)";

**Part 3: "Interworking at the Inter-System Interface (ISI)":**

Sub-part 1: "General design";

Sub-part 2: "Additional Network Feature Individual Call (ANF-ISIIC)";

Sub-part 3: "Additional Network Feature Group Call (ANF-ISIGC)";

Sub-part 4: "Additional Network Feature Short Data Service (ANF-ISISDS)";

Sub-part 5: "Additional Network Feature for Mobility Management (ANF-ISIMM)";

Sub-part 6: "Speech format implementation for circuit mode transmission";

Sub-part 7: "Speech Format Implementation for Packet Mode Transmission";

Sub-part 8: "Generic Speech Format Implementation";

Sub-part 9: "Transport layer independent, General design";

Sub-part 10: "General design, PSS1 over E.1";

Sub-part 11: "General design, SIP/IP";

Sub-part 12: "Transport layer independent Additional Network Feature Individual Call (ANF-ISIIC)";

**Sub-part 13: "Transport layer independent Additional Network Feature Group Call (ANF-ISIGC)":**

Sub-part 14: "Transport layer independent Additional Network Feature Short Data Service (ANF-ISISDS)";

Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM);

Part 4: "Gateways basic operation";

Part 5: "Peripheral Equipment Interface (PEI)";

Part 7: "Security";

Part 9: "General requirements for supplementary services";

Part 10: "Supplementary services stage 1";

Part 11: "Supplementary services stage 2";

Part 12: "Supplementary services stage 3";

Part 13: "SDL model of the Air Interface (AI)";

Part 14: "Protocol Implementation Conformance Statement (PICS) proforma specification";

Part 15: "TETRA frequency bands, duplex spacings and channel numbering";

Part 16: "Network Performance Metrics";

Part 17: "TETRA V+D and DMO specifications";

Part 18: "Air interface optimized applications";

Part 19: "Interworking between TETRA and Broadband systems".

NOTE 1: Part 3, sub-parts 6 and 7 (Speech format implementation), part 4, sub-part 3 (Data networks gateway), part 10, sub-part 15 (Transfer of control), part 13 (SDL) and part 14 (PICS) of this multi-part deliverable are in status "historical" and are not maintained.

NOTE 2: Some parts are also published as Technical Specifications such as ETSI TS 100 392-2 and those may be the latest version of the document.

The current document is based on ETSI EN 300 392-3-3 [i.6]. The main changes are:

- Removal of any reference to the bearer protocol
- Removal of group call restoration
- Clean up of stage 2 descriptions

For all subparts in the TETRA specification ETSI EN 300 392-3, "Interworking at the Inter-System Interface (ISI)" the terms ISI and TETRA ISI are equivalent.

<b>Proposed national transposition dates</b>	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

---

## Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/8435c85c-220a-4432-9116-d3500763246e/osist-pren-300-392-3-13-v1.2.0-2019>