



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);**

Part 3: Interworking at the Inter-System Interface (ISI);

Sub-part 13: Transport layer independent

Additional Network Feature Group Call (ANF-ISIGC)

Reference

REN/TCCE-03261

Keywords

management, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	11
1 Scope	12
2 References	13
2.1 Normative references	13
2.2 Informative references.....	14
3 Definition of terms, symbols and abbreviations.....	14
3.1 Terms.....	14
3.2 Symbols.....	15
3.3 Abbreviations	15
4 ANF-ISIGC stage 1 specification.....	17
4.1 Description	17
4.1.1 General description	17
4.1.2 Qualifications on applicability to TETRA basic services	17
4.2 Procedures	18
4.2.1 Provision/withdrawal	18
4.2.2 Normal procedures.....	18
4.2.2.1 Activation/deactivation/registration/interrogation	18
4.2.2.2 Invocation and operation.....	18
4.2.2.3 ANF-ISIGC - the service provider	18
4.2.2.3.1 General	18
4.2.2.3.2 Establishing the group call at the originating and controlling TETRA SwMI	19
4.2.2.3.3 Establishing the group call at a participating TETRA SwMI	21
4.2.2.3.4 Delaying the group call	22
4.2.2.3.5 Control of call time-out timers	22
4.2.2.3.6 Acknowledged group call procedures.....	23
4.2.2.3.7 Colliding call setup signalling.....	23
4.2.2.3.8 Joining of calls.....	24
4.2.2.3.9 Maintenance of the group call	24
4.2.2.3.10 Termination of the group call	26
4.2.3 Exceptional procedures	27
4.2.3.1 Activation/deactivation/registration/interrogation	27
4.2.3.2 Invocation and operation.....	27
4.3 Interaction with TETRA supplementary services and other TETRA ANFs	27
4.3.1 General.....	27
4.3.2 Calling Line Identification Presentation (SS-CLIP)	27
4.3.3 Connected Line Identification Presentation (SS-COLP)	28
4.3.4 Calling/Connected Line Identification Restriction (SS-CLIR).....	28
4.3.5 Call Report (SS-CR)	28
4.3.6 Talking Party Identification (SS-TPI).....	28
4.3.7 Call Forwarding Unconditional (SS-CFU)	28
4.3.8 Call Forwarding on Busy (SS-CFB).....	28
4.3.9 Call Forwarding on No Reply (SS-CFNRY)	28
4.3.10 Call Forwarding on Not Reachable (SS-CFNRC)	28
4.3.11 List Search Call (SS-LSC)	28
4.3.12 Call Authorized by Dispatcher (SS-CAD).....	28
4.3.13 Short Number Addressing (SS-SNA)	28
4.3.14 Area Selection (SS-AS)	28
4.3.15 Access Priority (SS-AP)	29
4.3.16 Priority Call (SS-PC)	29
4.3.17 Call Waiting (SS-CW)	29
4.3.18 Call Hold (SS-HOLD)	29
4.3.19 Call Completion to Busy Subscriber (SS-CCBS)	29

4.3.20	Late Entry (SS-LE)	29
4.3.21	Pre-emptive Priority Call (SS-PPC).....	29
4.3.22	Include Call (SS-IC)	29
4.3.23	Barring of Outgoing Calls (SS-BOC).....	29
4.3.24	Barring of Incoming Calls (SS-BIC)	30
4.3.25	Discreet Listening (SS-DL)	30
4.3.26	Ambience Listening (SS-AL)	30
4.3.27	Dynamic Group Number Assignment (SS-DGNA).....	30
4.3.28	Call Completion on No Reply (SS-CCNR)	30
4.3.29	Call Retention (SS-CRT)	30
4.3.30	Additional Network Features - Inter-System Interface Individual Call (ANF-ISIIC)	30
4.3.31	ISI Short Data (ANF-ISISD)	30
4.3.32	ISI Mobility Management (ANF-ISIMM)	30
5	ANF-ISIGC stage 2 specification.....	31
5.1	Functional model.....	31
5.1.1	Functional model description.....	31
5.1.2	Description of functional entities.....	32
5.1.2.1	ISI group call originating entity, FE1.....	32
5.1.2.2	Originating SwMI CC application functional entity, FE1'	32
5.1.2.3	ISI group home entity/group call controlling entity, FE2	33
5.1.2.4	Group home SwMI/Controlling SwMI CC application functional entity, FE2'	33
5.1.2.5	ISI group call participating entity, FE3	34
5.1.2.6	Participating SwMI CC application functional entity, FE3'	34
5.2	Information flow	34
5.2.1	Information flow diagrams	34
5.2.1.1	General Information about Information Flow Diagrams.....	34
5.2.1.2	Successful group call set-up over ISI using ANF-ISIGC.....	35
5.2.1.3	Acknowledged group call set-up over ISI using ANF-ISIGC.....	43
5.2.1.4	Partial group call set-up over ISI using ANF-ISIGC	44
5.2.1.5	Delay of group call set-up over ISI using ANF-ISIGC	47
5.2.1.6	Interaction with an active group call	50
5.2.1.7	Unsuccessful group call set-up over ISI using ANF-ISIGC.....	52
5.2.1.8	Call Maintenance procedures - Request to transmit.....	54
5.2.1.9	Call maintenance procedures - Cease transmission.....	60
5.2.1.10	Call Maintenance procedures - Use of ISI-TX WAIT and ISI-TX CONTINUE	64
5.2.1.11	Call Maintenance procedures - Information flow to participating SwMI(s)	64
5.2.1.12	Call Disconnection procedures - Controlling SwMI disconnects the call	65
5.2.1.13	Call Disconnection procedures - Participating SwMI disconnects from the call	65
5.2.1.14	Call Disconnection procedures - Call Owner disconnects the whole call	67
5.2.2	Definitions of Information Flows	68
5.2.2.1	General about Information Flows	68
5.2.2.2	ISI_CONNECT	68
5.2.2.3	ISI_DISCONNECT	68
5.2.2.4	ISI_INFO	69
5.2.2.5	ISI_INTERACT	70
5.2.2.6	ISI_ORIGINATING SETUP	70
5.2.2.7	ISI_POLL.....	71
5.2.2.8	ISI_REJECT.....	72
5.2.2.9	ISI_RELEASE	72
5.2.2.10	ISI_REROUTE	73
5.2.2.11	ISI_RESOURCE	73
5.2.2.12	ISI_SETUP.....	73
5.2.2.13	ISI_TX-CEASED.....	74
5.2.2.14	ISI_TX-CONTINUE.....	75
5.2.2.15	ISI_TX-DEMAND.....	75
5.2.2.16	ISI_TX-GRANTED.....	75
5.2.2.17	ISI_TX-INTERRUPT	76
5.2.2.18	ISI_TX-WAIT.....	76
5.3	Functional Entity Actions (FEAs)	76
5.3.1	Functional Entity Actions of FE1	76
5.3.2	Functional Entity Actions of FE1'	77

5.3.3	Functional Entity Actions of FE2	78
5.3.4	Functional entity actions of FE2'	81
5.3.5	Functional Entity Action of FE3	81
5.3.6	Functional entity actions of FE3'	83
6	ANF-ISIGC stage 3 specification.....	85
6.1	ANF-ISIGC description	85
6.2	ANF-ISIGC operational requirements.....	85
6.3	ANF-ISIGC coding requirements.....	85
6.3.1	TETRA ANF-ISIGC PDUs	85
6.3.1.1	General Information about PDU Descriptions	85
6.3.1.2	ISI-ORIGINATING SETUP PDU sent by the originating SwMI - used to forward a call set-up request	85
6.3.1.3	ISI-SETUP INITIATE PDU sent by the controlling SwMI - used for setting up a group call	86
6.3.1.4	ISI-INFO PDU	88
6.3.1.5	ISI-SETUP ACKNOWLEDGE PDU sent by the originating or a participating SwMI - used as a call set-up response	89
6.3.1.6	ISI-DELAY PDU sent by the originating or a participating SwMI - used to delay call set-up.....	91
6.3.1.7	ISI-CONNECT PDU sent by the controlling SwMI - used for connecting the call	91
6.3.1.8	ISI-POLL USER PDU sent by the controlling SwMI - used for polling	92
6.3.1.9	ISI-POLL RESPONSE PDU sent by a participating SwMI - used as a polling response	92
6.3.1.10	ISI-TX DEMAND PDU sent by a participating SwMI - used to request transmission permission	93
6.3.1.11	ISI-RESOURCE PDU sent by the controlling SwMI - used to request reservation of resources	93
6.3.1.12	ISI-RESOURCE RESPONSE PDU sent by a participating SwMI - used as a resource response	94
6.3.1.13	ISI-TX CEASED PDU sent by a participating SwMI and a controlling SwMI - used to request/inform cease of transmission	94
6.3.1.14	ISI-TX GRANTED PDU sent by the controlling SwMI - used to inform grant of transmission.....	95
6.3.1.15	TETRA PDU sent by the controlling SwMI - used to inform interruption of transmission.....	97
6.3.1.16	ISI-TX CONTINUE PDU sent by a participating SwMI - used to inform of continuation in an active group call	97
6.3.1.17	ISI-TX WAIT PDU sent by a participating SwMI - used to inform of withdrawal from an active group call	97
6.3.1.18	ISI-REJECT PDU	97
6.3.1.19	ISI-DISCONNECT PDU sent by the originating SwMI or a participating SwMI.....	98
6.3.1.20	ISI-RELEASE PDU sent by the controlling SwMI	98
6.3.1.21	ISI-REROUTE PDU sent by the group home SwMI or the linking controlling SwMI - used to re-route the call	99
6.3.2	TETRA PDU information element coding	99
6.3.2.1	General about the TETRA PDU Information Encoding	99
6.3.2.2	Additional information to existing information element at the ISI	99
6.3.2.2.1	Call status	99
6.3.2.2.2	Call time-out, set-up phase	100
6.3.2.2.3	Call time-out.....	100
6.3.2.2.4	Disconnect cause information element.....	100
6.3.2.2.5	Group basic migration profile.....	101
6.3.2.2.6	PDU type	102
6.3.2.2.7	SS-migration profile	102
6.3.2.3	New information elements used at the ISI	103
6.3.2.3.1	Call amalgamation.....	103
6.3.2.3.2	Call diverted to dispatcher.....	103
6.3.2.3.3	Call owner request.....	103
6.3.2.3.4	Call resource time-out	103
6.3.2.3.5	Calling group identifier	104
6.3.2.3.6	Calling party information present.....	104
6.3.2.3.7	Connected party SSI and extension	104
6.3.2.3.8	Controlling/originating/participating SwMI MNI	104
6.3.2.3.9	Critical connected party/requesting party/transmitting party SSI and extension.....	104
6.3.2.3.10	Critical user list.....	104
6.3.2.3.11	Disconnect type	105
6.3.2.3.12	Dispatcher acceptance	105
6.3.2.3.13	External group member identity	105
6.3.2.3.14	External subscriber number digits	105

6.3.2.3.15	External subscriber number length	106
6.3.2.3.16	External subscriber number parameters.....	106
6.3.2.3.17	Group attachment indicator	106
6.3.2.3.18	Group call SwMI type	107
6.3.2.3.19	Group information	107
6.3.2.3.20	ISI-INFO type.....	107
6.3.2.3.21	Linking group type identifier.....	107
6.3.2.3.22	Numbering plan identifier	108
6.3.2.3.23	Poll request type	108
6.3.2.3.24	Poll result identifier	108
6.3.2.3.25	Reject cause information element.....	108
6.3.2.3.26	Resource allocation	109
6.3.2.3.27	Resource indicator	109
6.3.2.3.28	Screening indicator.....	110
6.3.2.3.29	Security level at air interface	110
6.3.2.3.30	Setup response time-out.....	110
6.3.2.3.31	Set-up type.....	111
6.3.2.3.32	Speech service chosen/requested/used	111
6.3.2.3.33	Speech services supported.....	111
6.3.2.3.34	SS-CLIR invoked for calling/transmitting/restoring/connected party	111
6.3.2.3.35	Call specific group profiles present	112
6.3.2.3.36	Transmission Ceased	112
6.3.2.3.37	Type of number	112
6.4	ANF-ISIGC state definitions	112
6.4.1	States at the originating SwMI.....	112
6.4.1.1	IDLE	112
6.4.1.2	FORWARD CALL	113
6.4.1.3	WAIT CONNECT	113
6.4.1.4	DELAY GROUP CALL	114
6.4.1.5	CALL DISCONNECT	114
6.4.1.6	CALL RELEASE.....	114
6.4.2	States at the controlling SwMI.....	114
6.4.2.1	IDLE	114
6.4.2.2	GROUP CALL INITIATE.....	115
6.4.2.3	DELAY GROUP CALL	115
6.4.2.4	ACTIVE.....	116
6.4.3	States at the participating SwMI.....	116
6.4.3.1	IDLE	116
6.4.3.2	WAIT CONNECT	117
6.4.3.3	DELAY ENTRY.....	117
6.4.3.4	DELAY GROUP CALL	117
6.4.3.5	ACTIVE.....	118
6.4.3.6	CALL DISCONNECT	118
6.4.3.7	CALL RELEASE.....	119
6.5	ANF-ISIGC signalling procedures	119
6.5.1	General about ANF-ISIGC Signalling Procedures	119
6.5.2	Call set-up procedures	119
6.5.2.1	Forward set-up request.....	119
6.5.2.2	Group linking	119
6.5.2.3	Call request in the (Linking) Controlling SwMI	119
6.5.2.4	Call confirmation and call characteristics notification by the originating and participating SwMI(s)	120
6.5.2.5	Call confirmation indication and call connected by the controlling SwMI	121
6.5.2.6	Delay of call set-up	121
6.5.2.7	Failure of call establishment	122
6.5.2.8	Multiple calling parties	122
6.5.2.8.1	General about Multiple Calling parties.....	122
6.5.2.8.2	A new calling party appears at a SwMI not currently in the group call.....	123
6.5.2.8.3	A new, compatible, calling party appears at a SwMI where a group call is active.....	123
6.5.2.8.4	A new, compatible, calling party appears at an OSwMI where a group call is still in the setup phase.....	123

6.5.2.8.5	A new, compatible, calling party appears at an PSwMI where a group call is still in the setup phase.....	123
6.5.2.8.6	A new calling party requesting an emergency call appears at a SwMI where the existing call is not at an emergency priority	123
6.5.2.8.7	A new, non-compatible, calling party appears at a SwMI where a group call is already active....	123
6.5.2.8.8	A new calling party appears at a CSwMI that only supports a single ISI-ORIGINATING SETUP PDU.....	124
6.5.2.8.9	The sending of subsequent ISI-ORIGINATING SETUP PDUs to the CSwMI.....	124
6.5.2.9	Security level.....	124
6.5.3	Acknowledge group call	125
6.5.4	Call maintenance procedures	125
6.5.4.1	General about Call maintenance procedures	125
6.5.4.2	Transmission control procedures	125
6.5.4.3	Call modification and/or continuation.....	127
6.5.4.4	DTMF procedures	127
6.5.5	Call disconnection procedures	127
6.6	Protocol interaction between ANF-ISIGC and supplementary services and other ANFs	128
6.6.1	Call Forwarding Unconditional (SS-CFU)	128
6.6.2	Call Authorized by Dispatcher (SS-CAD).....	128
6.6.3	Area Selection (SS-AS) and selected area number	128
6.6.4	Priority Call (SS-PC)	129
6.6.5	Pre-emptive Priority Call (SS-PPC).....	129
6.6.6	Include Call (SS-IC)	129
6.6.7	Call Retention (SS-CRT)	129
6.6.8	Interactions with other supplementary services	129
6.7	ANF-ISIGC parameter values (timers).....	130

Annex A (normative): Specification and Description Language (SDL) representation of procedures 131

A.1	General	131
A.2	SDL representation of an ANF-ISIGC entity at FE1.....	131
A.3	SDL representation of an ANF-ISIGC entity at FE2	134
A.4	SDL representation of an ANF-ISIGC entity at FE3	138

Annex B (normative): Stage 2 description of the interactions between ANF-ISIGC and SS-CAD when invoked for the called group..... 142

B.1	Information flow diagrams.....	142
B.1.1	Group call set-up when SS-CAD is invoked for called group.....	142
B.2	Definition of information flows	153
B.2.1	General	153
B.2.2	ISI_THROUGH CONNECT	153
B.3	Functional Entity Actions (FEAs).....	153
B.3.1	General	153
B.3.2	Functional entity actions of FE1.....	153
B.3.3	Functional entity actions of FE1'	154
B.3.4	Functional entity actions of FE2.....	154
B.3.5	Functional entity actions of FE2'	154
B.3.6	Functional entity actions of FE3.....	155
B.3.7	Functional entity actions of FE3'	155

Annex C (informative): Signalling Diagram Examples..... 156

C.1	Call Setup	156
C.1.1	Call Setup General.....	156
C.1.2	Single calling party, no queuing for resources	156
C.1.3	Single calling party, some queuing for resources	157
C.1.4	Single calling party, some queuing for resources, different connect strategy	159
C.1.5	Single calling party, some queuing for resources, showing multiple releasing	161

C.1.6	Multiple calling parties, a new calling party is on a SwMI not currently in the call	163
C.1.7	Multiple calling parties, the new setup from the second OSwMI is received while the CSwMI is delaying the call	164
C.1.8	Multiple calling parties, the new setup from the second OSwMI is received while the CSwMI is activating the call.....	166
C.1.9	Multiple calling parties during delayed setup, a new calling party is on a SwMI not currently in the call	168
C.1.10	Multiple calling parties, a new calling party on a SwMI not currently in the call is granted transmission	169
C.1.11	Multiple calling parties, the new calling party is granted transmission.....	171
C.1.12	Multiple calling parties, a PSwMI transitions back into a OSwMI	173
C.1.13	Multiple calling parties and no PSwMI.....	174
C.1.14	Multiple calling parties at the same SwMI.....	175
C.1.15	Successful Group Call Establishment. The CSwMI does not accept more than one calling party.....	176
C.1.16	Late Entry	177
C.1.17	A SwMI joins with a Connected Call.....	178
C.1.18	An emergency priority call to a group that is already in an active, non-emergency, call.....	178
C.1.19	A call collision at startup.....	180
C.1.20	Partial successful group call establishment, call is not accepted by a PSwMI	181
C.1.21	Unsuccessful group call establishment rejected by an OswMI	181
C.1.22	Unsuccessful group call establishment, the CSwMI cannot accept some parameters, such as <i>resource allocation</i> , in the ISI SETUP ACKNOWLEDGE PDU from an OswMI	182
C.1.23	Unsuccessful Group Call Establishment, OSwMI or Party times out	183
C.1.24	Unsuccessful group call establishment rejected by the CSwMI	183
C.2	Call maintenance	185
C.3	Call termination.....	187
C.3.1	The release of a SwMI from a call	187
C.3.2	Call disconnection, as a result of a PSwMI disconnecting	187
C.3.3	Call disconnection by the CSwMI.....	188
Annex D (informative):	Bibliography.....	189
Annex E (informative):	Change Requests.....	190
History		191

TELESTANDARDS
*Full standard:
<https://standards.itehni.si/catalog/standards/isi/1516a97-49x497-9b20-afc66eb66d4/etsi-en-300-392-3-13-v12-1/2020-04>*

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee TETRA and Critical Communications Evolution (TCCE).

The present document is part 3, sub-part 13 of a multi-part deliverable covering the Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D), as identified below:

Part 1: "General network design";

Part 2: "Air Interface (AI)";

Part 3: "Interworking at the Inter-System Interface (ISI)":

Sub-part 1: "General design";

Sub-part 2: "Additional Network Feature Individual Call (ANF-ISIIC)";

Sub-part 3: "Additional Network Feature Group Call (ANF-ISIGC)";

Sub-part 4: "Additional Network Feature Short Data Service (ANF-ISISDS)";

Sub-part 5: "Additional Network Feature for Mobility Management (ANF-ISIMM)";

Sub-part 6: "Speech format implementation for circuit mode transmission";

Sub-part 7: "Speech Format Implementation for Packet Mode Transmission";

Sub-part 8: "Generic Speech Format Implementation";

Sub-part 9: "Transport layer independent, General design";

Sub-part 10: "General design, PSS1 over E.1";

Sub-part 11: "General design, SIP/IP";

Sub-part 12: "Transport layer independent Additional Network Feature Individual Call (ANF-ISIIC)";

Sub-part 13: "Transport layer independent Additional Network Feature Group Call (ANF-ISIGC)":

Sub-part 14: "Transport layer independent Additional Network Feature Short Data Service (ANF-ISISDS)";

Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM);

- Part 4: "Gateways basic operation";
- Part 5: "Peripheral Equipment Interface (PEI)";
- Part 7: "Security";
- Part 9: "General requirements for supplementary services";
- Part 10: "Supplementary services stage 1";
- Part 11: "Supplementary services stage 2";
- Part 12: "Supplementary services stage 3";
- Part 13: "SDL model of the Air Interface (AI)";
- Part 14: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 15: "TETRA frequency bands, duplex spacings and channel numbering";
- Part 16: "Network Performance Metrics";
- Part 17: "TETRA V+D and DMO specifications";
- Part 18: "Air interface optimized applications";
- Part 19: "Interworking between TETRA and Broadband systems".

NOTE 1: Part 3, sub-parts 6 and 7 (Speech format implementation), part 4, sub-part 3 (Data networks gateway), part 10, sub-part 15 (Transfer of control), part 13 (SDL) and part 14 (PICS) of this multi-part deliverable are in status "historical" and are not maintained.

NOTE 2: Some parts are also published as Technical Specifications such as ETSI TS 100 392-2 and those may be the latest version of the document.

The current document is based on ETSI EN 300 392-3-3 [i.6]. The main changes are:

- Removal of any reference to the bearer protocol
- Removal of group call restoration
- Clean up of stage 2 descriptions

For all subparts in the TETRA specification ETSI EN 300 392-3, "Interworking at the Inter-System Interface (ISI)" the terms ISI and TETRA ISI are equivalent.

National transposition dates	
Date of adoption of this EN:	13 November 2019
Date of latest announcement of this EN (doa):	31 July 2020
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 2021
Date of withdrawal of any conflicting National Standard (dow):	31 January 2021

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/1516a607-497f-4979-9b20-afc66eb66df4/etsi-en-300-392-3-13-v1.2.1-2020-04>

1 Scope

The present document defines the group call communication of interworking at the Inter-System Interface (ISI) for Terrestrial Trunked Radio system (TETRA) supporting Voice plus Data (V+D).

The TETRA V+D interworking - basic operation part defines the interworking between TETRA networks over the corresponding interface: the Inter-System Interface (ISI). It comprises the following sub-parts:

- Transport Layer Independent Specification ISI general design [2];
- General Design, PSS1 over E.1 [i.7];
- General Design, SIP/IP [i.8];
- Transport Layer Independent Additional Network Feature - ISI Individual Call (ANF-ISIIC) [3];
- Transport Layer Independent Additional Network Feature Group Call (ANF-ISIGC) (the present document);
- Transport Layer Independent Additional Network Feature Short Data service (ANF-ISISD) [i.9];
- Transport Layer Independent Additional Network Feature Mobility Management (ANF-ISIMM) [4];
- Generic Speech Format Implementation [i.10].

The present document is the ANF-ISIGC sub-part 3-13.

In analogy with Recommendation ITU-T I.130 [i.3], the stage one, stage two and stage three of the three level structure is used to describe the TETRA Inter-System Interface services as provided by European Private or Public Trunked Radio System operators:

- Stage 1, is an overall service description, from the service subscriber's and user's standpoint;
- Stage 2, identifies the functional capabilities and information flows needed to support the services described in stage 1; and

NOTE: The information flows in stage 2 have been drawn as Message Sequence Charts (MSC).

- Stage 3, defines the signalling system protocols and functions needed to implement the services described in stage 1.

The present document details the Interworking Basic Operation of the Terrestrial Trunked Radio system (TETRA). Specifically the present document details the stage 1 aspects (overall service description) of the ANF-ISIGC as seen from the TETRA Switching and Maintenance Infrastructure point of view at the Inter-System Interface (ISI). It details the stage 2 aspects (functional partitioning) of ANF-ISIGC which includes the identification of the functional entities and the flows between them, and finally it details the stage 3 signalling protocols for the ANF-ISIGC services, i.e. the protocols at the relevant reference points between the functional entities defined in stage 2.

The ANF-ISIGC service specifies:

- TETRA Group Call Clear Speech over the ISI, acknowledged and unacknowledged;
- TETRA Group Call End-to-End Encrypted Speech over the ISI;
- TETRA Group Call Circuit Mode one slot data over the ISI;
- TETRA Group Call Circuit Mode one slot End-to-End Encrypted data over the ISI;
- TETRA Group Call Circuit Mode $N \times 2,4$ kbit/s, $N \times 4,8$ kbit/s or $N \times 7,2$ kbit/s data, with $N = 2, 3$ or 4 ;
- TETRA Group Call Circuit Mode $N \times 2,4$ kbit/s $N \times 4,8$ kbit/s or $N \times 7,2$ kbit/s End-to-End Encrypted data, with $N = 2, 3$ or 4 .

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE 1: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

NOTE 2: Note that for the TETRA standards, the reference is always to a European Standard (ETSI EN 300 xxx) if such has been published, but the latest version of that standard can be either an EN or a Technical Specification (ETSI TS 100 xxx), even if this is not visible in the reference list.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 392-2: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)".
- [2] ETSI EN 300 392-3-9: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 9: Transport layer independent, General design".
- [3] ETSI EN 300 392-3-12: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 12: Transport Layer Independent Additional Network Feature Individual Call (ANF-ISIIC)".
- [4] ETSI EN 300 392-3-15: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 3: Interworking at the Inter-System Interface (ISI); Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM)".
- [5] ETSI EN 300 392-7: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 7: Security".
- [6] ETSI EN 300 392-11-6: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 11: Supplementary services stage 2; Sub-part 6: Call Authorized by Dispatcher (CAD)".
- [7] ETSI EN/ETS 300 392-12 (all parts): "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3".
- [8] ETSI EN 300 395-2: "Terrestrial Trunked Radio (TETRA); Speech codec for full-rate traffic channel; Part 2: TETRA codec".
- [9] ISO/IEC 11571: "Information technology - Telecommunications and information exchange between systems - Private Integrated Services Networks - Addressing".
- [10] ETSI EN 300 392-1: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 1: General network design".
- [11] ETSI EN 300 392-12-8: "Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 12: Supplementary services stage 3; Sub-part 8: Area Selection (AS)".