



**SLOVENSKI STANDARD**  
**oSIST prEN 300 392-3-15 V1.2.0:2019**  
**01-november-2019**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskem vmesniku (ISI) - 15. poddel: Neodvisnost transportnih plasti dodatne omrežne funkcije, upravljanje mobilnosti (ANF-ISIMM)**

Terrestrial Trunked Radio (TETRA) - Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM)

(standards.iteh.ai)

[SIST EN 300 392-3-15 V1.2.1:2020](https://standards.iteh.ai/catalog/standards/sist/bcc93838-388a-4ca9-9e30-237402c39a10/sist-en-300-392-3-15-v1-2-1-2020)

<https://standards.iteh.ai/catalog/standards/sist/bcc93838-388a-4ca9-9e30-237402c39a10/sist-en-300-392-3-15-v1-2-1-2020>

**Ta slovenski standard je istoveten z: ETSI EN 300 392-3-15 V1.2.0 (2019-08)**

---

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

**oSIST prEN 300 392-3-15 V1.2.0:2019**      **en**



Draft **ETSI EN 300 392-3-15** V1.2.0 (2019-08)



**Terrestrial Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 3: Interworking at the Inter-System Interface (ISI);  
Sub-part 15: Transport layer independent Additional  
Network Feature, Mobility Management (ANF-ISIMM)**

<https://standards.iteh.ai/catalog/standards/sist/bcc93838-388a-4ca9-9e30-237402c39a10/sist-en-300-392-3-15-v1-2-1-2020>

---

**Reference**

REN/TCCE-03263

---

**Keywords**

management, mobility, TETRA

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARDS PREVIEW  
(standards.iteh.ai)

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	16
Foreword.....	16
Modal verbs terminology.....	18
Introduction .....	18
1 Scope .....	19
2 References .....	20
2.1 Normative references .....	20
2.2 Informative references.....	21
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations .....	24
4 Overview .....	25
4.1 General .....	25
4.2 Applicability.....	26
4.2.1 Entities .....	26
4.2.2 Services.....	26
4.3 Testability.....	27
4.4 Provision/withdrawal.....	27
4.5 Activation/deactivation .....	27
4.6 Charging.....	27
5 The generic ANF-ISIMM stage 1 service model .....	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	28
5.3 Stage 1 description conventions .....	29
6 Migration service description - stage 1 .....	30
6.1 Pre-requisite requirements for the migration service.....	30
6.2 Service definition .....	30
6.3 Service description .....	30
6.4 Service architecture .....	31
6.5 Normal procedures .....	32
6.5.1 Invocation .....	32
6.5.1.1 Invocation criteria .....	32
6.5.1.2 Invocation of ANF-ISIMM.....	32
6.5.2 Operation .....	34
6.5.2.1 General.....	34
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	35
6.5.2.2.1 Support for call restoration.....	35
6.5.2.2.2 Final migration approval .....	35
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	37
6.5.2.3.1 Basic migration profile exchange .....	37
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	47
6.5.2.3.3 Support for call restoration .....	49
6.5.2.3.4 Final migration approval (applicable for cases 2, 3a and 3b).....	49
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b).....	50
6.6 Exceptional procedures .....	50
6.6.1 General.....	50
6.6.2 Detected by the individual subscriber visited SwMI MM .....	51
6.6.3 Detected by the individual subscriber home SwMI MM .....	52
6.7 Interactions .....	53
6.7.1 Interactions with the authentication service.....	53
6.7.2 Interactions with the group attachment and the group detachment services .....	53

7	Restricted migration service description - stage 1 .....	53
7.1	Pre-requisite requirements for the restricted migration service .....	53
7.2	Service definition .....	53
7.3	Service description .....	54
7.4	Service architecture .....	54
7.5	Normal procedures .....	55
7.5.1	Invocation .....	55
7.5.1.1	Invocation criteria .....	55
7.5.1.2	Invocation of ANF-ISIMM .....	55
7.5.2	Operation .....	58
7.5.2.1	General .....	58
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration.....	58
7.5.2.3	Invocation of RSI .....	59
7.5.2.4	Support for emergency call restoration .....	59
7.5.2.5	Receipt of restricted migration approval .....	59
7.6	Exceptional procedures .....	60
7.6.1	General.....	60
7.6.2	Detected by the individual subscriber visited SwMI MM .....	61
7.6.3	Detected by the individual subscriber home SwMI MM .....	61
7.7	Interactions .....	61
7.7.1	Interactions with the authentication service .....	61
7.7.2	Interactions with the group attachment and the group detachment services .....	61
8	Removal of Subscriber Information (RSI) service description - stage 1 .....	62
8.1	Service definition .....	62
8.2	Service description .....	62
8.3	Service architecture .....	62
8.4	Normal procedures .....	63
8.4.1	Invocation .....	63
8.4.1.1	Invocation criteria .....	63
8.4.1.2	Invocation of ANF-ISIMM .....	64
8.4.2	Operation .....	65
8.5	Exceptional procedures .....	66
8.6	Interaction with authentication .....	67
9	De-registration service description - stage 1 .....	68
9.1	Service definition .....	68
9.2	Service description .....	68
9.3	Service architecture .....	68
9.4	Normal procedures .....	69
9.4.1	Invocation .....	69
9.4.1.1	Invocation criteria .....	69
9.4.1.2	Invocation of ANF-ISIMM .....	69
9.4.2	Operation .....	70
9.5	Exceptional procedures .....	71
10	Profile update service description - stage 1 .....	72
10.1	Service definition .....	72
10.2	Service description .....	72
10.3	Service architecture .....	72
10.4	Normal procedures .....	73
10.4.1	Invocation .....	73
10.4.1.1	Invocation criteria .....	73
10.4.1.2	Invocation of ANF-ISIMM .....	73
10.4.2	Operation .....	84
10.5	Exceptional operation.....	94
11	SS-profile update service description - stage 1 .....	95
11.1	Service definition .....	95
11.2	Service description .....	95
11.3	Service architecture .....	96
11.4	Normal procedures .....	96
11.4.1	Invocation .....	96

11.4.1.1	Invocation criteria .....	96
11.4.1.2	Invocation of ANF-ISIMM .....	97
11.4.2	Operation .....	97
11.4.2.1	Creation of temporary SS-migration profiles .....	97
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles .....	98
11.5	Exceptional operation.....	99
12	Authentication service description - stage 1.....	100
12.1	Pre-requisite requirements for the authentication service.....	100
12.2	Service definition .....	100
12.3	Service description .....	101
12.4	Service architecture .....	101
12.5	Normal procedures .....	101
12.5.1	Invocation .....	101
12.5.1.1	Invocation criteria .....	101
12.5.1.2	Invocation of ANF-ISIMM .....	102
12.5.2	Operation (relevant for case 1) .....	103
12.5.2.1	Exchange of authentication parameters.....	103
12.5.2.2	Sending of authentication result.....	103
12.6	Exceptional procedures .....	104
12.6.1	General.....	104
12.6.2	Detected by the individual subscriber visited SwMI MM .....	105
12.6.3	Detected by the individual subscriber home SwMI MM .....	105
12.7	Interaction with migration and restricted migration .....	106
12.7.1	Normal operation .....	106
12.7.2	Exceptional procedures.....	106
13	Over The Air Re-keying (OTAR) service description - stage 1.....	107
13.1	Pre-requisite requirements.....	107
13.2	Service definition .....	107
13.3	Service description .....	107
13.4	Service architecture .....	108
13.5	Normal procedures .....	108
13.5.1	Invocation .....	108
13.5.1.1	Invocation criteria .....	108
13.5.1.2	Invocation of ANF-ISIMM .....	109
13.5.1.2.1	Case 1).....	109
13.5.1.2.2	Case 2).....	109
13.5.1.2.3	Case 3).....	109
13.5.1.2.4	Case 4).....	110
13.5.2	Operation .....	110
13.5.2.1	Case 1) .....	110
13.5.2.2	Case 2) .....	111
13.5.2.3	Case 3) .....	112
13.5.2.4	Case 4) .....	113
13.6	Exceptional procedures .....	113
13.6.1	General.....	113
13.6.2	Detected by the individual subscriber visited SwMI MM .....	114
13.6.3	Detected by the individual subscriber home SwMI MM .....	114
14	Individual subscriber Database Recovery (IDR) service description - stage 1 .....	115
14.1	Service definition .....	115
14.2	Service description .....	115
14.3	Service architecture .....	116
14.4	Normal procedures .....	116
14.4.1	Invocation .....	116
14.4.1.1	Invocation criteria .....	116
14.4.1.2	Invocation of ANF-ISIMM .....	117
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated) .....	119
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication.....	119
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication.....	119
14.4.2.3	The virtual migration or restricted migration .....	120
14.4.2.4	The virtual RSI.....	120

14.4.2.5	The iteration .....	121
14.4.2.6	The completion of the IDR .....	121
14.4.2.6.1	VMM recovery .....	121
14.4.2.6.2	HMM recovery .....	121
14.5	Exceptional procedures .....	122
15	Group attachment service description - stage 1 .....	123
15.1	Service definition .....	123
15.2	Service description .....	123
15.3	Service architecture .....	124
15.4	Normal procedures .....	124
15.4.1	Invocation .....	124
15.4.1.1	Invocation criteria .....	124
15.4.1.2	Invocation of ANF-ISIMM .....	126
15.4.1.2.1	Case 1) .....	126
15.4.1.2.2	Cases 2) to 4) .....	127
15.4.1.2.3	Case 5) .....	128
15.4.1.2.4	Case 6) .....	133
15.4.2	Operation .....	134
15.4.2.1	Case 1) .....	134
15.4.2.1.1	General .....	134
15.4.2.1.2	Group attachment with pre-defined migration profile(s) .....	135
15.4.2.1.3	Group attachment with migration profile exchange .....	137
15.4.2.1.4	SS-migration profile(s) exchange .....	142
15.4.2.2	Cases 2) to 4) .....	145
15.4.2.2.1	Updates to G-HDB .....	145
15.4.2.2.2	Sending of group attachment approval .....	145
15.4.2.2.3	Receipt of group attachment approval .....	146
15.4.2.3	Case 5) .....	146
15.4.2.3.1	General .....	146
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s) .....	146
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange .....	148
15.4.2.4	Case 6) .....	150
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment .....	150
15.5	Exceptional procedures .....	151
15.5.1	General .....	151
15.5.2	Detected by the group visited SwMI MM .....	152
15.5.3	Detected by the group home SwMI MM .....	153
15.6	Interactions .....	153
16	Group detachment service description (stage 1) .....	154
16.1	Service definition .....	154
16.2	Service description .....	155
16.3	Service architecture .....	156
16.4	Normal procedures .....	156
16.4.1	Invocation .....	156
16.4.1.1	General .....	156
16.4.1.2	Invocation of ANF-ISIMM .....	157
16.4.1.2.1	Cases 1) to 3) .....	157
16.4.1.2.2	Case 4) .....	158
16.4.2	Operation .....	159
16.4.2.1	Cases 1) to 3) .....	159
16.4.2.2	Case 4) .....	160
16.5	Exceptional procedures .....	161
16.6	Interactions .....	162
17	Group Database Recovery (GDR) service description - stage 1 .....	163
17.1	Service definition .....	163
17.2	Service description .....	163
17.3	Service architecture .....	164
17.4	Normal procedures .....	164
17.4.1	Invocation .....	164
17.4.1.1	Invocation criteria .....	164



17.4.1.2	Invocation of ANF-ISIMM .....	165
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated) .....	166
17.4.2.1	Verification of age information .....	166
17.4.2.2	The group visited SwMI MM receives the G-HDR indication .....	167
17.4.2.3	The group home SwMI MM receives the G-VDR indication .....	167
17.4.2.4	The virtual group attachment and detachment .....	168
17.4.2.5	The iteration .....	169
17.4.2.6	The completion of the GDR .....	169
17.4.2.6.1	G-HDR .....	169
17.4.2.6.2	G-VDR .....	169
17.5	Exceptional procedures .....	170
18	Group linking/unlinking service description - stage 1 .....	171
18.1	Service definition .....	171
18.2	Service description .....	172
18.3	Service architecture .....	173
18.4	Normal procedures .....	173
18.4.1	Invocation .....	173
18.4.1.1	Invocation criteria .....	173
18.4.1.2	Invocation of ANF-ISIMM .....	173
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req .....	173
18.4.1.2.2	Case 2) - group unlinking service .....	174
18.4.1.2.3	Case 3) - remote group unlinking service .....	175
18.4.2	Operation .....	175
18.4.2.1	General .....	175
18.4.2.2	Case 1) - group linking service .....	175
18.4.2.2.1	First phase of group linking service .....	175
18.4.2.2.2	Second phase of group linking service .....	176
18.4.2.3	Case 2) - group unlinking service .....	178
18.4.2.4	Case 3) - remote group unlinking service .....	179
18.5	Exceptional procedures .....	179
18.5.1	General .....	179
18.5.2	Case 1) - group linking service .....	179
18.5.3	Case 2) - group unlinking service .....	180
18.5.4	Case 3) - remote group unlinking service .....	181
18.6	Interactions .....	182
19	Linked group attachment service description - stage 1 .....	182
19.1	Service definition .....	182
19.2	Service description .....	182
19.3	Service Architecture .....	183
19.4	Normal Procedure .....	183
19.4.1	Invocation .....	183
19.4.1.1	Invocation criteria .....	183
19.4.1.2	Invocation of ANF-ISIMM .....	184
19.4.1.2.1	Case 1) .....	184
19.4.1.2.2	Case 2) .....	184
19.4.2	Operation .....	184
19.5	Exceptional cases .....	184
19.6	Interactions .....	185
20	Linked group detachment service description - stage 1 .....	185
20.1	Service definition .....	185
20.2	Service description .....	185
20.3	Service architecture .....	186
20.4	Normal procedure .....	186
20.4.1	Invocation .....	186
20.4.1.1	Invocation criteria .....	186
20.4.1.2	Invocation of ANF-ISIMM .....	187
20.4.1.2.1	Case 1) .....	187
20.4.1.2.2	Case 2) .....	187
20.4.2	Operation .....	187
20.5	Exceptional cases .....	187

20.6	Interactions .....	188
21	ANF-ISIMM stage 2 specification .....	188
21.1	General .....	188
21.2	Functional model .....	188
21.3	Information flow diagrams .....	188
22	Migration - stage 2 information flow sequences .....	189
22.1	General .....	189
22.2	Normal operation.....	189
22.2.1	Migration with pre-defined profile(s) .....	189
22.2.2	Migration with basic migration profile exchange .....	190
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	192
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	192
22.2.3.2	SS-migration profiles exchanged after final migration approval .....	194
22.3	Exceptional operation.....	196
22.3.1	Migration rejection request upon receipt of the Migration_ind .....	196
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result .....	197
22.4	FE actions for subscriber migration .....	199
22.4.1	FE actions of FE1 .....	199
22.4.2	FE actions of FE3 .....	199
23	Restricted migration - stage 2 information flow sequences .....	200
23.1	General .....	200
23.2	Normal operation.....	200
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	200
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM.....	200
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM .....	201
23.3	Exceptional operation.....	201
23.4	FE actions for restricted migration .....	201
23.4.1	FE actions of FE1 .....	201
23.4.2	FE actions of FE3 .....	202
24	Removal of Subscriber Information - stage 2 information flow sequences .....	202
24.1	General .....	202
24.2	Normal operation.....	202
24.3	Exceptional operation.....	203
24.4	FE actions for subscriber migration .....	203
24.4.1	FE actions of FE1 .....	203
24.4.2	FE actions of FE4 .....	204
25	De-registration - stage 2 information flow sequences .....	204
25.1	General .....	204
25.2	Normal operation.....	204
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	204
25.3	Exceptional operation.....	206
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected .....	206
25.4	FE actions .....	206
25.4.1	FE actions of FE1 .....	206
25.4.2	FE actions of FE3 .....	207
26	Profile update - stage 2 information flow sequences.....	207
26.1	General .....	207
26.2	Normal operation.....	208
26.3	Profile update rejection .....	209
26.4	FE actions for Profile update .....	209
26.4.1	FE actions of FE1 .....	209
26.4.2	FE actions of FE3 .....	209
27	SS-profile update - stage 2 information flow sequences .....	210
27.1	General .....	210

27.2	Normal operation.....	210
27.3	SS-profile update rejection.....	211
27.4	FE actions for SS-profile update.....	211
27.4.1	FE actions of FE1.....	211
27.4.2	FE actions of FE3.....	211
28	Authentication - stage 2 information flow sequences.....	212
28.1	General.....	212
28.2	Normal operation.....	212
28.2.1	Authentication.....	212
28.2.2	Successful subsequent authentication.....	213
28.3	Authentication invoked in conjunction with migration.....	214
28.4	Exceptional operation.....	215
28.4.1	Authentication failure in the individual subscriber visited SwMI.....	215
28.5	FE actions for authentication.....	217
28.5.1	FE actions of FE1.....	217
28.5.2	FE actions of FE3.....	218
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	218
29.1	General.....	218
29.2	Normal operation.....	218
29.2.1	OTAR SCK generation service.....	218
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service.....	220
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service.....	221
29.2.4	OTAR SCK generation service, subsequent use of parameters.....	222
29.3	Exceptional operation.....	223
29.3.1	Failed OTAR SCK generation service.....	223
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery.....	225
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	226
29.3.4	Failed subsequent use of OTAR SCK generation parameters.....	227
29.4	FE actions for OTAR.....	227
29.4.1	FE actions of FE1.....	227
29.4.2	FE actions of FE3.....	228
30	Individual subscriber database recovery - stage 2 information flow sequences.....	229
30.1	General.....	229
30.2	Normal operation.....	229
30.2.1	HMM recovery.....	229
30.2.2	VMM recovery.....	232
30.3	Exceptional operation.....	235
30.3.1	Rejection of HMM recovery.....	235
30.3.2	Rejection of VMM recovery.....	236
30.4	FE actions.....	236
30.4.1	FE actions of FE1.....	236
30.4.2	FE actions of FE3.....	237
30.4.3	FE actions of FE4.....	237
31	Group attachment - stage 2 information flow sequences.....	238
31.1	Normal operation.....	238
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	238
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange.....	239
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	241
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	241
31.2	Exceptional operation.....	244
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange.....	244
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange.....	245
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange.....	246
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange.....	247
31.3	FE actions.....	248
31.3.1	FE actions of FE2.....	248
31.3.2	FE actions of FE6.....	248
32	Normal operation for group detachment - stage 2 information flow sequences.....	249

32.1	Normal operation.....	249
32.1.1	Group visited SwMI MM initiated group detachment .....	249
32.1.2	Group home SwMI MM initiated group detachment.....	250
32.2	Exceptional operation.....	251
32.2.1	Rejection of group visited SwMI MM initiated group detachment .....	251
32.2.2	Rejection of group home SwMI MM initiated group detachment rejection .....	252
32.3	FE actions .....	252
32.3.1	FE actions of FE2 .....	252
32.3.2	FE actions of FE3 .....	253
33	Group database recovery - stage 2 information flow sequences .....	254
33.1	Normal operation.....	254
33.1.1	G-HDR.....	254
33.1.2	G-VDR.....	256
33.2	Exceptional operation.....	258
33.2.1	Rejection of G-HDR .....	258
33.2.2	Rejection of G-VDR .....	259
33.3	FE actions .....	259
33.3.1	FE actions of FE2 .....	259
33.3.2	FE actions of FE6 .....	260
34	Group linking/unlinking - stage 2 information flow scenarios.....	260
34.1	Normal operation.....	260
34.2	Exceptional operation - group linking rejected by participating SwMI .....	260
34.3	FE actions .....	260
34.3.1	FE actions of FE5 .....	260
34.3.2	FE actions of FE6 .....	260
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	261
35.1	Normal operation.....	261
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group .....	261
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	261
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	262
35.3	FE actions .....	263
35.3.1	FE actions of FE2 .....	263
35.3.2	FE actions of FE5 .....	264
36	Definition of stage 2 information flows .....	264
36.1	General .....	264
36.2	ATTACH LINKED GROUP .....	264
36.3	ATTACH LINKED GROUP REJECT .....	265
36.4	AUTHENTICATION DEMAND .....	265
36.5	AUTHENTICATION RESPONSE.....	265
36.6	AUTHENTICATION RESULT.....	266
36.7	AUTH REJECT.....	266
36.8	DE-REGISTRATION .....	266
36.9	DE-REG REJECT .....	267
36.10	DETACH LINKED GROUP .....	267
36.11	GROUP ATTACHMENT .....	267
36.12	GROUP ATT REJECT .....	268
36.13	GROUP DETACHMENT.....	268
36.14	GROUP DET REJECT .....	268
36.15	HMM RECOVERY .....	269
36.16	HMM RECOVERY COMPLETED.....	269
36.17	HMM RECOVERY REJECT .....	269
36.18	LINKING .....	270
36.19	LINKING COMMAND .....	270
36.20	LINKING REJECT .....	270
36.21	MIGRATION .....	270
36.22	MIGRATION REJECT .....	271
36.23	OTAR-KEY DEMAND .....	271
36.24	OTAR-KEY PROVIDE .....	271
36.25	OTAR-KEY REJECT .....	272

36.26	OTAR-KEY RESULT .....	272
36.27	OTAR-PARAM DEMAND .....	272
36.28	OTAR-PARAM PROVIDE .....	272
36.29	OTAR-PARAM REJECT .....	273
36.30	OTAR-PARAM RESULT .....	273
36.31	PROFILE REJECT .....	273
36.32	PROFILE UPDATE .....	274
36.33	REMOTE UNLINKING .....	274
36.34	REMOVE REJECT .....	274
36.35	REMOVE SUBS .....	275
36.36	SS-PROFILE REJECT .....	275
36.37	SS-PROFILE UPDATE .....	275
36.38	UNLINKING .....	276
36.39	UNLINKING REJECT .....	276
36.40	VMM RECOVERY .....	276
36.41	VMM RECOVERY COMPLETED .....	277
36.42	VMM RECOVERY REJECT .....	277
36.43	Profiles .....	277
36.43.1	Basic migration profiles .....	277
36.43.1.1	Group basic migration profile (original and temporary) .....	277
36.43.1.2	Individual basic migration profile .....	279
36.43.2	SS-migration profile (original and temporary) .....	280
37	ANF-ISIMM encoding requirements - stage 3 .....	281
37.1	Introduction .....	281
37.2	ANF-ISIMM PDU description tables .....	281
37.2.1	General .....	281
37.2.2	ATTACH LINKED GROUP .....	282
37.2.3	ATTACH LINKED GROUP RESPONSE .....	282
37.2.4	ATTACH LINKED GROUP REJECT .....	283
37.2.5	AUTHENTICATION DEMAND .....	283
37.2.6	AUTHENTICATION RESPONSE .....	284
37.2.7	AUTHENTICATION RESULT .....	284
37.2.8	AUTH REJECT .....	285
37.2.9	DE-REGISTRATION .....	285
37.2.10	DE-REGISTRATION RESPONSE .....	286
37.2.11	DE-REG REJECT .....	286
37.2.12	DETACH LINKED GROUP .....	286
37.2.13	DETACH LINKED GROUP RESPONSE .....	287
37.2.14	GROUP ATTACHMENT .....	287
37.2.15	GROUP ATTACHMENT RESPONSE .....	288
37.2.16	GROUP ATT REJECT .....	289
37.2.17	GROUP DETACHMENT .....	290
37.2.18	GROUP DETACHMENT RESPONSE .....	290
37.2.19	GROUP DET REJECT .....	291
37.2.20	HMM RECOVERY .....	291
37.2.21	HMM RECOVERY COMPLETED .....	292
37.2.22	HMM RECOVERY REJECT .....	292
37.2.23	HMM RECOVERY RESPONSE .....	292
37.2.24	LINKING .....	293
37.2.25	LINKING COMMAND .....	293
37.2.26	LINKING COMMAND RESPONSE .....	293
37.2.27	LINKING REJECT .....	293
37.2.28	LINKING RESPONSE .....	293
37.2.29	MIGRATION .....	294
37.2.30	MIGRATION REJECT .....	294
37.2.31	MIGRATION REJECT RESPONSE .....	295
37.2.32	MIGRATION RESPONSE .....	295
37.2.33	OTAR-KEY DEMAND .....	296
37.2.34	OTAR-KEY PROVIDE .....	296
37.2.35	OTAR-KEY REJECT .....	297
37.2.36	OTAR-KEY RESULT .....	297

37.2.37	OTAR-PARAM DEMAND .....	297
37.2.38	OTAR-PARAM PROVIDE.....	298
37.2.39	OTAR-PARAM REJECT.....	298
37.2.40	OTAR-PARAM RESULT.....	299
37.2.41	PROFILE REJECT .....	299
37.2.42	PROFILE UPDATE .....	300
37.2.43	PROFILE UPDATE RESPONSE.....	300
37.2.44	REMOTE UNLINKING.....	301
37.2.45	REMOVE REJECT .....	301
37.2.46	REMOVE SUBS .....	301
37.2.47	REMOVE SUBS RESPONSE.....	302
37.2.48	SS-PROFILE REJECT .....	302
37.2.49	SS-PROFILE UPDATE.....	303
37.2.50	SS-PROFILE UPDATE RESPONSE.....	303
37.2.51	UNLINKING.....	304
37.2.52	UNLINKING REJECT .....	304
37.2.53	UNLINKING RESPONSE .....	304
37.2.54	VMM RECOVERY .....	304
37.2.55	VMM RECOVERY COMPLETED .....	305
37.2.56	VMM RECOVERY REJECT.....	305
37.2.57	VMM RECOVERY RESPONSE.....	305
37.3	PDU information element encoding .....	306
37.3.1	Advanced link.....	306
37.3.2	Age stamp .....	306
37.3.3	AI encryption state list.....	307
37.3.4	ANF-ISIMM invoke id .....	308
37.3.5	Attach linked group rejection cause.....	308
37.3.6	Authentication invocation.....	308
37.3.7	Authentication rejection cause.....	309
37.3.8	Authentication service .....	309
37.3.9	Authentication type.....	310
37.3.10	Basic migration profile info .....	310
37.3.11	Call restoration support.....	310
37.3.12	Call time-out set-up phase timer (T301).....	311
37.3.13	Call time-out timer (T310).....	311
37.3.14	Circuit mode protected (high) data service .....	312
37.3.15	Circuit mode protected (low) data service .....	312
37.3.16	Circuit mode unprotected speech + data service.....	313
37.3.17	Default SS-information.....	313
37.3.18	De-registration rejection cause .....	314
37.3.19	De-registration type .....	314
37.3.20	Duplex service .....	314
37.3.21	End-to-end encryption service .....	315
37.3.22	First/Subsequent Group attachment.....	315
37.3.23	Following conditional element(s) present.....	315
37.3.24	Forced removal .....	316
37.3.26	Group attachment/detachment .....	316
37.3.26	Group attachment rejection cause.....	316
37.3.27	Group basic migration profile (original and temporary).....	317
37.3.28	Group detachment rejection cause .....	318
37.3.29	Group information .....	318
37.3.30	Group information in subscriber profile .....	318
37.3.31	Group priority .....	319
37.3.32	GSSI.....	319
37.3.33	Home/Visited SwMI MM initiated.....	319
37.3.34	Individual basic migration profile (original and temporary).....	320
37.3.35	Interleaving depth .....	321
37.3.36	IP service .....	322
37.3.37	ISSI .....	322
37.3.38	Last group detachment.....	322
37.3.39	Linking rejection cause.....	322
37.3.40	Maximum number of timeslots.....	323

37.3.41	Migration rejection cause.....	323
37.3.42	Migration type .....	324
37.3.43	MNI .....	324
37.3.44	Not supported SS .....	324
37.3.45	Number of not supported SSs .....	324
37.3.46	Number of SS-information .....	324
37.3.47	Original/Subsequent use of param .....	325
37.3.48	OTAR SCK delivery service .....	325
37.3.49	OTAR SCK generation service.....	325
37.3.50	OTAR SCK key rejection cause .....	326
37.3.51	OTAR SCK param rejection cause .....	326
37.3.52	Other linked group .....	327
37.3.53	PDU type .....	327
37.3.54	Pre-defined profile set reference(s).....	328
37.3.55	Profile exchange support .....	329
37.3.56	Profile rejection cause.....	329
37.3.57	Profile type.....	329
37.3.58	Point-to-multipoint acknowledged service .....	329
37.3.59	Point-to-multipoint broadcast service .....	330
37.3.60	Point-to-multipoint service .....	330
37.3.61	Point-to-point service.....	331
37.3.62	Profile status .....	331
37.3.63	Proprietary .....	332
37.3.64	Recovery .....	332
37.3.65	Recovery rejection cause .....	332
37.3.66	Recovery type .....	332
37.3.67	Restricted migration support.....	333
37.3.68	RSI rejection cause .....	333
37.3.69	SDS profile .....	333
37.3.70	Speech service .....	334
37.3.71	SS-information.....	334
37.3.72	SS-information response.....	334
37.3.73	SS-migration profile (original) .....	334
37.3.74	SS-migration profile response (temporary).....	335
37.3.75	SS-profile response status .....	335
37.3.76	SS-profile update indicator .....	336
37.3.77	SS-response status .....	336
37.3.78	SS-status .....	336
37.3.79	SS-type.....	336
37.3.80	Subscriber information .....	337
37.3.81	Subscriber information in group profile.....	337
37.3.82	Subscriber status .....	337
37.3.83	Type 3 element identifier .....	337
37.3.84	Unlinking rejection cause .....	338
37.3.85	Validity time .....	338
37.3.86	Validity time type .....	338
38	ANF-ISIMM procedures - stage 3.....	339
38.1	General .....	339
38.2	Generic procedures.....	339
38.2.1	General.....	339
38.2.2	Invoking SwMI.....	339
38.2.3	Receiving SwMI .....	339
38.2.4	Clearing of ISI GFP transport connection.....	339
38.2.5	Convert primitive to PDU.....	339
38.2.6	Convert PDU to primitive.....	339
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs.....	340
38.3	SDL descriptions .....	341
38.4	Migration.....	341
38.4.1	General.....	341
38.4.2	Individual subscriber visited SwMI ANF-ISIMM .....	341
38.4.3	Individual subscriber home SwMI ANF-ISIMM.....	342