



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional
Network Feature, Mobility Management (ANF-ISIMM)**

https://standards.iteh.ai/catalog/standards/sist/bc1094-b11f-494d-81d5-3c3eb3b68ddd/etsi-en-300-392-3-15-v1-2-1-2020-04

Reference

REN/TCCE-03263

Keywords

management, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	18
Introduction	18
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	21
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations	24
4 Overview	25
4.1 General	25
4.2 Applicability.....	25
4.2.1 Entities	25
4.2.2 Services.....	26
4.3 Testability.....	26
4.4 Provision/withdrawal.....	27
4.5 Activation/deactivation	27
4.6 Charging.....	27
5 The generic ANF-ISIMM stage 1 service model	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	28
5.3 Stage 1 description conventions	29
6 Migration service description - stage 1	30
6.1 Pre-requisite requirements for the migration service.....	30
6.2 Service definition	30
6.3 Service description	30
6.4 Service architecture	31
6.5 Normal procedures	31
6.5.1 Invocation	31
6.5.1.1 Invocation criteria	31
6.5.1.2 Invocation of ANF-ISIMM.....	31
6.5.2 Operation	33
6.5.2.1 General.....	33
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	34
6.5.2.2.1 Support for call restoration.....	34
6.5.2.2.2 Final migration approval	35
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	36
6.5.2.3.1 Basic migration profile exchange	36
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	46
6.5.2.3.3 Support for call restoration	48
6.5.2.3.4 Final migration approval (applicable for cases 2, 3a and 3b).....	48
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b).....	48
6.6 Exceptional procedures	49
6.6.1 General.....	49
6.6.2 Detected by the individual subscriber visited SwMI MM	50
6.6.3 Detected by the individual subscriber home SwMI MM	51
6.7 Interactions	51
6.7.1 Interactions with the authentication service.....	51
6.7.2 Interactions with the group attachment and the group detachment services	52

7	Restricted migration service description - stage 1	52
7.1	Pre-requisite requirements for the restricted migration service	52
7.2	Service definition	52
7.3	Service description	52
7.4	Service architecture	53
7.5	Normal procedures	53
7.5.1	Invocation	53
7.5.1.1	Invocation criteria	53
7.5.1.2	Invocation of ANF-ISIMM	54
7.5.2	Operation	57
7.5.2.1	General	57
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration	57
7.5.2.3	Invocation of RSI	58
7.5.2.4	Support for emergency call restoration	58
7.5.2.5	Receipt of restricted migration approval	58
7.6	Exceptional procedures	58
7.6.1	General	58
7.6.2	Detected by the individual subscriber visited SwMI MM	60
7.6.3	Detected by the individual subscriber home SwMI MM	60
7.7	Interactions	60
7.7.1	Interactions with the authentication service	60
7.7.2	Interactions with the group attachment and the group detachment services	60
8	Removal of Subscriber Information (RSI) service description - stage 1	60
8.1	Service definition	60
8.2	Service description	61
8.3	Service architecture	61
8.4	Normal procedures	62
8.4.1	Invocation	62
8.4.1.1	Invocation criteria	62
8.4.1.2	Invocation of ANF-ISIMM	62
8.4.2	Operation	63
8.5	Exceptional procedures	65
8.6	Interaction with authentication	66
9	De-registration service description - stage 1	66
9.1	Service definition	66
9.2	Service description	66
9.3	Service architecture	66
9.4	Normal procedures	67
9.4.1	Invocation	67
9.4.1.1	Invocation criteria	67
9.4.1.2	Invocation of ANF-ISIMM	67
9.4.2	Operation	68
9.5	Exceptional procedures	69
10	Profile update service description - stage 1	70
10.1	Service definition	70
10.2	Service description	70
10.3	Service architecture	70
10.4	Normal procedures	71
10.4.1	Invocation	71
10.4.1.1	Invocation criteria	71
10.4.1.2	Invocation of ANF-ISIMM	72
10.4.2	Operation	82
10.5	Exceptional operation	92
11	SS-profile update service description - stage 1	92
11.1	Service definition	92
11.2	Service description	93
11.3	Service architecture	93
11.4	Normal procedures	93
11.4.1	Invocation	93

11.4.1.1	Invocation criteria	93
11.4.1.2	Invocation of ANF-ISIMM	94
11.4.2	Operation	94
11.4.2.1	Creation of temporary SS-migration profiles	94
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	95
11.5	Exceptional operation.....	96
12	Authentication service description - stage 1.....	97
12.1	Pre-requisite requirements for the authentication service.....	97
12.2	Service definition	98
12.3	Service description	98
12.4	Service architecture	98
12.5	Normal procedures	99
12.5.1	Invocation	99
12.5.1.1	Invocation criteria	99
12.5.1.2	Invocation of ANF-ISIMM	99
12.5.2	Operation (relevant for case 1)	100
12.5.2.1	Exchange of authentication parameters.....	100
12.5.2.2	Sending of authentication result.....	101
12.6	Exceptional procedures	101
12.6.1	General.....	101
12.6.2	Detected by the individual subscriber visited SwMI MM	102
12.6.3	Detected by the individual subscriber home SwMI MM	103
12.7	Interaction with migration and restricted migration	103
12.7.1	Normal operation	103
12.7.2	Exceptional procedures	103
13	Over The Air Re-keying (OTAR) service description - stage 1.....	104
13.1	Pre-requisite requirements.....	104
13.2	Service definition	104
13.3	Service description	104
13.4	Service architecture	105
13.5	Normal procedures	105
13.5.1	Invocation	105
13.5.1.1	Invocation criteria	105
13.5.1.2	Invocation of ANF-ISIMM	106
13.5.1.2.1	Case 1).....	106
13.5.1.2.2	Case 2).....	106
13.5.1.2.3	Case 3).....	106
13.5.1.2.4	Case 4).....	107
13.5.2	Operation	107
13.5.2.1	Case 1)	107
13.5.2.2	Case 2)	108
13.5.2.3	Case 3)	109
13.5.2.4	Case 4)	110
13.6	Exceptional procedures	110
13.6.1	General.....	110
13.6.2	Detected by the individual subscriber visited SwMI MM	111
13.6.3	Detected by the individual subscriber home SwMI MM	111
14	Individual subscriber Database Recovery (IDR) service description - stage 1	112
14.1	Service definition	112
14.2	Service description	112
14.3	Service architecture	113
14.4	Normal procedures	113
14.4.1	Invocation	113
14.4.1.1	Invocation criteria	113
14.4.1.2	Invocation of ANF-ISIMM	114
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated)	116
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication.....	116
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication.....	116
14.4.2.3	The virtual migration or restricted migration	117
14.4.2.4	The virtual RSI.....	117

14.4.2.5	The iteration	118
14.4.2.6	The completion of the IDR	118
14.4.2.6.1	VMM recovery	118
14.4.2.6.2	HMM recovery	118
14.5	Exceptional procedures	119
15	Group attachment service description - stage 1	120
15.1	Service definition	120
15.2	Service description	120
15.3	Service architecture	121
15.4	Normal procedures	121
15.4.1	Invocation	121
15.4.1.1	Invocation criteria	121
15.4.1.2	Invocation of ANF-ISIMM	123
15.4.1.2.1	Case 1)	123
15.4.1.2.2	Cases 2) to 4)	124
15.4.1.2.3	Case 5)	125
15.4.1.2.4	Case 6)	130
15.4.2	Operation	131
15.4.2.1	Case 1)	131
15.4.2.1.1	General	131
15.4.2.1.2	Group attachment with pre-defined migration profile(s)	132
15.4.2.1.3	Group attachment with migration profile exchange	134
15.4.2.1.4	SS-migration profile(s) exchange	139
15.4.2.2	Cases 2) to 4)	142
15.4.2.2.1	Updates to G-HDB	142
15.4.2.2.2	Sending of group attachment approval	142
15.4.2.2.3	Receipt of group attachment approval	143
15.4.2.3	Case 5)	143
15.4.2.3.1	General	143
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s)	143
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange	145
15.4.2.4	Case 6)	147
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment	147
15.5	Exceptional procedures	148
15.5.1	General	148
15.5.2	Detected by the group visited SwMI MM	149
15.5.3	Detected by the group home SwMI MM	150
15.6	Interactions	150
16	Group detachment service description (stage 1)	151
16.1	Service definition	151
16.2	Service description	152
16.3	Service architecture	153
16.4	Normal procedures	153
16.4.1	Invocation	153
16.4.1.1	General	153
16.4.1.2	Invocation of ANF-ISIMM	154
16.4.1.2.1	Cases 1) to 3)	154
16.4.1.2.2	Case 4)	155
16.4.2	Operation	156
16.4.2.1	Cases 1) to 3)	156
16.4.2.2	Case 4)	157
16.5	Exceptional procedures	158
16.6	Interactions	159
17	Group Database Recovery (GDR) service description - stage 1	160
17.1	Service definition	160
17.2	Service description	160
17.3	Service architecture	161
17.4	Normal procedures	161
17.4.1	Invocation	161
17.4.1.1	Invocation criteria	161

17.4.1.2	Invocation of ANF-ISIMM	162
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	163
17.4.2.1	Verification of age information	163
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	164
17.4.2.3	The group home SwMI MM receives the G-VDR indication	164
17.4.2.4	The virtual group attachment and detachment	165
17.4.2.5	The iteration	166
17.4.2.6	The completion of the GDR	166
17.4.2.6.1	G-HDR	166
17.4.2.6.2	G-VDR	166
17.5	Exceptional procedures	167
18	Group linking/unlinking service description - stage 1	168
18.1	Service definition	168
18.2	Service description	169
18.3	Service architecture	169
18.4	Normal procedures	170
18.4.1	Invocation	170
18.4.1.1	Invocation criteria	170
18.4.1.2	Invocation of ANF-ISIMM	170
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req	170
18.4.1.2.2	Case 2) - group unlinking service	171
18.4.1.2.3	Case 3) - remote group unlinking service	171
18.4.2	Operation	172
18.4.2.1	General	172
18.4.2.2	Case 1) - group linking service	172
18.4.2.2.1	First phase of group linking service	172
18.4.2.2.2	Second phase of group linking service	173
18.4.2.3	Case 2) - group unlinking service	175
18.4.2.4	Case 3) - remote group unlinking service	176
18.5	Exceptional procedures	176
18.5.1	General	176
18.5.2	Case 1) - group linking service	176
18.5.3	Case 2) - group unlinking service	177
18.5.4	Case 3) - remote group unlinking service	178
18.6	Interactions	179
19	Linked group attachment service description - stage 1	179
19.1	Service definition	179
19.2	Service description	179
19.3	Service Architecture	179
19.4	Normal Procedure	180
19.4.1	Invocation	180
19.4.1.1	Invocation criteria	180
19.4.1.2	Invocation of ANF-ISIMM	180
19.4.1.2.1	Case 1	180
19.4.1.2.2	Case 2	181
19.4.2	Operation	181
19.5	Exceptional cases	181
19.6	Interactions	181
20	Linked group detachment service description - stage 1	182
20.1	Service definition	182
20.2	Service description	182
20.3	Service architecture	182
20.4	Normal procedure	182
20.4.1	Invocation	182
20.4.1.1	Invocation criteria	182
20.4.1.2	Invocation of ANF-ISIMM	183
20.4.1.2.1	Case 1	183
20.4.1.2.2	Case 2	183
20.4.2	Operation	184
20.5	Exceptional cases	184

20.6	Interactions	184
21	ANF-ISIMM stage 2 specification	184
21.1	General	184
21.2	Functional model	184
21.3	Information flow diagrams	185
22	Migration - stage 2 information flow sequences	185
22.1	General	185
22.2	Normal operation.....	185
22.2.1	Migration with pre-defined profile(s)	185
22.2.2	Migration with basic migration profile exchange	186
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	188
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	188
22.2.3.2	SS-migration profiles exchanged after final migration approval	190
22.3	Exceptional operation.....	192
22.3.1	Migration rejection request upon receipt of the Migration_ind	192
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	193
22.4	FE actions for subscriber migration	195
22.4.1	FE actions of FE1	195
22.4.2	FE actions of FE3	195
23	Restricted migration - stage 2 information flow sequences	196
23.1	General	196
23.2	Normal operation.....	196
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	196
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM.....	196
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	197
23.3	Exceptional operation.....	197
23.4	FE actions for restricted migration.....	197
23.4.1	FE actions of FE1	197
23.4.2	FE actions of FE3	198
24	Removal of Subscriber Information - stage 2 information flow sequences	198
24.1	General	198
24.2	Normal operation.....	198
24.3	Exceptional operation.....	199
24.4	FE actions for subscriber migration	199
24.4.1	FE actions of FE1	199
24.4.2	FE actions of FE4	200
25	De-registration - stage 2 information flow sequences	200
25.1	General	200
25.2	Normal operation.....	200
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	200
25.3	Exceptional operation.....	202
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	202
25.4	FE actions.....	202
25.4.1	FE actions of FE1	202
25.4.2	FE actions of FE3	203
26	Profile update - stage 2 information flow sequences.....	203
26.1	General	203
26.2	Normal operation.....	204
26.3	Profile update rejection	205
26.4	FE actions for Profile update	205
26.4.1	FE actions of FE1	205
26.4.2	FE actions of FE3	205
27	SS-profile update - stage 2 information flow sequences	206
27.1	General	206

27.2	Normal operation.....	206
27.3	SS-profile update rejection.....	207
27.4	FE actions for SS-profile update	207
27.4.1	FE actions of FE1	207
27.4.2	FE actions of FE3	207
28	Authentication - stage 2 information flow sequences	208
28.1	General	208
28.2	Normal operation.....	208
28.2.1	Authentication.....	208
28.2.2	Successful subsequent authentication	209
28.3	Authentication invoked in conjunction with migration	210
28.4	Exceptional operation.....	211
28.4.1	Authentication failure in the individual subscriber visited SwMI	211
28.5	FE actions for authentication.....	213
28.5.1	FE actions of FE1	213
28.5.2	FE actions of FE3	214
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	214
29.1	General	214
29.2	Normal operation.....	214
29.2.1	OTAR SCK generation service.....	214
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	216
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	217
29.2.4	OTAR SCK generation service, subsequent use of parameters	218
29.3	Exceptional operation.....	219
29.3.1	Failed OTAR SCK generation service.....	219
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery	221
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	222
29.3.4	Failed subsequent use of OTAR SCK generation parameters	223
29.4	FE actions for OTAR	223
29.4.1	FE actions of FE1	223
29.4.2	FE actions of FE3	224
30	Individual subscriber database recovery - stage 2 information flow sequences.....	224
30.1	General	224
30.2	Normal operation.....	224
30.2.1	HMM recovery	224
30.2.2	VMM recovery	228
30.3	Exceptional operation.....	231
30.3.1	Rejection of HMM recovery.....	231
30.3.2	Rejection of VMM recovery	232
30.4	FE actions	232
30.4.1	FE actions of FE1	232
30.4.2	FE actions of FE3	233
30.4.3	FE actions of FE4	233
31	Group attachment - stage 2 information flow sequences	234
31.1	Normal operation.....	234
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	234
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	235
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	237
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	237
31.2	Exceptional operation.....	240
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange ..	240
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	241
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange ..	242
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	243
31.3	FE actions	244
31.3.1	FE actions of FE2	244
31.3.2	FE actions of FE6	244
32	Normal operation for group detachment - stage 2 information flow sequences.....	245

32.1	Normal operation.....	245
32.1.1	Group visited SwMI MM initiated group detachment.....	245
32.1.2	Group home SwMI MM initiated group detachment.....	246
32.2	Exceptional operation.....	247
32.2.1	Rejection of group visited SwMI MM initiated group detachment	247
32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	248
32.3	FE actions.....	248
32.3.1	FE actions of FE2	248
32.3.2	FE actions of FE3	249
33	Group database recovery - stage 2 information flow sequences	250
33.1	Normal operation.....	250
33.1.1	G-HDR.....	250
33.1.2	G-VDR.....	252
33.2	Exceptional operation.....	254
33.2.1	Rejection of G-HDR	254
33.2.2	Rejection of G-VDR	255
33.3	FE actions.....	255
33.3.1	FE actions of FE2	255
33.3.2	FE actions of FE6	256
34	Group linking/unlinking - stage 2 information flow scenarios.....	256
34.1	Normal operation.....	256
34.2	Exceptional operation - group linking rejected by participating SwMI	256
34.3	FE actions.....	256
34.3.1	FE actions of FE5	256
34.3.2	FE actions of FE6	256
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	257
35.1	Normal operation.....	257
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	257
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	257
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	258
35.3	FE actions.....	259
35.3.1	FE actions of FE2	259
35.3.2	FE actions of FE5	260
36	Definition of stage 2 information flows	260
36.1	General	260
36.2	ATTACH LINKED GROUP	260
36.3	ATTACH LINKED GROUP REJECT	261
36.4	AUTHENTICATION DEMAND	261
36.5	AUTHENTICATION RESPONSE.....	261
36.6	AUTHENTICATION RESULT.....	262
36.7	AUTH REJECT.....	262
36.8	DE-REGISTRATION	262
36.9	DE-REG REJECT	263
36.10	DETACH LINKED GROUP	263
36.11	GROUP ATTACHMENT	263
36.12	GROUP ATT REJECT	264
36.13	GROUP DETACHMENT.....	264
36.14	GROUP DET REJECT	264
36.15	HMM RECOVERY	265
36.16	HMM RECOVERY COMPLETED.....	265
36.17	HMM RECOVERY REJECT	265
36.18	LINKING	266
36.19	LINKING COMMAND	266
36.20	LINKING REJECT	266
36.21	MIGRATION	266
36.22	MIGRATION REJECT	266
36.23	OTAR-KEY DEMAND	267
36.24	OTAR-KEY PROVIDE	267
36.25	OTAR-KEY REJECT	267

36.26	OTAR-KEY RESULT	268
36.27	OTAR-PARAM DEMAND	268
36.28	OTAR-PARAM PROVIDE	268
36.29	OTAR-PARAM REJECT	269
36.30	OTAR-PARAM RESULT	269
36.31	PROFILE REJECT.....	269
36.32	PROFILE UPDATE.....	270
36.33	REMOTE UNLINKING	270
36.34	REMOVE REJECT	270
36.35	REMOVE SUBS	270
36.36	SS-PROFILE REJECT	271
36.37	SS-PROFILE UPDATE	271
36.38	UNLINKING	272
36.39	UNLINKING REJECT	272
36.40	VMM RECOVERY	272
36.41	VMM RECOVERY COMPLETED.....	272
36.42	VMM RECOVERY REJECT	273
36.43	Profiles	273
36.43.1	Basic migration profiles.....	273
36.43.1.1	Group basic migration profile (original and temporary).....	273
36.43.1.2	Individual basic migration profile	274
36.43.2	SS-migration profile (original and temporary)	276
37	ANF-ISIMM encoding requirements - stage 3.....	276
37.1	Introduction	276
37.2	ANF-ISIMM PDU description tables.....	276
37.2.1	General.....	276
37.2.2	ATTACH LINKED GROUP	277
37.2.3	ATTACH LINKED GROUP RESPONSE	277
37.2.4	ATTACH LINKED GROUP REJECT	278
37.2.5	AUTHENTICATION DEMAND.....	278
37.2.6	AUTHENTICATION RESPONSE	279
37.2.7	AUTHENTICATION RESULT	279
37.2.8	AUTH REJECT	280
37.2.9	DE-REGISTRATION.....	280
37.2.10	DE-REGISTRATION RESPONSE	281
37.2.11	DE-REG REJECT	281
37.2.12	DETACH LINKED GROUP	281
37.2.13	DETACH LINKED GROUP RESPONSE	282
37.2.14	GROUP ATTACHMENT	282
37.2.15	GROUP ATTACHMENT RESPONSE.....	283
37.2.16	GROUP ATT REJECT	284
37.2.17	GROUP DETACHMENT	284
37.2.18	GROUP DETACHMENT RESPONSE.....	285
37.2.19	GROUP DET REJECT	285
37.2.20	HMM RECOVERY	286
37.2.21	HMM RECOVERY COMPLETED	286
37.2.22	HMM RECOVERY REJECT.....	287
37.2.23	HMM RECOVERY RESPONSE.....	287
37.2.24	LINKING.....	287
37.2.25	LINKING COMMAND	287
37.2.26	LINKING COMMAND RESPONSE.....	287
37.2.27	LINKING REJECT.....	288
37.2.28	LINKING RESPONSE.....	288
37.2.29	MIGRATION	288
37.2.30	MIGRATION REJECT	288
37.2.31	MIGRATION REJECT RESPONSE	289
37.2.32	MIGRATION RESPONSE.....	289
37.2.33	OTAR-KEY DEMAND	290
37.2.34	OTAR-KEY PROVIDE.....	290
37.2.35	OTAR-KEY REJECT.....	291
37.2.36	OTAR-KEY RESULT	291

37.2.37	OTAR-PARAM DEMAND	291
37.2.38	OTAR-PARAM PROVIDE.....	292
37.2.39	OTAR-PARAM REJECT.....	292
37.2.40	OTAR-PARAM RESULT	293
37.2.41	PROFILE REJECT	293
37.2.42	PROFILE UPDATE	294
37.2.43	PROFILE UPDATE RESPONSE.....	294
37.2.44	REMOTE UNLINKING.....	295
37.2.45	REMOVE REJECT	295
37.2.46	REMOVE SUBS	295
37.2.47	REMOVE SUBS RESPONSE.....	296
37.2.48	SS-PROFILE REJECT	296
37.2.49	SS-PROFILE UPDATE.....	296
37.2.50	SS-PROFILE UPDATE RESPONSE.....	297
37.2.51	UNLINKING.....	297
37.2.52	UNLINKING REJECT	297
37.2.53	UNLINKING RESPONSE	298
37.2.54	VMM RECOVERY	298
37.2.55	VMM RECOVERY COMPLETED	298
37.2.56	VMM RECOVERY REJECT.....	298
37.2.57	VMM RECOVERY RESPONSE.....	299
37.3	PDU information element encoding	299
37.3.1	Advanced link	299
37.3.2	Age stamp	300
37.3.3	AI encryption state list.....	300
37.3.4	ANF-ISIMM invoke id	301
37.3.5	Attach linked group rejection cause.....	301
37.3.6	Authentication invocation.....	301
37.3.7	Authentication rejection cause.....	302
37.3.8	Authentication service	302
37.3.9	Authentication type.....	303
37.3.10	Basic migration profile info	303
37.3.11	Call restoration support.....	303
37.3.12	Call time-out set-up phase timer (T301).....	303
37.3.13	Call time-out timer (T310).....	304
37.3.14	Circuit mode protected (high) data service	305
37.3.15	Circuit mode protected (low) data service	305
37.3.16	Circuit mode unprotected speech + data service.....	306
37.3.17	Default SS-information.....	306
37.3.18	De-registration rejection cause	307
37.3.19	De-registration type	307
37.3.20	Duplex service	307
37.3.21	End-to-end encryption service	308
37.3.22	First/Subsequent Group attachment.....	308
37.3.23	Following conditional element(s) present.....	308
37.3.24	Forced removal	309
37.3.25	Group attachment/detachment	309
37.3.26	Group attachment rejection cause.....	309
37.3.27	Group basic migration profile (original and temporary).....	310
37.3.28	Group detachment rejection cause	311
37.3.29	Group information	311
37.3.30	Group information in subscriber profile	311
37.3.31	Group priority	312
37.3.32	GSSI.....	312
37.3.33	Home/Visited SwMI MM initiated.....	312
37.3.34	Individual basic migration profile (original and temporary).....	313
37.3.35	Interleaving depth	314
37.3.36	IP service	314
37.3.37	ISSI	315
37.3.38	Last group detachment.....	315
37.3.39	Linking rejection cause.....	315
37.3.40	Maximum number of timeslots.....	315

37.3.41	Migration rejection cause.....	316
37.3.42	Migration type	316
37.3.43	MNI	317
37.3.44	Not supported SS	317
37.3.45	Number of not supported SSs	317
37.3.46	Number of SS-information	317
37.3.47	Original/Subsequent use of param	317
37.3.48	OTAR SCK delivery service	317
37.3.49	OTAR SCK generation service.....	318
37.3.50	OTAR SCK key rejection cause	319
37.3.51	OTAR SCK param rejection cause	319
37.3.52	Other linked group.....	319
37.3.53	PDU type	320
37.3.54	Pre-defined profile set reference(s).....	321
37.3.55	Profile exchange support	322
37.3.56	Profile rejection cause.....	322
37.3.57	Profile type.....	322
37.3.58	Point-to-multipoint acknowledged service	322
37.3.59	Point-to-multipoint broadcast service	323
37.3.60	Point-to-multipoint service	323
37.3.61	Point-to-point service.....	324
37.3.62	Profile status	324
37.3.63	Proprietary	325
37.3.64	Recovery.....	325
37.3.65	Recovery rejection cause	325
37.3.66	Recovery type	325
37.3.67	Restricted migration support.....	325
37.3.68	RSI rejection cause	326
37.3.69	SDS profile	326
37.3.70	Speech service	326
37.3.71	SS-information.....	327
37.3.72	SS-information response.....	327
37.3.73	SS-migration profile (original)	327
37.3.74	SS-migration profile response (temporary).....	328
37.3.75	SS-profile response status.....	328
37.3.76	SS-profile update indicator	328
37.3.77	SS-response status	328
37.3.78	SS-status	329
37.3.79	SS-type.....	329
37.3.80	Subscriber information	329
37.3.81	Subscriber information in group profile.....	329
37.3.82	Subscriber status	330
37.3.83	Type 3 element identifier.....	330
37.3.84	Unlinking rejection cause	330
37.3.85	Validity time	330
37.3.86	Validity time type	331
38	ANF-ISIMM procedures - stage 3.....	331
38.1	General	331
38.2	Generic procedures.....	331
38.2.1	General.....	331
38.2.2	Invoking SwMI.....	331
38.2.3	Receiving SwMI.....	331
38.2.4	Clearing of ISI GFP transport connection.....	331
38.2.5	Convert primitive to PDU.....	332
38.2.6	Convert PDU to primitive.....	332
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs.....	332
38.3	SDL descriptions	333
38.4	Migration.....	333
38.4.1	General.....	333
38.4.2	Individual subscriber visited SwMI ANF-ISIMM	333
38.4.3	Individual subscriber home SwMI ANF-ISIMM.....	334