



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional
Network Feature, Mobility Management (ANF-ISIMM)**

https://standards.iteh.ai/catalog/standards/sist/300-392-3-15/etsi-en-300-392-3-15-2019-04
494d-81d5-3c3eb3b68ddd/etsi-en-300-392-3-15-2019-04

Reference

REN/TCCE-03263

Keywords

management, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	18
Introduction	18
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	21
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations	24
4 Overview	25
4.1 General	25
4.2 Applicability.....	26
4.2.1 Entities	26
4.2.2 Services.....	26
4.3 Testability.....	27
4.4 Provision/withdrawal.....	27
4.5 Activation/deactivation	27
4.6 Charging.....	27
5 The generic ANF-ISIMM stage 1 service model	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	28
5.3 Stage 1 description conventions	29
6 Migration service description - stage 1	30
6.1 Pre-requisite requirements for the migration service.....	30
6.2 Service definition	30
6.3 Service description	30
6.4 Service architecture	31
6.5 Normal procedures	32
6.5.1 Invocation	32
6.5.1.1 Invocation criteria	32
6.5.1.2 Invocation of ANF-ISIMM.....	32
6.5.2 Operation	34
6.5.2.1 General.....	34
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	35
6.5.2.2.1 Support for call restoration.....	35
6.5.2.2.2 Final migration approval	35
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	37
6.5.2.3.1 Basic migration profile exchange	37
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	47
6.5.2.3.3 Support for call restoration	49
6.5.2.3.4 Final migration approval (applicable for cases 2, 3a and 3b).....	49
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b).....	50
6.6 Exceptional procedures	50
6.6.1 General.....	50
6.6.2 Detected by the individual subscriber visited SwMI MM	51
6.6.3 Detected by the individual subscriber home SwMI MM	52
6.7 Interactions	53
6.7.1 Interactions with the authentication service.....	53
6.7.2 Interactions with the group attachment and the group detachment services	53

7	Restricted migration service description - stage 1	53
7.1	Pre-requisite requirements for the restricted migration service	53
7.2	Service definition	53
7.3	Service description	54
7.4	Service architecture	54
7.5	Normal procedures	55
7.5.1	Invocation	55
7.5.1.1	Invocation criteria	55
7.5.1.2	Invocation of ANF-ISIMM	55
7.5.2	Operation	58
7.5.2.1	General	58
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration	58
7.5.2.3	Invocation of RSI	59
7.5.2.4	Support for emergency call restoration	59
7.5.2.5	Receipt of restricted migration approval	59
7.6	Exceptional procedures	60
7.6.1	General	60
7.6.2	Detected by the individual subscriber visited SwMI MM	61
7.6.3	Detected by the individual subscriber home SwMI MM	61
7.7	Interactions	61
7.7.1	Interactions with the authentication service	61
7.7.2	Interactions with the group attachment and the group detachment services	61
8	Removal of Subscriber Information (RSI) service description - stage 1	62
8.1	Service definition	62
8.2	Service description	62
8.3	Service architecture	62
8.4	Normal procedures	63
8.4.1	Invocation	63
8.4.1.1	Invocation criteria	63
8.4.1.2	Invocation of ANF-ISIMM	64
8.4.2	Operation	65
8.5	Exceptional procedures	66
8.6	Interaction with authentication	67
9	De-registration service description - stage 1	68
9.1	Service definition	68
9.2	Service description	68
9.3	Service architecture	68
9.4	Normal procedures	69
9.4.1	Invocation	69
9.4.1.1	Invocation criteria	69
9.4.1.2	Invocation of ANF-ISIMM	69
9.4.2	Operation	70
9.5	Exceptional procedures	71
10	Profile update service description - stage 1	72
10.1	Service definition	72
10.2	Service description	72
10.3	Service architecture	72
10.4	Normal procedures	73
10.4.1	Invocation	73
10.4.1.1	Invocation criteria	73
10.4.1.2	Invocation of ANF-ISIMM	73
10.4.2	Operation	84
10.5	Exceptional operation	94
11	SS-profile update service description - stage 1	95
11.1	Service definition	95
11.2	Service description	95
11.3	Service architecture	96
11.4	Normal procedures	96
11.4.1	Invocation	96

11.4.1.1	Invocation criteria	96
11.4.1.2	Invocation of ANF-ISIMM	97
11.4.2	Operation	97
11.4.2.1	Creation of temporary SS-migration profiles	97
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	98
11.5	Exceptional operation.....	99
12	Authentication service description - stage 1.....	100
12.1	Pre-requisite requirements for the authentication service.....	100
12.2	Service definition	100
12.3	Service description	101
12.4	Service architecture	101
12.5	Normal procedures	101
12.5.1	Invocation	101
12.5.1.1	Invocation criteria	101
12.5.1.2	Invocation of ANF-ISIMM	102
12.5.2	Operation (relevant for case 1)	103
12.5.2.1	Exchange of authentication parameters.....	103
12.5.2.2	Sending of authentication result.....	103
12.6	Exceptional procedures	104
12.6.1	General.....	104
12.6.2	Detected by the individual subscriber visited SwMI MM	105
12.6.3	Detected by the individual subscriber home SwMI MM	105
12.7	Interaction with migration and restricted migration	106
12.7.1	Normal operation	106
12.7.2	Exceptional procedures	106
13	Over The Air Re-keying (OTAR) service description - stage 1.....	107
13.1	Pre-requisite requirements.....	107
13.2	Service definition	107
13.3	Service description	107
13.4	Service architecture	108
13.5	Normal procedures	108
13.5.1	Invocation	108
13.5.1.1	Invocation criteria	108
13.5.1.2	Invocation of ANF-ISIMM	109
13.5.1.2.1	Case 1).....	109
13.5.1.2.2	Case 2).....	109
13.5.1.2.3	Case 3).....	109
13.5.1.2.4	Case 4).....	110
13.5.2	Operation	110
13.5.2.1	Case 1)	110
13.5.2.2	Case 2)	111
13.5.2.3	Case 3)	112
13.5.2.4	Case 4)	113
13.6	Exceptional procedures	113
13.6.1	General.....	113
13.6.2	Detected by the individual subscriber visited SwMI MM	114
13.6.3	Detected by the individual subscriber home SwMI MM	114
14	Individual subscriber Database Recovery (IDR) service description - stage 1	115
14.1	Service definition	115
14.2	Service description	115
14.3	Service architecture	116
14.4	Normal procedures	116
14.4.1	Invocation	116
14.4.1.1	Invocation criteria	116
14.4.1.2	Invocation of ANF-ISIMM	117
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated)	119
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication.....	119
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication.....	119
14.4.2.3	The virtual migration or restricted migration	120
14.4.2.4	The virtual RSI.....	120

14.4.2.5	The iteration	121
14.4.2.6	The completion of the IDR	121
14.4.2.6.1	VMM recovery	121
14.4.2.6.2	HMM recovery	121
14.5	Exceptional procedures	122
15	Group attachment service description - stage 1	123
15.1	Service definition	123
15.2	Service description	123
15.3	Service architecture	124
15.4	Normal procedures	124
15.4.1	Invocation	124
15.4.1.1	Invocation criteria	124
15.4.1.2	Invocation of ANF-ISIMM	126
15.4.1.2.1	Case 1)	126
15.4.1.2.2	Cases 2) to 4)	127
15.4.1.2.3	Case 5)	128
15.4.1.2.4	Case 6)	133
15.4.2	Operation	134
15.4.2.1	Case 1)	134
15.4.2.1.1	General	134
15.4.2.1.2	Group attachment with pre-defined migration profile(s)	135
15.4.2.1.3	Group attachment with migration profile exchange	137
15.4.2.1.4	SS-migration profile(s) exchange	142
15.4.2.2	Cases 2) to 4)	145
15.4.2.2.1	Updates to G-HDB	145
15.4.2.2.2	Sending of group attachment approval	145
15.4.2.2.3	Receipt of group attachment approval	146
15.4.2.3	Case 5)	146
15.4.2.3.1	General	146
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s)	146
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange	148
15.4.2.4	Case 6)	150
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment	150
15.5	Exceptional procedures	151
15.5.1	General	151
15.5.2	Detected by the group visited SwMI MM	152
15.5.3	Detected by the group home SwMI MM	153
15.6	Interactions	153
16	Group detachment service description (stage 1)	154
16.1	Service definition	154
16.2	Service description	155
16.3	Service architecture	156
16.4	Normal procedures	156
16.4.1	Invocation	156
16.4.1.1	General	156
16.4.1.2	Invocation of ANF-ISIMM	157
16.4.1.2.1	Cases 1) to 3)	157
16.4.1.2.2	Case 4)	158
16.4.2	Operation	159
16.4.2.1	Cases 1) to 3)	159
16.4.2.2	Case 4)	160
16.5	Exceptional procedures	161
16.6	Interactions	162
17	Group Database Recovery (GDR) service description - stage 1	163
17.1	Service definition	163
17.2	Service description	163
17.3	Service architecture	164
17.4	Normal procedures	164
17.4.1	Invocation	164
17.4.1.1	Invocation criteria	164

17.4.1.2	Invocation of ANF-ISIMM	165
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	166
17.4.2.1	Verification of age information	166
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	167
17.4.2.3	The group home SwMI MM receives the G-VDR indication	167
17.4.2.4	The virtual group attachment and detachment	168
17.4.2.5	The iteration	169
17.4.2.6	The completion of the GDR	169
17.4.2.6.1	G-HDR	169
17.4.2.6.2	G-VDR	169
17.5	Exceptional procedures	170
18	Group linking/unlinking service description - stage 1	171
18.1	Service definition	171
18.2	Service description	172
18.3	Service architecture	173
18.4	Normal procedures	173
18.4.1	Invocation	173
18.4.1.1	Invocation criteria	173
18.4.1.2	Invocation of ANF-ISIMM	173
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req	173
18.4.1.2.2	Case 2) - group unlinking service	174
18.4.1.2.3	Case 3) - remote group unlinking service	175
18.4.2	Operation	175
18.4.2.1	General	175
18.4.2.2	Case 1) - group linking service	175
18.4.2.2.1	First phase of group linking service	175
18.4.2.2.2	Second phase of group linking service	176
18.4.2.3	Case 2) - group unlinking service	178
18.4.2.4	Case 3) - remote group unlinking service	179
18.5	Exceptional procedures	179
18.5.1	General	179
18.5.2	Case 1) - group linking service	179
18.5.3	Case 2) - group unlinking service	180
18.5.4	Case 3) - remote group unlinking service	181
18.6	Interactions	182
19	Linked group attachment service description - stage 1	182
19.1	Service definition	182
19.2	Service description	182
19.3	Service Architecture	183
19.4	Normal Procedure	183
19.4.1	Invocation	183
19.4.1.1	Invocation criteria	183
19.4.1.2	Invocation of ANF-ISIMM	184
19.4.1.2.1	Case 1	184
19.4.1.2.2	Case 2	184
19.4.2	Operation	184
19.5	Exceptional cases	184
19.6	Interactions	185
20	Linked group detachment service description - stage 1	185
20.1	Service definition	185
20.2	Service description	185
20.3	Service architecture	186
20.4	Normal procedure	186
20.4.1	Invocation	186
20.4.1.1	Invocation criteria	186
20.4.1.2	Invocation of ANF-ISIMM	187
20.4.1.2.1	Case 1	187
20.4.1.2.2	Case 2	187
20.4.2	Operation	187
20.5	Exceptional cases	187

20.6	Interactions	188
21	ANF-ISIMM stage 2 specification	188
21.1	General	188
21.2	Functional model	188
21.3	Information flow diagrams	188
22	Migration - stage 2 information flow sequences	189
22.1	General	189
22.2	Normal operation.....	189
22.2.1	Migration with pre-defined profile(s)	189
22.2.2	Migration with basic migration profile exchange	190
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	192
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	192
22.2.3.2	SS-migration profiles exchanged after final migration approval	194
22.3	Exceptional operation.....	196
22.3.1	Migration rejection request upon receipt of the Migration_ind	196
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	197
22.4	FE actions for subscriber migration	199
22.4.1	FE actions of FE1	199
22.4.2	FE actions of FE3	199
23	Restricted migration - stage 2 information flow sequences	200
23.1	General	200
23.2	Normal operation.....	200
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	200
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM.....	200
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	201
23.3	Exceptional operation.....	201
23.4	FE actions for restricted migration.....	201
23.4.1	FE actions of FE1	201
23.4.2	FE actions of FE3	202
24	Removal of Subscriber Information - stage 2 information flow sequences	202
24.1	General	202
24.2	Normal operation.....	202
24.3	Exceptional operation.....	203
24.4	FE actions for subscriber migration	203
24.4.1	FE actions of FE1	203
24.4.2	FE actions of FE4	204
25	De-registration - stage 2 information flow sequences	204
25.1	General	204
25.2	Normal operation.....	204
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	204
25.3	Exceptional operation.....	206
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	206
25.4	FE actions.....	206
25.4.1	FE actions of FE1	206
25.4.2	FE actions of FE3	207
26	Profile update - stage 2 information flow sequences.....	207
26.1	General	207
26.2	Normal operation.....	208
26.3	Profile update rejection	209
26.4	FE actions for Profile update.....	209
26.4.1	FE actions of FE1	209
26.4.2	FE actions of FE3	209
27	SS-profile update - stage 2 information flow sequences	210
27.1	General	210

27.2	Normal operation.....	210
27.3	SS-profile update rejection.....	211
27.4	FE actions for SS-profile update	211
27.4.1	FE actions of FE1	211
27.4.2	FE actions of FE3	211
28	Authentication - stage 2 information flow sequences	212
28.1	General	212
28.2	Normal operation.....	212
28.2.1	Authentication.....	212
28.2.2	Successful subsequent authentication	213
28.3	Authentication invoked in conjunction with migration	214
28.4	Exceptional operation.....	215
28.4.1	Authentication failure in the individual subscriber visited SwMI	215
28.5	FE actions for authentication.....	217
28.5.1	FE actions of FE1	217
28.5.2	FE actions of FE3	218
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	218
29.1	General	218
29.2	Normal operation.....	218
29.2.1	OTAR SCK generation service.....	218
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	220
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	221
29.2.4	OTAR SCK generation service, subsequent use of parameters	222
29.3	Exceptional operation.....	223
29.3.1	Failed OTAR SCK generation service.....	223
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery	225
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	226
29.3.4	Failed subsequent use of OTAR SCK generation parameters	227
29.4	FE actions for OTAR	227
29.4.1	FE actions of FE1	227
29.4.2	FE actions of FE3	228
30	Individual subscriber database recovery - stage 2 information flow sequences.....	229
30.1	General	229
30.2	Normal operation.....	229
30.2.1	HMM recovery	229
30.2.2	VMM recovery	232
30.3	Exceptional operation.....	235
30.3.1	Rejection of HMM recovery.....	235
30.3.2	Rejection of VMM recovery	236
30.4	FE actions	236
30.4.1	FE actions of FE1	236
30.4.2	FE actions of FE3	237
30.4.3	FE actions of FE4	237
31	Group attachment - stage 2 information flow sequences	238
31.1	Normal operation.....	238
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	238
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	239
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	241
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	241
31.2	Exceptional operation.....	244
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange	244
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	245
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange	246
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	247
31.3	FE actions	248
31.3.1	FE actions of FE2	248
31.3.2	FE actions of FE6	248
32	Normal operation for group detachment - stage 2 information flow sequences.....	249

32.1	Normal operation.....	249
32.1.1	Group visited SwMI MM initiated group detachment	249
32.1.2	Group home SwMI MM initiated group detachment.....	250
32.2	Exceptional operation.....	251
32.2.1	Rejection of group visited SwMI MM initiated group detachment	251
32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	252
32.3	FE actions	252
32.3.1	FE actions of FE2	252
32.3.2	FE actions of FE3	253
33	Group database recovery - stage 2 information flow sequences	254
33.1	Normal operation.....	254
33.1.1	G-HDR.....	254
33.1.2	G-VDR.....	256
33.2	Exceptional operation.....	258
33.2.1	Rejection of G-HDR	258
33.2.2	Rejection of G-VDR	259
33.3	FE actions	259
33.3.1	FE actions of FE2	259
33.3.2	FE actions of FE6	260
34	Group linking/unlinking - stage 2 information flow scenarios.....	260
34.1	Normal operation.....	260
34.2	Exceptional operation - group linking rejected by participating SwMI	260
34.3	FE actions	260
34.3.1	FE actions of FE5	260
34.3.2	FE actions of FE6	260
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	261
35.1	Normal operation.....	261
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	261
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	261
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	262
35.3	FE actions	263
35.3.1	FE actions of FE2	263
35.3.2	FE actions of FE5	264
36	Definition of stage 2 information flows	264
36.1	General	264
36.2	ATTACH LINKED GROUP	264
36.3	ATTACH LINKED GROUP REJECT	265
36.4	AUTHENTICATION DEMAND	265
36.5	AUTHENTICATION RESPONSE.....	265
36.6	AUTHENTICATION RESULT.....	266
36.7	AUTH REJECT.....	266
36.8	DE-REGISTRATION	266
36.9	DE-REG REJECT	267
36.10	DETACH LINKED GROUP	267
36.11	GROUP ATTACHMENT	267
36.12	GROUP ATT REJECT	268
36.13	GROUP DETACHMENT	268
36.14	GROUP DET REJECT	268
36.15	HMM RECOVERY	269
36.16	HMM RECOVERY COMPLETED.....	269
36.17	HMM RECOVERY REJECT	269
36.18	LINKING	270
36.19	LINKING COMMAND	270
36.20	LINKING REJECT	270
36.21	MIGRATION	270
36.22	MIGRATION REJECT	271
36.23	OTAR-KEY DEMAND	271
36.24	OTAR-KEY PROVIDE	271
36.25	OTAR-KEY REJECT	272

36.26	OTAR-KEY RESULT	272
36.27	OTAR-PARAM DEMAND	272
36.28	OTAR-PARAM PROVIDE	272
36.29	OTAR-PARAM REJECT	273
36.30	OTAR-PARAM RESULT	273
36.31	PROFILE REJECT	273
36.32	PROFILE UPDATE	274
36.33	REMOTE UNLINKING	274
36.34	REMOVE REJECT	274
36.35	REMOVE SUBS	275
36.36	SS-PROFILE REJECT	275
36.37	SS-PROFILE UPDATE	275
36.38	UNLINKING	276
36.39	UNLINKING REJECT	276
36.40	VMM RECOVERY	276
36.41	VMM RECOVERY COMPLETED	277
36.42	VMM RECOVERY REJECT	277
36.43	Profiles	277
36.43.1	Basic migration profiles	277
36.43.1.1	Group basic migration profile (original and temporary)	277
36.43.1.2	Individual basic migration profile	279
36.43.2	SS-migration profile (original and temporary)	280
37	ANF-ISIMM encoding requirements - stage 3	281
37.1	Introduction	281
37.2	ANF-ISIMM PDU description tables	281
37.2.1	General	281
37.2.2	ATTACH LINKED GROUP	282
37.2.3	ATTACH LINKED GROUP RESPONSE	282
37.2.4	ATTACH LINKED GROUP REJECT	283
37.2.5	AUTHENTICATION DEMAND	283
37.2.6	AUTHENTICATION RESPONSE	284
37.2.7	AUTHENTICATION RESULT	284
37.2.8	AUTH REJECT	285
37.2.9	DE-REGISTRATION	285
37.2.10	DE-REGISTRATION RESPONSE	286
37.2.11	DE-REG REJECT	286
37.2.12	DETACH LINKED GROUP	286
37.2.13	DETACH LINKED GROUP RESPONSE	287
37.2.14	GROUP ATTACHMENT	287
37.2.15	GROUP ATTACHMENT RESPONSE	288
37.2.16	GROUP ATT REJECT	289
37.2.17	GROUP DETACHMENT	290
37.2.18	GROUP DETACHMENT RESPONSE	290
37.2.19	GROUP DET REJECT	291
37.2.20	HMM RECOVERY	291
37.2.21	HMM RECOVERY COMPLETED	292
37.2.22	HMM RECOVERY REJECT	292
37.2.23	HMM RECOVERY RESPONSE	292
37.2.24	LINKING	293
37.2.25	LINKING COMMAND	293
37.2.26	LINKING COMMAND RESPONSE	293
37.2.27	LINKING REJECT	293
37.2.28	LINKING RESPONSE	293
37.2.29	MIGRATION	294
37.2.30	MIGRATION REJECT	294
37.2.31	MIGRATION REJECT RESPONSE	295
37.2.32	MIGRATION RESPONSE	295
37.2.33	OTAR-KEY DEMAND	296
37.2.34	OTAR-KEY PROVIDE	296
37.2.35	OTAR-KEY REJECT	297
37.2.36	OTAR-KEY RESULT	297

37.2.37	OTAR-PARAM DEMAND	297
37.2.38	OTAR-PARAM PROVIDE.....	298
37.2.39	OTAR-PARAM REJECT.....	298
37.2.40	OTAR-PARAM RESULT.....	299
37.2.41	PROFILE REJECT.....	299
37.2.42	PROFILE UPDATE.....	300
37.2.43	PROFILE UPDATE RESPONSE.....	300
37.2.44	REMOTE UNLINKING.....	301
37.2.45	REMOVE REJECT.....	301
37.2.46	REMOVE SUBS.....	301
37.2.47	REMOVE SUBS RESPONSE.....	302
37.2.48	SS-PROFILE REJECT.....	302
37.2.49	SS-PROFILE UPDATE.....	303
37.2.50	SS-PROFILE UPDATE RESPONSE.....	303
37.2.51	UNLINKING.....	304
37.2.52	UNLINKING REJECT.....	304
37.2.53	UNLINKING RESPONSE.....	304
37.2.54	VMM RECOVERY.....	304
37.2.55	VMM RECOVERY COMPLETED.....	305
37.2.56	VMM RECOVERY REJECT.....	305
37.2.57	VMM RECOVERY RESPONSE.....	305
37.3	PDU information element encoding.....	306
37.3.1	Advanced link.....	306
37.3.2	Age stamp.....	306
37.3.3	AI encryption state list.....	307
37.3.4	ANF-ISIMM invoke id.....	308
37.3.5	Attach linked group rejection cause.....	308
37.3.6	Authentication invocation.....	308
37.3.7	Authentication rejection cause.....	309
37.3.8	Authentication service.....	309
37.3.9	Authentication type.....	310
37.3.10	Basic migration profile info.....	310
37.3.11	Call restoration support.....	310
37.3.12	Call time-out set-up phase timer (T301).....	311
37.3.13	Call time-out timer (T310).....	311
37.3.14	Circuit mode protected (high) data service.....	312
37.3.15	Circuit mode protected (low) data service.....	312
37.3.16	Circuit mode unprotected speech + data service.....	313
37.3.17	Default SS-information.....	313
37.3.18	De-registration rejection cause.....	314
37.3.19	De-registration type.....	314
37.3.20	Duplex service.....	314
37.3.21	End-to-end encryption service.....	315
37.3.22	First/Subsequent Group attachment.....	315
37.3.23	Following conditional element(s) present.....	315
37.3.24	Forced removal.....	316
37.3.26	Group attachment/detachment.....	316
37.3.26	Group attachment rejection cause.....	316
37.3.27	Group basic migration profile (original and temporary).....	317
37.3.28	Group detachment rejection cause.....	318
37.3.29	Group information.....	318
37.3.30	Group information in subscriber profile.....	318
37.3.31	Group priority.....	319
37.3.32	GSSI.....	319
37.3.33	Home/Visited SwMI MM initiated.....	319
37.3.34	Individual basic migration profile (original and temporary).....	320
37.3.35	Interleaving depth.....	321
37.3.36	IP service.....	322
37.3.37	ISSI.....	322
37.3.38	Last group detachment.....	322
37.3.39	Linking rejection cause.....	322
37.3.40	Maximum number of timeslots.....	323

37.3.41	Migration rejection cause.....	323
37.3.42	Migration type	324
37.3.43	MNI	324
37.3.44	Not supported SS	324
37.3.45	Number of not supported SSs	324
37.3.46	Number of SS-information	324
37.3.47	Original/Subsequent use of param	325
37.3.48	OTAR SCK delivery service	325
37.3.49	OTAR SCK generation service.....	325
37.3.50	OTAR SCK key rejection cause	326
37.3.51	OTAR SCK param rejection cause	326
37.3.52	Other linked group.....	327
37.3.53	PDU type	327
37.3.54	Pre-defined profile set reference(s).....	328
37.3.55	Profile exchange support	329
37.3.56	Profile rejection cause.....	329
37.3.57	Profile type.....	329
37.3.58	Point-to-multipoint acknowledged service	329
37.3.59	Point-to-multipoint broadcast service	330
37.3.60	Point-to-multipoint service	330
37.3.61	Point-to-point service.....	331
37.3.62	Profile status	331
37.3.63	Proprietary	332
37.3.64	Recovery.....	332
37.3.65	Recovery rejection cause	332
37.3.66	Recovery type	332
37.3.67	Restricted migration support.....	333
37.3.68	RSI rejection cause	333
37.3.69	SDS profile	333
37.3.70	Speech service	334
37.3.71	SS-information.....	334
37.3.72	SS-information response.....	334
37.3.73	SS-migration profile (original)	334
37.3.74	SS-migration profile response (temporary).....	335
37.3.75	SS-profile response status	335
37.3.76	SS-profile update indicator	336
37.3.77	SS-response status	336
37.3.78	SS-status	336
37.3.79	SS-type.....	336
37.3.80	Subscriber information	337
37.3.81	Subscriber information in group profile.....	337
37.3.82	Subscriber status	337
37.3.83	Type 3 element identifier	337
37.3.84	Unlinking rejection cause	338
37.3.85	Validity time	338
37.3.86	Validity time type	338
38	ANF-ISIMM procedures - stage 3.....	339
38.1	General	339
38.2	Generic procedures.....	339
38.2.1	General.....	339
38.2.2	Invoking SwMI.....	339
38.2.3	Receiving SwMI	339
38.2.4	Clearing of ISI GFP transport connection.....	339
38.2.5	Convert primitive to PDU.....	339
38.2.6	Convert PDU to primitive.....	339
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs.....	340
38.3	SDL descriptions	341
38.4	Migration.....	341
38.4.1	General.....	341
38.4.2	Individual subscriber visited SwMI ANF-ISIMM	341
38.4.3	Individual subscriber home SwMI ANF-ISIMM.....	342