



LTE;  
**Mission Critical Push To Talk (MCPTT) call control;**  
**Protocol specification**  
**(3GPP TS 24.379 version 13.10.0 Release 13)**

iTeh Standard Preview  
(Standard Preview)  
Full Standard  
<https://standards.iteh.ai/catalog/etsi-ts-124-379-v13.10.0-2018-10-4d95-aecd-b5ba0acd69fb>



---

Reference

RTS/TSGC-0124379vda0

---

Keywords

LTE

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.  
**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under  
<http://webapp.etsi.org/key/queryform.asp>.

---

## Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	20
1    Scope .....	21
2    References .....	21
3    Definitions, symbols and abbreviations .....	24
3.1    Definitions .....	24
3.2    Abbreviations .....	25
4    General .....	26
4.1    MCPTT overview.....	26
4.2    URI and address assignments.....	27
4.3    MCPTT speech.....	27
4.4    Warning Header Field .....	27
4.4.1    General.....	27
4.4.2    Warning texts.....	28
4.5    MCPTT session identity .....	31
4.6    MCPTT priority calls and alerts .....	32
4.6.1    MCPTT emergency group calls .....	32
4.6.2    MCPTT emergency private calls .....	33
4.6.3    MCPTT emergency alerts .....	34
4.6.4    MCPTT imminent peril group call .....	35
4.7    End-to-end communication security.....	36
4.8    Protection of sensitive application data.....	37
4.9    Pre-established session .....	40
4.10    MCPTT client ID .....	41
4.11    Off-network MCPTT.....	41
5    Functional entities .....	41
5.1    Introduction .....	41
5.2    MCPTT client.....	42
5.3    MCPTT server.....	43
5.3.1    General.....	43
5.3.2    Functional connectivity models .....	44
6    Common procedures.....	46
6.1    Introduction .....	46
6.2    MCPTT client procedures .....	46
6.2.0.1    Distinction of requests at the MCPTT client .....	46
6.2.0.1.1    SIP MESSAGE request.....	46
6.2.1    SDP offer generation .....	46
6.2.2    SDP answer generation .....	47
6.2.3    Commencement modes.....	47
6.2.3.1    Automatic commencement mode .....	47
6.2.3.1.1    Automatic commencement mode for private calls .....	47
6.2.3.1.2    Automatic commencement mode for group calls .....	48
6.2.3.2    Manual commencement mode .....	48
6.2.3.2.1    Manual commencement mode for private calls .....	48
6.2.3.2.2    Manual commencement mode for group calls .....	48
6.2.4    Leaving an MCPTT session initiated by MCPTT client .....	49
6.2.4.1    On-demand session case .....	49
6.2.4.2    Pre-established session case .....	49
6.2.5    Releasing an MCPTT session initiated by MCPTT client .....	50
6.2.5.1    On-demand session case .....	50
6.2.5.2    Pre-established session case .....	50

6.2.6	Receiving an MCPTT session release request .....	50
6.2.7	Receiving a SIP MESSAGE request.....	51
6.2.8	Priority call conditions.....	51
6.2.8.1	MCPTT emergency group call conditions .....	51
6.2.8.1.1	SIP INVITE request or SIP REFER request for originating MCPTT emergency group calls .....	51
6.2.8.1.2	Resource-Priority header field for MCPTT emergency group calls .....	52
6.2.8.1.3	SIP re-INVITE request for cancelling MCPTT in-progress emergency group state .....	52
6.2.8.1.4	Receiving a SIP 2xx response to a SIP request for a priority call .....	53
6.2.8.1.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for a priority group call .....	54
6.2.8.1.6	Determining authorisation for initiating or cancelling an MCPTT emergency alert .....	54
6.2.8.1.7	Determining authorisation for cancelling the in-progress emergency state of an MCPTT group.....	55
6.2.8.1.8	Determining authorisation for originating a priority group call .....	55
6.2.8.1.9	SIP request for originating MCPTT imminent peril group calls .....	56
6.2.8.1.10	Determining authorisation for cancelling an imminent peril group call .....	56
6.2.8.1.11	SIP re-INVITE request for cancelling MCPTT in-progress imminent peril group state .....	56
6.2.8.1.12	Resource-Priority header field for MCPTT imminent peril group calls .....	57
6.2.8.1.13	Receiving a SIP INFO request in the dialog of a SIP request for a priority group call .....	57
6.2.8.1.14	SIP re-INVITE request for cancelling the in-progress emergency group state of a group by a third-party .....	58
6.2.8.1.15	Retrieving Resource-Priority header field values .....	58
6.2.8.1.16	Handling receipt of a SIP re-INVITE request for priority group call origination status within a pre-established session.....	59
6.2.8.1.17	Priority group call conditions upon receiving call release.....	60
6.2.8.1.18	Emergency private call conditions upon receiving call release.....	60
6.2.8.2	Request for an originating broadcast group call.....	60
6.2.8.3	MCPTT emergency private call conditions.....	61
6.2.8.3.1	Authorisations .....	61
6.2.8.3.1.1	Determining authorisation for initiating an MCPTT emergency private call .....	61
6.2.8.3.1.2	Determining authorisation for cancelling an MCPTT emergency private call .....	61
6.2.8.3.1.3	Determining authorisation for initiating or cancelling an MCPTT emergency alert to a MCPTT user .....	61
6.2.8.3.2	SIP request for originating MCPTT emergency private calls.....	62
6.2.8.3.3	Resource-Priority header field for MCPTT emergency private calls .....	62
6.2.8.3.4	Receiving a SIP 2xx response to a SIP request for an MCPTT emergency private call.....	62
6.2.8.3.5	Receiving a SIP 4xx response, SIP 5xx response or SIP 6xx response to a SIP request for an MCPTT emergency private call.....	63
6.2.8.3.6	SIP re-INVITE request for cancelling MCPTT emergency private call state.....	63
6.2.8.3.7	Receiving a SIP INFO request in the dialog of a SIP request for a priority private call.....	64
6.2.8.3.8	SIP re-INVITE request for cancelling the MCPTT emergency private call state by a third-party .....	64
6.2.9	Location information .....	65
6.2.9.1	Location information for location reporting.....	65
6.3	MCPTT server procedures .....	66
6.3.1	Distinction of requests sent to the MCPTT server .....	66
6.3.1.1	SIP INVITE request .....	66
6.3.1.2	SIP REFER request .....	66
6.3.1.3	SIP MESSAGE request.....	67
6.3.1.4	SIP SUBSCRIBE request.....	67
6.3.2	Participating MCPTT Function.....	68
6.3.2.1	Requests initiated by the served MCPTT user .....	68
6.3.2.1.1	SDP offer generation .....	68
6.3.2.1.1.1	On-demand session .....	68
6.3.2.1.1.2	Pre-established session.....	68
6.3.2.1.2	SDP answer generation.....	69
6.3.2.1.2.1	On-demand session .....	69
6.3.2.1.2.2	Pre-established session establishment.....	69
6.3.2.1.3	Sending an INVITE request on receipt of an INVITE request .....	69
6.3.2.1.4	Sending an INVITE request on receipt of a REFER request .....	70
6.3.2.1.5	Response to an INVITE request .....	71
6.3.2.1.5.1	Provisional responses.....	71

6.3.2.1.5.2	Final response .....	71
6.3.2.1.6	Sending a SIP BYE request on receipt of a SIP BYE request .....	71
6.3.2.1.7	Sending a SIP BYE request on receipt of a SIP REFER request.....	72
6.3.2.1.8	Priority call conditions .....	72
6.3.2.1.8.1	Determining authorisation for originating a priority group call.....	72
6.3.2.1.8.2	Determining authorisation for initiating or cancelling an MCPTT emergency alert.....	73
6.3.2.1.8.3	Validate priority request parameters .....	74
6.3.2.1.8.4	Retrieving Resource-Priority header field values .....	74
6.3.2.1.8.5	Generating a SIP re-INVITE request for priority group call origination within a pre-established session .....	74
6.3.2.1.8.6	Generating a SIP re-INVITE request for emergency private call origination within a pre-established session .....	75
6.3.2.1.9	Generating a SIP re-INVITE request on receipt of a SIP re-INVITE request .....	76
6.3.2.1.10	Sending a SIP INVITE request on receipt of SIP 3xx response .....	76
6.3.2.2	Requests terminated to the served MCPTT user .....	77
6.3.2.2.1	SDP offer generation .....	77
6.3.2.2.2	SDP answer generation.....	77
6.3.2.2.2.1	On-demand session .....	77
6.3.2.2.2.2	Pre-established session.....	77
6.3.2.2.3	SIP INVITE request towards the terminating MCPTT client.....	78
6.3.2.2.4	Response to a SIP INVITE request .....	78
6.3.2.2.4.1	Provisional response .....	78
6.3.2.2.4.2	Final response .....	78
6.3.2.2.5	Automatic Commencement Mode.....	79
6.3.2.2.5.1	General.....	79
6.3.2.2.5.2	Automatic commencement for On-Demand session.....	79
6.3.2.2.5.3	Automatic commencement for pre-established session.....	81
6.3.2.2.6	Manual Commencement Mode .....	82
6.3.2.2.6.1	General.....	82
6.3.2.2.6.2	Manual commencement for On-Demand session .....	82
6.3.2.2.6.3	Manual commencement for Pre-established session.....	83
6.3.2.2.7	SIP MESSAGE request towards the terminating MCPTT client .....	85
6.3.2.2.8	SIP BYE request towards the terminating MCPTT client .....	85
6.3.2.2.8.1	On-demand.....	85
6.3.2.2.8.2	Using pre-established session .....	86
6.3.2.2.9	Populate MIME bodies.....	86
6.3.2.2.10	Generating a SIP re-INVITE request towards the terminating MCPTT client .....	86
6.3.2.2.11	Generating a SIP MESSAGE request towards the terminating MCPTT client .....	86
6.3.2.3	Processing I_MESSAGES containing MKFC and MKFC-ID .....	87
6.3.2.3.1	General .....	87
6.3.2.3.2	Processing an I_MESSAGE containing MKFC and MKFC-ID.....	87
6.3.3	Controlling MCPTT function .....	87
6.3.3.1	Request initiated by the controlling MCPTT function .....	87
6.3.3.1.1	SDP offer generation .....	87
6.3.3.1.2	Sending an INVITE request .....	88
6.3.3.1.3	Receipt of a SIP response to a SIP INVITE request.....	88
6.3.3.1.3.1	Final response .....	88
6.3.3.1.4	Sending a SIP MESSAGE request .....	89
6.3.3.1.5	Sending a SIP BYE request .....	89
6.3.3.1.6	Sending a SIP re-INVITE request for MCPTT emergency group call .....	89
6.3.3.1.7	Sending a SIP INVITE request for MCPTT emergency group call .....	90
6.3.3.1.8	Sending a SIP UPDATE request for Resource-Priority header field correction.....	91
6.3.3.1.9	Generating a SIP re-INVITE request.....	92
6.3.3.1.10	Generating a SIP re-INVITE request to cancel an in-progress emergency .....	92
6.3.3.1.11	Generating a SIP MESSAGE request for notification of in-progress emergency or imminent peril status change .....	93
6.3.3.1.12	Populate mcptt-info and location-info MIME bodies for emergency alert.....	93
6.3.3.1.13	Authorisations .....	94
6.3.3.1.13.1	Determining authorisation for initiating an MCPTT emergency alert .....	94
6.3.3.1.13.2	Determining authorisation for initiating an MCPTT emergency group or private call.....	94
6.3.3.1.13.3	Determining authorisation for cancelling an MCPTT emergency alert .....	95
6.3.3.1.13.4	Determining authorisation for cancelling an MCPTT emergency call .....	96

6.3.3.1.13.5	Determining authorisation for initiating an MCPTT imminent peril call .....	96
6.3.3.1.13.6	Determining authorisation for cancelling an MCPTT imminent peril call .....	97
6.3.3.1.13.7	Sending a SIP OPTIONS request to authorise an MCPTT user at a non-controlling MCPTT function of a MCPTT group .....	97
6.3.3.1.14	Generating a SIP 403 response for priority call request rejection .....	99
6.3.3.1.15	Sending a SIP re-INVITE request for MCPTT imminent peril group call .....	99
6.3.3.1.16	Handling the expiry of timer TNG2 (in-progress emergency group call timer) .....	99
6.3.3.1.17	Validate priority request parameters.....	100
6.3.3.1.18	Sending a SIP INFO request in the dialog of a SIP request for a priority call.....	100
6.3.3.1.19	Retrieving Resource-Priority header field values.....	101
6.3.3.1.20	Generating a SIP MESSAGE request to indicate successful receipt of an emergency alert or emergency cancellation .....	101
6.3.3.2	Requests terminated by the controlling MCPTT function.....	102
6.3.3.2.1	SDP answer generation.....	102
6.3.3.2.2	Receipt of a SIP INVITE request .....	102
6.3.3.2.3	Sending a SIP response to a SIP INVITE request .....	102
6.3.3.2.3.1	Provisional response .....	102
6.3.3.2.3.2	Final response .....	103
6.3.3.2.4	Receiving a SIP BYE request.....	103
6.3.3.3	Handling of the acknowledged call setup timer (TNG1) .....	104
6.3.3.4	Generating a SIP NOTIFY request .....	106
6.3.3.5	Handling of the group call timer (TNG3) .....	107
6.3.3.5.1	General .....	107
6.3.3.5.2	Interaction with the in-progress emergency group call timer (TNG2) .....	107
6.3.3.6	Generation of I_MESSAGEs containing MKFC and MKFC-ID.....	108
6.3.3.6.1	General .....	108
6.3.3.6.2	Creation of an I_MESSAGE containing MKFC .....	108
6.3.4	Non-controlling MCPTT function of an MCPTT group.....	109
6.3.4.1	Request initiated by the non-controlling MCPTT function of an MCPTT group .....	109
6.3.4.1.1	SDP offer generation .....	109
6.3.4.1.2	Sending an INVITE request towards the MCPTT client .....	109
6.3.4.1.3	Sending a SIP INFO request.....	110
6.3.4.1.4	Sending an INVITE request towards the controlling MCPTT function .....	111
6.3.4.2	Requests terminated by the non-controlling MCPTT function of an MCPTT group.....	111
6.3.4.2.1	SDP answer generation.....	111
6.3.4.2.2	Sending a SIP response to the SIP INVITE request .....	112
6.3.4.2.2.1	Sending a SIP 183 (Session Progress) response.....	112
6.3.4.2.2.2	Sending a SIP 200 (OK) response.....	112
6.3.4.3	Generating a SIP NOTIFY request .....	112
6.3.4.4	Generating an I_MESSAGE containing MKFC .....	113
6.3.4.4.1	General .....	113
6.3.4.4.2	Creation of an I_MESSAGE containing MKFC .....	113
6.3.5	Retrieving and processing a group document .....	114
6.3.5.1	General .....	114
6.3.5.2	Rules for retrieving Group Document(s).....	114
6.3.5.3	Rules for joining a group session .....	118
6.3.5.4	Rules for initiating a prearranged group session .....	118
6.3.5.5	Determining the group members to invite.....	118
6.3.6	Affiliation check .....	119
6.3.7	Error handling .....	119
6.3.7.1	Public service identity does not exist .....	119
6.3.8	Session release policy .....	119
6.3.8.1	Session release policy for group call.....	119
6.3.8.2	Session release policy for private call .....	120
6.4	Implicit floor request .....	120
6.5	Handling of MIME bodies in a SIP message.....	121
6.6	Confidentiality and Integrity Protection .....	121
6.6.1	General.....	121
6.6.1.1	Applicability and exclusions .....	121
6.6.1.2	Performing XML content encryption .....	121
6.6.1.3	Performing integrity protection on an XML body .....	122
6.6.1.4	Verifying integrity of an XML body and decrypting XML elements .....	122

6.6.2	Confidentiality Protection.....	122
6.6.2.1	General .....	122
6.6.2.2	Keys used in confidentiality protection procedures .....	122
6.6.2.3	Procedures for sending confidentiality protected content .....	123
6.6.2.3.1	MCPTT client.....	123
6.6.2.3.2	MCPTT server.....	123
6.6.2.3.3	Content Encryption in XML elements.....	123
6.6.2.3.4	Attribute URI Encryption .....	124
6.6.2.4	Procedures for receiving confidentiality protected content .....	124
6.6.2.4.1	Determination of confidentiality protected content .....	124
6.6.2.4.2	Decrypting confidentiality protected content in XML elements .....	124
6.6.2.4.3	Decrypting confidentiality protected URIs in XML attributes .....	125
6.6.2.5	MCPTT server copying received XML content.....	125
6.6.3	Integrity Protection of XML documents.....	126
6.6.3.1	General .....	126
6.6.3.2	Keys used in integrity protection procedures .....	128
6.6.3.3	Sending integrity protected content.....	129
6.6.3.3.1	MCPTT client.....	129
6.6.3.3.2	MCPTT server.....	129
6.6.3.3.3	Integrity protection procedure .....	129
6.6.3.4	Receiving integrity protected content.....	130
6.6.3.4.1	Determination of integrity protected content.....	130
6.6.3.4.2	Verification of integrity protected content.....	130
6.7	Priority sharing.....	130
7	Registration and service authorisation .....	130
7.1	General .....	130
7.2	MCPTT client procedures .....	130
7.2.1	SIP REGISTER request for service authorisation .....	130
7.2.1AA	SIP REGISTER request without service authorisation.....	132
7.2.1A	Common SIP PUBLISH procedure .....	132
7.2.2	SIP PUBLISH request for service authorisation and MCPTT service settings.....	132
7.2.3	Sending SIP PUBLISH for MCPTT service settings only.....	133
7.3	MCPTT server procedures .....	134
7.3.1	General.....	134
7.3.1A	Confidentiality and Integrity Protection .....	134
7.3.2	SIP REGISTER request for service authorisation .....	136
7.3.3	SIP PUBLISH request for service authorisation and service settings.....	136
7.3.4	Receiving SIP PUBLISH request for MCPTT service settings only .....	137
7.3.5	Receiving SIP PUBLISH request with "Expires=0" .....	138
8	Pre-established session .....	138
8.1	General .....	138
8.1A	Participating MCPTT function use of resource sharing .....	139
8.2	Session establishment.....	139
8.2.1	MCPTT client procedures.....	139
8.2.2	Participating MCPTT function procedures .....	140
8.3	Session modification .....	141
8.3.1	MCPTT client procedures.....	141
8.3.1.1	MCPTT client initiated .....	141
8.3.1.2	Participating MCPTT function initiated.....	141
8.3.2	Participating MCPTT function procedures .....	142
8.3.2.1	MCPTT client initiated .....	142
8.3.2.2	Participating MCPTT function initiated.....	142
8.4	Session release.....	142
8.4.1	MCPTT client procedures.....	142
8.4.1.1	MCPTT client initiated .....	142
8.4.1.2	Participating MCPTT function initiated.....	143
8.4.2	Participating MCPTT function procedures .....	143
8.4.2.1	MCPTT client initiated .....	143
8.4.2.2	Participating MCPTT function initiated.....	143
9	Affiliation .....	144

9.1	General .....	144
9.2	Procedures .....	145
9.2.1	MCPTT client procedures.....	145
9.2.1.1	General.....	145
9.2.1.2	Affiliation status change procedure.....	145
9.2.1.3	Affiliation status determination procedure.....	146
9.2.1.4	Procedure for sending affiliation status change request in negotiated mode to target MCPTT user.....	147
9.2.1.5	Procedure for receiving affiliation status change request in negotiated mode from authorized MCPTT user.....	147
9.2.2	MCPTT server procedures.....	148
9.2.2.1	General.....	148
9.2.2.2	Procedures of MCPTT server serving the MCPTT user .....	148
9.2.2.2.1	General .....	148
9.2.2.2.2	Stored information.....	148
9.2.2.2.3	Receiving affiliation status change from MCPTT client procedure .....	149
9.2.2.2.4	Receiving subscription to affiliation status procedure .....	152
9.2.2.2.5	Sending notification of change of affiliation status procedure .....	152
9.2.2.2.6	Sending affiliation status change towards MCPTT server owning MCPTT group procedure .....	153
9.2.2.2.7	Affiliation status determination from MCPTT server owning MCPTT group procedure .....	154
9.2.2.2.8	Procedure for authorizing affiliation status change request in negotiated mode sent to served MCPTT user .....	157
9.2.2.2.9	Forwarding affiliation status change towards another MCPTT user procedure .....	157
9.2.2.2.10	Forwarding subscription to affiliation status towards another MCPTT user procedure .....	158
9.2.2.2.11	Affiliation status determination .....	159
9.2.2.2.12	Affiliation status change by implicit affiliation .....	159
9.2.2.2.13	Implicit affiliation status change completion.....	161
9.2.2.2.14	Implicit affiliation status change cancellation .....	161
9.2.2.2.15	Implicit affiliation to configured groups procedure.....	161
9.2.2.3	Procedures of MCPTT server owning the MCPTT group .....	163
9.2.2.3.1	General .....	163
9.2.2.3.2	Stored information.....	163
9.2.2.3.3	Receiving group affiliation status change procedure .....	163
9.2.2.3.4	Receiving subscription to affiliation status procedure .....	165
9.2.2.3.5	Sending notification of change of affiliation status procedure .....	166
9.2.2.3.6	Implicit affiliation eligiblty check procedure .....	166
9.2.2.3.7	Affiliation status change by implicit affiliation procedure .....	167
9.3	Coding .....	167
9.3.1	Extension of application/pidf+xml MIME type .....	167
9.3.1.1	Introduction .....	167
9.3.1.2	Syntax .....	168
9.3.2	Extension of application/simple-filter+xml MIME type .....	169
9.3.2.1	Introduction .....	169
9.3.2.2	Syntax .....	169
10	Group call.....	170
10.0	General .....	170
10.1	On-network group call.....	171
10.1.1	Prearranged group call .....	171
10.1.1.1	General .....	171
10.1.1.2	MCPTT client procedures .....	171
10.1.1.2.1	On-demand prearranged group call .....	171
10.1.1.2.1.1	Client originating procedures.....	171
10.1.1.2.1.2	Client terminating procedures .....	172
10.1.1.2.1.3	MCPTT upgrade to in-progress emergency or imminent peril .....	174
10.1.1.2.1.4	MCPTT in-progress emergency cancel.....	175
10.1.1.2.1.5	MCPTT in-progress imminent peril cancel.....	176
10.1.1.2.1.6	MCPTT client receives SIP re-INVITE request .....	177
10.1.1.2.2	Prearranged group call using pre-established session.....	179
10.1.1.2.2.1	Client originating procedures.....	179
10.1.1.2.2.2	Client terminating procedures .....	179
10.1.1.2.3	End group call .....	179
10.1.1.2.3.1	Client originating procedures on-demand .....	179

10.1.1.2.3.2	Client originating procedures using pre-established session.....	179
10.1.1.2.3.3	Client terminating procedures.....	179
10.1.1.2.4	Re-join procedure .....	180
10.1.1.2.4.1	On demand session establishment.....	180
10.1.1.2.4.2	Pre-established session.....	180
10.1.1.3	Participating MCPTT function procedures .....	180
10.1.1.3.1	Originating procedures .....	180
10.1.1.3.1.1	On demand prearranged group call.....	180
10.1.1.3.1.2	Prearranged group call using pre-established session .....	183
10.1.1.3.1.3	Reception of a SIP re-INVITE request from served MCPTT client .....	186
10.1.1.3.2	Terminating Procedures.....	187
10.1.1.3.3	End group call at the originating participating MCPTT function .....	188
10.1.1.3.3.1	Receipt of SIP BYE request for ending group call on-demand .....	188
10.1.1.3.3.2	Receipt of SIP REFER "BYE" request for ending group call using pre-established session.....	188
10.1.1.3.4	End group call at the terminating participating MCPTT function .....	188
10.1.1.3.4.1	Receipt of SIP BYE request for private call on-demand .....	188
10.1.1.3.4.2	Receipt of SIP BYE request when ongoing pre-established session.....	188
10.1.1.3.5	Re-join procedures.....	188
10.1.1.3.5.1	Originating procedures - on demand prearranged group call.....	188
10.1.1.3.5.2	Originating procedures - prearranged group call using pre-established session .....	188
10.1.1.3.6	Reception of a SIP re-INVITE request for terminating MCPTT client for priority call.....	188
10.1.1.4	Controlling MCPTT function procedures .....	189
10.1.1.4.1	Originating Procedures .....	189
10.1.1.4.1.1	INVITE targeted to an MCPTT client .....	189
10.1.1.4.1.2	INVITE targeted to the non-controlling MCPTT function of an MCPTT group.....	191
10.1.1.4.2	Terminating Procedures.....	192
10.1.1.4.3	End group call at the terminating controlling MCPTT function.....	200
10.1.1.4.4	End group call initiated by the controlling MCPTT function .....	200
10.1.1.4.4.1	General.....	200
10.1.1.4.4.2	SIP BYE request for releasing MCPTT session for a group call .....	200
10.1.1.4.4.3	SIP BYE request toward a MCPTT client .....	200
10.1.1.4.5	Re-join procedures.....	201
10.1.1.4.5.1	Terminating procedures .....	201
10.1.1.4.6	Late call entry initiated by controlling MCPTT function .....	202
10.1.1.4.7	Receipt of a SIP re-INVITE request.....	202
10.1.1.4.8	Handling of a SIP re-INVITE request for imminent peril session.....	205
10.1.1.5	Non-controlling function of an MCPTT group procedures .....	207
10.1.1.5.1	Originating procedures.....	207
10.1.1.5.2	Terminating procedures.....	208
10.1.1.5.2.1	General.....	208
10.1.1.5.2.2	Initiating a prearranged group call .....	208
10.1.1.5.2.3	Joining an ongoing prearranged group call.....	210
10.1.1.5.2.4	Splitting an ongoing prearranged group call.....	211
10.1.1.5.3	Rejoin procedures .....	211
10.1.1.5.3.1	Terminating procedures .....	211
10.1.1.5.3.2	Late call entry initiated by non-controlling MCPTT function .....	211
10.1.1.5.4	SIP OPTIONS request authorization procedure .....	212
10.1.1.5.5	Initiating a temporary group session.....	212
10.1.2	Chat group (restricted) call .....	214
10.1.2.1	General.....	214
10.1.2.2	MCPTT client procedures .....	214
10.1.2.2.1	On-demand chat group call.....	214
10.1.2.2.1.1	MCPTT client joins a chat MCPTT group session .....	214
10.1.2.2.1.2	MCPTT client receives SIP re-INVITE request .....	215
10.1.2.2.1.3	MCPTT in-progress emergency cancel.....	217
10.1.2.2.1.4	MCPTT upgrade to in-progress emergency or imminent peril .....	218
10.1.2.2.1.5	MCPTT in-progress imminent peril cancel.....	219
10.1.2.2.1.6	MCPTT client receives a SIP INVITE request for an MCPTT group call.....	220
10.1.2.2.2	Chat group call within a pre-established session .....	222
10.1.2.2.2.1	MCPTT client joins a chat MCPTT group session .....	222
10.1.2.2.3	End chat session .....	223
10.1.2.2.3.1	Client originating procedures on-demand .....	223

10.1.2.2.3.2	Client originating procedures using pre-established session.....	224
10.1.2.2.3.3	Client terminating procedures.....	224
10.1.2.3	Participating MCPTT function procedures .....	224
10.1.2.3.1	On-demand chat group call.....	224
10.1.2.3.1.1	MCPTT chat session establishment .....	224
10.1.2.3.1.2	Reception of a SIP re-INVITE request from served MCPTT client .....	226
10.1.2.3.1.3	Reception of a SIP INVITE request for terminating MCPTT client.....	227
10.1.2.3.1.4	Reception of a SIP re-INVITE request for terminating MCPTT client .....	228
10.1.2.3.2	Chat group call within a pre-established session .....	229
10.1.2.3.2.1	MCPTT chat session establishment .....	229
10.1.2.3.2.2	MCPTT chat session establishment for terminating user within a pre-established session .....	232
10.1.2.3.3	End group call at the originating participating MCPTT function .....	232
10.1.2.3.3.1	Receipt of SIP BYE request for ending on-demand chat session .....	232
10.1.2.3.3.2	Receipt of SIP REFER "BYE" request for ending chat session using pre-established session.....	232
10.1.2.3.4	End group call at the terminating participating MCPTT function .....	233
10.1.2.3.4.1	Receipt of SIP BYE request for on-demand chat session .....	233
10.1.2.3.4.2	Receipt of SIP BYE request for ongoing pre-established session.....	233
10.1.2.4	Controlling MCPTT function procedures .....	233
10.1.2.4.1	On-demand chat group call.....	233
10.1.2.4.1.1	MCPTT chat session establishment .....	233
10.1.2.4.1.2	Receipt of a SIP re-INVITE request .....	237
10.1.2.4.1.3	Handling of a SIP re-INVITE request for imminent peril session .....	241
10.1.2.4.2	End group call at the terminating controlling MCPTT function.....	243
10.1.2.4.3	End group call initiated by the controlling MCPTT function.....	243
10.1.2.4.3.1	General.....	243
10.1.2.4.3.2	SIP BYE request for releasing MCPTT session for a group call .....	243
10.1.2.4.3.3	SIP BYE request toward a MCPTT client .....	243
10.1.2.5	Non-controlling function of an MCPTT group procedures.....	243
10.1.2.5.1	Terminating procedures.....	243
10.1.2.5.1.1	General.....	243
10.1.2.5.1.2	Initiating a chat group session.....	243
10.1.2.5.1.3	Joining an ongoing chat group call .....	244
10.1.2.5.1.4	Splitting an ongoing chat group call .....	245
10.1.2.5.1.5	MCPTT client joining the temporary group chat session.....	245
10.1.2.5.1.6	Receipt of a SIP re-INVITE request from an MCPTT client.....	245
10.1.2.5.1.7	SIP OPTIONS request authorization procedure .....	246
10.1.2.5.1.8	Initiating a temporary group session .....	246
10.1.3	Subscription to the conference event package .....	247
10.1.3.1	General.....	247
10.1.3.2	MCPTT client .....	247
10.1.3.3	Participating MCPTT function.....	248
10.1.3.4	Controlling MCPTT function.....	249
10.1.3.4.1	Receiving a subscription to the conference event package.....	249
10.1.3.4.2	Sending notifications to the conference event package .....	250
10.1.3.4.3	Sending subscriptions to the conference event package .....	250
10.1.3.4.4	Terminating a subscription .....	251
10.1.3.5	Non-controlling MCPTT function .....	251
10.1.3.5.1	Receiving subscriptions to the conference event package .....	251
10.1.3.5.2	Sending notifications to the conference event package .....	252
10.1.3.5.3	Sending a subscription to the conference event package .....	252
10.1.3.5.4	Terminating a subscription .....	253
10.2	Off-network group call .....	254
10.2.1	General.....	254
10.2.1.1	Common Procedures .....	254
10.2.1.1.1	MONP message transport.....	254
10.2.1.1.2	Session description .....	254
10.2.2	Basic call control .....	255
10.2.2.1	General .....	255
10.2.2.2	Basic call control state machine .....	255
10.2.2.3	Call Control states .....	256
10.2.2.3.1	S1: start-stop.....	256

10.2.2.3.2	S2: waiting for call announcement .....	256
10.2.2.3.3	S3: part of ongoing call .....	256
10.2.2.3.4	S4: pending user action without confirm indication .....	256
10.2.2.3.5	S5: pending user action with confirm indication .....	256
10.2.2.3.6	S6: ignoring incoming call announcements .....	256
10.2.2.3.7	S7: waiting for call announcement after call release .....	256
10.2.2.4	Procedures .....	256
10.2.2.4.1	General .....	256
10.2.2.4.1.1	Call announcement timer calculation .....	256
10.2.2.4.1.1.1	Periodic call announcement timer calculation .....	256
10.2.2.4.1.1.2	Call announcement timer calculation after CALL PROBE .....	257
10.2.2.4.1.2	Max duration timer calculation .....	257
10.2.2.4.2	Call Probe .....	257
10.2.2.4.2.1	Call probe initiation .....	257
10.2.2.4.2.2	Call probe retransmission .....	257
10.2.2.4.2.3	Receiving GROUP CALL PROBE message when participating in the ongoing call .....	257
10.2.2.4.3	Call setup .....	258
10.2.2.4.3.1	Not receiving any response to GROUP CALL PROBE message .....	258
10.2.2.4.3.2	Receiving a GROUP CALL ANNOUNCEMENT message .....	259
10.2.2.4.3.3	Receiving a GROUP CALL ANNOUNCEMENT message when not participating in the ongoing call .....	259
10.2.2.4.3.4	MCPTT user accepts the terminating call with confirm indication .....	260
10.2.2.4.3.5	MCPTT user accepts the terminating call without confirm indication .....	260
10.2.2.4.3.6	Receiving GROUP CALL ACCEPT message .....	261
10.2.2.4.3.7	MCPTT user rejects the terminating call .....	261
10.2.2.4.3.8	MCPTT user does not act on terminating call .....	261
10.2.2.4.4	Periodic group call announcement .....	261
10.2.2.4.4.1	Sending periodic call announcement .....	261
10.2.2.4.4.2	Receiving periodic call announcement .....	262
10.2.2.4.5	Call release .....	262
10.2.2.4.5.1	MCPTT user leaves the call when GROUP CALL ANNOUNCEMENT was sent or received .....	262
10.2.2.4.5.2	Receiving GROUP CALL ANNOUNCEMENT message for rejected or released call .....	262
10.2.2.4.5.3	MCPTT user initiates originating call for rejected or released call .....	263
10.2.2.4.5.4	No GROUP CALL ANNOUNCEMENT messages for rejected or released call .....	263
10.2.2.4.5.5	MCPTT user leaves the call when GROUP CALL PROBE was sent .....	263
10.2.2.4.5.6	MCPTT user initiates originating call for released call .....	263
10.2.2.4.5.7	Receiving GROUP CALL ANNOUNCEMENT message for released call .....	264
10.2.2.4.5.8	No GROUP CALL ANNOUNCEMENT messages for released call .....	264
10.2.2.4.5.9	Max duration reached .....	264
10.2.2.4.6	Merge of calls .....	265
10.2.2.4.6.1	Merge of two calls .....	265
10.2.2.4.7	Error handling .....	265
10.2.2.4.7.1	Unexpected MONP message received .....	265
10.2.2.4.7.2	Unexpected indication from MCPTT user .....	266
10.2.2.4.7.3	Unexpected expiration of a timer .....	266
10.2.3	Call type control .....	266
10.2.3.1	General .....	266
10.2.3.2	Call type control state machine .....	266
10.2.3.3	Call type control states .....	267
10.2.3.3.1	T0: waiting for call to establish .....	267
10.2.3.3.2	T1: in-progress emergency group call .....	268
10.2.3.3.3	T2: in-progress basic group call .....	268
10.2.3.3.4	T3: in-progress imminent peril group call .....	268
10.2.3.4	Procedures .....	268
10.2.3.4.1	General .....	268
10.2.3.4.1.1	Implicit downgrade (emergency) timer calculation .....	268
10.2.3.4.1.2	Implicit downgrade (imminent peril) timer calculation .....	268
10.2.3.4.2	User initiated the call probe .....	268
10.2.3.4.3	Received GROUP CALL ANNOUNCEMENT message as a response to GROUP CALL PROBE message .....	269
10.2.3.4.4	Received GROUP CALL ANNOUNCEMENT with MCPTT user acknowledgement required .....	270

10.2.3.4.5	Received GROUP CALL ANNOUNCEMENT without MCPTT user acknowledgement required.....	270
10.2.3.4.6	Call started.....	271
10.2.3.4.7	Upgrade call .....	272
10.2.3.4.7.1	Originating user upgrading the call.....	272
10.2.3.4.7.2	Terminating UE receiving a GROUP CALL ANNOUNCEMENT message when participating in the ongoing call.....	273
10.2.3.4.8	Downgrade call.....	275
10.2.3.4.8.1	Originating user downgrading emergency group call .....	275
10.2.3.4.8.2	Retransmitting GROUP CALL EMERGENCY END .....	275
10.2.3.4.8.3	Terminating user downgrading emergency group call.....	276
10.2.3.4.8.4	Originating user downgrading imminent peril group call .....	276
10.2.3.4.8.5	Retransmitting GROUP CALL IMMINENT PERIL END .....	277
10.2.3.4.8.6	Terminating user downgrading imminent peril group call.....	277
10.2.3.4.8.7	Void .....	277
10.2.3.4.8.8	Implicit emergency priority end.....	277
10.2.3.4.8.9	Implicit imminent peril priority end.....	278
10.2.3.4.9	Merge of two calls .....	278
10.2.3.4.10	Call release after call establishment .....	279
10.2.3.4.11	Call release or reject before call establishment .....	279
10.2.3.4.12	Error handling.....	279
10.2.3.4.12.1	Unexpected MONP message received .....	279
10.2.3.4.12.2	Unexpected indication from MCPTT user.....	279
10.2.3.4.12.3	Unexpected expiration of a timer.....	279
10.3	Off-network Broadcast group call .....	280
10.3.1	General.....	280
10.3.2	Basic call control .....	280
10.3.2.1	General.....	280
10.3.2.2	Broadcast group call control state machine.....	280
10.3.2.3	Broadcast group call Control states.....	280
10.3.2.3.1	B1: start-stop .....	280
10.3.2.3.2	B2: in-progress broadcast group call .....	280
10.3.2.3.3	B3: pending user action .....	280
10.3.2.3.4	B4: ignoring same call ID.....	281
10.3.2.4	Procedures.....	281
10.3.2.4.1	User initiating a broadcast group call .....	281
10.3.2.4.2	Terminating UE receiving a GROUP CALL BROADCAST message when not participating in the in-progress broadcast group call .....	281
10.3.2.4.3	MCPTT user accepts the terminating call.....	282
10.3.2.4.4	MCPTT user rejects the terminating call .....	282
10.3.2.4.5	MCPTT user does not act on terminating call .....	282
10.3.2.4.6	Terminating user releasing the call .....	282
10.3.2.4.7	Originating user releasing the call .....	282
10.3.2.4.8	Receiving GROUP CALL BROADCAST END message .....	283
10.3.2.4.9	Originating UE retransmitting GROUP CALL BROADCAST message .....	283
10.3.2.4.10	Ignoring same call ID .....	283
10.3.2.4.11	Releasing the call .....	284
10.3.2.4.12	Restarting TFB1 .....	284
11	Private call .....	284
11.0	General .....	284
11.1	On-network private call .....	284
11.1.1	Private call with floor control .....	284
11.1.1.1	General .....	284
11.1.1.2	MCPTT client procedures .....	284
11.1.1.2.1	On-demand private call .....	284
11.1.1.2.1.1	Client originating procedures.....	284
11.1.1.2.1.2	Client terminating procedures .....	286
11.1.1.2.1.3	Client terminating procedures for reception of SIP re-INVITE request .....	288
11.1.1.2.1.4	MCPTT in-progress emergency cancel.....	289
11.1.1.2.1.5	Upgrade to MCPTT emergency private call .....	290
11.1.1.2.2	Private call using pre-established session.....	291