

ETSI TS 123 222 V15.3.0 (2018-10)



**LTE;
5G;**

**Common API Framework for 3GPP Northbound APIs
(3GPP TS 23.222 version 15.3.0 Release 15)**

Standard PREVIEW
(Standard ID: 123222)
Full standard: <https://standards.iteh.ai/catalog/standards/sist/deca7e4a-c61c-4653-8e14-1878c78a0dec/etsi-ts-123-222-v15-3-0-2018-10>



Reference

RTS/TSGS-0623222vf30

Keywords

5G,LTE

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	9
Introduction	9
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	10
3.1 Definitions	10
3.2 Abbreviations	11
4 Architectural requirements	12
4.1 General	12
4.1.1 Introduction.....	12
4.1.2 Requirements	12
4.1.3 Requirements for supporting 3 rd party API providers.....	12
4.2 Service API publish and discover.....	12
4.2.1 Introduction.....	12
4.2.2 Requirements	12
4.3 Security	13
4.3.1 Introduction.....	13
4.3.2 Requirements	13
4.3.3 Additional requirements for 3 rd party API provider.....	13
4.4 Charging	13
4.4.1 Introduction.....	13
4.4.2 Requirements	13
4.5 Operations, Administration and Maintenance.....	14
4.5.1 Introduction.....	14
4.5.2 Requirements	14
4.6 Service API invocation monitoring	14
4.6.1 Introduction.....	14
4.6.2 Requirements	14
4.7 Logging	14
4.7.1 Introduction.....	14
4.7.2 Logging events related to service API invocations.....	14
4.7.3 Logging events related to API invoker onboarding.....	15
4.7.4 Logging events related to API invoker interaction with the CAPIF	15
4.8 Auditing service API invocation	15
4.8.1 Introduction.....	15
4.8.2 Requirements	15
4.9 Onboarding API invoker	15
4.9.1 Introduction.....	15
4.9.2 Requirements	15
4.10 Policy configuration	15
4.10.1 Introduction.....	15
4.10.2 Requirements	15
4.11 Protocol design	16
4.11.1 Introduction.....	16
4.11.2 Requirements	16
5 Involved business relationships.....	16
6 Functional model.....	17
6.1 General	17
6.2 Functional model description	17

6.3	Functional entities description.....	18
6.3.1	General.....	18
6.3.2	API invoker.....	18
6.3.3	CAPIF core function.....	18
6.3.4	API exposing function.....	18
6.3.5	API publishing function.....	19
6.3.6	API management function.....	19
6.4	Reference points.....	19
6.4.1	General.....	19
6.4.2	Reference point CAPIF-1 (between the API invoker and the CAPIF core function).....	19
6.4.3	Reference point CAPIF-1e (between the API invoker and the CAPIF core function).....	19
6.4.4	Reference point CAPIF-2 (between the API invoker and the API exposing function).....	19
6.4.5	Reference point CAPIF-2e (between the API invoker and the API exposing function).....	20
6.4.6	Reference point CAPIF-3 (between the API exposing function and the CAPIF core function).....	20
6.4.7	Reference point CAPIF-4 (between the API publishing function and the CAPIF core function).....	20
6.4.8	Reference point CAPIF-5 (between the API management function and the CAPIF core function).....	20
7	Application of functional model to deployments.....	21
7.1	General.....	21
7.2	Centralized deployment.....	21
7.3	Distributed deployment.....	22
8	Procedures and information flows.....	24
8.1	Onboarding the API invoker to the CAPIF.....	24
8.1.1	General.....	24
8.1.2	Information flows.....	24
8.1.2.1	Onboard API invoker request.....	24
8.1.2.2	Onboard API invoker response.....	25
8.1.3	Procedure.....	25
8.2	Offboarding the API invoker from the CAPIF.....	26
8.2.1	General.....	26
8.2.2	Information flows.....	26
8.2.2.1	Offboard API invoker request.....	26
8.2.2.2	Offboard API invoker response.....	26
8.2.3	Procedure.....	26
8.3	Publish service APIs.....	27
8.3.1	General.....	27
8.3.2	Information flows.....	27
8.3.2.1	Service API publish request.....	27
8.3.2.2	Service API publish response.....	28
8.3.3	Procedure.....	28
8.4	Unpublish service APIs.....	28
8.4.1	General.....	28
8.4.2	Information flows.....	29
8.4.2.1	Service API unpublish request.....	29
8.4.2.2	Service API unpublish response.....	29
8.4.3	Procedure.....	29
8.5	Retrieve service APIs.....	30
8.5.1	General.....	30
8.5.2	Information flows.....	30
8.5.2.1	Service API get request.....	30
8.5.2.2	Service API get response.....	30
8.5.3	Procedure.....	30
8.6	Update service APIs.....	31
8.6.1	General.....	31
8.6.2	Information flows.....	31
8.6.2.1	Service API update request.....	31
8.6.2.2	Service API update response.....	32
8.6.3	Procedure.....	32
8.7	Discover service APIs.....	32
8.7.1	General.....	32
8.7.2	Information flows.....	33

8.7.2.1	Service API discover request	33
8.7.2.2	Service API discover response	33
8.7.3	Procedure	33
8.8	Subscription, unsubscription and notifications for the CAPIF events	34
8.8.1	General	34
8.8.2	Information flows	34
8.8.2.1	Event subscription request	34
8.8.2.2	Event subscription response	35
8.8.2.3	Event notification	35
8.8.2.4	Event notification acknowledgement	35
8.8.2.5	Event unsubscription request	35
8.8.2.6	Event unsubscription response	36
8.8.3	Procedure for CAPIF event subscription	36
8.8.4	Procedure for CAPIF event notifications	36
8.8.5	Procedure for CAPIF event unsubscription	37
8.8.6	List of CAPIF events	38
8.9	Revoking subscription of the CAPIF events	38
8.9.1	General	38
8.9.2	Information flows	38
8.9.2.1	Subscription revoke notification	38
8.9.2.2	Subscription revoke notification acknowledgement	39
8.9.3	Procedure	39
8.10	Authentication between the API invoker and the CAPIF core function	39
8.10.1	General	39
8.10.2	Information flows	39
8.10.3	Procedure	39
8.11	API invoker obtaining authorization to access service API	40
8.11.1	General	40
8.11.2	Information flows	40
8.11.3	Procedure	40
8.12	AEF obtaining service API access control policy	41
8.12.1	General	41
8.12.2	Information flows	41
8.12.2.1	Obtain access control policy request	41
8.12.2.2	Obtain access control policy response	41
8.12.3	Procedure	42
8.13	Topology hiding	42
8.13.1	General	42
8.13.2	Information flows	43
8.13.2.1	Service API invocation request (API invoker – AEF-1)	43
8.13.2.2	Service API invocation request (AEF-1 – AEF-2)	43
8.13.2.3	Service API invocation response (AEF-2 – AEF-1)	43
8.13.2.4	Service API invocation response (AEF-1 – API invoker)	43
8.13.3	Procedure	43
8.14	Authentication between the API invoker and the AEF prior to service API invocation	44
8.14.1	General	44
8.14.2	Information flows	44
8.14.3	Procedure	44
8.15	Authentication between the API invoker and the AEF upon the service API invocation	45
8.15.1	General	45
8.15.2	Information flows	45
8.15.2.1	Service API invocation request with authentication information	45
8.15.2.2	Service API invocation response	46
8.15.3	Procedure	46
8.16	API invoker authorization to access service APIs	47
8.16.1	General	47
8.16.2	Information flows	47
8.16.2.1	Service API invocation request	47
8.16.2.2	Service API invocation response	47
8.16.3	Procedure	47
8.17	CAPIF access control	48
8.17.1	General	48

8.17.2	Information flows	48
8.17.2.1	Service API invocation request	48
8.17.2.2	Service API invocation response.....	49
8.17.3	Procedure	49
8.18	CAPIF access control with cascaded AEFs.....	50
8.18.1	General.....	50
8.18.2	Information flows	50
8.18.2.1	Service API invocation request	50
8.18.2.2	Service API invocation response.....	50
8.18.3	Procedure	50
8.19	Logging service API invocations	51
8.19.1	General.....	51
8.19.2	Information flows	51
8.19.2.1	API invocation log request.....	51
8.19.2.2	API invocation log response	51
8.19.3	Procedure	52
8.20	Charging the invocation of service APIs.....	52
8.20.1	General.....	52
8.20.2	Information flows	52
8.20.3	Procedure	52
8.21	Monitoring service API invocation	53
8.21.1	General.....	53
8.21.2	Information flows	53
8.21.2.1	Monitoring service API event notification.....	53
8.21.2.2	Monitoring service API event notification acknowledgement.....	53
8.21.3	Procedure	53
8.22	Auditing service API invocation	54
8.22.1	General.....	54
8.22.2	Information flows	54
8.22.2.1	Query service API log request	54
8.22.2.2	Query service API log response	54
8.22.3	Procedure	55
8.23	CAPIF revoking API invoker authorization	55
8.23.1	General.....	55
8.23.2	Information flows	55
8.23.2.1	Revoke API invoker authorization request	55
8.23.2.2	Revoke API invoker authorization response	56
8.23.2.3	Revoke API invoker authorization notify	56
8.23.3	Procedure for CAPIF revoking API invoker authorization initiated by AEF	56
8.23.4	Procedure for CAPIF revoking API invoker authorization initiated by CAPIF core function	57
9	API consistency guidelines	58
9.1	General	58
9.2	Fundamental API Guidelines	58
9.3	Architecture design considerations.....	59
10	CAPIF core function APIs	60
10.1	General	60
10.2	CAPIF_Discover_Service_API API	60
10.2.1	General.....	60
10.2.2	Discover_Service_API operation.....	61
10.2.3	Subscribe_Event operation	61
10.2.4	Notify_Event operation.....	61
10.2.5	Unsubscribe_Event operation	61
10.3	CAPIF_Publish_Service_API API.....	61
10.3.1	General.....	61
10.3.2	Publish_Service_API operation	62
10.3.3	Unpublish_Service_API operation	62
10.3.4	Update_Service_API operation	62
10.3.5	Get_Service_API operation	62
10.3.6	Subscribe_Event operation	62
10.3.7	Notify_Event operation.....	63

10.3.8	Unsubscribe_Event operation	63
10.4	CAPIF_Events API	63
10.4.1	General.....	63
10.4.2	Subscribe_Event operation	64
10.4.3	Notify_Event operation.....	64
10.4.4	Unsubscribe_Event operation	64
10.5	CAPIF_API_invoker_management API	64
10.5.1	General.....	64
10.5.2	Onboard_API_Invoker operation.....	64
10.5.3	Offboard_API_Invoker operation.....	64
10.5.4	Subscribe_Event operation	65
10.5.5	Notify_Event operation.....	65
10.5.6	Unsubscribe_Event operation	65
10.6	CAPIF_Security API.....	65
10.6.1	General.....	65
10.6.2	Obtain_Security_Method operation.....	65
10.6.3	Obtain_Authorization operation	66
10.6.4	Obtain_API_Invoker_Info operation	66
10.6.5	Revoke_Authorization operation	66
10.7	CAPIF_Monitoring API.....	66
10.7.1	General.....	66
10.7.2	Subscribe_Event operation	66
10.7.3	Notify_Monitoring_Service_Event operation.....	67
10.7.4	Unsubscribe_Event operation	67
10.8	CAPIF_Logging_API_Invocation API	67
10.8.1	General.....	67
10.8.2	Log_API_Invocation operation	67
10.9	CAPIF_Auditing API.....	68
10.9.1	General.....	68
10.9.2	Query_API_Invocation_Log operation.....	68
10.10	CAPIF_Access_Control_Policy API.....	68
10.10.1	General.....	68
10.10.2	Obtain_Access_Control_Policy operation	68
11	API exposing function APIs.....	68
11.1	General	68
11.2	AEF_Security API.....	69
11.2.1	General.....	69
11.2.2	Revoke_Authorization operation	69
11.2.3	Initiate_Authentication operation	69
Annex A (informative):	Overview of CAPIF operations.....	70
Annex B (informative):	CAPIF relationship with network exposure aspects of 3GPP systems	72
B.0	CAPIF utilization by service API provider	72
B.1	CAPIF relationship with 3GPP EPS network exposure	73
B.1.1	General	73
B.1.2	Deployment models.....	73
B.1.2.1	General.....	73
B.1.2.2	SCEF implements the CAPIF architecture	73
B.1.2.3	SCEF implements the service specific aspect compliant with the CAPIF architecture	74
B.1.2.4	Distributed deployment of the SCEF compliant with the CAPIF architecture	75
B.2	CAPIF relationship with 3GPP 5GS network exposure.....	76
B.2.1	General	76
B.2.2	Deployment models.....	77
B.2.2.1	General.....	77
B.2.2.2	NEF implements the CAPIF architecture	77
B.2.2.3	NEF implements the service specific aspect compliant with the CAPIF architecture	78
B.2.2.4	Distributed deployment of the NEF compliant with the CAPIF architecture	79

Annex C (informative): CAPIF role in charging81
C.1 General81
C.2 CAPIF role in online charging81
C.3 CAPIF role in offline charging.....82
Annex D (informative): CAPIF relationship with external API frameworks.....83
Annex E (normative): Configuration data for CAPIF84
Annex F (informative): Change history85
History86

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/deca7e4a-c61c-4653-8e14-1878c78a0dec/etsi-ts-123-222-v15.3.0-2018-10>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

Introduction

In 3GPP, there are multiple northbound API-related specifications (e.g. APIs for Service Capability Exposure Function (SCEF) functionalities defined in 3GPP TS 23.682 [2], API for the interface between MBMS service provider and BM-SC defined in 3GPP TR 26.981 [5]). To avoid duplication and inconsistency of approach between different API specifications, 3GPP has considered the development of a common API framework (CAPIF) that includes common aspects applicable to any northbound service APIs.

The present document specifies the functional model, procedures and information flows needed to support the CAPIF, and the guidelines for consistent northbound API (service and CAPIF APIs) development in 3GPP.

NOTE: It is possible to use the CAPIF defined common aspects for other APIs as well, apart from northbound APIs.

1 Scope

The present document specifies the architecture, procedures and information flows necessary for the CAPIF. The aspects of this specification include identifying architecture requirements for the CAPIF (e.g. registration, discovery, identity management) that are applicable to any service APIs when used by northbound entities, as well as any interactions between the CAPIF and the service APIs themselves. The common API framework applies to both EPS and 5GS, and is independent of the underlying 3GPP access (e.g. E-UTRA, NR).

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.682: "Architecture enhancements to facilitate communications with packet data networks and applications".
- [3] 3GPP TS 23.501: "System Architecture for the 5G System; Stage 2".
- [4] 3GPP TS 23.502: "Procedures for the 5G System; Stage 2".
- [5] 3GPP TR 26.981: "MBMS Extensions for Provisioning and Content Ingestion".
- [6] 3GPP TS 32.240: "Telecommunication management; Charging management; Charging architecture and principles".
- [7] ETSI GS MEC 011 (V1.1.1): "Mobile Edge Computing (MEC); Mobile Edge Platform Application Enablement".
- [8] ETSI GS MEC 009 (V1.1.1): "Mobile Edge Computing (MEC); General Principles for Mobile Edge Service APIs".
- [9] OMA-ER_Autho4API-V1_0-20141209-A: "Authorization Framework for Network APIs".
- [10] OMA-TS-REST_NetAPI_Common-V1_0-20180116-A: "Common definitions for RESTful Network APIs".
- [11] OMA-TS-NGSI_Registration_and_Discovery-V1_0-20120529-A: "NGSI Registration and Discovery".
- [12] 3GPP TS 33.122: "Security Aspects of Common API Framework for 3GPP Northbound APIs".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in 3GPP TR 21.905 [1] and the following apply. A term defined in the present document takes precedence over the definition of the same term, if any, in 3GPP TR 21.905 [1].

API: The means by which an API invoker can access the service.

API invoker: The entity which invokes the CAPIF or service APIs.

API invoker profile: The set of information associated to an API invoker that allows that API invoker to utilize CAPIF APIs and service APIs.

API exposing function: The entity which provides the service communication entry point for the service APIs.

CAPIF administrator: An authorized user with special permissions for CAPIF operations.

Common API framework: A framework comprising common API aspects that are required to support service APIs.

Northbound API: A service API exposed to higher-layer API invokers.

Onboarding: One time registration process that enables the API invoker to subsequently access the CAPIF and the service APIs.

Resource: The object or component of the API on which the operations are acted upon.

Service API: The interface through which a component of the system exposes its services to API invokers by abstracting the services from the underlying mechanisms.

PLMN trust domain: The entities protected by adequate security and controlled by the PLMN operator or a trusted 3rd party.

For the purposes of the present document, the following terms and definitions given in 3GPP TS 32.240 [6] apply:

Offline charging

Online charging

3.2 Abbreviations

For the purposes of the present document, the abbreviations given in 3GPP TR 21.905 [1] and the following apply. An abbreviation defined in the present document takes precedence over the definition of the same abbreviation, if any, in 3GPP TR 21.905 [1].

5GS	5G System
AEF	API Exposing Function
AF	Application Function
API	Application Program Interface
AS	Application Server
BM-SC	Broadcast Multicast Service Centre
CAPIF	Common API Framework
CDR	Charging Data Record
CRUD	Create, Read, Update, Delete
DDoS	Distributed Denial of Service
E-UTRA	Evolved Universal Terrestrial Radio Access
EPS	Evolved Packet System
ETSI	European Telecommunications Standards Institute
GS	Group Specification
IP	Internet Protocol
MBMS	Multimedia Broadcast and Multicast Service
MEC	Multi-access Edge Computing
NEF	Network Exposure Function
NGSI	Next Generation Service Interfaces
NR	New Radio
OMA	Open Mobile Alliance
OAM	Operations, Administration and Maintenance
OWSER	OMA Web Services
PC	Protocol Converter
PLMN	Public Land Mobile Network
REST	REpresentational State Transfer
RPC	Remote Procedure Call
SCEF	Service Capability Exposure Function

SCS	Service Capability Server
UDDI	Universal Description, Discovery and Integration
URI	Uniform Resource Identifier
WSDL	Web Services Description Language

4 Architectural requirements

4.1 General

4.1.1 Introduction

This subclause specifies the general requirements for CAPIF architecture.

4.1.2 Requirements

[AR-4.1.2-a] The CAPIF shall provide mechanisms (e.g. publish service APIs, authorization, logging, charging) to support service API operations.

[AR-4.1.2-b] The CAPIF shall enable API invoker(s) to discover and communicate with service APIs from the API providers.

[AR-4.1.2-c] Reference points between CAPIF and external applications shall be provided as APIs.

[AR-4.1.2-d] Reference points internal to CAPIF may be provided as APIs.

4.1.3 Requirements for supporting 3rd party API providers

[AR-4.1.3-a] The CAPIF shall provide mechanisms (e.g. publish service APIs, authorization, logging, charging) to support service API operations from trusted 3rd party API providers.

[AR-4.1.3-b] The CAPIF shall enable API invoker(s) to discover and communicate with service APIs from trusted 3rd party API providers.

NOTE: The solutions to the requirements for 3rd party API providers are not addressed in the current release of this specification.

4.2 Service API publish and discover

4.2.1 Introduction

This subclause specifies the service API publish and discover related requirements.

4.2.2 Requirements

[AR-4.2.2-a] The CAPIF shall provide a mechanism to publish the service API information to be used by the API invokers to discover and subsequently invoke the service API.

[AR-4.2.2-b] The CAPIF shall provide a mechanism for the API invokers to discover the published service API information as specified in [AR-4.2.2-a] according to the API invokers' interest.

[AR-4.2.2-c] The CAPIF shall provide a mechanism to restrict the discovery of the published service API information by the API invokers, based on configured policies.

[AR-4.2.2-d] The CAPIF shall provide a mechanism to configure policies to restrict the discovery of the published service API information.