

SLOVENSKI STANDARD
oSIST prEN 303 446-2 V1.2.0:2019
01-maj-2019

Standard elektromagnetne združljivosti (EMC) za kombinirano in/ali integrirano radijsko in neradijsko opremo - 2. del: Zahteve za opremo, ki je namenjena za uporabo v industriji

ElectroMagnetic Compatibility (EMC) standard for combined and/or integrated radio and non-radio equipment - Part 2: Requirements for equipment intended to be used in industrial locations

Ta slovenski standard je istoveten z: ETSI EN 303 446-2 V1.2.0 (2019-03)

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

iTeh STANDARD PREVIEW
(Standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/4c440a2e8789-4db8-bb87-b1415492918a/kstdfprun-303-446-2-v1.2.1-2019>

Draft ETSI EN 303 446-2 V1.2.0 (2019-03)



EUROPEAN STANDARD

**ElectroMagnetic Compatibility (EMC)
standard for combined and/or integrated
radio and non-radio equipment;
Part 2: Requirements for equipment
intended to be used in industrial locations**

REVIEW
<https://standardsiteharbor.org/documents/4db8-bb87-b1415492018ar3&tp=1>
2019-03-01

Reference

REN/ERM-EMC-399

Keywords

EMC, emission, immunity

ETSI

650 Route des Lucioles
 F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
 Association à but non lucratif enregistrée à la
 Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
 Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
 The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
 All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
 of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
 of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology	4
Introduction	5
1 Scope	6
2 References	6
2.1 Normative references	6
2.1.1 General.....	6
2.1.2 Radio EMC standards	6
2.1.3 Non-radio EMC standards	7
2.1.4 Other EMC standards.....	9
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	10
3.1 Terms.....	10
3.2 Symbols.....	12
3.3 Abbreviations	12
4 EMC requirements	12
4.1 Introduction	12
4.2 Emissions requirements.....	13
4.2.1 Radiated Emissions.....	13
4.2.2 Conducted Emissions.....	13
4.2.2.1 Special provisions	13
4.2.2.2 AC Power port	13
4.2.2.3 PLC port.....	13
4.2.2.4 DC power port.....	14
4.2.2.5 Wired network port	14
4.2.2.6 Antenna Port	14
4.3 Immunity requirements	14
4.3.1 General.....	14
4.3.2 Configuration of the equipment during immunity tests	14
4.3.3 Performance criteria.....	15
4.3.4 Radiated Immunity	15
4.3.5 Electrostatic discharge	15
4.3.6 Fast transients, common mode.....	15
4.3.7 Radio frequency, common mode	15
4.3.8 Voltage dips and interruptions	16
4.3.9 Surges	16
4.3.10 Other immunity tests.....	16
Annex A (informative): Guidance for the choice of configurations for the measurements on combined equipment.....	17
Annex B (informative): Use of industrial equipment in residential locations.....	18
Annex C (informative): Exclusion bands.....	19
Annex D (informative): Change History	20
History	21

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document is part 2 of a multi-part deliverable covering ElectroMagnetic Compatibility (EMC) for combined and/or integrated equipment, as identified below:

Part 1: "Requirements for equipment intended to be used in residential, commercial and light industry locations";

Part 2: "Requirements for equipment intended to be used in industrial locations".

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is not intended for citation under any new approach Directive.

The present document is based on the principles given in ETSI EG 203 367 [i.3] "Guide to the application of harmonised standards covering articles 3.1(b) and 3.2 of the Directive 2014/53/EU (RED) to multi-radio and combined radio and non-radio equipment".

The present document contains the measurements, emission limits and performance criteria that are necessary for the assessment of a combination of a non-radio and a radio product (which is called " Δ " in ETSI EG 203 367 [i.3]).

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/4c440a2e8789-4db8-bb87-b1415492918a/kstdfprun-303-446-2-v1.2.1-2019>

1 Scope

The present document defines requirements in respect of ElectroMagnetic Compatibility (EMC) for combined and/or integrated equipment intended to be used within industrial locations.

The present document is only applicable to combined and/or integrated equipment where the radio function is within the scope of one or more of the standards listed in clause 2.1.2 (covering references [1] to [8]) and where the non-radio function is within the scope of one or more of the standards listed in clause 2.1.3 (covering references [9] to [50]).

Requirements applicable to the antenna port specifically related to the efficient use of radio spectrum are not included in the present document.

NOTE: These requirements are generally found in the applicable product standard(s) for the effective use of the radio spectrum.

2 References

2.1 Normative references

2.1.1 General

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE 1: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

In addition, within the present document, some references are non-specific. The applicable version listed in the OJEU under the Directives 2014/53/EU [i.1] or 2014/30/EU [i.2] may be used.

NOTE 2: Before the date of withdrawal, a preceding version may be used (see clause 2.4 of the Technical Working Procedures in the ETSI Directives).

2.1.2 Radio EMC standards

- [1] ETSI EN 301 489-1: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU and the essential requirements of article 6 of Directive 2014/30/EU".
- [2] ETSI EN 301 489-3: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU".
- [3] ETSI EN 301 489-5: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 5: Specific conditions for Private land Mobile Radio (PMR) and ancillary equipment (speech and non-speech) and Terrestrial Trunked Radio (TETRA); Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU".
- [4] ETSI EN 301 489-6: "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 6: Specific conditions for Digital Enhanced Cordless Telecommunications (DECT) equipment".

- [5] ETSI EN 301 489-17: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU".
- [6] ETSI EN 301 489-19: "Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 19: Specific conditions for Receive Only Mobile Earth Stations (ROMES) operating in the 1,5 GHz band providing data communications".
- [7] ETSI EN 301 489-33: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 33: Specific conditions for Ultra-WideBand (UWB) devices; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU".
- [8] ETSI EN 301 489-51: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 51: Specific conditions for Automotive, Ground based Vehicles and Surveillance Radar Devices using 24,05 GHz to 24,25 GHz, 24,05 GHz to 24,5 GHz, 76 GHz to 77 GHz and 77 GHz to 81 GHz; Harmonised Standard covering the essential requirements of article 3.1b of Directive 2014/53/EU".

2.1.3 Non-radio EMC standards

- [9] CENELEC EN 50121-3-2: "Railway applications - Electromagnetic compatibility - Part 3-2: Rolling stock - Apparatus".
- [10] CENELEC EN 50121-4: "Railway applications - Electromagnetic compatibility - Part 4: Emission and immunity of the signalling and telecommunications apparatus".
- [11] CENELEC EN 50121-5: "Railway applications - Electromagnetic compatibility - Part 5: Emission and immunity of fixed power supply installations and apparatus".
- [12] CENELEC EN 50270: "Electromagnetic compatibility. Electrical apparatus for the detection and measurement of combustible gases, toxic gases or oxygen".
- [13] CENELEC EN 50293: "Road traffic signal systems - Electromagnetic compatibility".
- [14] CENELEC EN 50370-1: "Electromagnetic compatibility (EMC) - Product family standard for machine tools - Part 1: Emission".
- [15] CENELEC EN 50370-2: "Electromagnetic compatibility (EMC) - Product family standard for machine tools - Part 2: Immunity".
- [16] CENELEC EN 50491-5-1: "General requirements for Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-1: EMC requirements, conditions and test set-up".
- [17] CENELEC EN 50491-5-3: "General requirements for Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS) - Part 5-3: EMC requirements for HBES/BACS used in industry environment".
- [18] CENELEC EN 55011: "Industrial, scientific and medical equipment. Radio-frequency disturbance characteristics. Limits and methods of measurement".
- [19] CENELEC EN 55015: "Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment".
- [20] CENELEC EN 60730-1: "Automatic electrical controls - Part 1: General requirements".
- [21] CENELEC EN 60947-1: "Low-voltage switchgear and controlgear - Part 1: General rules".
- [22] CENELEC EN 60947-2: "Low-voltage switchgear and controlgear - Part 2: Circuit-breakers".
- [23] CENELEC EN 60947-3: "Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units".

- [24] CENELEC EN 60947-4-1: "Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters".
- [25] CENELEC EN 60947-4-2: "Low-voltage switchgear and controlgear - Part 4-2: Contactors and motor-starters - AC semiconductor motor controllers and starters".
- [26] CENELEC EN 60947-4-3: "Low-voltage switchgear and controlgear - Part 4-3: Contactors and motor-starters - AC semiconductor controllers and contactors for non-motor loads".
- [27] CENELEC EN 60947-5-1: "Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices".
- [28] CENELEC EN 60947-5-2: "Low-voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches".
- [29] CENELEC EN 60947-5-6: "Low-voltage switchgear and controlgear - Part 5-6: Control circuit devices and switching elements - DC interface for proximity sensors and switching amplifiers (NAMUR)".
- [30] CENELEC EN 60947-5-7: "Low-voltage switchgear and controlgear - Part 5-7: Control circuit devices and switching elements - Requirements for proximity devices with analogue output".
- [31] CENELEC EN 60947-5-9: "Low-voltage switchgear and controlgear - Part 5-9: Control circuit devices and switching elements - Flow rate switches".
- [32] CENELEC EN 60947-6-1: "Low-voltage switchgear and controlgear - Part 6-1: Multiple function equipment - Transfer switching equipment".
- [33] CENELEC EN 60947-6-2: "Low-voltage switchgear and controlgear - Part 6-2: Multiple function equipment - Control and protective switching devices (or equipment) (CPS)".
- [34] CENELEC EN 60947-8: "Low-voltage switchgear and controlgear - Part 8: Control units for built-in thermal protection (PTC) for rotating electrical machines".
- [35] CENELEC EN 60974-10: "Arc welding equipment - Part 10: Electromagnetic compatibility (EMC) requirements".
- [36] CENELEC EN 61000-6-2: "Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments".
- [37] CENELEC EN 61000-6-4: "Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments".
- [38] CENELEC EN 61131-2: "Programmable controllers - Part 2: Equipment requirements and tests".
- [39] CENELEC EN 61204-3: "Low voltage power supplies, d.c. output - Part 3: Electromagnetic compatibility (EMC)".
- [40] CENELEC EN 61326-1: "Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements".
- [41] CENELEC EN 61326-2-2: "Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-2: Particular requirements - Test configurations, operational conditions and performance criteria for portable test, measuring and monitoring equipment used in low-voltage distribution systems".
- [42] CENELEC EN 61326-2-3: "Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-3: Particular requirements - Test configuration, operational conditions and performance criteria for transducers with integrated or remote signal conditioning".
- [43] CENELEC EN 61326-2-4: "Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 2-4: Particular requirements - Test configurations, operational conditions and performance criteria for insulation monitoring devices according to IEC 61557-8 and for equipment for insulation fault location according to IEC 61557-9".