

# ETSI TS 131 124 V15.2.0 (2018-10)



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
Mobile Equipment (ME) conformance test specification;  
Universal Subscriber Identity Module  
Application Toolkit (USAT) conformance test specification  
(3GPP TS 31.124 version 15.2.0 Release 15)**



---

**Reference**

RTS/TSGC-0631124v15

---

**Keywords**

LTE,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2018.  
All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M** logo is protected for the benefit of its Members.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	11
1 Scope .....	12
2 References .....	13
3 Definitions and abbreviations.....	15
3.1 Mobile station definition and configurations.....	15
3.2 Applicability.....	15
3.2.1 Applicability of the present document.....	15
3.2.2 Applicability of the individual tests.....	15
3.2.3 Applicability to terminal equipment .....	15
3.2.4 Definitions .....	15
3.2.4.1 Format of the table of optional features .....	15
3.2.4.2 Format of the applicability table .....	16
3.2.4.3 Status and notations.....	16
3.3 Table of optional features.....	17
3.4 Applicability table.....	27
3.5 Conventions for mathematical notations .....	160
3.5.1 Mathematical signs .....	160
4 Test equipment .....	160
5 Testing methodology in general.....	160
5.1 Testing of optional functions and procedures.....	160
5.2 Test interfaces and facilities .....	160
5.3 Information to be provided by the apparatus supplier.....	160
6 Implicit testing.....	161
7 Measurement uncertainty .....	161
8 Format of tests.....	161
9 Generic call set up procedures.....	164
10 - 26 Not used.....	164
27 Testing of the UICC/ME interface .....	164
27.0 Introduction .....	164
27.1 - 27.21 Void.....	164
27.22 USIM Application Toolkit .....	164
27.22.1A General Test purpose .....	164
27.22.2A Definition of default values for USIM Application Toolkit testing.....	165
27.22.2B Definition of default values for LTE related USIM Application Toolkit testing.....	169
27.22.2B.1 Definition of E-UTRAN/EPC UICC.....	169
27.22.2B.2 Definition of E-UTRAN parameters.....	170
27.22.2C Definition of E-UTRAN/EPC ISIM-UICC.....	171
27.22.2C.1 Applications on the E-UTRAN/EPC ISIM-UICC .....	171
27.22.2C.2 Default USIM values of E-UTRAN/EPC ISIM-UICC .....	171
27.22.2C.3 Default ISIM values of E-UTRAN/EPC ISIM-UICC.....	171
27.22.2C.3.1 EF <sub>AD</sub> (Administrative Data).....	171
27.22.2C.3.2 EF <sub>IST</sub> (ISIM Service Table).....	171
27.22.2C.3.3 EF <sub>IMPI</sub> (IMS private user identity).....	171
27.22.2C.3.4 EF <sub>DOMAIN</sub> (Home Network Domain Name).....	172
27.22.2C.3.5 EF <sub>IMPU</sub> (IMS public user identity).....	172
27.22.2C.3.6 EF <sub>P-CSCF</sub> (P-CSCF ADDRESS).....	173
27.22.2C.3.7 EF <sub>SMS</sub> (Short Message Service) .....	173

27.22.2C.3.8	EF <sub>SMSR</sub> (Short message status reports) .....	173
27.22.2C.3.9	EF <sub>SMSF</sub> (Short message service parameters) .....	173
27.22.2C.3.10	EF <sub>SMS</sub> (SMS Status) .....	174
27.22.2C.4	Default values at DF_TELECOM .....	174
27.22.2C.4.1	EF <sub>PSISMSC</sub> (Public Service Identity of the SM-SC) .....	174
27.22.1	Initialization of USIM Application Toolkit Enabled UICC by USIM Application Toolkit Enabled	
	ME (Profile Download) .....	174
27.22.1.1	Definition and applicability .....	174
27.22.1.2	Conformance requirement .....	174
27.22.1.3	Test purpose .....	174
27.22.1.4	Method of test .....	175
27.22.1.4.1	Initial conditions .....	175
27.22.1.4.2	Procedure .....	175
27.22.1.5	Test requirement .....	175
27.22.2	Contents of the TERMINAL PROFILE command .....	175
27.22.2.1	Definition and applicability .....	175
27.22.2.2	Conformance requirement .....	175
27.22.2.3	Test purpose .....	175
27.22.2.4	Method of test .....	176
27.22.2.4.1	Initial conditions .....	176
27.22.2.4.2	Procedure .....	176
27.22.2.5	Test requirement .....	176
27.22.3	Servicing of proactive UICC commands .....	176
27.22.3.1	Definition and applicability .....	176
27.22.3.2	Conformance requirement .....	176
27.22.3.3	Test purpose .....	176
27.22.3.4	Method of test .....	176
27.22.3.4.1	Initial conditions .....	176
27.22.3.4.2	Procedure .....	177
27.22.3.5	Test requirement .....	177
27.22.4	Proactive UICC commands .....	177
27.22.4.1	DISPLAY TEXT .....	177
27.22.4.1.1	DISPLAY TEXT (Normal) .....	177
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user") .....	178
27.22.4.1.3	DISPLAY TEXT (Display of extension text) .....	179
27.22.4.1.4	DISPLAY TEXT (Sustained text) .....	179
27.22.4.1.5	DISPLAY TEXT (Display of icons) .....	181
27.22.4.1.6	DISPLAY TEXT (UCS2 display in Cyrillic) .....	182
27.22.4.1.7	DISPLAY TEXT (Variable Time out) .....	183
27.22.4.1.8	DISPLAY TEXT (Support of Text Attribute) .....	183
27.22.4.1.9	DISPLAY TEXT (UCS2 display in Chinese) .....	190
27.22.4.1.10	DISPLAY TEXT (UCS2 display in Katakana) .....	191
27.22.4.2	GET INKEY .....	191
27.22.4.2.1	GET INKEY(normal) .....	191
27.22.4.2.2	GET INKEY (No response from User) .....	192
27.22.4.2.3	GET INKEY (UCS2 display in Cyrillic) .....	193
27.22.4.2.4	GET INKEY (UCS2 entry in Cyrillic) .....	193
27.22.4.2.5	GET INKEY ("Yes/No" Response) .....	194
27.22.4.2.6	GET INKEY (display of Icon) .....	195
27.22.4.2.7	GET INKEY (Help Information) .....	196
27.22.4.2.8	GET INKEY (Variable Time out) .....	196
27.22.4.2.9	GET INKEY (Support of Text Attribute) .....	197
27.22.4.2.10	GET INKEY (UCS2 display in Chinese) .....	203
27.22.4.2.11	GET INKEY (UCS2 entry in Chinese) .....	203
27.22.4.2.12	GET INKEY (UCS2 display in Katakana) .....	204
27.22.4.2.13	GET INKEY (UCS2 entry in Katakana) .....	205
27.22.4.3	GET INPUT .....	205
27.22.4.3.1	GET INPUT (normal) .....	205
27.22.4.3.2	GET INPUT (No response from User) .....	207
27.22.4.3.3	GET INPUT (UCS2 display in Cyrillic) .....	207
27.22.4.3.4	GET INPUT (UCS2 entry in Cyrillic) .....	208
27.22.4.3.5	GET INPUT (default text) .....	209

27.22.4.3.6	GET INPUT (display of Icon) .....	209
27.22.4.3.7	GET INPUT (Help Information) .....	210
27.22.4.3.8	GET INPUT (Support of Text Attribute) .....	211
27.22.4.3.9	GET INPUT (UCS2 display in Chinese).....	217
27.22.4.3.10	GET INPUT (UCS2 entry in Chinese) .....	218
27.22.4.3.11	GET INPUT (UCS2 display in Katakana).....	218
27.22.4.3.12	GET INPUT (UCS2 entry in Katakana).....	219
27.22.4.4	MORE TIME .....	220
27.22.4.4.2	Conformance requirement .....	220
27.22.4.4.3	Test purpose .....	220
27.22.4.4.4	Method of test.....	220
27.22.4.4.5	Test requirement .....	220
27.22.4.5	PLAY TONE.....	220
27.22.4.5.1	PLAY TONE (Normal) .....	220
27.22.4.5.2	PLAY TONE (UCS2 display in Cyrillic).....	226
27.22.4.5.3	PLAY TONE (display of Icon) .....	227
27.22.4.5.4	PLAY TONE (Support of Text Attribute).....	228
27.22.4.5.5	PLAY TONE (UCS2 display in Chinese) .....	234
27.22.4.5.6	PLAY TONE (UCS2 display in Katakana).....	235
27.22.4.6	POLL INTERVAL.....	236
27.22.4.6.1	Definition and applicability .....	236
27.22.4.6.2	Conformance requirement .....	236
27.22.4.6.3	Test purpose .....	236
27.22.4.6.4	Method of test.....	236
27.22.4.7	REFRESH .....	236
27.22.4.7.1	REFRESH (normal).....	236
27.22.4.7.2	REFRESH (IMSI changing procedure).....	246
27.22.4.7.3	REFRESH (Steering of roaming).....	258
27.22.4.7.4	REFRESH (AID).....	276
27.22.4.7.5	REFRESH (IMSI changing procedure, E-UTRAN).....	279
27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION .....	284
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION.....	284
27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION.....	285
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION .....	286
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION.....	287
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION.....	287
27.22.4.8.6	SET UP MENU (support of Text Attribute) and ENVELOPE MENU SELECTION .....	288
27.22.4.8.7	SET UP MENU (UCS2 display in Cyrillic) and ENVELOPE MENU SELECTION.....	295
27.22.4.8.8	SET UP MENU (UCS2 display in Chinese) and ENVELOPE MENU SELECTION .....	296
27.22.4.8.9	SET UP MENU (UCS2 display in Katakana) and ENVELOPE MENU SELECTION.....	297
27.22.4.9	SELECT ITEM .....	298
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM).....	298
27.22.4.9.2	SELECT ITEM (next action support).....	299
27.22.4.9.3	SELECT ITEM (default item support) .....	299
27.22.4.9.4	SELECT ITEM (help request support).....	300
27.22.4.9.5	SELECT ITEM (icons support).....	300
27.22.4.9.6	SELECT ITEM (presentation style) .....	301
27.22.4.9.7	SELECT ITEM (soft keys support).....	302
27.22.4.9.8	SELECT ITEM (Support of "No response from user").....	302
27.22.4.9.9	SELECT ITEM (Support of Text Attribute).....	303
27.22.4.9.10	SELECT ITEM (UCS2 display in Cyrillic).....	308
27.22.4.9.11	SELECT ITEM (UCS2 display in Chinese) .....	309
27.22.4.9.12	SELECT ITEM (UCS2 display in Katakana).....	310
27.22.4.10	SEND SHORT MESSAGE.....	311
27.22.4.10.1	SEND SHORT MESSAGE (normal) .....	311
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 display in Cyrillic) .....	312
27.22.4.10.3	SEND SHORT MESSAGE (icon support).....	318
27.22.4.10.4	SEND SHORT MESSAGE (Support of Text Attribute).....	323
27.22.4.10.5	SEND SHORT MESSAGE (UCS2 display in Chinese) .....	361
27.22.4.10.6	SEND SHORT MESSAGE (UCS2 display in Katakana) .....	366
27.22.4.10.7	SEND SHORT MESSAGE (IMS) .....	371
27.22.4.10.8	SEND SHORT MESSAGE (over SGs in E-UTRAN) .....	383



27.22.4.11	SEND SS .....	384
27.22.4.11.1	SEND SS (normal) .....	384
27.22.4.11.2	SEND SS (Icon support).....	396
27.22.4.11.3	SEND SS (UCS2 display in Cyrillic) .....	402
27.22.4.11.4	SEND SS (support of Text Attribute).....	403
27.22.4.11.5	SEND SS (UCS2 display in Chinese) .....	438
27.22.4.11.6	SEND SS (UCS2 display in Katakana) .....	440
27.22.4.12	SEND USSD .....	442
27.22.4.12.1	SEND USSD (normal) .....	442
27.22.4.12.2	SEND USSD (Icon support).....	452
27.22.4.12.3	SEND USSD (UCS2 display in Cyrillic) .....	458
27.22.4.12.4	SEND USSD (support of Text Attribute).....	460
27.22.4.12.5	SEND USSD (UCS2 display in Chinese).....	494
27.22.4.12.6	SEND USSD (UCS2 display in Katakana).....	496
27.22.4.13	SET UP CALL .....	498
27.22.4.13.1	SET UP CALL (normal).....	498
27.22.4.13.2	SET UP CALL (second alpha identifier).....	511
27.22.4.13.3	SET UP CALL (display of icons).....	513
27.22.4.13.4	SET UP CALL (support of Text Attribute).....	522
27.22.4.13.5	SET UP CALL (UCS2 Display in <i>Cyrillic</i> ) .....	564
27.22.4.13.6	SET UP CALL (UCS2 Display in Chinese).....	566
27.22.4.13.7	SET UP CALL (UCS2 Display in Katakana).....	569
27.22.4.14	POLLING OFF .....	572
27.22.4.14.1	Definition and applicability .....	572
27.22.4.14.2	Conformance requirement .....	572
27.22.4.14.3	Test purpose .....	572
27.22.4.14.4	Method of test.....	572
27.22.4.14.5	Test requirement .....	575
27.22.4.15	PROVIDE LOCAL INFORMATION .....	575
27.22.4.15.1	Definition and applicability .....	575
27.22.4.15.2	Conformance requirement .....	575
27.22.4.15.3	Test purpose .....	575
27.22.4.15.4	Method of tests .....	576
27.22.4.15.5	Test requirement .....	594
27.22.4.16	SET UP EVENT LIST .....	594
27.22.4.16.1	SET UP EVENT LIST (normal) .....	594
27.22.4.17	PERFORM CARD APDU .....	603
27.22.4.17.1	PERFORM CARD APDU (normal).....	603
27.22.4.17.2	PERFORM CARD APDU (detachable card reader) .....	604
27.22.4.18	POWER OFF CARD .....	605
27.22.4.18.1	POWER OFF CARD (normal).....	605
27.22.4.18.2	POWER OFF CARD (detachable card reader) .....	606
27.22.4.19	POWER ON CARD .....	606
27.22.4.19.1	POWER ON CARD (normal) .....	606
27.22.4.19.2	POWER ON CARD (detachable card reader).....	607
27.22.4.20	GET READER STATUS .....	608
27.22.4.20.1	GET READER STATUS (normal) .....	608
27.22.4.20.2	GET CARD READER STATUS (detachable card reader).....	609
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION .....	609
27.22.4.21.1	TIMER MANAGEMENT (normal).....	609
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal) .....	610
27.22.4.22	SET UP IDLE MODE TEXT.....	611
27.22.4.22.1	SET UP IDLE MODE TEXT (normal) .....	611
27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support) .....	616
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	617
27.22.4.22.4	SET UP IDLE MODE TEXT (support of Text Attribute) .....	618
27.22.4.22.5	SET UP IDLE MODE TEXT (UCS2 display in Chinese) .....	624
27.22.4.22.6	SET UP IDLE MODE TEXT (UCS2 display in Katakana) .....	624
27.22.4.23	RUN AT COMMAND.....	625
27.22.4.23.1	RUN AT COMMAND (normal) .....	625
27.22.4.23.2	RUN AT COMMAND (Icon support) .....	627
27.22.4.23.3	RUN AT COMMAND (support of Text Attribute).....	634

27.22.4.23.4	RUN AT COMMAND (UCS2 display in Cyrillic) .....	665
27.22.4.23.5	RUN AT COMMAND (UCS2 display in Chinese) .....	665
27.22.4.23.6	RUN AT COMMAND (UCS2 display in Katakana) .....	666
27.22.4.24	SEND DTMF .....	667
27.22.4.24.1	SEND DTMF (Normal).....	667
27.22.4.24.2	SEND DTMF (Display of icons).....	672
27.22.4.24.3	SEND DTMF (UCS2 display in Cyrillic) .....	677
27.22.4.24.4	SEND DTMF (support of Text Attribute) .....	679
27.22.4.24.5	SEND DTMF (UCS2 Display in Chinese) .....	721
27.22.4.24.6	SEND DTMF (UCS2 Display in Katakana).....	722
27.22.4.25	LANGUAGE NOTIFICATION .....	724
27.22.4.25.1	Definition and applicability .....	724
27.22.4.25.2	Conformance Requirement.....	724
27.22.4.25.3	Test purpose .....	724
27.22.4.25.4	Method of Test .....	724
27.22.4.25.5	Test requirement .....	724
27.22.4.26	LAUNCH BROWSER.....	724
27.22.4.26.1	LAUNCH BROWSER (No session already launched) .....	724
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	731
27.22.4.26.3	LAUNCH BROWSER (UCS2 display in Cyrillic) .....	735
27.22.4.26.4	LAUNCH BROWSER (icons support) .....	738
27.22.4.26.5	LAUNCH BROWSER (support of Text Attribute).....	743
27.22.4.26.6	LAUNCH BROWSER (UCS2 Display in Chinese).....	785
27.22.4.26.7	LAUNCH BROWSER (UCS2 Display in Katakana) .....	787
27.22.4.27	OPEN CHANNEL .....	789
27.22.4.27.1	Void.....	789
27.22.4.27.2	Open Channel (related to GPRS).....	789
27.22.4.27.3	Open Channel (default bearer) .....	806
27.22.4.27.3.1	Open Channel (default bearer, E-UTRAN) .....	806
27.22.4.27.3.2	Open Channel (Default bearer, GERAN/UTRAN) .....	806
27.22.4.27.4	Open Channel (Local Bearer) .....	809
27.22.4.27.5	Open Channel (GPRS, support of Text Attribute).....	809
27.22.4.27.6	Open Channel (related to E-UTRAN).....	869
27.22.4.27.7	Open Channel (UICC Access to IMS).....	885
27.22.4.28	CLOSE CHANNEL .....	891
27.22.4.28.1	CLOSE CHANNEL(normal).....	891
27.22.4.28.2	CLOSE CHANNEL (support of Text Attribute) .....	897
27.22.4.28.3	CLOSE CHANNEL(E-UTRAN/EPC).....	940
27.22.4.29	RECEIVE DATA.....	944
27.22.4.29.1	RECEIVE DATA (NORMAL) .....	944
27.22.4.29.1.5	Test requirement .....	963
27.22.4.29.2	RECEIVE DATA (support of Text Attribute).....	963
27.22.4.30	SEND DATA .....	1001
27.22.4.30.1	SEND DATA (normal).....	1001
27.22.4.30.2	SEND DATA (support of Text Attribute) .....	1016
27.22.4.30.3	SEND DATA (E-UTRAN) .....	1044
27.22.4.31	GET CHANNEL STATUS .....	1054
27.22.4.31.1	Definition and applicability .....	1054
27.22.4.31.2	Conformance requirements.....	1054
27.22.4.31.3	Test purpose .....	1054
27.22.4.31.4	Method of test.....	1054
27.22.4.31.5	Test requirement .....	1069
27.22.5	Data Download to UICC.....	1069
27.22.5.1	SMS-PP Data Download.....	1069
27.22.5.1.1	Definition and applicability .....	1069
27.22.5.1.2	Conformance requirement .....	1069
27.22.5.1.3	Test purpose .....	1069
27.22.5.1.4	Method of Test .....	1069
27.22.5.1.5	Test requirement .....	1070
27.22.5.2	Cell Broadcast Data Download .....	1071
27.22.5.2.1	Definition and applicability .....	1071
27.22.5.2.2	Conformance requirement .....	1071



27.22.5.2.3	Test purpose .....	1071
27.22.5.2.4	Method of Test .....	1071
27.22.5.2.5	Test requirement .....	1075
27.22.5.3	SMS-PP Data Download over IMS .....	1076
27.22.5.3.1	Definition and applicability .....	1076
27.22.5.3.2	Conformance requirement .....	1076
27.22.5.3.3	Test purpose .....	1076
27.22.5.3.4	Method of Test .....	1076
27.22.5.3.5	Test requirement .....	1086
27.22.5.4	SMS-PP Data Download over SGs in E-UTRAN .....	1086
27.22.5.4.1	Definition and applicability .....	1086
27.22.5.4.2	Conformance requirement .....	1086
27.22.5.4.3	Test purpose .....	1086
27.22.5.4.4	Method of Test .....	1087
27.22.5.4.5	Test requirement .....	1087
27.22.6	CALL CONTROL BY USIM .....	1087
27.22.6.1	Procedure for Mobile Originated calls .....	1087
27.22.6.1.1	Definition and applicability .....	1087
27.22.6.1.2	Conformance requirement .....	1087
27.22.6.1.3	Test purpose .....	1087
27.22.6.1.4	Method of tests .....	1088
27.22.6.1.5	Test requirement .....	1108
27.22.6.2	Procedure for Supplementary (SS) Services .....	1108
27.22.6.2.1	Definition and applicability .....	1108
27.22.6.2.2	Conformance requirement .....	1108
27.22.6.2.3	Test purpose .....	1109
27.22.6.2.4	Method of tests .....	1109
27.22.6.2.5	Test requirement .....	1116
27.22.6.3	Interaction with Fixed Dialling Number (FDN) .....	1116
27.22.6.3.1	Definition and applicability .....	1116
27.22.6.3.2	Conformance requirement .....	1116
27.22.6.3.3	Test purpose .....	1116
27.22.6.3.4	Method of tests .....	1117
27.22.6.3.5	Test requirement .....	1123
27.22.6.4	Support of Barred Dialling Number (BDN) service .....	1123
27.22.6.4.1	Definition and applicability .....	1123
27.22.6.4.2	Conformance requirement .....	1123
27.22.6.4.3	Test purpose .....	1124
27.22.6.4.4	Method of tests .....	1124
27.22.6.4.5	Test requirement .....	1134
27.22.6.5	Barred Dialling Number (BDN) service handling for terminals not supporting BDN .....	1135
27.22.6.5.1	Definition and applicability .....	1135
27.22.6.5.2	Conformance requirement .....	1135
27.22.6.5.3	Test purpose .....	1135
27.22.6.5.4	Method of tests .....	1135
27.22.7	EVENT DOWNLOAD .....	1136
27.22.7.1	MT Call Event .....	1136
27.22.7.1.1	MT Call Event (normal) .....	1136
27.22.7.2	Call Connected Event .....	1138
27.22.7.2.1	Call Connected Event (MT and MO call) .....	1138
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL) .....	1145
27.22.7.3	Call Disconnected Event .....	1148
27.22.7.3.1	Call Disconnected Event .....	1148
27.22.7.4	Location Status Event .....	1152
27.22.7.4.1	Location Status Event (normal) .....	1152
27.22.7.5	User Activity Event .....	1159
27.22.7.5.1	User Activity Event (normal) .....	1159
27.22.7.6	Idle screen available event .....	1160
27.22.7.6.1	Idle Screen Available (normal) .....	1160
27.22.7.7	Card reader status event .....	1161
27.22.7.7.1	Card Reader Status (normal) .....	1161
27.22.7.7.2	Card Reader Status(detachable card reader) .....	1161

27.22.7.8	Language selection event .....	1162
27.22.7.8.1	Language selection event (normal).....	1162
27.22.7.9	Browser termination event .....	1162
27.22.7.9.1	Browser termination (normal) .....	1162
27.22.7.10	Data available event .....	1164
27.22.7.10.1	Definition and applicability .....	1164
27.22.7.10.2	Conformance requirements.....	1164
27.22.7.10.3	Test purpose .....	1165
27.22.7.10.4	Method of test.....	1165
27.22.7.11	Channel Status event .....	1179
27.22.7.11.1	Definition and applicability .....	1179
27.22.7.11.2	Conformance requirements.....	1179
27.22.7.11.3	Test purpose .....	1179
27.22.7.11.4	Method of test.....	1179
27.22.7.12	Access Technology Change event.....	1186
27.22.7.13	Display parameter changed event .....	1189
27.22.7.14	Local Connection event.....	1189
27.22.7.15	Network search mode change event.....	1189
27.22.7.15.1	Definition and applicability .....	1189
27.22.7.15.2	Conformance requirements.....	1189
27.22.7.15.3	Test purpose .....	1190
27.22.7.15.4	Method of test.....	1190
27.22.7.16	Browsing status event .....	1191
27.22.7.17	Network Rejection Event .....	1191
27.22.7.18	CSG Cell Selection event.....	1196
27.22.7.18.1	CSG Cell Selection (normal) .....	1196
27.22.7.19	IMS registration event.....	1202
27.22.7.20	Incoming IMS data event .....	1202
27.22.7.20.1	Incoming IMS data (normal) .....	1202
27.22.7.21	Data Connection Status Change event.....	1207
FFS	1210	
27.22.8	MO SHORT MESSAGE CONTROL BY USIM .....	1210
27.22.8.1	Definition and applicability.....	1210
27.22.8.2	Conformance requirement.....	1210
27.22.8.3	Test purpose .....	1210
27.22.8.4	Method of tests.....	1211
27.22.8.4.1	Initial conditions .....	1211
27.22.8.4.2	Procedure.....	1212
27.22.8.5	Test requirement .....	1225
27.22.9	Handling of command number .....	1225
27.22.9.1	Definition and applicability.....	1225
27.22.9.2	Conformance requirement.....	1226
27.22.9.3	Test purpose .....	1226
27.22.9.4	Method of tests.....	1226
27.22.9.4.1	Initial conditions .....	1226
27.22.9.4.2	Procedure.....	1226
27.22.9.5	Test requirement .....	1226
27.22.10	CALL CONTROL on EPS PDN Connection .....	1226
27.22.10.1	Procedure for Mobile Originated calls .....	1226
27.22.10.1.1	Definition and applicability .....	1226
27.22.10.1.2	Conformance requirement .....	1226
27.22.10.1.3	Test purpose .....	1226
27.22.10.1.4	Method of tests .....	1227
27.22.11	CALL CONTROL on PDP Context Activation.....	1236
27.22.11.1	Procedure for Mobile Originated calls .....	1236
<b>Annex A (normative):</b>	<b>Details of Test-SIM (TestSIM).....</b>	<b>1256</b>
<b>Annex B (normative):</b>	<b>Details of terminal profile support .....</b>	<b>1258</b>
<b>Annex C (informative):</b>	<b>Change history .....</b>	<b>1272</b>

History .....1280

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/0737b553-7104-45e0-b0ba-82fd6f50975b/etsi-ts-131-124-v15.2.0-2018-10>

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/0737b553-7104-45e0-b0ba-82fd6f50975b/etsi-ts-131-124-v15.2.0-2018-10>

# 1 Scope

The present document describes the technical characteristics and methods of test for testing the USIM Application Toolkit implemented in 3<sup>rd</sup> Generation Mobile Equipments (ME) or Mobile Station (MS) for the LTE-Advanced, LTE, 3G and 2G digital cellular communications systems within the 3GPP digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETSI ETS 300 406 [20].

The present document is valid for ME implemented according to 3GPP Release 99, or Release 4, or any later Release.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the 3GPP-series of technical specifications. The present document neither replaces any of the other 3GPP technical specifications or 3GPP related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the UMTS. The present document lists the requirements, and provides the methods of test for testing the USIM Application Toolkit implemented in a ME for conformance to the 3GPP standard.

For a full description of the system, reference should be made to all the 3GPP technical specifications or 3GPP related ETSIs, ETSs or ENs. Clause 2 provides a complete list of the 3GPP technical specifications, 3GPP related ETSI's EtSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other 3GPP technical specification or 3GPP related ETSI, ETS, EN, or 3GPP TS, then the other 3GPP technical specification or 3GPP related ETSI ETS, EN or 3GPP TS shall prevail.

Within the context of this document, the term "terminal" used in ETSI TS 102 384 [26] refers to the Mobile Equipment (ME).

Within the context of this document, the term "UICC" used in ETSI TS 102 384 [26] refers to the USIM card.

Within the context of this document, the term "NAA" used in ETSI TS 102 384 [26] refers to the USIM application.

For the avoidance of doubt, references to clauses of ETSI TS 102 384 [26] or ETSI TS 102 221 [13] include all the subclauses of that clause, unless specifically mentioned.

The target test specification ETSI TS 102 384 [26] contains material that is outside of the scope of 3GPP requirements and the present document indicates which parts are in the scope and which are not.

A 3GPP ME may support functionality that is not required by 3GPP, but the requirements to do so are outside of the scope of 3GPP. Thus the present document does not contain tests or references to ETSI TS 102 384 [26] tests for features which are out of scope of 3GPP.

In the present document, unless explicitly stated otherwise, for Rel-13 onwards the term E-UTRAN implicitly refers to the E-UTRAN in WB-S1 mode. E-UTRAN in NB-S1 mode is always explicitly referred to as NB-IoT.