



SLOVENSKI STANDARD
SIST ES 201 873-1 V4.12.1:2020

01-julij-2020

Metode za preskušanje in specificiranje (MTS) - 3. različica zapisa preskušanja in krmiljenja preskusov - 1. del: Jedrni jezik TTCN-3

Methods for Testing and Specification (MTS) - The Testing and Test Control Notation version 3 - Part 1: TTCN-3 Core Language

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: ~~SIST ES 201 873-1 V4.12.1:2020~~ ETSI ES 201 873-1 V4.12.1 (2020-05)

<https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020>

ICS:

| | | |
|-----------|--|--|
| 33.040.01 | Telekomunikacijski sistemi na splošno | Telecommunication systems in general |
| 35.060 | Jeziki, ki se uporabljajo v informacijski tehniki in tehnologiji | Languages used in information technology |

SIST ES 201 873-1 V4.12.1:2020 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ES 201 873-1 V4.12.1:2020

<https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020>

ETSI ES 201 873-1 V4.12.1 (2020-05)



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 1 (TTCN-3 Core Language)

[SIST ES 201 873-1 V4.12.1:2020](https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020)

<https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020>

Reference

RES/MTS-201873-1V4.12.1

Keywords

language, methodology, testing, TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Important notice

<https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-1e1a13b4-79/SIST-ES-201-873-1-V4.12.1-2020>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

| | |
|---|----|
| Intellectual Property Rights | 13 |
| Foreword..... | 13 |
| Modal verbs terminology..... | 13 |
| 1 Scope | 14 |
| 2 References | 14 |
| 2.1 Normative references | 14 |
| 2.2 Informative references..... | 15 |
| 3 Definition of terms, symbols and abbreviations..... | 16 |
| 3.1 Terms..... | 16 |
| 3.2 Symbols..... | 22 |
| 3.3 Abbreviations | 22 |
| 4 Introduction | 23 |
| 4.0 General | 23 |
| 4.1 The core language and presentation formats | 24 |
| 4.2 Unanimity of the specification | 25 |
| 4.3 Conformance..... | 25 |
| 5 Basic language elements | 25 |
| 5.0 General | 25 |
| 5.1 Identifiers and keywords | 26 |
| 5.2 Scope rules | 27 |
| 5.2.0 General..... | 27 |
| 5.2.1 Scope of formal parameters | 29 |
| 5.2.2 Uniqueness of identifiers | 29 |
| 5.3 Ordering of language elements..... | 30 |
| 5.4 Parameterization..... | 30 |
| 5.4.0 General..... | 30 |
| 5.4.1 Formal parameters | 31 |
| 5.4.1.0 General..... | 31 |
| 5.4.1.1 Formal parameters of kind value..... | 31 |
| 5.4.1.2 Formal parameters of kind template..... | 34 |
| 5.4.2 Actual parameters | 36 |
| 5.5 Cyclic Definitions..... | 41 |
| 6 Types and values | 42 |
| 6.0 General | 42 |
| 6.1 Basic types and values..... | 43 |
| 6.1.0 Simple basic types and values..... | 43 |
| 6.1.1 Basic string types and values | 44 |
| 6.1.1.0 General | 44 |
| 6.1.1.1 Accessing individual string elements | 46 |
| 6.1.2 Subtyping of basic types | 47 |
| 6.1.2.0 General | 47 |
| 6.1.2.1 Lists of templates | 47 |
| 6.1.2.2 Lists of types | 47 |
| 6.1.2.3 Ranges..... | 48 |
| 6.1.2.4 String length restrictions | 49 |
| 6.1.2.5 Pattern subtyping of character string types | 49 |
| 6.1.2.6 Mixing subtyping mechanisms..... | 49 |
| 6.1.2.6.1 Mixing patterns, lists and ranges | 49 |
| 6.1.2.6.2 Using length restriction with other constraints | 50 |
| 6.2 Structured types and values | 50 |
| 6.2.0 General..... | 50 |
| 6.2.1 Record type and values | 52 |
| 6.2.1.0 General..... | 52 |

| | | |
|----------|---|----|
| 6.2.1.1 | Referencing fields of a record type | 55 |
| 6.2.1.2 | Optional elements in a record..... | 56 |
| 6.2.1.3 | Nested type definitions for field types | 56 |
| 6.2.2 | Set type and values | 57 |
| 6.2.2.0 | General | 57 |
| 6.2.2.1 | Referencing fields of a set type | 57 |
| 6.2.2.2 | Optional elements in a set | 57 |
| 6.2.2.3 | Nested type definition for field types | 57 |
| 6.2.3 | Records and sets of single types | 57 |
| 6.2.3.0 | General | 57 |
| 6.2.3.1 | Nested type definitions..... | 60 |
| 6.2.3.2 | Referencing elements of record of and set of types | 60 |
| 6.2.4 | Enumerated type and values | 61 |
| 6.2.5 | Unions..... | 63 |
| 6.2.5.0 | General..... | 63 |
| 6.2.5.1 | Referencing fields of a union type | 64 |
| 6.2.5.2 | Option and union..... | 65 |
| 6.2.5.3 | Nested type definition for field types | 65 |
| 6.2.6 | The anytype | 66 |
| 6.2.7 | Arrays | 66 |
| 6.2.8 | The default type | 68 |
| 6.2.9 | Communication port types..... | 68 |
| 6.2.10 | Component types | 70 |
| 6.2.10.1 | Component type definition..... | 70 |
| 6.2.10.2 | Reuse of component types | 71 |
| 6.2.11 | Component references | 73 |
| 6.2.12 | Addressing entities inside the SUT..... | 75 |
| 6.2.13 | Subtyping of structured types | 77 |
| 6.2.13.0 | General..... | 77 |
| 6.2.13.1 | Length subtyping of record ofs and set ofs | 77 |
| 6.2.13.2 | List subtyping of structured types and anytype..... | 78 |
| 6.2.13.3 | Subtyping of the iterated type of record ofs and set ofs..... | 81 |
| 6.2.13.4 | Mixing subtyping mechanisms..... | 82 |
| 6.2.14 | The timer type..... | 82 |
| 6.2.15 | Map types | 82 |
| 6.2.15.0 | General..... | 82 |
| 6.2.15.1 | Map Type Definition..... | 82 |
| 6.2.15.2 | Indexed Assignment Notation..... | 83 |
| 6.2.15.3 | Unmapping Keys..... | 83 |
| 6.2.15.4 | Index Notation..... | 84 |
| 6.2.15.5 | Accessing the Keys of a Map..... | 84 |
| 6.2.15.6 | Accessing the Values of a Map..... | 85 |
| 6.2.15.7 | Referencing of Elements of a Map..... | 85 |
| 6.2.15.8 | Nested type definitions..... | 85 |
| 6.2.16 | The open type | 85 |
| 6.3 | Type compatibility | 86 |
| 6.3.0 | General..... | 86 |
| 6.3.1 | Compatibility of non-structured types | 86 |
| 6.3.2 | Compatibility of structured types..... | 88 |
| 6.3.2.0 | General | 88 |
| 6.3.2.1 | Compatibility of enumerated types | 88 |
| 6.3.2.2 | Compatibility of record and record of types | 89 |
| 6.3.2.3 | Compatibility of set and set of types..... | 90 |
| 6.3.2.4 | Compatibility of union types..... | 91 |
| 6.3.2.5 | Compatibility of anytype types | 91 |
| 6.3.2.6 | Compatibility between sub-structures | 92 |
| 6.3.2.7 | Compatibility of the open type..... | 92 |
| 6.3.3 | Compatibility of component types..... | 93 |
| 6.3.4 | Type compatibility of communication and connection operations | 93 |
| 6.3.5 | Type conversion..... | 94 |
| 6.3.6 | Type compatibility of port types..... | 94 |
| 6.3.7 | Type compatibility of timer types..... | 94 |

| | | |
|---------|--|-----|
| 6.3.8 | Type Compatibility of Map Types..... | 94 |
| 6.4 | Type synonym..... | 94 |
| 7 | Expressions..... | 94 |
| 7.0 | General..... | 94 |
| 7.1 | Operators..... | 95 |
| 7.1.0 | General..... | 95 |
| 7.1.1 | Arithmetic operators..... | 97 |
| 7.1.2 | List operator..... | 97 |
| 7.1.3 | Relational operators..... | 98 |
| 7.1.4 | Logical operators..... | 101 |
| 7.1.5 | Bitwise operators..... | 101 |
| 7.1.6 | Shift operators..... | 102 |
| 7.1.7 | Rotate operators..... | 102 |
| 7.1.8 | Presence checking operators..... | 103 |
| 7.1.8.0 | General..... | 103 |
| 7.1.8.1 | The ispresent operator..... | 104 |
| 7.1.8.2 | The ischosen operator..... | 105 |
| 7.1.8.3 | The isvalue operator..... | 106 |
| 7.1.8.4 | The isbound operator..... | 108 |
| 7.2 | Field references and list elements..... | 109 |
| 7.3 | Decoded field reference..... | 109 |
| 8 | Modules..... | 110 |
| 8.0 | General..... | 110 |
| 8.1 | Definition of a module..... | 110 |
| 8.2 | Module definitions part..... | 111 |
| 8.2.0 | General..... | 111 |
| 8.2.1 | Module parameters..... | 112 |
| 8.2.2 | Groups of definitions..... | 113 |
| 8.2.3 | Importing from modules..... | 114 |
| 8.2.3.0 | General..... | 114 |
| 8.2.3.1 | General format of import..... | 114 |
| 8.2.3.2 | Importing single definitions..... | 121 |
| 8.2.3.3 | Importing groups..... | 122 |
| 8.2.3.4 | Importing definitions of the same kind..... | 123 |
| 8.2.3.5 | Importing all definitions of a module..... | 123 |
| 8.2.3.6 | Import definitions from other TTCN-3 editions and from non-TTCN-3 modules..... | 124 |
| 8.2.3.7 | Importing of import statements from TTCN-3 modules..... | 126 |
| 8.2.3.8 | Compatibility of language specifications in imports..... | 127 |
| 8.2.4 | Definition of friend modules..... | 128 |
| 8.2.5 | Visibility of definitions..... | 128 |
| 8.3 | Module control part..... | 130 |
| 9 | Port types, component types and test configurations..... | 131 |
| 9.0 | General..... | 131 |
| 9.1 | Communication ports..... | 131 |
| 9.2 | Test system interface..... | 134 |
| 10 | Declaring constants..... | 136 |
| 11 | Declaring variables..... | 136 |
| 11.0 | General..... | 136 |
| 11.1 | Value variables..... | 137 |
| 11.2 | Template variables..... | 138 |
| 12 | Declaring timers..... | 139 |
| 13 | Declaring messages..... | 140 |
| 14 | Declaring procedure signatures..... | 141 |
| 15 | Declaring templates..... | 142 |
| 15.0 | General..... | 142 |
| 15.1 | Declaring message templates..... | 143 |

| | | |
|--------|---|-----|
| 15.2 | Declaring signature templates | 145 |
| 15.3 | Global and local templates | 146 |
| 15.4 | In-line Templates..... | 147 |
| 15.5 | Modified templates..... | 148 |
| 15.6 | Referencing elements of templates or template fields | 152 |
| 15.6.0 | General..... | 152 |
| 15.6.1 | Referencing individual string elements..... | 152 |
| 15.6.2 | Referencing record and set fields..... | 152 |
| 15.6.3 | Referencing record of and set of elements | 153 |
| 15.6.4 | Referencing signature parameters..... | 157 |
| 15.6.5 | Referencing union alternatives..... | 158 |
| 15.7 | Template matching mechanisms | 159 |
| 15.7.0 | General..... | 159 |
| 15.7.1 | Specific values | 160 |
| 15.7.2 | Special symbols that can be used instead of values | 161 |
| 15.7.3 | Special symbols that can be used inside values | 162 |
| 15.7.4 | Special symbols which describe attributes of values | 162 |
| 15.8 | Template Restrictions..... | 163 |
| 15.9 | Match Operation..... | 165 |
| 15.10 | Value of Operation | 167 |
| 15.11 | Concatenating templates of string and list types | 167 |
| 16 | Functions, altsteps and testcases | 170 |
| 16.0 | General | 170 |
| 16.1 | Functions | 170 |
| 16.1.0 | General..... | 170 |
| 16.1.1 | Invoking functions..... | 173 |
| 16.1.2 | Predefined functions..... | 173 |
| 16.1.3 | External functions..... | 176 |
| 16.1.4 | Invoking functions from specific places..... | 176 |
| 16.1.5 | Explicit control functions..... | 178 |
| 16.2 | Altsteps..... | 178 |
| 16.2.0 | General..... | 178 |
| 16.2.1 | Invoking altsteps..... | 180 |
| 16.3 | Test cases..... | 181 |
| 17 | Void..... | 182 |
| 18 | Overview of program statements and operations | 182 |
| 19 | Basic program statements..... | 185 |
| 19.0 | General | 185 |
| 19.1 | Assignments | 185 |
| 19.2 | The If-else statement | 187 |
| 19.3 | The Select statements | 187 |
| 19.3.1 | The Select case statement | 187 |
| 19.3.2 | The Select union statement | 189 |
| 19.4 | The For statement..... | 190 |
| 19.5 | The While statement..... | 190 |
| 19.6 | The Do-while statement | 191 |
| 19.7 | The Label statement | 191 |
| 19.8 | The Goto statement | 192 |
| 19.9 | The Stop execution statement..... | 193 |
| 19.10 | The Return statement..... | 193 |
| 19.11 | The Log statement | 194 |
| 19.12 | The Break statement..... | 196 |
| 19.13 | The Continue statement..... | 196 |
| 19.14 | Statement block..... | 197 |
| 20 | Statement and operations for alternative behaviours..... | 197 |
| 20.0 | General | 197 |
| 20.1 | The snapshot mechanism..... | 198 |
| 20.2 | The Alt statement | 198 |

| | | |
|----------|---|-----|
| 20.3 | The Repeat statement | 202 |
| 20.4 | The Interleave statement | 203 |
| 20.5 | Default Handling | 205 |
| 20.5.0 | General..... | 205 |
| 20.5.1 | The default mechanism..... | 206 |
| 20.5.2 | The Activate operation..... | 206 |
| 20.5.3 | The Deactivate operation | 207 |
| 21 | Configuration Operations | 208 |
| 21.0 | General | 208 |
| 21.1 | Connection Operations | 209 |
| 21.1.0 | General..... | 209 |
| 21.1.1 | The Connect and Map operations | 210 |
| 21.1.2 | The Disconnect and Unmap operations | 212 |
| 21.2 | Test case operations..... | 213 |
| 21.2.0 | General..... | 213 |
| 21.2.1 | Test case stop operation..... | 214 |
| 21.3 | Test Component Operations | 214 |
| 21.3.0 | General..... | 214 |
| 21.3.1 | The Create operation..... | 214 |
| 21.3.2 | The Start test component operation | 215 |
| 21.3.3 | The Stop test behaviour operation | 217 |
| 21.3.4 | The Kill test component operation..... | 218 |
| 21.3.5 | The Alive operation | 218 |
| 21.3.6 | The Running operation | 219 |
| 21.3.7 | The Done operation | 221 |
| 21.3.8 | The Killed operation | 223 |
| 21.3.9 | Summary of the use of any and all with components | 225 |
| 21.3.10 | The Call test component behaviour operation | 225 |
| 22 | Communication operations..... | 227 |
| 22.0 | General | 227 |
| 22.1 | The communication mechanisms | 227 |
| 22.1.0 | General..... | 227 |
| 22.1.1 | Principles of message-based communication..... | 227 |
| 22.1.2 | Principles of procedure-based communication | 228 |
| 22.1.3 | Principles of unicast, multicast and broadcast communication..... | 228 |
| 22.1.4 | General format of communication operations | 229 |
| 22.1.4.0 | General | 229 |
| 22.1.4.1 | General format of the sending operations | 229 |
| 22.1.4.2 | General format of the receiving operations | 230 |
| 22.2 | Message-based communication..... | 231 |
| 22.2.0 | General..... | 231 |
| 22.2.1 | The Send operation | 231 |
| 22.2.2 | The Receive operation | 232 |
| 22.2.3 | The Trigger operation | 236 |
| 22.3 | Procedure-based communication..... | 239 |
| 22.3.0 | General..... | 239 |
| 22.3.1 | The Call operation | 239 |
| 22.3.2 | The Getcall operation..... | 243 |
| 22.3.3 | The Reply operation..... | 246 |
| 22.3.4 | The Getreply operation | 247 |
| 22.3.5 | The Raise operation | 250 |
| 22.3.6 | The Catch operation..... | 251 |
| 22.4 | The Check operation | 255 |
| 22.5 | Controlling communication ports..... | 257 |
| 22.5.0 | General..... | 257 |
| 22.5.1 | The Clear port operation | 257 |
| 22.5.2 | The Start port operation | 258 |
| 22.5.3 | The Stop port operation | 258 |
| 22.5.4 | The Halt port operation..... | 259 |
| 22.5.5 | The Checkstate port operation | 259 |

| | | |
|--|---|------------|
| 22.6 | Use of any and all with ports | 261 |
| 23 | Timer operations | 261 |
| 23.0 | General | 261 |
| 23.1 | The timer mechanism | 262 |
| 23.2 | The Start timer operation..... | 262 |
| 23.3 | The Stop timer operation..... | 263 |
| 23.4 | The Read timer operation..... | 263 |
| 23.5 | The Running timer operation..... | 264 |
| 23.6 | The Timeout operation | 265 |
| 23.7 | Summary of use of any and all with timers | 266 |
| 24 | Test verdict operations | 266 |
| 24.0 | General | 266 |
| 24.1 | The Verdict mechanism..... | 266 |
| 24.2 | The Setverdict operation | 267 |
| 24.3 | The Getverdict operation..... | 268 |
| 25 | External actions | 269 |
| 26 | Module control | 269 |
| 26.0 | General | 269 |
| 26.1 | The Execute statement..... | 270 |
| 26.2 | Test suite execution | 271 |
| 27 | Specifying attributes..... | 273 |
| 27.0 | General | 273 |
| 27.1 | The Attribute mechanism | 273 |
| 27.1.0 | General..... | 273 |
| 27.1.1 | Scope of attributes | 274 |
| 27.1.2 | Overwriting rules for attributes..... | 275 |
| 27.1.2.0 | General | 275 |
| 27.1.2.1 | Additional default overwriting rules for variant attributes | 277 |
| 27.1.2.2 | Overwriting rules for multiple encoding | 278 |
| 27.1.3 | Changing attributes of imported language elements | 278 |
| 27.2 | The With statement | 279 |
| 27.3 | Display attributes..... | 280 |
| 27.4 | Encoding attributes..... | 281 |
| 27.5 | Variant attributes | 282 |
| 27.6 | Extension attributes | 284 |
| 27.7 | Optional attributes | 284 |
| 27.8 | Retrieving attribute values..... | 286 |
| 27.9 | Dynamic configuration of encoding used by ports..... | 287 |
| Annex A (normative): BNF and static semantics | | 289 |
| A.1 | TTCN-3 BNF | 289 |
| A.1.0 | General | 289 |
| A.1.1 | Conventions for the syntax description | 289 |
| A.1.2 | Statement terminator symbols | 289 |
| A.1.3 | Identifiers | 289 |
| A.1.4 | Comments..... | 290 |
| A.1.5 | TTCN-3 terminals | 290 |
| A.1.5.0 | General..... | 290 |
| A.1.5.1 | Use of whitespaces and newlines..... | 292 |
| A.1.6 | TTCN-3 syntax BNF productions | 293 |
| A.1.6.0 | TTCN-3 module..... | 293 |
| A.1.6.1 | Module definitions part..... | 293 |
| A.1.6.1.0 | General | 293 |
| A.1.6.1.1 | Typedef definitions | 293 |
| A.1.6.1.2 | Constant definitions | 295 |
| A.1.6.1.3 | Template definitions..... | 295 |
| A.1.6.1.4 | Function definitions | 297 |
| A.1.6.1.5 | Signature definitions | 298 |

| | | |
|-----------------------------|---|------------|
| A.1.6.1.6 | Testcase definitions | 298 |
| A.1.6.1.7 | Altstep definitions | 298 |
| A.1.6.1.8 | Import definitions | 298 |
| A.1.6.1.9 | Group definitions | 299 |
| A.1.6.1.10 | External function definitions | 299 |
| A.1.6.1.11 | Void | 299 |
| A.1.6.1.12 | Module parameter definitions | 300 |
| A.1.6.1.13 | Friend module definitions | 300 |
| A.1.6.2 | Module control function | 300 |
| A.1.6.3 | Local definitions | 300 |
| A.1.6.3.1 | Variable instantiation | 300 |
| A.1.6.3.2 | Timer instantiation | 300 |
| A.1.6.4 | Operations | 300 |
| A.1.6.4.1 | Component operations | 300 |
| A.1.6.4.2 | Port operations | 301 |
| A.1.6.4.3 | Timer operations | 303 |
| A.1.6.4.4 | Testcase operation | 303 |
| A.1.6.5 | Type | 303 |
| A.1.6.6 | Value | 304 |
| A.1.6.7 | Parameterization | 305 |
| A.1.6.8 | Statements | 305 |
| A.1.6.8.1 | With statement | 305 |
| A.1.6.8.2 | Behaviour statements | 306 |
| A.1.6.8.3 | Basic statements | 307 |
| A.1.6.9 | Miscellaneous productions | 309 |
| Annex B (normative): | Matching values | 310 |
| B.1 | Template matching mechanisms | 310 |
| B.1.0 | General | 310 |
| B.1.1 | Matching specific values | 310 |
| B.1.2 | Matching mechanisms instead of values | 310 |
| B.1.2.0 | General | 310 |
| B.1.2.1 | Template list | 310 |
| B.1.2.2 | Complemented template list | 311 |
| B.1.2.3 | Any value | 312 |
| B.1.2.4 | Any value or none | 313 |
| B.1.2.5 | Value range | 314 |
| B.1.2.6 | SuperSet | 314 |
| B.1.2.7 | SubSet | 315 |
| B.1.2.8 | Omitting optional fields | 317 |
| B.1.2.9 | Matching decoded content | 317 |
| B.1.2.10 | Matching enumerated value with value list | 319 |
| B.1.3 | Matching mechanisms inside values | 319 |
| B.1.3.0 | General | 319 |
| B.1.3.1 | Any element | 319 |
| B.1.3.1.0 | General | 319 |
| B.1.3.1.1 | Using single character wildcards | 319 |
| B.1.3.2 | Any number of elements or no element | 320 |
| B.1.3.2.0 | General | 320 |
| B.1.3.2.1 | Using multiple character wildcards | 320 |
| B.1.3.3 | Permutation | 320 |
| B.1.4 | Matching attributes of values | 322 |
| B.1.4.0 | General | 322 |
| B.1.4.1 | Length restrictions | 322 |
| B.1.4.2 | The IfPresent indicator | 323 |
| B.1.5 | Matching character pattern | 324 |
| B.1.5.0 | General | 324 |
| B.1.5.1 | Set expression | 326 |
| B.1.5.2 | Reference expression | 326 |
| B.1.5.3 | Match expression n times | 328 |
| B.1.5.4 | Match a referenced character set | 328 |

| | | |
|-----------------------------|--|------------|
| B.1.5.5 | Type compatibility rules for patterns | 329 |
| B.1.5.6 | Case insensitive pattern matching | 329 |
| Annex C (normative): | Predefined TTCN-3 functions..... | 330 |
| C.0 | General exception handling procedures | 330 |
| C.1 | Conversion functions..... | 330 |
| C.1.1 | Integer to character | 330 |
| C.1.2 | Integer to universal character | 330 |
| C.1.3 | Integer to bitstring | 330 |
| C.1.4 | Integer to enumerated..... | 331 |
| C.1.5 | Integer to hexstring..... | 331 |
| C.1.6 | Integer to octetstring..... | 331 |
| C.1.7 | Integer to charstring..... | 332 |
| C.1.8 | Integer to float | 332 |
| C.1.9 | Float to integer | 332 |
| C.1.10 | Character to integer | 332 |
| C.1.11 | Character to octetstring | 332 |
| C.1.12 | Universal character to integer..... | 333 |
| C.1.13 | Bitstring to integer..... | 333 |
| C.1.14 | Bitstring to hexstring | 333 |
| C.1.15 | Bitstring to octetstring | 333 |
| C.1.16 | Bitstring to charstring..... | 334 |
| C.1.17 | Hexstring to integer | 334 |
| C.1.18 | Hexstring to bitstring..... | 334 |
| C.1.19 | Hexstring to octetstring | 335 |
| C.1.20 | Hexstring to charstring | 335 |
| C.1.21 | Octetstring to integer..... | 335 |
| C.1.22 | Octetstring to bitstring..... | 335 |
| C.1.23 | Octetstring to hexstring | 336 |
| C.1.24 | Octetstring to character string | 336 |
| C.1.25 | Octetstring to character string, version II..... | 336 |
| C.1.26 | Charstring to integer..... | 337 |
| C.1.27 | Character string to hexstring..... | 337 |
| C.1.28 | Character string to octetstring | 337 |
| C.1.29 | Character string to float..... | 338 |
| C.1.30 | Enumerated to integer | 338 |
| C.1.31 | Octetstring to universal character string..... | 339 |
| C.1.32 | Universal character string to octetstring..... | 339 |
| C.1.33 | Value or template to universal charstring..... | 340 |
| C.2 | Length/size functions | 341 |
| C.2.1 | Length of strings and lists | 341 |
| C.2.2 | Number of elements in a structured value..... | 342 |
| C.3 | Presence checking functions | 343 |
| C.3.1 | Void..... | 343 |
| C.3.2 | Void..... | 343 |
| C.3.3 | Void..... | 343 |
| C.3.4 | Void..... | 343 |
| C.3.5 | Matching mechanism detection..... | 343 |
| C.4 | String/list handling functions | 344 |
| C.4.1 | The Regexp function | 344 |
| C.4.2 | The Substring function | 346 |
| C.4.3 | The Replace function..... | 347 |
| C.5 | Codec functions..... | 348 |
| C.5.1 | The encoding function..... | 348 |
| C.5.2 | The decoding function..... | 348 |
| C.5.3 | The encoding to universal charstring function | 348 |
| C.5.4 | The decoding from universal charstring function..... | 349 |
| C.5.5 | The encoding to octetstring function..... | 351 |

| | | |
|--|---|------------|
| C.5.6 | The decoding from octetstring function | 351 |
| C.5.7 | Retrieving the type of string encoding | 352 |
| C.5.8 | Removing BOMs of UCS encoding schemes..... | 352 |
| C.6 | Other functions..... | 353 |
| C.6.1 | The random number generator function | 353 |
| C.6.2 | The testcasename function | 353 |
| C.6.3 | The hostId function | 354 |
| Annex D (normative): Preprocessing macros..... | | 355 |
| D.0 | General | 355 |
| D.1 | Preprocessing macro <code>__MODULE__</code> | 355 |
| D.2 | Preprocessing macro <code>__FILE__</code> | 355 |
| D.3 | Preprocessing macro <code>__BFILE__</code> | 355 |
| D.4 | Preprocessing macro <code>__LINE__</code> | 355 |
| D.5 | Preprocessing macro <code>__SCOPE__</code> | 356 |
| Annex E (informative): Library of Useful Types | | 358 |
| E.1 | Limitations | 358 |
| E.2 | Useful TTCN-3 types | 358 |
| E.2.1 | Useful simple basic types | 358 |
| E.2.1.0 | Signed and unsigned single byte integers | 358 |
| E.2.1.1 | Signed and unsigned short integers..... | 358 |
| E.2.1.2 | Signed and unsigned long integers | 359 |
| E.2.1.3 | Signed and unsigned longlong integers..... | 359 |
| E.2.1.4 | IEEE 754 floats..... | 359 |
| E.2.2 | Useful character string types | 360 |
| E.2.2.0 | UTF-8 character string <code>"utf8string"</code> | 360 |
| E.2.2.1 | BMP character string <code>"bmpstring"</code> | 360 |
| E.2.2.2 | UTF-16 character string <code>"utf16string"</code> | 360 |
| E.2.2.3 | ISO/IEC 10646 character string <code>"iso8859string"</code> | 360 |
| E.2.2.4 | Status values for TTCN-3 objects..... | 361 |
| E.2.2.5 | Template kinds of TTCN-3 objects | 361 |
| E.2.3 | Useful structured types..... | 361 |
| E.2.3.0 | Fixed-point decimal literal..... | 361 |
| E.2.4 | Useful atomic string types..... | 362 |
| E.2.4.1 | Single Recommendation ITU-T T.50 character type..... | 362 |
| E.2.4.2 | Single universal character type | 362 |
| E.2.4.3 | Single bit type | 362 |
| E.2.4.4 | Single hex type | 362 |
| E.2.4.5 | Single octet type | 362 |
| Annex F (informative): Operations on TTCN-3 active objects..... | | 363 |
| F.0 | General | 363 |
| F.1 | Test components..... | 363 |
| F.1.1 | Test component references | 363 |
| F.1.2 | Dynamic behaviour of PTCs | 364 |
| F.1.3 | Dynamic behaviour of the MTC..... | 366 |
| F.2 | Timers..... | 367 |
| F.3 | Ports..... | 367 |
| F.3.0 | General | 367 |
| F.3.1 | Configuration Operations | 367 |
| F.3.2 | Port Controlling Operations | 368 |
| F.3.3 | Communication Operations..... | 369 |

| | | |
|-------------------------------|---|------------|
| Annex G (informative): | Deprecated language features..... | 370 |
| G.1 | Group style definition of module parameters..... | 370 |
| G.2 | Void..... | 370 |
| G.3 | Using a11 in port type definitions..... | 370 |
| G.4 | sizeof for length of lists..... | 370 |
| G.5 | Void..... | 370 |
| G.6 | Mixed ports | 370 |
| G.7 | Void..... | 370 |
| G.8 | Void..... | 371 |
| G.9 | Void..... | 371 |
| G.10 | Void..... | 371 |
| G.11 | Void..... | 371 |
| G.12 | Void..... | 371 |
| G.13 | Assignment of less restrictive templates to more restrictive templates..... | 371 |
| G.14 | Mixing case and case else branches in select statements | 371 |
| G.15 | Partially initialized global and local templates..... | 372 |
| Annex H (informative): | Bibliography..... | 373 |
| History | (standards.iteh.ai) | 374 |

[SIST ES 201 873-1 V4.12.1:2020](https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020)
<https://standards.iteh.ai/catalog/standards/sist/8b8e3b75-6cdb-4b7c-a856-fefa3a96479b/sist-es-201-873-1-v4-12-1-2020>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 1 of a multi-part deliverable covering the Testing and Test Control Notation version 3, as identified below:

- Part 1: "**TTCN-3 Core Language**";
- Part 2: "TTCN-3 Tabular presentation Format (TFT)";
- Part 3: "TTCN-3 Graphical presentation Format (GFT)";
- Part 4: "TTCN-3 Operational Semantics";
- Part 5: "TTCN-3 Runtime Interface (TRI)";
- Part 6: "TTCN-3 Control Interface (TCI)";
- Part 7: "Using ASN.1 with TTCN-3";
- Part 8: "The IDL to TTCN-3 Mapping";
- Part 9: "Using XML schema with TTCN-3";
- Part 10: "TTCN-3 Documentation Comment Specification";
- Part 11: "Using JSON with TTCN-3".

NOTE: Part 2 of this multi-part deliverable is in status "historical" and is not maintained.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.