



**Methods for Testing and Specification (MTS);
The Testing and Test Control Notation version 3;
Part 6: TTCN-3 Control Interface (TCI)**

*iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard available at
<https://standards.iteh.ai/catalog/standards/sist/60d2-e82c-4719-81a3-a5e65b1321f/etsi-es-201-873-6-v4-12-1-2020-05>*

ReferenceRES/MTS-201873-6v4.12.1

Keywordscontrol, interface, methodology, TCI, testing,
TTCN-3**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	16
1 Scope	17
2 References	17
2.1 Normative references	17
2.2 Informative references.....	18
3 Definition of terms, symbols and abbreviations.....	18
3.1 Terms.....	18
3.2 Symbols.....	19
3.3 Abbreviations	19
4 Introduction	20
5 Compliance.....	20
6 General structure of a TTCN-3 test system.....	21
6.1 Entities in a TTCN-3 test system.....	21
6.1.0 Types of entities.....	21
6.1.1 Test Management and Control (TMC).....	22
6.1.1.0 Test Management and Control Entities	22
6.1.1.1 Test Management (TM)	22
6.1.1.2 Coding and Decoding (CD)	23
6.1.1.3 Component Handling (CH).....	23
6.1.1.4 Test Logging (TL).....	24
6.1.2 TTCN-3 Executable (TE)	24
6.1.3 SUT Adaptor (SA).....	24
6.1.4 Platform Adaptor (PA).....	24
6.2 Execution requirements for a TTCN-3 test system	24
7 TTCN-3 control interface and operations.....	25
7.1 Overview of the TCI.....	25
7.1.0 TCI role in a TTCN-3 test system.....	25
7.1.1 Correlation between TTCN-3 and TCI operation invocations.....	25
7.1.1.0 Mapping of TTCN-3 operations to TCI operations.....	25
7.1.1.1 TTCN-3 operations with TCI operation equivalent	26
7.1.1.2 TTCN-3 operations with TCI operation pair equivalent	26
7.1.1.3 TTCN-3 operations without direct TCI operation equivalent	27
7.1.1.3.0 Mapping of TTCN-3 operations to series of TCI operations.....	27
7.1.1.3.1 Test case stop operation.....	27
7.2 TCI data.....	27
7.2.0 Abstract data types.....	27
7.2.1 General abstract data types	28
7.2.1.0 Use of general abstract data types	28
7.2.1.1 Management.....	28
7.2.1.2 Communication	29
7.2.2 Abstract TTCN-3 data types and values	29
7.2.2.0 Definition and scope of use.....	29
7.2.2.1 Abstract TTCN-3 data types	29
7.2.2.2 Abstract TTCN-3 values	31
7.2.2.2.0 Basic rules	31
7.2.2.2.1 The abstract data type Value	32
7.2.2.2.2 The abstract data type IntegerValue	35
7.2.2.2.3 The abstract data type FloatValue	35
7.2.2.2.4 The abstract data type BooleanValue	35
7.2.2.2.5 The abstract data type CharstringValue	35

7.2.2.2.6	The abstract data type UniversalCharstringValue.....	36
7.2.2.2.7	The abstract data type BitstringValue.....	36
7.2.2.2.8	The abstract data type OctetstringValue.....	37
7.2.2.2.9	The abstract data type HexstringValue.....	38
7.2.2.2.10	The abstract data type RecordValue.....	39
7.2.2.2.11	The abstract data type RecordOfValue.....	39
7.2.2.2.12	The abstract data type UnionValue.....	41
7.2.2.2.13	The abstract data type EnumeratedValue.....	41
7.2.2.2.14	The abstract data type VerdictValue.....	41
7.2.2.2.15	The abstract data type AddressValue.....	42
7.2.2.3	Abstract TTCN-3 matching mechanisms.....	42
7.2.2.3.1	The abstract data type MatchingMechanism.....	42
7.2.2.3.2	The abstract data type MatchingList.....	42
7.2.2.3.3	The abstract data type ValueRange.....	43
7.2.2.3.4	The abstract data type CharacterPattern.....	43
7.2.2.3.5	The abstract data type MatchDecodedContent.....	44
7.2.2.4	Data types for complex TTCN-3 properties.....	44
7.2.2.4.0	Scope of use of TTCN-3 properties.....	44
7.2.2.4.1	The abstract data type LengthRestriction.....	44
7.2.2.4.2	The abstract data type Permutation.....	44
7.2.2.4.3	The abstract data type RangeBoundary.....	45
7.2.3	Abstract logging types.....	45
7.2.3.1	The abstract data type TciValueTemplate.....	45
7.2.3.2	The abstract data type TciNonValueTemplate.....	45
7.2.3.3	The Value List and Mismatch Types.....	46
7.2.3.4	The Status Types.....	46
7.3	TCI operations.....	47
7.3.0	The TCI interfaces.....	47
7.3.1	The TCI-TM interface.....	48
7.3.1.0	Scope of use.....	48
7.3.1.1	TCI-TM required.....	48
7.3.1.1.0	Scope of use.....	48
7.3.1.1.1	tciRootModule.....	48
7.3.1.1.2	tciGetImportedModules.....	49
7.3.1.1.3	tciGetModuleParameters.....	49
7.3.1.1.4	tciGetTestCases.....	49
7.3.1.1.5	tciGetTestCaseParameters.....	49
7.3.1.1.6	tciGetTestCaseTSI.....	49
7.3.1.1.7	tciStartTestCase.....	50
7.3.1.1.8	tciStopTestCase.....	50
7.3.1.1.9	tciStartControl.....	50
7.3.1.1.10	tciStopControl.....	50
7.3.1.1.11	tciGetControlParameters.....	51
7.3.1.1.12	tciStartControlWithParameters.....	51
7.3.1.2	TCI-TM provided.....	51
7.3.1.2.0	Scope of use.....	51
7.3.1.2.1	tciTestCaseStarted.....	51
7.3.1.2.2	tciTestCaseTerminated.....	51
7.3.1.2.3	tciControlTerminated.....	52
7.3.1.2.4	tciGetModulePar.....	52
7.3.1.2.5	tciLog.....	52
7.3.1.2.6	tciError.....	52
7.3.1.2.7	tciControlTerminatedWithResult.....	53
7.3.2	The TCI-CD interface.....	53
7.3.2.0	Scope of use.....	53
7.3.2.1	TCI-CD required.....	54
7.3.2.1.0	Scope of use.....	54
7.3.2.1.1	getTypeForName.....	54
7.3.2.1.2	getInteger.....	54
7.3.2.1.3	getFloat.....	54

7.3.2.1.4	getBoolean.....	54
7.3.2.1.5	Void.....	54
7.3.2.1.6	getCharstring.....	55
7.3.2.1.7	getUniversalCharstring.....	55
7.3.2.1.8	getHexstring.....	55
7.3.2.1.9	getBitstring.....	55
7.3.2.1.10	getOctetstring.....	55
7.3.2.1.11	getVerdict.....	55
7.3.2.1.12	tciErrorReq.....	55
7.3.2.2	TCI-CD provided.....	55
7.3.2.2.0	Scope of use.....	55
7.3.2.2.1	decode.....	56
7.3.2.2.2	encode.....	56
7.3.2.2.3	decodeValue.....	56
7.3.2.2.4	encodeValue.....	57
7.3.3	The TCI-CH interface.....	57
7.3.3.0	Scope of use.....	57
7.3.3.1	TCI-CH required.....	58
7.3.3.1.0	Scope of use.....	58
7.3.3.1.1	tciEnqueueMsgConnected.....	58
7.3.3.1.2	tciEnqueueCallConnected.....	58
7.3.3.1.3	tciEnqueueReplyConnected.....	59
7.3.3.1.4	tciEnqueueRaiseConnected.....	59
7.3.3.1.5	tciCreateTestComponent.....	59
7.3.3.1.6	tciStartTestComponent.....	60
7.3.3.1.7	tciStopTestComponent.....	60
7.3.3.1.8	tciConnect.....	60
7.3.3.1.9	tciDisconnect.....	60
7.3.3.1.10	tciMap.....	61
7.3.3.1.11	tciMapParam.....	61
7.3.3.1.12	tciUnmap.....	61
7.3.3.1.13	tciUnmapParam.....	61
7.3.3.1.14	tciTestComponentTerminated.....	62
7.3.3.1.15	tciTestComponentRunning.....	62
7.3.3.1.16	tciTestComponentDone.....	62
7.3.3.1.17	tciGetMTC.....	62
7.3.3.1.18	tciExecuteTestCase.....	63
7.3.3.1.19	tciReset.....	63
7.3.3.1.20	tciKillTestComponent.....	63
7.3.3.1.21	tciTestComponentAlive.....	63
7.3.3.1.22	tciTestComponentKilled.....	64
7.3.3.1.23	tciCallTestComponent.....	64
7.3.3.1.24	tciTestComponentCallTerminated.....	64
7.3.3.2	TCI-CH provided.....	65
7.3.3.2.0	Scope of use.....	65
7.3.3.2.1	tciSendConnected.....	65
7.3.3.2.2	tciSendConnectedBC.....	65
7.3.3.2.3	tciSendConnectedMC.....	65
7.3.3.2.4	tciCallConnected.....	66
7.3.3.2.5	tciCallConnectedBC.....	66
7.3.3.2.6	tciCallConnectedMC.....	67
7.3.3.2.7	tciReplyConnected.....	67
7.3.3.2.8	tciReplyConnectedBC.....	68
7.3.3.2.9	tciReplyConnectedMC.....	68
7.3.3.2.10	tciRaiseConnected.....	69
7.3.3.2.11	tciRaiseConnectedBC.....	69
7.3.3.2.12	tciRaiseConnectedMC.....	69
7.3.3.2.13	tciCreateTestComponentReq.....	70
7.3.3.2.14	tciStartTestComponentReq.....	70
7.3.3.2.15	tciStopTestComponentReq.....	70
7.3.3.2.16	tciConnectReq.....	70
7.3.3.2.17	tciDisconnectReq.....	71

7.3.3.2.18	tciMapReq	71
7.3.3.2.19	tciMapParamReq	71
7.3.3.2.20	tciUnmapReq	71
7.3.3.2.21	tciUnmapParamReq	72
7.3.3.2.22	tciTestComponentTerminatedReq	72
7.3.3.2.23	tciTestComponentRunningReq	72
7.3.3.2.24	tciTestComponentDoneReq	72
7.3.3.2.25	tciGetMTCReq	72
7.3.3.2.26	tciExecuteTestCaseReq	73
7.3.3.2.27	tciResetReq	73
7.3.3.2.28	tciKillTestComponentReq	73
7.3.3.2.29	tciTestComponentAliveReq	73
7.3.3.2.30	tciTestComponentKilledReq	73
7.3.3.2.31	tciCallTestComponentReq	74
7.3.3.2.32	tciTestComponentCallTerminatedReq	74
7.3.4	The TCI-TL interface.....	75
7.3.4.0	Scope of use	75
7.3.4.1	TCI-TL provided.....	75
7.3.4.1.0	Scope of use.....	75
7.3.4.1.1	tliTcExecute.....	75
7.3.4.1.2	tliTcStart	76
7.3.4.1.3	tliTcStop	76
7.3.4.1.4	tliTcStarted	76
7.3.4.1.5	tliTcTerminated	77
7.3.4.1.6	tliCtrlStart	77
7.3.4.1.7	tliCtrlStop	77
7.3.4.1.8	tliCtrlTerminated	78
7.3.4.1.9	tliMSend_m	78
7.3.4.1.10	tliMSend_m_BC	79
7.3.4.1.11	tliMSend_m_MC	79
7.3.4.1.12	tliMSend_c	80
7.3.4.1.13	tliMSend_c_BC	80
7.3.4.1.14	tliMSend_c_MC	80
7.3.4.1.15	tliMDetected_m	81
7.3.4.1.16	tliMDetected_c	81
7.3.4.1.17	tliMMismatch_m	81
7.3.4.1.18	tliMMismatch_c	82
7.3.4.1.19	tliMReceive_m	82
7.3.4.1.20	tliMReceive_c	83
7.3.4.1.21	tliPrCall_m	83
7.3.4.1.22	tliPrCall_m_BC	84
7.3.4.1.23	tliPrCall_m_MC	84
7.3.4.1.24	tliPrCall_c	85
7.3.4.1.25	tliPrCall_c_BC	85
7.3.4.1.26	tliPrCall_c_MC	86
7.3.4.1.27	tliPrGetCallDetected_m	86
7.3.4.1.28	tliPrGetCallDetected_c	87
7.3.4.1.29	tliPrGetCallMismatch_m	87
7.3.4.1.30	tliPrGetCallMismatch_c	87
7.3.4.1.31	tliPrGetCall_m	88
7.3.4.1.32	tliPrGetCall_c	88
7.3.4.1.33	tliPrReply_m	89
7.3.4.1.34	tliPrReply_m_BC	89
7.3.4.1.35	tliPrReply_m_MC	90
7.3.4.1.36	tliPrReply_c	90
7.3.4.1.37	tliPrReply_c_BC	91
7.3.4.1.38	tliPrReply_c_MC	91
7.3.4.1.39	tliPrGetReplyDetected_m	92
7.3.4.1.40	tliPrGetReplyDetected_c	92
7.3.4.1.41	tliPrGetReplyMismatch_m	93
7.3.4.1.42	tliPrGetReplyMismatch_c	93
7.3.4.1.43	tliPrGetReply_m	94

7.3.4.1.44	tliPrGetReply_c	94
7.3.4.1.45	tliPrRaise_m	95
7.3.4.1.46	tliPrRaise_m_BC	95
7.3.4.1.47	tliPrRaise_m_MC	96
7.3.4.1.48	tliPrRaise_c	96
7.3.4.1.49	tliPrRaise_c_BC	97
7.3.4.1.50	tliPrRaise_c_MC	97
7.3.4.1.51	tliPrCatchDetected_m	98
7.3.4.1.52	tliPrCatchDetected_c	98
7.3.4.1.53	tliPrCatchMismatch_m	99
7.3.4.1.54	tliPrCatchMismatch_c	99
7.3.4.1.55	tliPrCatch_m	100
7.3.4.1.56	tliPrCatch_c	100
7.3.4.1.57	tliPrCatchTimeoutDetected	101
7.3.4.1.58	tliPrCatchTimeout	101
7.3.4.1.59	tliCCreate	101
7.3.4.1.60	tliCStart	102
7.3.4.1.61	tliCRunning	102
7.3.4.1.62	tliCAlive	102
7.3.4.1.63	tliCStop	103
7.3.4.1.64	tliCKill	103
7.3.4.1.65	tliCDoneMismatch	103
7.3.4.1.66	tliCDone	104
7.3.4.1.67	tliCKilledMismatch	104
7.3.4.1.68	tliCKilled	104
7.3.4.1.69	tliCTerminated	105
7.3.4.1.70	tliPConnect	105
7.3.4.1.71	tliPDisconnect	105
7.3.4.1.72	tliPMap	106
7.3.4.1.73	tliPMapParam	106
7.3.4.1.74	tliPUnmap	106
7.3.4.1.75	tliPUnmapParam	107
7.3.4.1.76	tliPClear	107
7.3.4.1.77	tliPStart	107
7.3.4.1.78	tliPStop	108
7.3.4.1.79	tliPHalt	108
7.3.4.1.80	tliEncode	108
7.3.4.1.81	tliDecode	109
7.3.4.1.82	tliTTimeoutDetected	109
7.3.4.1.83	tliTTimeoutMismatch	109
7.3.4.1.84	tliTTimeout	110
7.3.4.1.85	tliTStart	110
7.3.4.1.86	tliTStop	110
7.3.4.1.87	tliTRead	111
7.3.4.1.88	tliTRunning	111
7.3.4.1.89	tliSEnter	111
7.3.4.1.90	tliSLeave	112
7.3.4.1.91	tliVar	112
7.3.4.1.92	tliModulePar	112
7.3.4.1.93	tliGetVerdict	113
7.3.4.1.94	tliSetVerdict	113
7.3.4.1.95	tliLog	113
7.3.4.1.96	tliAEnter	114
7.3.4.1.97	tliALeave	114
7.3.4.1.98	tliANomatch	114
7.3.4.1.99	tliARepeat	114
7.3.4.1.100	tliADefaults	115
7.3.4.1.101	tliAActivate	115
7.3.4.1.102	tliADeactivate	115
7.3.4.1.103	tliAWait	116
7.3.4.1.104	tliAction	116
7.3.4.1.105	tliMatch	116

7.3.4.1.106	tliMatchMismatch.....	116
7.3.4.1.107	tliInfo	117
7.3.4.1.108	tliMChecked_m	117
7.3.4.1.109	tliMChecked_c	117
7.3.4.1.110	tliPrGetCallChecked_m.....	118
7.3.4.1.111	tliPrGetCallChecked_c	118
7.3.4.1.112	tliPrGetReplyChecked_m.....	119
7.3.4.1.113	tliPrGetReplyChecked_c	120
7.3.4.1.114	tliPrCatchChecked_m.....	120
7.3.4.1.115	tliPrCatchChecked_c	121
7.3.4.1.116	tliCheckedAny_m.....	121
7.3.4.1.117	tliCheckedAny_c	121
7.3.4.1.118	tliCheckAnyMismatch_m.....	122
7.3.4.1.119	tliCheckAnyMismatch_c	122
7.3.4.1.120	tliRnd	122
7.3.4.1.121	tliEvaluate.....	123
7.3.4.1.122	tliCCall	123
7.3.4.1.123	tliCCallTerminated	123
7.3.4.1.124	tliCtrlStartWithParameters	124
7.3.4.1.125	tliCtrlTerminatedWithResult	124
8	Java™ language mapping.....	124
8.1	Introduction	124
8.2	Names and scopes	124
8.2.1	Names	124
8.2.2	Scopes	125
8.3	Type mapping.....	125
8.3.1	Basic type mapping.....	125
8.3.2	Structured type mapping	126
8.3.2.0	General principles	126
8.3.2.1	TciParameterType	126
8.3.2.2	TciParameterPassingModeType	126
8.3.2.3	TciParameterListType	127
8.3.2.4	TciTypeClassType	127
8.3.2.5	TciTestComponentKindType	128
8.3.2.6	TciBehaviourIdType	128
8.3.2.7	TciTestCaseIdType	128
8.3.2.8	TciModuleIdType	128
8.3.2.9	TciModuleParameterIdType	128
8.3.2.10	TciModuleParameterListType	128
8.3.2.11	TciModuleParameterType.....	129
8.3.2.12	TciParameterTypeListType.....	129
8.3.2.13	TciParameterTypeType.....	129
8.3.2.14	TciModuleIdListType	130
8.3.2.15	TciTestCaseIdListType	130
8.3.2.16	TciDecodingResult.....	130
8.3.2.17	TciMatchingTypeType.....	131
8.3.2.18	LengthRestriction.....	131
8.3.2.19	Permutation	131
8.3.2.20	RangeBoundary.....	132
8.3.3	Abstract type mapping.....	132
8.3.3.0	General principles	132
8.3.3.1	Type	132
8.3.4	Abstract value mapping	134
8.3.4.0	General principles	134
8.3.4.1	Value	134
8.3.4.2	IntegerValue	135
8.3.4.3	FloatValue	135
8.3.4.4	BooleanValue	136
8.3.4.5	CharstringValue	136
8.3.4.6	BitstringValue	137
8.3.4.7	OctetstringValue	138

8.3.4.8	UniversalCharstringValue	139
8.3.4.9	HexstringValue	139
8.3.4.10	RecordValue	140
8.3.4.11	RecordOfValue	141
8.3.4.12	UnionValue	142
8.3.4.13	EnumeratedValue	142
8.3.4.14	VerdictValue	143
8.3.4.15	AddressValue	143
8.3.5	Abstract template mapping	143
8.3.5.0	General principles	143
8.3.5.1	MatchingMechanism	144
8.3.5.2	MatchingList	144
8.3.5.3	ValueRange	144
8.3.5.4	CharacterPattern	145
8.3.5.5	MatchDecodedContent	145
8.3.6	Abstract logging types mapping	145
8.3.6.0	General principles	145
8.3.6.1	TciValueTemplate	145
8.3.6.2	TciNonValueTemplate	146
8.3.6.3	TciValueList	146
8.3.6.4	TciValueDifference	146
8.3.6.5	TciValueDifferenceList	147
8.3.6.6	ComponentStatus	147
8.3.6.7	TimerStatus	147
8.3.6.8	TciStatus	147
8.4	Constants	148
8.5	Mapping of interfaces	149
8.5.0	Calling rules	149
8.5.1	The TCI-TM interface	150
8.5.1.1	TCI-TM provided	150
8.5.1.2	TCI-TM required	150
8.5.2	The TCI-CD interface	150
8.5.2.1	TCI-CD provided	150
8.5.2.2	TCI-CD required	150
8.5.3	The TCI-CH interface	151
8.5.3.1	TCI-CH provided	151
8.5.3.2	TCI-CH required	152
8.5.4	The TCI-TL interface	153
8.5.4.1	TCI-TL provided	153
8.6	Optional parameters	158
8.7	TCI initialization	158
8.8	Error handling	158
9	ANSI C language mapping	158
9.1	Introduction	158
9.2	Value interfaces	158
9.3	Logging interface	164
9.4	Operation interfaces	164
9.4.1	The TCI-TM interface	164
9.4.1.1	TCI-TM provided	164
9.4.1.2	TCI-TM required	165
9.4.2	The TCI-CD interface	165
9.4.2.1	TCI-CD provided	165
9.4.2.2	TCI-CD required	165
9.4.3	The TCI-CH interface	165
9.4.3.1	TCI-CH provided	165
9.4.3.2	TCI-CH required	166
9.4.4	The TCI-TL interface	167
9.4.4.1	TCI-TL provided	167
9.5	Data	172
9.6	Miscellaneous	174
9.7	Optional parameters	174

10	C++ language mapping	175
10.1	Introduction	175
10.2	Names and scopes	175
10.3	Memory management.....	175
10.4	Error handling	175
10.5	Type mapping.....	175
10.5.0	Basic concepts	175
10.5.1	Encapsulated C++ types.....	175
10.5.2	General abstract data types	176
10.5.2.1	TciBehaviourId	176
10.5.2.2	TciModuleId.....	176
10.5.2.3	TciModuleParameterId	176
10.5.2.4	TciTestCaseId	177
10.5.2.5	TciModuleIdList	177
10.5.2.6	TciModuleParameter	178
10.5.2.7	TciModuleParameterList.....	178
10.5.2.8	TciParameterPassingMode.....	179
10.5.2.9	TciParameter	179
10.5.2.10	TciParameterList	179
10.5.2.11	TciParameterType	180
10.5.2.12	TciParameterTypeList.....	180
10.5.2.13	TciTestComponentKind	181
10.5.2.14	TciTypeClass	181
10.5.2.15	TciTestCaseIdList	182
10.5.2.16	TciMatchingTypeType.....	182
10.5.2.17	LengthRestriction.....	182
10.5.2.18	Permutation	183
10.5.2.19	RangeBoundary.....	184
10.5.3	Abstract TTCN-3 data types and values	184
10.5.3.1	TciType	184
10.5.3.2	TciValue.....	185
10.5.3.3	IntegerValue	187
10.5.3.4	FloatValue	187
10.5.3.5	BooleanValue	187
10.5.3.6	CharstringValue	188
10.5.3.7	UniversalCharstringValue	188
10.5.3.8	BitstringValue	189
10.5.3.9	OctetstringValue	190
10.5.3.10	HexstringValue	191
10.5.3.11	RecordValue.....	192
10.5.3.12	RecordOfValue	192
10.5.3.13	UnionValue	193
10.5.3.14	EnumeratedValue.....	193
10.5.3.15	VerdictValue	194
10.5.3.16	VerdictValueEnum.....	194
10.5.3.17	AddressValue	195
10.5.3.18	MatchingMechanism.....	195
10.5.3.19	MatchingList	195
10.5.3.20	ValueRange	196
10.5.3.21	CharacterPattern.....	196
10.5.3.22	MatchDecodedContent.....	197
10.5.4	Abstract logging types	197
10.5.4.1	TciValueTemplate.....	197
10.5.4.2	TciNonValueTemplate	198
10.5.4.3	TciValueList.....	198
10.5.4.4	TciValueDifference	199
10.5.4.5	TciValueDifferenceList.....	199
10.5.4.6	ComponentStatus	200
10.5.4.7	TimerStatus	200
10.5.4.8	TciStatus	200
10.6	Operations mapping	201
10.6.1	TCI-TM	201

10.6.1.1	TciTmRequired	201
10.6.1.2	TciTmProvided	201
10.6.2	TCI-CD	202
10.6.2.1	TciCdRequired	202
10.6.2.2	TciCdProvided	202
10.6.3	TCI-CH	203
10.6.3.1	TciChRequired	203
10.6.3.2	TciChProvided	204
10.6.4	TCI-TL	206
10.6.4.1	TciTlProvided	206
11	W3C XML mapping	214
11.1	Introduction	214
11.2	Scopes	214
11.3	Type mapping	215
11.3.1	Mapping of simple types	215
11.3.1.1	TBoolean	215
11.3.1.2	TString	215
11.3.1.3	TInteger	215
11.3.1.4	TriTimerDurationType	215
11.3.1.5	TciParameterPassingModeType	215
11.3.1.6	TriStatusType	215
11.3.1.7	TciStatusType	215
11.3.1.8	ComponentStatusType	215
11.3.1.9	TimerStatusType	215
11.3.1.10	PortStatusType	216
11.3.2	Complex type mapping	216
11.3.2.1	TriPortIdType	216
11.3.2.2	TriComponentIdType	216
11.3.2.3	TriComponentIdListType	216
11.3.2.4	Port	217
11.3.2.5	Id	217
11.3.2.6	TriMessageType	217
11.3.2.7	TriParameterType	218
11.3.2.8	TriParameterListType	218
11.3.2.9	TriAddressType	218
11.3.2.10	TriAddressListType	219
11.3.2.11	TriExceptionType	219
11.3.2.12	TriSignatureIdType	219
11.3.2.13	TriTimerIdType	220
11.3.2.14	TriTimerDurationType	220
11.3.2.15	QualifiedName	220
11.3.2.16	TciBehaviourIdType	220
11.3.2.17	TciTestCaseIdType	221
11.3.2.18	TciParameterType	221
11.3.2.19	TciParameterListType	221
11.3.2.20	TriPortIdListType	221
11.3.3	Abstract value mapping	222
11.3.3.1	Value	222
11.3.3.2	IntegerValue	224
11.3.3.3	FloatValue	224
11.3.3.4	BooleanValue	224
11.3.3.5	Void	225
11.3.3.6	VerdictValue	225
11.3.3.7	BitstringValue	225
11.3.3.8	HexstringValue	225
11.3.3.9	OctetstringValue	225
11.3.3.10	CharstringValue	226
11.3.3.11	UniversalCharstringValue	226
11.3.3.12	RecordValue	226
11.3.3.13	RecordOfValue	227
11.3.3.14	ArrayValue	228

11.3.3.15	SetValue	229
11.3.3.16	SetOfValue	229
11.3.3.17	EnumeratedValue	229
11.3.3.18	UnionValue	230
11.3.3.19	AnytypeValue	230
11.3.3.20	AddressValue	231
11.3.3.21	ComponentValue	231
11.3.3.22	PortValue	231
11.3.3.23	DefaultValue	232
11.3.3.24	TimerValue	232
11.3.3.25	MatchingMechanism	232
11.3.3.26	MatchingList	233
11.3.3.27	ValueRange	233
11.3.3.28	CharacterPattern	234
11.3.3.29	MatchDecodedContent	234
11.3.4	Abstract logging types mapping	234
11.3.4.1	TciValueTemplate	234
11.3.4.2	TciNonValueTemplate	236
11.3.4.3	TciValueList	236
11.3.4.4	TciValueDifference	237
11.3.4.5	TciValueDifferenceList	237
11.4	Mapping of the operations on the logging interface	237
11.4.0	Mapping rules	237
11.4.1	Event	237
11.4.2	The TCI-TL interface	238
11.4.2.1	TCI-TL provided	238
12	C# mapping	260
12.1	Introduction	260
12.2	Names and scopes	260
12.2.1	Names	260
12.2.2	Scopes	261
12.3	Null value mapping	261
12.4	Type mapping	261
12.4.1	Basic type mapping	261
12.4.1.0	Mapped types	261
12.4.1.1	TciVerdict	262
12.4.2	Structured type mapping	262
12.4.2.0	Mapping rules	262
12.4.2.1	TciParameterPassingModeType	262
12.4.2.2	TciParameterType	262
12.4.2.3	TciParameterListType	262
12.4.2.4	TciTypeClassType	263
12.4.2.5	TciTestComponentKindType	263
12.4.2.6	TciBehaviourIdType	263
12.4.2.7	TciTestCaseIdType	264
12.4.2.8	TciTestCaseIdListType	264
12.4.2.9	TciModuleIdType	264
12.4.2.10	TciModuleIdListType	264
12.4.2.11	TciModuleParameterIdType	265
12.4.2.12	TciModuleParameterType	265
12.4.2.13	TciModuleParameterListType	265
12.4.2.14	TciParameterTypeType	265
12.4.2.15	TciParameterTypeListType	266
12.4.2.16	TciMatchingTypeType	266
12.4.2.17	LengthRestriction	266
12.4.2.18	Permutation	267
12.4.2.19	RangeBoundary	267
12.4.3	Abstract type mapping	267
12.4.3.0	Mapping rules	267
12.4.3.1	Type	267
12.4.4	Abstract value mapping	269

12.4.4.0	Mapping rules	269
12.4.4.1	Value	269
12.4.4.2	IntegerValue	270
12.4.4.3	FloatValue	271
12.4.4.4	BooleanValue	271
12.4.4.5	CharstringValue	271
12.4.4.6	BitstringValue	271
12.4.4.7	OctetstringValue	272
12.4.4.8	UniversalCharstringValue	273
12.4.4.9	HexstringValue	274
12.4.4.10	RecordValue	275
12.4.4.11	RecordOfValue	275
12.4.4.12	UnionValue	276
12.4.4.13	EnumeratedValue	277
12.4.4.14	VerdictValue	277
12.4.4.15	AddressValue	277
12.4.5	Abstract template mapping	278
12.4.5.0	Mapping rules	278
12.4.5.1	MatchingMechanism	278
12.4.5.2	MatchingList	278
12.4.5.3	ValueRange	278
12.4.5.4	CharacterPattern	279
12.4.5.5	MatchDecodedContent	279
12.4.6	Abstract logging types mapping	279
12.4.6.0	Mapping rules	279
12.4.6.1	TciValueTemplate	279
12.4.6.2	TciNonValueTemplate	280
12.4.6.3	TciValueList	280
12.4.6.4	TciValueDifference	280
12.4.6.5	TciValueDifferenceList	281
12.4.6.6	TciStatusType	281
12.4.6.7	ComponentStatusType	281
12.4.6.8	TimerStatusType	281
12.5	Mapping of interfaces	282
12.5.0	Calling rules	282
12.5.1	TCI-TM interface	282
12.5.1.1	TCI-TM provided	282
12.5.1.2	TCI-TM required	282
12.5.2	TCI-CD interface	283
12.5.2.1	TCI-CD provided	283
12.5.2.2	TCI-CD required	283
12.5.3	TCI-CH interface	283
12.5.3.1	TCI-CH provided	283
12.5.3.2	TCI-CH required	284
12.5.4	TCI-TL interface	285
12.5.4.1	TCI-TL provided	285
12.6	Optional parameters	292
12.7	Error Handling	292
Annex A (normative):	IDL Specification of TCI	293
Annex B (normative):	XML Mapping for TCI TL Provided	311
B.0	Introduction	311
B.1	TCI-TL XML Schema for Simple Types	311
B.2	TCI-TL XML Schema for Types	312
B.3	TCI-TL XML Schema for Values	314
B.4	TCI-TL XML Schema for Templates	318
B.5	TCI-TL XML Schema for Events	321