



SLOVENSKI STANDARD SIST EN ISO 15996:2005

01-julij-2005

Plinske jeklenke - Ventili z ostankom tlaka - Splošne zahteve in preskus tipa (ISO 15996:2005)

Gas cylinders - Residual pressure valves - General requirements and type testing (ISO 15996:2005)

Gasflaschen - Restdruckventile - Allgemeine Anforderungen und Typprüfung (ISO 15996:2005)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Bouteilles a gaz - Robinets a pression résiduelle - Exigences générales et essais de type (ISO 15996:2005)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

Ta slovenski standard je istoveten z: EN ISO 15996:2005

ICS:

23.020.35	Plinske jeklenke	Gas cylinders
23.060.40	Tlačni regulatorji	Pressure regulators

SIST EN ISO 15996:2005

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15996:2005](#)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 15996

April 2005

ICS 23.020.30

English version

Gas cylinders - Residual pressure valves - General requirements and type testing (ISO 15996:2005)

Bouteilles à gaz - Robinets à pression résiduelle -
Exigences générales et essais de type (ISO 15996:2005)

Gasflaschen - Restdruckventile - Allgemeine
Anforderungen und Typprüfung (ISO 15996:2005)

This European Standard was approved by CEN on 21 March 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN ISO 15996:2005 (E)**Foreword**

This document (EN ISO 15996:2005) has been prepared by Technical Committee ISO/TC 58 "Gas cylinders" in collaboration with Technical Committee CEN/TC 23 "Transportable gas cylinders", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2005, and conflicting national standards shall be withdrawn at the latest by October 2005.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 15996:2005 has been approved by CEN as EN ISO 15996:2005 without any modifications.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

INTERNATIONAL
STANDARD

ISO
15996

First edition
2005-04-01

**Gas cylinders — Residual pressure
valves — General requirements and type
testing**

*Bouteilles à gaz — Robinets à pression résiduelle — Exigences
générales et essais de type*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

[https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-
dc4b3410cca8/sist-en-iso-15996-2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)



Reference number
ISO 15996:2005(E)

© ISO 2005

ISO 15996:2005(E)**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Valve requirements	2
4.1 General	2
4.2 Description.....	2
4.3 Valve outlet geometry.....	2
4.4 Performance requirements of the residual pressure device	3
4.4.1 Leakage tightness	3
4.4.2 Endurance.....	3
4.4.3 Resistance against reverse over pressure.....	3
4.4.4 Resistance to ignition.....	3
5 Type testing	3
5.1 General	3
5.2 Documents.....	4
5.3 Test valves.....	4
5.4 Residual pressure device performance tests	5
5.4.1 General	5
5.4.2 Leak tightness tests.....	5
5.4.3 Cycle life test	5
5.4.4 Resistance test against reverse over-pressure	5
5.4.5 Oxygen pressure surge test.....	5
5.5 Test report.....	6
Annex A (informative) Various examples of residual pressure valve designs	7
Annex B (informative) Test equipment	10
B.1 Tightness test equipment for residual pressure valve	10
B.2 Cycle life test equipment for residual pressure valve.....	11
Annex C (informative) Conveyance test	12
Annex D (informative) Integrity under high flow	13
Bibliography	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15996 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 2, *Cylinder fittings*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

Introduction

Gas cylinders are fitted with valves, to contain and control the discharge of their contents.

Increased requirements about avoidance of contamination of gases and gas cylinders has led to the development of gas cylinder valves incorporating residual pressure devices.

These devices are designed to maintain a small positive differential pressure between the inlet and the outlet of the cylinder valve. This prevents the gas cylinder from being completely empty in customer use and stops ingress of atmospheric contamination.

Many of these devices include a non-return function that protects the cylinder from back flow from downstream processes.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15996:2005](https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005)

<https://standards.iteh.ai/catalog/standards/sist/99775744-6e24-4219-b84a-dc4b3410cca8/sist-en-iso-15996-2005>

Gas cylinders — Residual pressure valves — General requirements and type testing

1 Scope

This International Standard specifies requirements for residual pressure valves, with or without a non-return function, for gas cylinders and the methods of testing such valves, for type approval.

This International Standard is applicable to valves to be fitted to gas cylinders of up to 150 l water capacity, intended to contain compressed, liquefied or dissolved gases.

This International Standard does not cover valves for fire extinguishers, cryogenic equipment or liquefied petroleum gas.

These requirements are in addition to those laid down in ISO 10297.

2 Normative references

iTeh STANDARD PREVIEW
(standards.iteh.ai)

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10156, *Gases and gas mixtures — Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets*

ISO 10297:1999, *Gas cylinders — Refillable gas cylinder valves — Specification and type testing*.

3 Terms and definitions

For the purposes of this document the following terms and definitions apply.

3.1 working pressure

p_w

settled pressure, at a uniform temperature of 15 °C, for a full gas cylinder

3.2 valve test pressure

p_{vt}

for compressed gases $p_{vt} = 1,2 \times p_w$ and for liquefied gases and dissolved gases under pressure (e.g. acetylene), p_{vt} is greater or equal to the minimum test pressure of the cylinder quoted in the relevant transportation regulation for that gas or gas group and filling ratio

3.3 flow direction

path taken through the valve by the gas when flowing out of the cylinder through the outlet