



SLOVENSKI STANDARD
oSIST prEN 300 019-2-7 V3.0.17:2024
01-september-2024

Okoljski inženiring (EE) - Okoljski pogoji in preskusi vplivov okolja na telekomunikacijsko opremo - 2. del: Specifikacija preskusov vplivov okolja - 7. poddel: Prenosna in nefiksna uporaba

Environmental Engineering (EE) - Environmental conditions and environmental tests for telecommunications equipment - Part 2: Specification of environmental tests - Sub-part 7: Portable and non-stationary use

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

Ta slovenski standard je istoveten z: ETSI EN 300 019-2-7 V3.0.17 (2024-06)

[oSIST prEN 300 019-2-7 V3.0.17:2024](https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aea-9ed8-e7b8c601032d/osist-pr-en-300-019-2-7-v3-0-17-2024)

<https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aea-9ed8-e7b8c601032d/osist-pr-en-300-019-2-7-v3-0-17-2024>

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalna oprema na splošno	Telecommunication terminal equipment in general

oSIST prEN 300 019-2-7 V3.0.17:2024 **en**

Draft ETSI EN 300 019-2-7 V3.0.17 (2024-06)



**Environmental Engineering (EE);
Environmental conditions and environmental tests
for telecommunications equipment;
Part 2: Specification of environmental tests;
Sub-part 7: Portable and non-stationary use**

[oSIST prEN 300 019-2-7 V3.0.17:2024](https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aca-9ed8-e7b8c601032d/osist-pren-300-019-2-7-v3-0-17-2024)

<https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aca-9ed8-e7b8c601032d/osist-pren-300-019-2-7-v3-0-17-2024>

ReferenceREN/EE-017007

Keywordsenvironment, mobile, testing

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our
Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2024.

All rights reserved.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	6
3 Definition of terms, symbols and abbreviations.....	6
3.1 Terms.....	6
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Environmental test specifications.....	6
4.0 General	6
4.1 Equipment setup and configuration.....	7
4.2 Performance criteria	7
4.3 Specification T 7.1: temperature-controlled locations.....	7
4.4 Specification T 7.2: partly temperature-controlled locations	7
4.5 Specification T 7.3: partly weatherprotected and non-weatherprotected locations	8
4.6 Specification T 7.3E: partly weatherprotected and non-weatherprotected locations - extended	8
4.7 Specification T 7.1: temperature-controlled locations - climatic test.....	8
4.8 Specification T 7.2: partly temperature-controlled locations - climatic test.....	11
4.9 Specification T 7.3: partly weatherprotected and non-weatherprotected - climatic test.....	14
4.10 Specification T 7.3E: partly weatherprotected and non-weatherprotected locations - extended - climatic test.....	17
4.11 Specification T 7.1 to T 7.3E - mechanical tests	20
Annex A (informative): Bibliography.....	22
Annex B (informative): Change history	23
History	24

<https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aea-9ed8-e7b8c601032d/osist-pren-300-019-2-7-v3-0-17-2024>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This draft European Standard (EN) has been produced by ETSI Technical Committee Environmental Engineering (EE), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI EN Approval Procedure.

The present document is part 2, sub-part 7 of a multi-part deliverable. Full details of the entire series can be found in part 2, sub-part 0 [i.1].

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	6 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies test methods and severities for the verification of the required resistibility of telecommunication equipment according to the relevant environmental class.

The tests defined in the present document apply to portable and non-stationary use of equipment, covering the environments stated in ETSI EN 300 019-1-7 [1].

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ETSI EN 300 019-1-7 \(V2.1.4\)](#): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-7: Classification of environmental conditions; Portable and non-stationary use".
- [2] [IEC 60068-2-1 \(03-2007\)](#): "Environmental testing - Part 2-1: Tests - Test A: Cold".
- [3] [IEC 60068-2-2 \(07-2007\)](#): "Environmental testing - Part 2-2: Tests - Test B: Dry heat".
- [4] [IEC 60068-2-14:2023](#): "Environmental testing - Part 2-14: Tests - Test N: Change of temperature".
- [5] [IEC 60068-2-78 \(10-2012\)](#): "Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state".
- [6] [IEC 60068-2-30 \(08-2005\)](#): "Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)".
- [7] [IEC 60068-2-18 \(03-2017\)](#): "Environmental testing - Part 2-18: Tests - Test R and guidance: Water".
- [8] [IEC 60068-2-64 \(2008+A1:2019\)](#): "Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance".
- [9] [IEC 60068-2-27 \(02-2008\)](#): "Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock".
- [10] [IEC 60068-2-31 \(05-2008\)](#): "Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EN 300 019-2-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2: Specification of environmental tests; Sub-part 0: Introduction".
- [i.2] ETSI EN 300 019-1-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-0: Classification of environmental conditions; Introduction".
- [i.3] IEC 60068-2-68 (08-1994): "Environmental testing - Part 2-68: Tests - Test L: Dust and sand".
- [i.4] IEC 60721-3-7 (10-2002): "Classification of environmental conditions - Part 3-7: Classification of groups of environmental parameters and their severities - Portable and non-stationary use".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI EN 300 019-1-0 [i.2] apply.

3.2 Symbols

For the purposes of the present document, the symbols given in ETSI EN 300 019-1-0 [i.2] apply.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 300 019-1-0 [i.2] apply.

4 Environmental test specifications

4.0 General

The equipment shall be tested in its operational state throughout the test conditions described in the present document. The detailed descriptions of the environmental conditions are given in clauses 4 and 5 of ETSI EN 300 019-1-7 [1].

ETSI EN 300 019-2-0 [i.1] forms a general overview of part 2 of this multi-part deliverable.

4.1 Equipment setup and configuration

The equipment shall be tested in its operational state throughout the test conditions described in the present document unless otherwise stated. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

4.2 Performance criteria

The following performance criteria shall apply in the tests defined by the present document.

Performance criterion A:

The equipment shall function according to the manufacturer specifications before, during and after the tests. No degradation of performance or loss of function is allowed below the performance level specified by the manufacturer when the apparatus is used as intended. If the minimum performance level is not specified by the manufacturer, then this may be deduced from the product description and documentation and what the user may reasonably expect from the apparatus if used as intended.

Performance criterion B:

The equipment shall function according to the manufacturer specifications before and after the tests. During the test it is not required to monitor the equipment functionality. No degradation of performance or loss of function is allowed below the performance level specified by the manufacturer when the apparatus is used as intended. If the minimum performance level is not specified by the manufacturer, then this may be deduced from the product description and documentation and what the user may reasonably expect from the apparatus if used as intended.

Performance criterion C:

The equipment shall function according to the manufacturer specifications before and after the tests. No degradation of performance or loss of function is allowed below the performance level specified by the manufacturer when the apparatus is used as intended. If the minimum performance level is not specified by the manufacturer, then this may be deduced from the product description and documentation and what the user may reasonably expect from the apparatus if used as intended.

During the application of the test, temporary loss of function is allowed but after the test the equipment shall restore to the normal functionality without replacement of components, manual rebooting or human intervention.

The equipment shall sustain the test without permanent structural or mechanical damage.

Performance criterion D:

This performance criterion applies to the enclosure of the equipment. No corrosion traces (e.g. rust) or deterioration of the enclosure shall occur at the end of the test.

4.3 Specification T 7.1: temperature-controlled locations

The tests specifications T 7.1 of the present document shall apply to equipment, depending on the selected IEC mechanical class, used at, and direct transfer between, permanently temperature-controlled and enclosed locations. Humidity is usually not controlled. See tables 1, 5 and 6.

4.4 Specification T 7.2: partly temperature-controlled locations

The tests specifications T 7.2 of the present document shall apply to equipment, depending on the selected IEC mechanical class, used at, and direct transfer between, enclosed locations having neither temperature nor humidity control. See tables 2, 5 and 6.

4.5 Specification T 7.3: partly weatherprotected and non-weatherprotected locations

The tests specifications T 7.3 of the present document shall apply to equipment, depending on the selected IEC mechanical class, used at partly weatherprotected locations in buildings of such a construction that extremely low temperatures are avoided. This class also applies to use at non-weatherprotected locations in a Warm Temperate climate

and to transfer between these locations. During cold seasons non-weatherprotected use and transfer is limited. See tables 3, 5 and 6.

4.6 Specification T 7.3E: partly weatherprotected and non-weatherprotected locations - extended

The tests specifications T 7.3E of the present document shall apply to equipment, depending on the selected IEC mechanical class, used at partly weatherprotected locations in buildings of any construction - except in extremely cold and cold climates - where extremely low temperatures shall be avoided. This class also applies at non-weatherprotected

locations in moderate open-air climates and to transfer between these conditions (during extremely cold days use and transfer is limited). See tables 4, 5 and 6.

4.7 Specification T 7.1: temperature-controlled locations - climatic test

This specification in table 1 shall apply to use at, and direct transfer between, permanently temperature-controlled enclosed locations where humidity is usually not controlled described in ETSI EN 300 019-1-7 [1]. See tables 1, 5 and 6.

ITEN Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN 300 019-2-7 V3.0.17:2024](https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aea-9ed8-e7b8c601032d/osist-pren-300-019-2-7-v3-0-17-2024)

<https://standards.iteh.ai/catalog/standards/sist/3d29daea-e132-4aea-9ed8-e7b8c601032d/osist-pren-300-019-2-7-v3-0-17-2024>