

ETSI TS 101 154 V2.5.1 (2019-01)



**Digital Video Broadcasting (DVB);
Specification for the use of Video and
Audio Coding in Broadcast and Broadband Applications**

Standard PREVIEW
(standards.iteh.ai)
Full standard available at
https://standards.iteh.ai/catalog/standards/sis/5850559-3ba4-425c-a95b-18c312a3e8a/etsi-ts-101-154-v2.5.1-2019-01

EBU DVB®

Reference

RTS/JTC-DVB-382

Keywordsbroadcasting, digital, DVB, MPEG, TV, UHDTV,
video**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important noticeThe present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

© European Broadcasting Union 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	18
Introduction	18
1 Scope	21
2 References	21
2.1 Normative references	21
2.2 Informative references.....	23
3 Definition of terms, symbols and abbreviations.....	25
3.1 Terms.....	25
3.2 Symbols.....	33
3.3 Abbreviations	33
4 Systems layer.....	36
4.0 Introduction	36
4.1 Broadcast bitstreams and Baseline IRDs.....	36
4.1.0 General.....	36
4.1.1 Introduction (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1 Introduction).....	37
4.1.2 Packetized Elementary Stream (PES) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause Intro.4).....	37
4.1.3 Transport stream system target decoder (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.2).....	37
4.1.4 Transport packet layer (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.2).....	37
4.1.4.1 Null packets.....	37
4.1.4.2 Transport packet header	38
4.1.4.2.1 Transport_error_indicator.....	38
4.1.4.2.2 Transport_priority.....	38
4.1.4.2.3 Transport_scrambling_control.....	38
4.1.4.2.4 Void.....	38
4.1.5 Adaptation field (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.4)	38
4.1.5.1 Random_access_indicator.....	38
4.1.5.2 Elementary_stream_priority_indicator.....	39
4.1.5.3 Program Clock Reference (PCR)	40
4.1.5.4 Other fields.....	41
4.1.6 Packetized Elementary Stream (PES) Packet (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.6).....	41
4.1.6.1 stream_id and stream_type.....	41
4.1.6.2 PES_scrambling_control.....	42
4.1.6.3 PES_priority.....	42
4.1.6.4 Copyright and original_or_copy	42
4.1.6.5 Trick mode fields	42
4.1.6.6 additional_copy_info.....	43
4.1.6.7 Optional fields.....	43
4.1.6.8 PES_extension_field	43
4.1.6.9 Multiple video pictures per PES packet	44
4.1.6.10 Presentation Time Stamp and Decoding Time Stamp occurrence	45
4.1.6.11 STD audio buffer size	46
4.1.7 Program Specific Information (PSI) (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.4).....	47
4.1.8 Use of program and elementary stream descriptors (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.6).....	47
4.1.8.0 Introduction.....	47
4.1.8.1 video_stream_descriptor and audio_stream_descriptor	47
4.1.8.2 hierarchy_descriptor.....	47
4.1.8.3 registration_descriptor.....	48

4.1.8.4	data_stream_alignment_descriptor.....	48
4.1.8.5	target_background_grid_descriptor.....	48
4.1.8.6	video_window_descriptor.....	48
4.1.8.7	Conditional Access CA_descriptor.....	48
4.1.8.8	ISO_639_Language_descriptor.....	49
4.1.8.9	system_clock_descriptor.....	49
4.1.8.10	multiplex_buffer_utilization_descriptor.....	49
4.1.8.11	copyright_descriptor.....	49
4.1.8.12	maximum_bitrate_descriptor.....	49
4.1.8.13	private_data_indicator_descriptor.....	49
4.1.8.14	smoothing_buffer_descriptor.....	49
4.1.8.15	STD_descriptor.....	49
4.1.8.16	IBP_descriptor.....	50
4.1.8.17	MPEG-4_audio_descriptor.....	50
4.1.8.18	AVC_video_descriptor.....	50
4.1.8.19	SVC_extension_descriptor.....	50
4.1.8.19a	HEVC_video_descriptor.....	51
4.1.8.20	Void.....	51
4.1.8.21	Void.....	51
4.1.8.22	Void.....	51
4.1.8.23	Void.....	51
4.1.8.24	Void.....	51
4.1.8.24.1	Void.....	51
4.1.8.24.2	Void.....	51
4.1.8.24.3	Void.....	51
4.1.8.25	Void.....	51
4.1.8.26	Void.....	51
4.1.8.27	MPEG-4 audio extension descriptor.....	51
4.1.8.28	MVC_extension_descriptor.....	52
4.1.8.29	Void.....	52
4.1.8.30	Void.....	52
4.1.8.31	MPEG-H_3dAudio_descriptor.....	52
4.1.8.32	Void.....	53
4.1.9	Compatibility with ISO/IEC 11172-1 (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.8).....	53
4.1.10	Storage Media Interoperability.....	53
4.2	Bitstreams from storage applications and IRDs with digital interfaces.....	53
4.2.0	Scope.....	53
4.2.1	Partial Transport Streams.....	53
4.2.2	Decoding of Trick Play data (Recommendation ITU-T H.222.0 / ISO/IEC 13818-1, clause 2.4.3.7)	53
5	Video.....	54
5.0	Introduction.....	54
5.1	25 Hz MPEG-2 SDTV IRDs and Bitstreams.....	55
5.1.0	General.....	55
5.1.1	Profile and level.....	55
5.1.2	Frame rate.....	55
5.1.3	Aspect ratio.....	56
5.1.4	Luminance resolution.....	56
5.1.5	Chromaticity Parameters.....	58
5.1.6	Chrominance.....	58
5.1.7	Video sequence header.....	58
5.2	25 Hz MPEG-2 HDTV IRDs and Bitstreams.....	58
5.2.0	General.....	58
5.2.1	Profile and level.....	59
5.2.2	Frame rate.....	59
5.2.3	Aspect ratio.....	59
5.2.4	Luminance resolution.....	59
5.2.5	Chromaticity Parameters.....	60
5.2.6	Chrominance.....	61
5.2.7	Video sequence header.....	61

5.2.8	Backwards Compatibility	61
5.3	30 Hz MPEG-2 SDTV IRDs and Bitstreams	61
5.3.0	General.....	61
5.3.1	Profile and level.....	61
5.3.2	Frame rate.....	62
5.3.3	Aspect ratio.....	62
5.3.4	Luminance resolution	63
5.3.5	Chromaticity Parameters.....	64
5.3.6	Chrominance.....	65
5.3.7	Video sequence header	65
5.4	30 Hz MPEG-2 HDTV IRDs and Bitstreams.....	65
5.4.0	General.....	65
5.4.1	Profile and level.....	65
5.4.2	Frame rate.....	65
5.4.3	Aspect ratio.....	66
5.4.4	Luminance resolution	66
5.4.5	Chromaticity Parameters.....	67
5.4.6	Chrominance.....	67
5.4.7	Video sequence header	67
5.4.8	Backwards Compatibility	67
5.5	Specifications Common to all H.264/AVC IRDs and Bitstreams	68
5.5.0	Scope	68
5.5.1	General.....	68
5.5.2	Sequence Parameter Set and Picture Parameter Set.....	68
5.5.2.0	General.....	68
5.5.2.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1.....	68
5.5.3	Video Usability Information	69
5.5.3.0	General.....	69
5.5.3.1	Aspect Ratio Information.....	69
5.5.3.2	Colour Parameter Information	69
5.5.3.3	Chrominance Information.....	69
5.5.3.4	Timing Information.....	69
5.5.3.5	Picture Structure Information.....	70
5.5.4	Supplemental Enhancement Information.....	70
5.5.4.0	General.....	70
5.5.4.1	Picture Timing SEI Message.....	70
5.5.4.2	Pan-Scan Rectangle SEI Message.....	71
5.5.4.3	Still pictures	71
5.5.5	Random Access Point.....	71
5.5.5.0	General.....	71
5.5.5.1	Time Interval Between RAPs.....	72
5.6	H.264/AVC SDTV IRDs and Bitstreams	72
5.6.1	Specifications Common to all H.264/AVC SDTV IRDs and Bitstreams	72
5.6.1.0	Scope.....	72
5.6.1.1	Sequence Parameter Set and Picture Parameter Set.....	72
5.6.1.2	Profile and level	73
5.6.1.3	Aspect ratio	73
5.6.2	25 Hz H.264/AVC SDTV IRD and Bitstream.....	73
5.6.2.0	General.....	73
5.6.2.1	Colour Parameter Information	73
5.6.2.2	Frame rate	74
5.6.2.3	Luminance resolution.....	74
5.6.3	30 Hz H.264/AVC SDTV IRD and Bitstream.....	75
5.6.3.0	General.....	75
5.6.3.1	Colour Parameter Information	75
5.6.3.2	Frame rate	76
5.6.3.3	Luminance resolution.....	76
5.7	H.264/AVC HDTV IRDs and Bitstreams	77
5.7.1	Specifications common to all H.264/AVC HDTV IRDs and Bitstreams	77
5.7.1.0	Scope.....	77
5.7.1.1	Sequence Parameter Set and Picture Parameter Set.....	77
5.7.1.2	Aspect ratio	78

5.7.1.3	Colour Parameter Information	78
5.7.1.4	Luminance resolution	78
5.7.2	25 Hz H.264/AVC HDTV IRD and Bitstream	79
5.7.2.0	General	79
5.7.2.1	Profile and level	79
5.7.2.2	Frame rate	79
5.7.2.3	Backwards Compatibility	80
5.7.3	30 Hz H.264/AVC HDTV IRD and Bitstream	80
5.7.3.0	General	80
5.7.3.1	Profile and level	80
5.7.3.2	Frame rate	80
5.7.3.3	Backwards Compatibility	80
5.7.4	50 Hz H.264/AVC HDTV IRD and Bitstream	81
5.7.4.0	General	81
5.7.4.1	Profile and level	81
5.7.4.2	Frame rate	81
5.7.4.3	Backwards Compatibility	81
5.7.5	60 Hz H.264/AVC HDTV IRD and Bitstream	81
5.7.5.0	General	81
5.7.5.1	Profile and level	81
5.7.5.2	Frame rate	82
5.7.5.3	Backwards Compatibility	82
5.8	SVC HDTV IRDs and Bitstreams	82
5.8.1	Specifications common to all SVC HDTV IRDs and Bitstreams	82
5.8.1.0	Introduction	82
5.8.1.1	Classes of SVC operation	82
5.8.1.1.0	General	82
5.8.1.1.1	Class S Bitstream	83
5.8.1.1.2	Class Q Bitstream	83
5.8.1.1.3	Class M Bitstream	83
5.8.1.2	System Considerations	84
5.8.1.3	SVC Sequence Parameter Set and Picture Parameter Set	84
5.8.1.3.0	General	84
5.8.1.3.1	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	84
5.8.1.3.2	Subset Sequence Parameter Set	85
5.8.1.4	Video Usability Information	85
5.8.1.4.0	General	85
5.8.1.4.1	Aspect Ratio Information	86
5.8.1.4.2	Colour Parameter Information	86
5.8.1.4.3	Chrominance Information	86
5.8.1.4.4	Timing Information	87
5.8.1.4.5	Picture Structure Information	87
5.8.1.5	Supplemental Enhancement Information	87
5.8.1.5.0	General	87
5.8.1.5.1	Picture Timing SEI Message	88
5.8.1.5.2	Pan-Scan Rectangle SEI Message	88
5.8.1.5.3	Scalable Nesting SEI Message	88
5.8.1.5.4	Still pictures	89
5.8.1.6	SVC Random Access Point	89
5.8.1.6.0	General	89
5.8.1.6.1	Time Interval Between SVC RAPs	90
5.8.2	25 Hz SVC HDTV IRD and Bitstream	90
5.8.2.0	General	90
5.8.2.1	Profile and level	90
5.8.2.2	25 Hz SVC base layer bitstream	91
5.8.2.3	Frame rate	91
5.8.2.4	Luminance resolution	91
5.8.2.5	Aspect Ratio Information	92
5.8.2.6	Backwards Compatibility	92
5.8.3	30 Hz SVC HDTV IRD and Bitstream	92
5.8.3.0	General	92
5.8.3.1	Profile and level	92

5.8.3.2	30 Hz SVC base layer bitstream	93
5.8.3.3	Frame rate	93
5.8.3.4	Luminance resolution	93
5.8.3.5	Aspect Ratio Information	94
5.8.3.6	Backwards Compatibility	94
5.8.4	50 Hz SVC HDTV IRD and Bitstream	94
5.8.4.0	General	94
5.8.4.1	Profile and level	94
5.8.4.2	50 Hz SVC base layer bitstream	95
5.8.4.3	Frame rate	95
5.8.4.4	Luminance resolution	95
5.8.4.5	Aspect Ratio Information	96
5.8.4.6	Backwards Compatibility	96
5.8.5	60 Hz SVC HDTV IRD and Bitstream	96
5.8.5.0	General	96
5.8.5.1	Profile and level	96
5.8.5.2	60 Hz SVC base layer bitstream	97
5.8.5.3	Frame rate	97
5.8.5.4	Luminance resolution	98
5.8.5.5	Aspect Ratio Information	98
5.8.5.6	Backwards Compatibility	98
5.9	25 Hz VC-1 SDTV IRDs and Bitstreams	99
5.9.0	General	99
5.9.1	Profile, Level and Colour Difference Format	99
5.9.2	Frame rate	99
5.9.3	Aspect ratio	99
5.9.4	Luminance resolution	99
5.9.5	Colour Parameter Information	100
5.9.6	Random Access Point	100
5.10	25 Hz VC-1 HDTV IRDs and Bitstreams	101
5.10.0	General	101
5.10.1	Profile, Level and Colour Difference Format	101
5.10.2	Frame rate	101
5.10.3	Aspect ratio	101
5.10.4	Luminance resolution	101
5.10.5	Colour Parameter Information	102
5.10.6	Random Access Point	102
5.10.7	Backwards Compatibility	102
5.11	30 Hz VC-1 SDTV IRDs and Bitstreams	103
5.11.0	General	103
5.11.1	Profile and level	103
5.11.2	Frame rate	103
5.11.3	Aspect ratio	103
5.11.4	Luminance resolution	103
5.11.5	Colour Parameter Information	104
5.11.6	Random Access Point	104
5.12	30 Hz VC-1 HDTV IRDs and Bitstreams	105
5.12.0	General	105
5.12.1	Profile, Level and Colour Difference Format	105
5.12.2	Frame rate	105
5.12.3	Aspect ratio	105
5.12.4	Luminance resolution	106
5.12.5	Colour Parameter Information	106
5.12.6	Random Access Point	106
5.12.7	Backwards Compatibility	107
5.13	MVC Stereo HDTV IRDs and Bitstreams	107
5.13.1	Specifications common to all MVC Stereo HDTV IRDs and Bitstreams	107
5.13.1.0	General	107
5.13.1.1	Introduction	107
5.13.1.2	Composition of MVC Stereo HDTV Bitstreams	107
5.13.1.3	MVC Sequence Parameter Set and Picture Parameter Set	108
5.13.1.4	pic_width_in_mbs_minus1 and pic_height_in_map_units_minus1	108

5.13.1.5	Subset Sequence Parameter Set.....	108
5.13.1.6	Video Usability Information	109
5.13.1.6.0	General	109
5.13.1.6.1	MVC VUI parameters	109
5.13.1.6.2	Aspect Ratio	109
5.13.1.6.3	Colour Parameter Information.....	110
5.13.1.6.4	Luminance Resolution.....	110
5.13.1.7	HRD Conformance.....	110
5.13.1.8	Supplemental Enhancement Information	111
5.13.1.8.0	General	111
5.13.1.8.1	Prohibited SEI messages	111
5.13.1.8.2	Order of SEI Messages.....	112
5.13.1.8.3	Multiview View Position SEI message	112
5.13.1.9	Random Access Point	112
5.13.1.9.0	General	112
5.13.1.9.1	Time Interval Between RAPs	113
5.13.1.10	Additional constraints	113
5.13.1.10.1	Constraints Common to Base and Dependent Views	113
5.13.1.10.2	MVC Stereo Base view constraints.....	114
5.13.1.10.3	MVC Stereo Dependent view constraints.....	114
5.13.1.11	Access Unit Structure.....	115
5.13.2	25 Hz MVC Stereo HDTV IRD and Bitstream	116
5.13.2.0	General	116
5.13.2.1	Profile and level	116
5.13.2.2	Frame rate	116
5.13.2.3	Backwards Compatibility.....	117
5.13.3	30 Hz MVC Stereo HDTV IRD and Bitstream.....	117
5.13.3.0	General	117
5.13.3.1	Profile and level	117
5.13.3.2	Frame rate	117
5.13.3.3	Backwards Compatibility.....	117
5.14	HEVC IRDs and Bitstreams	117
5.14.1	Specifications Common to all HEVC IRDs and Bitstreams	117
5.14.1.0	Scope.....	117
5.14.1.1	General.....	119
5.14.1.2	Video Parameter Set.....	119
5.14.1.3	Sequence Parameter Set	119
5.14.1.4	Picture Parameter Set	120
5.14.1.5	Video Usability Information	120
5.14.1.5.0	General	120
5.14.1.5.1	Aspect Ratio and Overscan Information.....	120
5.14.1.5.2	Video Range	121
5.14.1.5.3	Colour Parameter Information.....	121
5.14.1.5.4	Chrominance Information.....	121
5.14.1.5.5	Picture Structure Information	122
5.14.1.5.6	Default Display Window	122
5.14.1.5.7	Timing Information	123
5.14.1.6	Supplemental Enhancement Information	123
5.14.1.6.0	General	123
5.14.1.6.1	Picture Timing SEI Message	123
5.14.1.6.2	Recovery Point SEI Message	124
5.14.1.7	Frame rate	124
5.14.1.8	Random Access Point	125
5.14.1.8.0	General	125
5.14.1.8.1	Time Interval Between Random Access Points.....	126
5.14.1.9	Scalability.....	126
5.14.1.9.0	General	126
5.14.1.9.1	Temporal sub-layers	127
5.14.1.9.2	Layer Sets.....	127
5.14.1.10	HEVC Seamless splicing	127
5.14.2	HEVC HDTV IRDs and Bitstreams	127
5.14.2.0	General	127

5.14.2.1	Profile, tier and level	128
5.14.2.2	Luminance resolution	129
5.14.2.3	Colour Parameter Information	129
5.14.3	HEVC UHD TV IRDs and Bitstreams	130
5.14.3.0	General	130
5.14.3.1	Profile, tier and level	130
5.14.3.2	Luminance resolution	131
5.14.3.3	Colour Parameter Information	131
5.14.3.4	Backwards Compatibility	132
5.14.4	HEVC HDR UHD TV IRDs and Bitstreams	132
5.14.4.1	General	132
5.14.4.2	Profiles, Tiers and Levels	132
5.14.4.3	Luminance Resolutions	132
5.14.4.4	High Dynamic Range and Colour Parameter Information	133
5.14.4.4.1	Signalling of colour primaries and matrix coefficients	133
5.14.4.4.2	HEVC HDR UHD TV IRDs and Bitstreams using HLG10	133
5.14.4.4.3	HEVC HDR UHD TV IRDs and Bitstreams using PQ10	135
5.14.4.5	Frame Rates	137
5.14.4.6	Backwards Compatibility	137
5.14.5	HEVC HDR HFR UHD TV IRDs and Bitstreams and HEVC HFR UHD TV Bitstreams	137
5.14.5.1	General	137
5.14.5.2	Profiles, Tiers and Levels	138
5.14.5.2.1	Common	138
5.14.5.2.2	HFR Bitstreams using dual PID and temporal scalability	138
5.14.5.2.3	HFR Bitstreams using single PID	138
5.14.5.3	Luminance Resolutions	139
5.14.5.4	Colour Parameter Information	139
5.14.5.5	High Frame Rates	139
5.14.5.5.1	General	139
5.14.5.5.2	Dynamic Changes in Frame Rate	141
5.14.5.6	HEVC temporal sub-layers for HFR Bitstreams using dual PID and temporal scalability	141
5.14.5.7	HEVC encoding structure for HFR Bitstreams using dual PID and temporal scalability	141
5.14.5.8	Constraint on Temporal Id	142
5.14.5.9	Backwards Compatibility	143
6	Audio	143
6.0	Introduction	143
6.1	MPEG-1 and MPEG-2 backward compatible audio	144
6.1.0	General	144
6.1.1	Audio mode	144
6.1.2	Layer	145
6.1.3	Bitrate	145
6.1.4	Sampling frequency	146
6.1.5	Emphasis	146
6.1.6	Cyclic redundancy code	146
6.1.7	Prediction	146
6.1.8	Multilingual	146
6.1.9	Extension Stream	146
6.1.10	Ancillary Data	146
6.1.11	MPEG Surround configurations, profiles and levels	147
6.2	AC-3 and Enhanced AC-3 audio	147
6.2.0	General	147
6.2.1	AC-3 and Enhanced AC-3 PES constraints	147
6.2.1.1	Encoding	147
6.2.1.2	Decoding	148
6.2.1.3	Byte-alignment	149
6.2.2	Enhanced AC-3 with multiple independent substreams - PES constraints	149
6.2.2.1	Encoding	149
6.2.2.2	Decoding	150
6.3	DTS Audio	150
6.3.0	General	150
6.3.1	DTS Audio and DTS-HD PES Constraints	150

6.3.1.1	Encoding	150
6.3.1.2	Decoding	151
6.3.1.3	Byte-alignment	151
6.4	MPEG-4 AAC, MPEG-4 HE AAC and MPEG-4 HE AAC v2 audio	151
6.4.0	Introduction	151
6.4.1	LATM/LOAS formatting	152
6.4.2	Profiles and Levels	153
6.4.2.1	Profiles and Levels for AAC, HE AAC and HE AAC v2	153
6.4.2.2	Profiles and Levels for MPEG Surround in combination AAC, HE AAC and HE AAC v2	154
6.4.3	Dynamic Range Control	154
6.5	Random Access Points with MPEG-4 Audio	155
6.5.0	General	155
6.5.1	Definition of RAP with MPEG-4 Audio	155
6.5.1.0	Introduction	155
6.5.1.1	RAP with the LATM/LOAS transport header	155
6.5.1.2	RAP with the AAC Profile	155
6.5.1.3	RAP with the HE AAC Profile	155
6.5.1.4	RAP with the HE AAC v2 Profile	156
6.5.1.5	RAP with AAC-LC / HE AAC plus MPEG Surround	156
6.5.1.6	RAP with Dynamic Range Control and MPEG-4 Audio ancillary data	156
6.5.2	Time interval Between RAPs	157
6.6	AC-4 channel-based audio	157
6.6.0	Introduction	157
6.6.1	General	157
6.6.2	PES packaging for AC-4 elementary streams	158
6.6.3	PES packaging for AC-4 for receiver mix audio	158
6.6.4	DRC and Loudness	159
6.6.5	Dialogue Enhancement	160
6.6.6	Audio/Video Synchronization	160
6.6.7	AC-4 Sync Frame Format	161
6.7	AC-4 for channel-based, immersive and personalized audio	161
6.7.1	AC-4 specific NGA concepts	161
6.7.2	General requirements	161
6.7.3	PES packaging for AC-4 elementary streams	163
6.7.4	Multiple audio programme components	163
6.7.4.1	General	163
6.7.4.2	Single-stream delivery	164
6.7.4.3	Multi-stream delivery	164
6.7.5	DRC and Loudness	165
6.7.6	Dialogue Enhancement	166
6.7.7	Audio/Video frame rate matching	166
6.8	MPEG-H Audio	167
6.8.1	Introduction	167
6.8.2	Profiles and Levels for MPEG-H Audio	167
6.8.3	MHAS elementary stream formatting	168
6.8.4	Random Access Points with MPEG-H Audio	169
6.8.4.1	Definition of RAP with MPEG-H Audio	169
6.8.4.2	Time interval Between RAPs	169
6.8.4.3	Tune-In at a RAP	169
6.8.5	Configuration Change and Audio/Video Alignment	170
6.8.6	Metadata Audio Elements and Audio Preselections	170
6.8.7	MPEG-H Multi-Stream Audio	171
6.8.7.1	Encoding and Decoding of MPEG-H Multi-Stream Audio	171
6.8.7.2	Example of MPEG-H Multi-Stream Audio	171
6.8.8	Loudness and Dynamic Range Control	172
6.8.9	User Interactivity and Personalization	173
6.8.9.1	Audio Scene and User Interactivity Information	173
6.8.9.2	User Interface Examples (informative)	173
6.8.9.2.1	Introduction	173
6.8.9.2.2	MPEG-H Audio Decoder API for User Interface	173
6.8.9.2.3	User Interface on Systems Level	174
6.9	DTS-UHD Audio	175

6.9.1	Overview	175
6.9.1.1	DTS-UHD Stream Structure	175
6.9.1.2	Decoders and Renderers	176
6.9.1.3	Sync Intervals	176
6.9.2	Multi-stream Playback	177
6.9.3	Detailed Requirements	178
6.9.3.1	DTS-UHD BroadcastChunk	178
6.9.3.2	Requirements for including the DTS-UHD BroadcastChunk	179
6.9.4	General Requirements for DTS-UHD	180
6.9.5	DTS-UHD PES Packaging	180
6.9.6	Loudness	181
6.9.7	Dynamic Range Personalization	181
Annex A (informative):	Examples of Full screen luminance resolutions for SDTV and 25 Hz/30 Hz HDTV	182
Annex B (normative):	Auxiliary Data in the Video Elementary Stream	185
B.1	Overview	185
B.2	Common Syntax and Semantics	185
B.3	Active Format Description (AFD)	186
B.3.0	Introduction	186
B.3.1	Coded Frame in MPEG-2 Video	186
B.3.2	Coded Frame in H264/AVC Video	187
B.3.3	Coded Frame in VC-1 Video	187
B.3.4	Common Semantics of AFD	187
B.3.5	Relationship with Pan Vectors	189
B.3.6	Coded Frame in HEVC Video	189
B.4	Bar data	190
B.4.0	Syntax and semantics	190
B.4.1	Recommended Receiver Response to Bar Data	191
B.4.2	Relationship Between Bar Data and AFD	191
B.5	Closed Captions	192
B.5.0	Introduction	192
B.5.1	Syntax and Semantics of cc_data()	192
B.6	Auxiliary Data and MPEG-2 video	193
B.6.1	Coding	193
B.6.2	Syntax and Semantics	193
B.7	Auxiliary Data and H264/AVC, MVC Stereo or SVC video	194
B.7.1	Coding	194
B.7.2	Syntax and Semantics	194
B.7.3	Auxiliary Data in MVC Stereo HDTV Bitstreams	194
B.8	Auxiliary Data and VC-1 video	195
B.8.1	Coding	195
B.8.2	Syntax and Semantics	195
B.8a	Auxiliary Data and HEVC video	195
B.8a.1	Coding	195
B.8a.2	Syntax and Semantics	196
B.9	Relationship with Wide Screen Signalling (WSS)	196
B.10	Aspect Ratio Ranges	196
B.11	Multi Region Disparity	196
B.11.0	Introduction	196
B.11.1	Syntax and Semantics of Multi Region Disparity	197
Annex C (normative):	Implementation of Ancillary Data for MPEG Audio	202

C.1	Scope	202
C.2	Introduction	202
C.3	DVB Compliance	202
C.4	Detailed specification for MPEG1 and MPEG2	202
C.4.1	DVD-Video Ancillary Data	202
C.4.2	Extended ancillary data syntax	203
C.4.2.0	Syntax	203
C.4.2.1	ancillary_data_sync	204
C.4.2.2	bs_info	204
C.4.2.3	mpeg_audio_type	204
C.4.2.4	dolby_surround_mode	204
C.4.2.5	ancillary_data_bytes	204
C.4.2.6	ancillary_data_status	205
C.4.2.7	advanced_dynamic_range_control	205
C.4.2.8	dialog_normalization	206
C.4.2.8.0	Syntax	206
C.4.2.8.1	dialog_normalization_on	206
C.4.2.8.2	dialog_normalization_value	206
C.4.2.9	reproduction_level	206
C.4.2.9.0	Syntax	206
C.4.2.9.1	surround_reproduction_level	207
C.4.2.9.2	production_roomtype	207
C.4.2.9.3	reproduction_level_value	207
C.4.2.10	downmixing_levels_MPEG2	207
C.4.2.10.0	Syntax	207
C.4.2.10.1	center_mix_level_on	207
C.4.2.10.2	surround_mix_level_on	208
C.4.2.10.3	mix_level_value	208
C.4.2.11	audio_coding_mode	208
C.4.2.11.0	Syntax	208
C.4.2.11.1	compression_on	208
C.4.2.12	compression_value	209
C.4.2.13	coarse_grain_timecode	209
C.4.2.14	fine_grain_timecode	209
C.4.2.15	scale_factor_CRC	209
C.4.2.16	Void	210
C.4.2.17	Void	210
C.4.2.18	Void	210
C.4.3	Announcement Switching Data	210
C.4.4	Scale Factor Error Check	211
C.4.5	RDS data via UECP protocol	211
C.5	Detailed specification for MPEG4 AAC, HE AAC and HE AAC v2 Audio	212
C.5.1	Transmission of MPEG4 Audio ancillary data	212
C.5.2	MPEG4 Audio ancillary data syntax	213
C.5.2.0	Syntax	213
C.5.2.1	ancillary_data_sync	213
C.5.2.2	bs_info	213
C.5.2.2.0	Syntax	213
C.5.2.2.1	mpeg_audio_type	213
C.5.2.2.2	dolby_surround_mode	214
C.5.2.2.3	drc_presentation_mode	214
C.5.2.3	ancillary_data_status	214
C.5.2.4	downmixing_levels_MPEG4	215
C.5.2.4.0	General	215
C.5.2.4.1	center_mix_level_on	215
C.5.2.4.2	surround_mix_level_on	215
C.5.2.4.3	mix_level_value	216
C.5.2.5	audio_coding_mode	216
C.5.2.5.0	Syntax	216

C.5.2.5.1	compression_on	217
C.5.2.5.2	compression_value	217
C.5.2.6	coarse_grain_timecode	217
C.5.2.7	fine_grain_timecode	217
C.5.2.8	Persistence of MPEG4 ancillary data	217
C.5.3	Announcement Switching Data	218
C.5.4	DRC Presentation Mode	218

Annex D (normative): Coding of Data Fields in the Private Data Bytes of the Adaptation Field..... 221

D.1	Introduction	221
D.2	Private data bytes detailed specification.....	221
D.2.0	General	221
D.2.0a	DVB Compliance	222
D.2.1	Announcement Switching Data	222
D.2.2	AU_information	222
D.3	PVR assistance	227
D.3.1	Introduction (informative)	227
D.3.2	Encoding of PVR assist information (normative)	227
D.3.3	Tier framework.....	228
D.3.3.0	Introduction.....	228
D.3.3.1	Background (informative).....	228
D.3.3.2	Specification for H.264/AVC (normative).....	228
D.3.3.2a	Specification for HEVC (normative)	229
D.3.3.3	Examples of tier number assignment for H.264/AVC and HEVC (informative)	230
D.3.4	Sub-stream framework	232
D.3.4.1	Background (informative).....	232
D.3.4.2	Tier Signalling (normative).....	232
D.3.4.3	Playback speed information (normative).....	233
D.3.4.4	Sub-stream associated with a Playback speed (normative).....	233
D.3.4.5	Examples of sub-streams (informative)	234
D.3.5	Segmentation signalling	234
D.3.6	PVR Assistance Signalling Syntax.....	235

Annex E (normative): Supplementary Audio Services..... 240

E.1	Overview	240
E.2	Syntax and semantics	240
E.3	Coding for Audio Description SA services	242
E.4	Coding for Clean Audio SA services	243
E.5	Decoder behaviour	244
E.6	Decoder user indicators	245
E.7	Advanced Clean Audio Services.....	245
E.7.0	Introduction	245
E.7.1	Basic Principle.....	245
E.7.2	Control Information.....	246
E.7.3	Coding for Dialogue Enhancement SA services	248
E.7.3.0	General.....	248
E.7.3.1	Supplementary SAOC-DE stream	249
E.7.4	Decoder and Renderer behaviour	249
E.7.4.0	Scope	249
E.7.4.1	Mono/Stereo service with Dialogue Enhancement	249
E.7.4.2	Multichannel service with Dialogue Enhancement.....	250
E.7.4.3	Loudness compensation	252

Annex F (informative): Encoding Guidelines to Enable Trick Play Support of H.264/AVC Streams 253