

SLOVENSKI STANDARD SIST ISO 16000-31:2015

01-april-2015

Notranji zrak – 31. del: Meritve zaviralnikov plamena in plastifikatorji na osnovi organofosfornih spojin - Ester fosforjeve kisline

Indoor air - Part 31: Measurement of flame retardants and plasticizers based on organophosphorus compounds - Phosphoric acid ester

iTeh STANDARD PREVIEW

Air intérieur - Partie 31: Mesurage des ignifugeants basés sur des composés organophosphorés - Ester d'acide phosphorique

SIST ISO 16000-31:2015

Ta slovenski standard je istoveten z: 0.000 16000-31:2014

ICS:

13.040.20 Kakovost okoljskega zraka Ambient atmospheres

SIST ISO 16000-31:2015 en,fr

SIST ISO 16000-31:2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 16000-31:2015 https://standards.iteh.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-c86ac67ab0ae/sist-iso-16000-31-2015 SIST ISO 16000-31:2015

INTERNATIONAL STANDARD

ISO 16000-31

First edition 2014-05-01

Indoor air —

Part 31:

Measurement of flame retardants and plasticizers based on organophosphorus compounds — Phosphoric acid ester iTeh STANDARD PREVIEW

(stair intérieurds.iteh.ai)

Partie 31: Mesurage des ignifugeants basés sur des composés organophosphorés organophosphorés

https://standards.iteh.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-c86ac67ab0ae/sist-iso-16000-31-2015



iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 16000-31:2015
https://standards.iteh.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-c86ac67ab0ae/sist-iso-16000-31-2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents					
Fore	eword	iv			
Intr	oduction	vi			
1	Scope	1			
2	Normative references				
3	Occurrence				
4					
	Indoor air 4.1 Measurement planning				
	4.2 Apparatus and materials for sampling and sample preparation				
	4.3 Sampling				
	4.4 Sample preparation				
5	Test chamber air	6			
	5.1 General	_			
	5.2 Apparatus and materials for sampling				
	5.3 Sampling				
	5.4 Sampling procedure				
	5.5 Sample preparation	8			
6	Calibration				
	6.1 Internal standard solutions and calibration solutions				
	6.2 Internal standard solutions DARD PREVIEW	8			
	6.3 Calibration solutions for low resolution 6.4 Calibration solutions for high resolution e.h.a.l.	9			
7	Identification and quantification 7.1 General SIST ISO 16000-312015 7.2 Analysis apparatus th.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-	11			
	7.1 General SIST ISO 10000-31,2015 7.2 Aparthtias / standards / teh ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-				
	7.2 Analysis apparatus 5.7.3 Analysis with GC/ER ⁶ M ⁶ 7ab0ae/sist-iso-16000-31-2015	11			
	7.4 Analysis with GC/HR-MS				
	7.5 Calculation result interpretation and presentation				
8	Performance characteristics	14			
	8.1 Performance characteristics of the air analyses				
9	Quality assurance	14			
10					
Annex A (informative) Nomenclature and physical characteristics					
	nex B (informative) Example chromatograms for standard solutions				
Bibliography					

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 146, *Air quality*, Subcommittee SC 6, *Indoor air*.

ISO 16000 consists of the following parts, under the general title Indoor air:

- https://standards.iteh.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-
- Part 1: General aspects of sampling strategyaboae/sist-iso-16000-31-2015
- Part 2: Sampling strategy for formaldehyde
- Part 3: Determination of formaldehyde and other carbonyl compounds in indoor air and test chamber air — Active sampling method
- Part 4: Determination of formaldehyde Diffusive sampling method
- Part 5: Sampling strategy for volatile organic compounds (VOCs)
- Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA[®] sorbent, thermal desorption and gas chromatography using MS or MS-FID
- Part 7: Sampling strategy for determination of airborne asbestos fibre concentrations
- Part 8: Determination of local mean ages of air in buildings for characterizing ventilation conditions
- Part 9: Determination of the emission of volatile organic compounds from building products and furnishing — Emission test chamber method
- Part 10: Determination of the emission of volatile organic compounds from building products and furnishing — Emission test cell method
- Part 11: Determination of the emission of volatile organic compounds from building products and furnishing — Sampling, storage of samples and preparation of test specimens
- Part 12: Sampling strategy for polychlorinated biphenyls (PCBs), polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) and polycyclic aromatic hydrocarbons (PAHs)

- Part 13: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) — Collection on sorbent-backed filters
- Part 14: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) Extraction, clean-up and analysis by high-resolution gas chromatography and mass spectrometry
- Part 15: Sampling strategy for nitrogen dioxide (NO₂)
- Part 16: Detection and enumeration of moulds Sampling by filtration
- Part 17: Detection and enumeration of moulds Culture-based method
- Part 18: Detection and enumeration of moulds Sampling by impaction
- Part 19: Sampling strategy for moulds
- Part 21: Detection and enumeration of moulds Sampling from materials
- Part 23: Performance test for evaluating the reduction of formaldehyde concentrations by sorptive building materials
- Part 24: Performance test for evaluating the reduction of volatile organic compound (except formaldehyde) concentrations by sorptive building materials
- Part 25: Determination of the emission of semi-volatile organic compounds by building products Micro-chamber method
- Part 26: Sampling strategy for carbon dioxide (CO₂)
- Part 28: Determination of odour emissions from building products using test chambers
- https://standards.iteh.ai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-Part 29: Test methods for VOC detectors.e/sist-iso-16000-31-2015
- Part 30: Sensory testing of indoor air
- Part 31: Measurement of flame retardants and plasticizers based on organophosphorus compounds Phosphoric acid ester
- Part 32: Investigation of buildings for pollutants and other injurious factors Inspections
 The following parts are under preparation:
- Part 33: Determination of phthalates with gas chromatography/mass spectrometry (GC/MS)
- Part 34: Strategies for the measurement of airborne particles (PM 2,5 fraction)
- Part 35: Measurement of polybrominated diphenylether, hexabromocyclododecane and hexabromobenzene
- Part 36: Test method for the reduction rate of airborne bacteria by air purifiers using a test chamber

Introduction

In general terms, phosphoric acid esters are formed by the reaction of alcohols or phenols with phosphoryl chloride (POCl₃). A distinction is made between mono-, di-, and triesters (see Figure 1). The triesters with aryl and alkyl groups, as well as with mixed halogenated and halogen-free ester groups serve as plasticizers and flame retardants in plastics and varnishes. Parallel therewith, phosphoric acid esters are incorporated in hardeners and accelerants, in mordant and adhesion boosting agents, and serve as cleaning, corrosion inhibition, and adhesion-facilitating substances by the treatment of metal surfaces. They are used as auxiliary means in paper and textiles, as wetting and defoaming agents, emulsifiers, and stabilizers, as additives to cleaning agents and detergents, as not readily flammable hydraulic liquids, and as oil and fuel additives (see Table 1). Not considered in this regard are the groups of the thio- and dithiophosphoric acid esters (pesticides), as well as the phosphoric acid esters with cyanide and halogen groups, with a special impact as acetylcholinesterase inhibitors (nerve gases).[3]

$$R_1O \longrightarrow P \longrightarrow OR_3$$

$$OR_2$$

Key

R aryl, alkyl, halogenated, and halogen-free ester groups

Figure 1 — Structural formula of the phosphoric acid esters

(standards.iteh.ai)

Such multiplex applicability of the organophosporus compounds (OPCs) leads to the effect that large indoor areas with OPC-containing building materials, varnishes, paints, floor care products, or fire protection coatings can be encountered. Due to their varying physical and physical-chemical properties, OPC can also be detected in the indoor transfer media (dust and air). As a rule, OPCs boiling at high temperatures such as tris(2-butoxyethyl) phosphate (TBEP, see Annex A) can be found in relevant concentrations in indoor air only if the emission source reaches elevated temperatures. In the case of such sources (e.g. screens or roller blinds for sun protection), the importance of higher temperatures must be taken into consideration when emission chamber tests are carried out.

There is an increasing public interest in the possible health effects of OPCs indoors. For indoor air, a Guideline Value II of $0.05~\text{mg/m}^3$ was published for TCEP and, in simplified terms, for the sum of TCEP, TCPP, TBP, TBEP, TEHP, and TPP as well. The Guideline Value I derived there amounts to $0.005~\text{mg/m}^3$. A review article on the occurrence and evaluation of OPC in an indoor environment is available.

This part of ISO 16000 is based on VDI 4301 Part 5.

Indoor air —

Part 31:

Measurement of flame retardants and plasticizers based on organophosphorus compounds — Phosphoric acid ester

1 Scope

This part of ISO 16000 specifies a test method for the sampling and analysis of the phosphoric acid esters in indoor air and in test chamber air through gas chromatography/mass spectrometry. Both principle methods of the low-resolution mass spectrometry and the high-resolution mass spectrometry are described.

The methods described in this part of ISO 16000 are not suitable for the determination of the phosphoric acid esters in materials.

NOTE ISO 16000-6 can be applied for the determination of the more volatile compounds covered by this standard.

iTeh STANDARD PREVIEW

2 Normative references

(standards.iteh.ai)

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For idated references, sonly the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16000-1, Indoor air — Part 1: General aspects of sampling strategy

ISO 16000-9, Indoor air — Part 9: Determination of the emission of volatile organic compounds from building products and furnishing — Emission test chamber method

ISO 16000-13, Indoor air — Part 13: Determination of total (gas and particle-phase) polychlorinated dioxin-like biphenyls (PCBs) and polychlorinated dibenzo-p-dioxins/dibenzofurans (PCDDs/PCDFs) — Collection on sorbent-backed filters

3 Occurrence

The following compounds belonging to the halogen-free organophosphates are frequently detected in indoor air:

- triphenyl phosphate (TPP);
- tris(2-butoxyethyl) phosphate (TBEP);
- tri-n-butyl phosphate (TBP);
- tris(2-ethylhexyl) phosphate (TEHP);
- cresyl diphenyl phosphate (CDP);
- triethyl phosphate (TEP);
- tricresyl phosphate (TCP).

The following halogenated phosphoric acid esters are detected predominantly in house dust and indoor air:

- tris(2-chloroethyl) phosphate (TCEP);
- tris(chloropropyl) phosphate (TCPP);
- tris(1,3-dichloro-2-propyl) phosphate (TDCPP).

Bridged diphosphates based on resorcinol- and bisphenol-A are also increasingly implemented as flame retardants, e. g.

- tetraphenyl resorcinol diphosphate (RDP) or
- tetraphenyl bisphenol-A diphosphate (BDP).

So far, there is little information about the release of these compounds from primary sources.

<u>Table 1</u> provides an overview of the organophosphates frequently detected in indoor air. The nomenclature and the chemical and physical data on the organophosphates are listed in <u>Annex A</u>.

Table 1 — Organophosphates and their intended use (see References[5] and[6])

OPC Abbrevia- tion	Organophosphates	Intended use as flame retardant and plasticizer				
CDP	Cresyl diphenyl phosphate	Flame retardant coatings REVIEW				
RDP	Tetraphenyl resor- cinol diphosphate	Casing materials, special cables				
ТВЕР	Tris(2-butoxyethyl) phosphatehttps://standard	Floor care products, floor wax, additives in elastomers, solvents for hai/catalog/standards/sist/d3f7edbb-1903-4b1f-9e6a-resins, antifoaming agents, additives for plastic, synthetic rubber, and varnishes				
ТВР	Tri-n-butyl phos- phate	Defoaming agents for concrete additives, wall paper, dispersion paints, varnishes, rubber, plastic, and vinyl resins, antifoaming agents				
TCEP	Tris(2-chloroethyl) phosphate	Paints, coatings, soundproofing ceilings, fibre glass wall paper, expanding foam, casing materials				
ТСРР	Tris(1-chloro- 2-propyl)-phos- phate ^a	Sound-absorbing polyurethane foam, expansion foam, soft foam (seats, mattresses), rear lining of textile, casing materials				
TDBPP	Tris(2,3-dibromo- propyl) phosphate	Foamed rubber, varnishes, paper, paints, cellulose-, triacetate-, and polyester fabrics, carpets, resins, furniture, car interior details				
TDCPP	Tris(1,3-dichloro- 2-propyl) phosphate	PU foam, casing materials, rear lining of textile				
ТЕНР	Tris(2-ethylhexyl) phosphate	Stabilizers, fat additives, additives for synthetic rubber				
ТСР	Tricresyl phosphate	Lubricants, car interiors, additives to floor covering and wall cladding				
TPP	Triphenyl phosphate	Expanding foam, paints and varnishes, brighteners, casing materials, photographic films, phenol resins, additives for lubricants, car interior details				
Technical TCPP does not exist as a pure isomer. Hence it usually leads to up to three GC signals.						

The published concentrations of indoor air measurements are compiled in <u>Table 2</u>. Citing of occasion-relevant measurement values cannot be excluded.

Table 2 — Published results on OPC in indoor air

Substance	Concentration in indoor air µg/m³		
	Range	Median	Reference
TCEP	< 0,005 to 6	0,10 to 0,38	[<u>8</u>][<u>9</u>][<u>10</u>]
ТСРР	0,019 to 0,058	-	[<u>10</u>]
TBP	0,01 to 0,064	_	[<u>10</u>]
TBEP	0,001 to 0,03	_	[<u>9]</u> and[<u>10</u>]
ТЕНР	< 0,001 to 0,01	-	[<u>10</u>]
TPP	< 0,01	-	[<u>9</u>] and[<u>10</u>]
ТСР	< 0,01	-	[<u>9</u>]

4 Indoor air

4.1 Measurement planning TANDARD PREVIEW

The measurement planning for the determination of the indoor air for phosphoric acid esters is performed according to the requirements of ISO 16000-1.


4.2 Apparatus and materials for sampling and sample preparation

c86ac67ab0ae/sist-iso-16000-31-2015

4.2.1 Sampling apparatus

The sampling system is described in detail in ISO 16000-13.

4.2.1.1 Sampling head, with a sleeve for holding the PU foams (<u>Figures 2a</u> and <u>2b</u>) (see also ISO 16000-13).



a) PU foam sleeve with cover (aluminium) b) Sampling head https://stantlards.iten.arcatalog/standards/sist/d3f7edbb-1903-4011-966a-c86ac67ab0ae/sist-iso-16000-31-2015

Key

- 1 cover
- 2 O-ring
- 3 PU foam sleeve (external diameter: 49,5 mm, length: approx. 120 mm)
- 4 stainless steel mesh
- 5 cap
- 6 0-ring
- 7 PU foam sleeve
- 8 cylinder (internal diameter: 49,8 mm)
- 9 stainless steel mesh to carry the glass fibre filter
- 10 PTFE-ring/filter disc/PTFE-ring
- 11 cap with inlet bore (internal diameter of the inlet bore: 27 mm)
- 12 spacer
- 13 baffle plate
- 14 0-ring

Figure 2 — Sampling apparatus consisting of a sampling head with a sleeve for holding PU foams

4.2.1.2 Pump, with volumetric flow of 2,7 m³/h to 2,8 m³/h (45 l/min to 46,7 l/min) under sampling conditions.