

# ETSI TS 144 018 V15.4.0 (2019-04)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Mobile radio interface layer 3 specification;  
GSM/EDGE Radio Resource Control (RRC) protocol  
(3GPP TS 44.018 version 15.4.0 Release 15)**

*Standard PREVIEW*  
*Full standards catalog: <https://standards.iteh.ai/catalog/standards/sis/144-018-2019-04>*  
*Full standards catalog: <https://standards.iteh.ai/catalog/standards/sis/144-018-2019-04>*  
*Full standards catalog: <https://standards.iteh.ai/catalog/standards/sis/144-018-2019-04>*



---

**Reference**RTS/TSGR-0644018vf40

---

---

**Keywords**GSM

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	19
1 Scope .....	20
1.1 Scope of the Technical Specification .....	20
1.2 Application to the interface structures.....	20
1.3 Structure of layer 3 procedures.....	20
1.4 Test procedures .....	20
1.5 Use of logical channels.....	20
1.6 Overview of control procedures .....	21
1.6.1 List of procedures .....	21
1.7 Applicability of implementations .....	22
1.7.1 Voice Group Call Service (VGCS) and Voice Broadcast Service (VBS).....	23
1.7.2 General Packet Radio Service (GPRS).....	23
1.7.3 Multimedia Broadcast/Multicast Service (MBMS) .....	23
1.8 Restrictions .....	24
2 References .....	24
2.1 Abbreviations .....	27
2.1.1 Random values.....	28
2.1.2 Vocabulary.....	28
3 Radio Resource management procedures.....	31
3.1 Overview/General .....	31
3.1.1 General.....	31
3.1.2 Services provided to upper layers .....	31
3.1.2.1 Idle mode .....	31
3.1.2.2 Dedicated mode.....	31
3.1.2.3 Group receive mode .....	32
3.1.2.4 Group transmit mode.....	32
3.1.2.5 Packet idle mode .....	32
3.1.2.6 Packet transfer mode .....	33
3.1.2.7 Dual transfer mode (DTM).....	33
3.1.3 Services required from data link and physical layers.....	33
3.1.4 Change of dedicated channels.....	33
3.1.4.1 Change of dedicated channels using SAPI = 0.....	33
3.1.4.2 Change of dedicated channels using other SAPIs than 0 .....	34
3.1.5 Procedure for Service Request and Contention Resolution .....	34
3.1.6 Preemption.....	35
3.2 Idle mode procedures and general procedures in packet idle and packet transfer modes.....	36
3.2.1 Mobile Station side .....	36
3.2.2 Network side .....	38
3.2.2.1 System information broadcasting.....	38
3.2.2.2 Paging .....	40
3.2.2.3 Sending of ETWS Primary Notification .....	40
3.2.3 Inter-RAT cell re-selection based on priority information.....	41
3.2.3.1 General .....	41
3.2.3.2 Common priorities information.....	41
3.2.3.3 Provision of individual priorities information.....	42
3.2.4 (void).....	42
3.3 RR connection establishment .....	42
3.3.1 RR connection establishment initiated by the mobile station .....	42
3.3.1.1 Entering the dedicated mode : immediate assignment procedure .....	43
3.3.1.1.1 Permission to access the network .....	43
3.3.1.1.1a Implicit reject indication from the network .....	43
3.3.1.1.2 Initiation of the immediate assignment procedure.....	44

3.3.1.1.3	Answer from the network .....	45
3.3.1.1.3.1	On receipt of a CHANNEL REQUEST message .....	45
3.3.1.1.3.2	Assignment rejection .....	46
3.3.1.1.3.2a	Implicit Reject procedure.....	46
3.3.1.1.4	Assignment completion .....	47
3.3.1.1.4.1	Early classmark sending .....	47
3.3.1.1.4.2	Service information sending .....	48
3.3.1.1.5	Abnormal cases .....	48
3.3.1.2	Entering the group transmit mode: uplink access procedure.....	49
3.3.1.2.1	Mobile station side .....	49
3.3.1.2.1.1	Uplink investigation procedure - talker priority not supported by the network .....	49
3.3.1.2.1.1a	Uplink investigation procedure - talker priority supported by the network .....	49
3.3.1.2.1.2	Uplink access procedure with talker priority not supported by the network.....	50
3.3.1.2.1.2a	Uplink access procedure - with talker priority supported by the network using uplink access procedure .....	51
3.3.1.2.1.2a.1	Talker priority normal, privileged or emergency .....	51
3.3.1.2.1.2a.2	Emergency mode reset request.....	51
3.3.1.2.1.2b	Priority uplink request procedure.....	52
3.3.1.2.1.2b.1	Talker priority privileged or emergency.....	52
3.3.1.2.1.2b.2	Emergency mode reset request.....	53
3.3.1.2.1.2b.3	Validation of priority uplink requests for ciphered voice group calls .....	53
3.3.1.2.1.2c	Uplink access procedure for sending application-specific data .....	53
3.3.1.2.1.2c.1	General .....	53
3.3.1.2.1.2c.2	Using the Voice Group Call Channel.....	53
3.3.1.2.1.2c.3	Using the RACH .....	53
3.3.1.2.2	Network side - talker priority not supported by the network.....	54
3.3.1.2.2a	Network side - network supports talker priority using uplink access procedure .....	54
3.3.1.2.2a.1	Uplink FREE.....	54
3.3.1.2.2a.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request .....	54
3.3.1.2.2a.1.2	Uplink Access cause - Emergency mode reset request .....	54
3.3.1.2.2a.2	Uplink BUSY.....	55
3.3.1.2.2a.2.1	Uplink Access with cause priority less than or equal to current talker priority.....	55
3.3.1.2.2a.2.2	Uplink Access with cause priority higher than current talker priority.....	55
3.3.1.2.2a.2.3	Uplink Access with cause Emergency mode reset request.....	55
3.3.1.2.2b	Network side - network supports talker priority using priority uplink procedure .....	55
3.3.1.2.2b.1	Uplink FREE.....	55
3.3.1.2.2b.1.1	Uplink Access cause - Normal, Privileged, or Emergency priority request .....	55
3.3.1.2.2b.1.2	Uplink Access cause - Emergency mode reset request .....	55
3.3.1.2.2b.2	Uplink BUSY.....	56
3.3.1.2.2b.2.1	Priority Uplink Request with cause priority less than or equal to current talker priority .....	56
3.3.1.2.2b.2.2	Priority Uplink Request with cause priority higher than current talker priority.....	56
3.3.1.2.2b.2.3	Priority Uplink Request with cause Emergency mode reset request .....	56
3.3.1.2.2b.2.4	Validation of Priority Uplink Requests for ciphered voice group calls.....	56
3.3.1.2.2c	Network side - network supports sending application-specific data by mobile station .....	56
3.3.1.2.2c.1	General.....	56
3.3.1.2.2c.2	Using the Voice Group Call Channel .....	57
3.3.1.2.2c.3	Using the RACH.....	57
3.3.1.2.3	Abnormal cases .....	57
3.3.1.3	Dedicated mode and GPRS .....	57
3.3.1.4	Preliminary Access Barring Check .....	57
3.3.2	Paging procedure for RR connection establishment .....	57
3.3.2.1	Paging initiation by the network .....	58
3.3.2.1.1	Paging initiation using paging subchannel on CCCH.....	58
3.3.2.1.2	Paging initiation using paging subchannel on PCCCH .....	59
3.3.2.1.3	Paging initiation using PACCH.....	59
3.3.2.2	Paging response.....	59
3.3.2.3	Abnormal cases .....	60
3.3.3	Notification procedure .....	60
3.3.3.1	Notification of a call.....	60
3.3.3.2	Joining a VGCS or VBS call.....	61
3.3.3.2.1	General .....	61
3.3.3.2.2	Segmentation of notifications .....	62

3.3.3.2.2.1	General.....	62
3.3.3.2.2.2	Segmentation of notifications on NCH.....	62
3.3.3.2.2.3	Segmentation of notifications on PCH.....	63
3.3.3.3	Reduced NCH monitoring mechanism.....	64
3.3.3.4	Notification response procedure.....	65
3.4	Procedures in dedicated mode and in group transmit mode.....	66
3.4.1	SACCH procedures.....	66
3.4.1.1	General.....	66
3.4.1.2	Measurement Report and Enhanced Measurement Report.....	67
3.4.1.2.1	Parameters for Measurements and Reporting.....	67
3.4.1.2.1.1	Deriving the 3G Neighbour Cell list from the 3G Neighbour Cell Description sent on BCCH or on SACCH.....	69
3.4.1.2.1.1a	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH.....	70
3.4.1.2.1.1b	Deriving the E-UTRAN Neighbour Cell list from the Repeated E-UTRAN Neighbour Cell information sent on BCCH or on SACCH (abnormal cases).....	71
3.4.1.2.1.2	Deriving the GSM Neighbour Cell list from the BSICs and the BA (list).....	71
3.4.1.2.1.3	Deriving the Neighbour Cell list from the GSM Neighbour Cell list and the 3G Neighbour Cell list.....	71
3.4.1.2.1.4	Real Time Differences.....	71
3.4.1.2.1.5	Report Priority Description.....	72
3.4.1.2.1.6	GPRS Parameters.....	72
3.4.1.2.1.7	The 3G Cell Reselection list.....	72
3.4.1.2.1.7a	(void).....	72
3.4.1.2.1.7b	Closed Subscriber Group Information.....	72
3.4.1.2.1.7c	The 3G Frequency list.....	73
3.4.1.2.1.8	CCN Support description.....	73
3.4.1.2.1.9	3G_CCN_ACTIVE Description.....	74
3.4.1.2.1.9a	E-UTRAN_CCN_ACTIVE Description.....	74
3.4.1.2.1.10	GSM Neighbour Cell Selection parameters.....	74
3.4.1.2.1.11	Fast Acquisition of System Information.....	74
3.4.1.2.1.12	Reporting of CSG Cells and Hybrid Cells.....	75
3.4.1.3	Extended measurement report \$(MAFA)\$.....	76
3.4.2	Transfer of messages and link layer service provision.....	76
3.4.3	Channel assignment procedure.....	76
3.4.3.1	Channel assignment initiation.....	77
3.4.3.2	Assignment completion.....	78
3.4.3.3	Abnormal cases.....	79
3.4.4	Handover procedure.....	80
3.4.4.1	Handover initiation.....	80
3.4.4.2	Physical channel establishment.....	83
3.4.4.2.1	Finely synchronized cell case.....	84
3.4.4.2.2	Non synchronized cell case.....	84
3.4.4.2.3	Pseudo-synchronized cell case.....	85
3.4.4.2.4	Pre-synchronized cell case.....	85
3.4.4.3	Handover completion.....	85
3.4.4.4	Abnormal cases.....	86
3.4.4a	Handover to UTRAN procedure.....	87
3.4.4a.1	Handover to UTRAN initiation.....	87
3.4.4a.2	Handover to UTRAN completion.....	87
3.4.4a.3	Abnormal cases.....	88
3.4.4b	Handover to CDMA2000 procedure.....	88
3.4.4b.1	Handover to CDMA2000 initiation.....	89
3.4.4b.2	Handover to CDMA2000 completion.....	89
3.4.4b.3	Abnormal cases.....	89
3.4.4c	Intermode handover to GERAN Iu mode procedure.....	89
3.4.4c.1	General.....	89
3.4.4c.2	Initiation of the handover to GERAN <i>Iu mode</i> procedure.....	90
3.4.4c.3	Completion of the Handover to GERAN <i>Iu Mode</i> procedure.....	90
3.4.4c.4	Abnormal cases.....	90
3.4.4d	CS to PS SRVCC procedure.....	90
3.4.4d.1	CS to PS SRVCC procedure initiation.....	91

3.4.4d.2	CS to PS SRVCC procedure completion .....	91
3.4.4d.3	Abnormal cases .....	91
3.4.5	Frequency redefinition procedure .....	92
3.4.5.1	Abnormal cases .....	92
3.4.6	Channel mode modify procedure .....	92
3.4.6.1	Normal channel mode modify procedure .....	93
3.4.6.1.1	Initiation of the channel mode modify procedure .....	93
3.4.6.1.2	Completion of channel mode modify procedure .....	93
3.4.6.1.3	Abnormal cases .....	93
3.4.6.2	Channel mode modify procedure for a voice group call talker .....	93
3.4.6.2.1	Initiation of the channel mode modify procedure .....	93
3.4.6.2.2	Completion of mode change procedure .....	94
3.4.6.2.3	Abnormal cases .....	94
3.4.7	Ciphering mode setting procedure .....	94
3.4.7.1	Ciphering mode setting initiation .....	94
3.4.7.2	Ciphering mode setting completion .....	94
3.4.7a	Selective Ciphering of Downlink SACCH .....	95
3.4.8	Additional channel assignment procedure .....	96
3.4.8.1	Additional assignment procedure initiation .....	96
3.4.8.2	Additional assignment procedure completion .....	96
3.4.8.3	Abnormal cases .....	96
3.4.9	Partial channel release procedure .....	96
3.4.9.1	Partial release procedure initiation .....	97
3.4.9.2	Abnormal cases .....	97
3.4.10	Classmark change procedure .....	97
3.4.11	Classmark interrogation procedure .....	97
3.4.11.1	Classmark interrogation initiation .....	97
3.4.11.2	Classmark interrogation completion .....	98
3.4.12	Indication of notifications and paging information .....	98
3.4.13	RR connection release procedure .....	98
3.4.13.1	Normal release procedure .....	98
3.4.13.1.1	Channel release procedure initiation in dedicated mode and in group transmit mode .....	99
3.4.13.1.1a	Channel release procedure initiation in dual transfer mode .....	100
3.4.13.1.2	Abnormal cases .....	101
3.4.13.2	Radio link failure in dedicated mode or dual transfer mode .....	101
3.4.13.2.1	Mobile side .....	101
3.4.13.2.2	Network side .....	101
3.4.13.3	RR connection abortion in dedicated mode or dual transfer mode .....	102
3.4.13.4	Uplink release procedure .....	102
3.4.13.5	Radio link failure in group transmit mode .....	102
3.4.13.5.1	Mobile side .....	102
3.4.13.5.2	Network side .....	103
3.4.13.6	RR connection abortion requested by upper layers .....	103
3.4.14	Receiving a RR STATUS message by a RR entity .....	103
3.4.15	Group receive mode procedures .....	103
3.4.15.1	Mobile station side .....	103
3.4.15.1.1	Reception of the VGCS or VBS channel .....	103
3.4.15.1.1.1	General .....	103
3.4.15.1.1.2	Reception on ciphered VGCS or VBS channel .....	103
3.4.15.1.2	Monitoring of downlink messages and related procedures .....	104
3.4.15.1.2.1	(void) .....	104
3.4.15.1.2.2	(void) .....	104
3.4.15.1.2.3	Channel mode modify procedure .....	104
3.4.15.1.2.4	Notification and paging information .....	104
3.4.15.1.2.4.1	Use of Reduced NCH monitoring .....	104
3.4.15.1.2.5	Uplink status messages .....	104
3.4.15.1.2.6	Channel release message .....	105
3.4.15.1.2.7	Information on paging channel restructuring .....	105
3.4.15.1.3	Uplink reply procedure .....	105
3.4.15.1.4	Leaving the group receive mode .....	105
3.4.15.1.4.1	Returning to idle mode .....	105
3.4.15.1.4.2	Going to group transmit mode .....	105

3.4.15.2	Network side .....	106
3.4.15.2.1	Provision of messages on the VGCS or VBS channel downlink.....	106
3.4.15.2.1.1	General.....	106
3.4.15.2.1.2	Provision of general information messages .....	106
3.4.15.2.1.3	Provision of messages related to the voice group call uplink channel .....	107
3.4.15.2.1.4	Provision of messages related to the voice broadcast uplink channel.....	107
3.4.15.2.2	Release of the VGCS or VBS Channels.....	107
3.4.15.2a	VBS/VGCS reconfiguration procedure.....	108
3.4.15.2a.1	Normal behaviour.....	108
3.4.15.2a.2	Abnormal cases .....	108
3.4.15.3	Failure cases.....	109
3.4.15.3a	Additional Information procedure.....	109
3.4.15.3b	SMS to on going group call procedure.....	109
3.4.16	Configuration change procedure.....	110
3.4.16.1	Configuration change initiation.....	110
3.4.16.2	Configuration change completion .....	110
3.4.16.3	Abnormal cases .....	110
3.4.17	Mapping of user data substreams onto timeslots in a multislot configuration .....	110
3.4.18	Handling of classmark information at band change.....	111
3.4.19	(void) .....	111
3.4.20	(void) .....	111
3.4.21	Application Procedures.....	111
3.4.21.1	General.....	111
3.4.21.2	Location Services (LCS) .....	111
3.4.21.2A	Earthquake and Tsunami Warning System (ETWS).....	111
3.4.21.3	Application Information Transfer .....	111
3.4.21.3.1	Normal Procedure without Segmentation.....	112
3.4.21.3.2	Normal Procedure with Segmentation.....	112
3.4.21.3.3	Abnormal Cases.....	113
3.4.22	RR procedures related to packet resource establishment while in dedicated mode .....	113
3.4.22.1	Packet request procedure while in dedicated mode.....	113
3.4.22.1.1	Entering the dual transfer mode.....	113
3.4.22.1.1.1	Permission to access the network.....	114
3.4.22.1.1.2	Initiation of establishment of the packet request procedure.....	114
3.4.22.1.1.3	Answer from the network.....	114
3.4.22.1.1.3.1	Packet assignment.....	114
3.4.22.1.1.3.2	RR reallocation only .....	115
3.4.22.1.1.3.3	Packet request rejection.....	116
3.4.22.1.1.4	Packet request completion .....	116
3.4.22.1.1.5	Abnormal cases.....	116
3.4.22.2	Packet notification procedure in dedicated mode.....	117
3.4.22.2.1	Packet notification initiation by the network.....	117
3.4.22.2.2	Packet notification response .....	117
3.4.22.3	Packet downlink assignment in dedicated mode.....	118
3.4.22.3.1	Initiation of the packet downlink assignment procedure in dedicated mode .....	118
3.4.22.3.2	Packet downlink assignment completion.....	118
3.4.22.3.3	Abnormal cases .....	119
3.4.22.4	Modification of packet resources while in DTM .....	120
3.4.23	RR procedures related to packet resource maintenance while in dual transfer mode .....	120
3.4.23.1	General .....	120
3.4.23.2	RR and packet resource reallocation whilst in dual transfer mode .....	121
3.4.23.2.1	General .....	121
3.4.23.2.2	Normal resource reallocation case.....	121
3.4.23.2.3	Abnormal cases .....	122
3.4.24	RR procedures related to packet resource release while in dual transfer mode .....	123
3.4.25	GPRS suspension procedure .....	124
3.4.25.1	General .....	124
3.4.25.2	MS in class B mode of operation .....	124
3.4.25.3	Dual transfer mode not supported .....	124
3.4.26	GPRS Transparent Transport Procedure.....	124
3.4.27	RR procedures related to dedicated mode MBMS notification .....	125
3.4.27.1	General .....	125

3.4.27.2	MBMS announcement procedure in dedicated mode .....	125
3.4.27.2.1	General .....	125
3.4.27.2.2	MBMS announcement initiation by the network .....	125
3.4.27.2.3	MBMS notification response .....	125
3.4.28	Transmission of application-specific data by the talker .....	126
3.4.28.1	General .....	126
3.5	RR procedures on CCCH and EC-CCCH related to temporary block flow establishment .....	126
3.5.0	General .....	126
3.5.1	Packet paging procedure using CCCH .....	126
3.5.1.1	Packet paging initiation by the network .....	126
3.5.1.2	On receipt of a packet paging request .....	127
3.5.1.3	Packet Paging for MBMS notification on CCCH .....	128
3.5.1.3.1	General .....	128
3.5.1.3.2	MBMS pre-notification .....	128
3.5.1.3.3	MBMS notification .....	129
3.5.1.3.4	Response to MBMS notification .....	129
3.5.1a	Packet paging procedure using EC-CCCH .....	131
3.5.1a.1	Packet paging initiation by the network .....	131
3.5.2	Packet access procedure using CCCH .....	133
3.5.2.1	Entering the packet transfer mode: packet access procedure .....	133
3.5.2.1.1	Permission to access the network .....	133
3.5.2.1.2	Initiation of the packet access procedure: channel request .....	134
3.5.2.1.2a	EC Packet access procedure (EC-CCCH) .....	141
3.5.2.1.3	Packet immediate assignment .....	145
3.5.2.1.3.1	On receipt of a CHANNEL REQUEST or EGPRS PACKET CHANNEL REQUEST or EC PACKET CHANNEL REQUEST message or EGPRS MULTILATERATION REQUEST .....	145
3.5.2.1.3.2	One phase packet access .....	147
3.5.2.1.3.3	Single block packet access .....	149
3.5.2.1.3.3a	Multiblock packet access .....	149
3.5.2.1.3.4	Packet access rejection .....	150
3.5.2.1.3a	Packet immediate assignment (EC-CCCH) .....	151
3.5.2.1.3a.1	On receipt of an EC PACKET CHANNEL REQUEST or EC MULTILATERATION REQUEST message .....	151
3.5.2.1.3a.2	Packet access rejection .....	152
3.5.2.1.4	Packet access completion .....	153
3.5.2.1.4a	Packet access completion (EC-CCCH) .....	153
3.5.2.1.5	Abnormal cases .....	153
3.5.2.1.5a	Abnormal cases (EC-CCCH) .....	154
3.5.2.1.6	(void) .....	154
3.5.2.2	Sending an RLC/MAC control message: single block packet access procedure .....	154
3.5.2a	Packet access procedure using EC-CCCH .....	154
3.5.2a.1	EC-GSM-IoT Preliminary Access Barring Check .....	155
3.5.2a.2	EC-GSM-IoT Implicit Reject procedure .....	156
3.5.3	Packet downlink assignment procedure using CCCH .....	156
3.5.3.1	Entering the packet transfer mode: packet downlink assignment procedure .....	156
3.5.3.1.2	Initiation of the packet downlink assignment procedure .....	156
3.5.3.1.3	Packet downlink assignment completion .....	159
3.5.3.1.4	Abnormal cases .....	159
3.5.3.2	Sending an RLC/MAC control message: single block packet downlink assignment procedure .....	159
3.5.3.2a	Sending an RLC/MAC control message: multiple blocks packet downlink assignment procedure .....	160
3.5.4	MBMS packet access procedure using CCCH .....	160
3.5.4.1	General .....	160
3.5.4.2	On receipt of a CHANNEL REQUEST message .....	160
3.5.4.3	On receipt of an IMMEDIATE ASSIGNMENT message .....	161
3.5.4.4	On receipt of an IMMEDIATE ASSIGNMENT REJECT message .....	161
3.5.4.5	On receipt of an MBMS ASSIGNMENT message .....	161
3.5.4.6	Abnormal cases .....	161
3.5.5	Packet downlink assignment procedure using EC-CCCH .....	161
3.5.5.1	Entering the packet transfer mode: packet downlink assignment procedure .....	161
3.5.5.2	Initiation of the packet downlink assignment procedure .....	162
3.5.5.3	Packet downlink assignment completion .....	162

3.5.5.4	Abnormal cases .....	163
3.6	RR Procedures in packet transfer mode .....	163
3.6.1	RR Connection establishment using enhanced DTM CS establishment .....	163
3.6.2	Completion of RR Connection establishment .....	163
3.6.2.1	Connection established in response to an encapsulated IMMEDIATE ASSIGNMENT message .....	163
3.6.2.2	Connection established in response to an encapsulated DTM ASSIGNMENT COMMAND message .....	163
3.7	DTM Handover procedure .....	164
3.7.1	General .....	164
3.7.2	DTM Handover from GERAN A/Gb mode to GERAN A/Gb mode procedure .....	164
3.7.2.1	Abnormal cases .....	165
3.7.3	DTM Handover from GERAN A/Gb mode to UTRAN procedure .....	165
3.8	Network sharing .....	166
3.8.1	General .....	166
3.8.2	Network side .....	166
3.8.2.1	Provision of network sharing information .....	166
3.8.2.2	EC System information broadcasting .....	167
3.8.3	Mobile station side .....	167
3.8.4	Abnormal cases .....	168
3.9	Power Efficient Operation (PEO) .....	169
3.9.1	General .....	169
3.9.2	PEO Power Saving States .....	169
3.9.3	Extended DRX (eDRX) .....	170
3.9.4	BCCH Acquisition .....	170
3.9.4.1	Deferred System Information Acquisition for PEO .....	170
3.10	EC Operation .....	172
3.10.1	General .....	172
3.10.2	Power Saving States .....	172
3.10.3	Extended DRX (eDRX) .....	173
3.10.4	EC-BCCH Acquisition .....	173
3.10.5	Extended Coverage .....	175
3.10.6	EC-CCCH/D Operation .....	175
3.11	Multilateration Timing Advance .....	176
3.11.1	General .....	176
3.11.2	RLC Data Block Method .....	176
3.11.3	Access Burst Method .....	177
3.11.4	Extended Access Burst Method .....	177
3.11.5	BSS Support of Multilateration Timing Advance .....	178
4	Elementary procedures for Mobility Management .....	178
5	Elementary procedures for circuit-switched Call Control .....	178
6	Support for packet services .....	178
7	Examples of structured procedures .....	179
8	Handling of unknown, unforeseen, and erroneous protocol data .....	179
8.1	General .....	179
8.2	Message too short .....	179
8.3	(void) .....	179
8.4	Unknown or unforeseen message type .....	179
8.5	Non-semantic mandatory information element errors .....	180
8.5.1	Radio resource management .....	180
8.6	Unknown and unforeseen IEs in the non-imperative message part .....	181
8.6.1	IEs unknown in the message .....	181
8.6.2	Out of sequence IEs .....	181
8.6.3	Repeated IEs .....	181
8.7	Non-imperative message part errors .....	181
8.7.1	Syntactically incorrect optional IEs .....	181
8.7.2	Conditional IE errors .....	181
8.8	Messages with semantically incorrect contents .....	182
8.9	Incomplete rest octets .....	182

9	Message functional definitions and contents	182
9.1	Messages for Radio Resources management	184
9.1.1	Additional assignment	187
9.1.1.1	Mobile Allocation	187
9.1.1.2	Starting Time	187
9.1.1.3	Extended TSC Set	187
9.1.2	Assignment command	187
9.1.2.1	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" ( $2 \leq X \leq 8$ )	189
9.1.2.2	Description of the Second Channel	189
9.1.2.3	Mode of the Second Channel	189
9.1.2.4	Mobile Allocation and Frequency List, after the starting time	189
9.1.2.5	Starting Time	189
9.1.2.6	Reference cell frequency list	190
9.1.2.7	Cell Channel Description	190
9.1.2.8	Cipher Mode Setting	190
9.1.2.9	VGCS target mode Indication	190
9.1.2.10	Description of the multislot allocation	191
9.1.2.11	Multi Rate configuration	191
9.1.2.12	VGCS Ciphering Parameters	191
9.1.2.13	Extended TSC Set, after time	191
9.1.2.14	Extended TSC Set, before time	191
9.1.3	Assignment complete	191
9.1.4	Assignment failure	192
9.1.5	Channel mode modify	192
9.1.5.1	Channel Description	192
9.1.5.2	VGCS target mode Indication	193
9.1.5.3	Multi Rate configuration	193
9.1.5.4	VGCS Ciphering Parameters	193
9.1.5.5	Extended TSC Set	193
9.1.6	Channel mode modify acknowledge	193
9.1.6.1	Extended TSC Set	193
9.1.7	Channel release	194
9.1.7.1	Group Channel Description / Group Channel Description 2	195
9.1.7.2	Group Cipher Key Number	195
9.1.7.3	UTRAN Freq List	195
9.1.7.4	Cell Channel Description	195
9.1.7.5	VGCS Ciphering Parameters	195
9.1.7.6	Talker Identity	195
9.1.7.7	Talker Priority Status	195
9.1.7.8	VGCS AMR Configuration	195
9.1.7.9	Individual priorities	195
9.1.8	Channel request	196
9.1.9	Ciphering mode command	198
9.1.10	Ciphering mode complete	199
9.1.10.1	Mobile Equipment Identity	199
9.1.11	Classmark change	199
9.1.11.1	Additional Mobile Station Classmark Information	199
9.1.11.2	Mobile Station Classmark	199
9.1.11a	UTRAN Classmark Change	200
9.1.11b	cdma2000 Classmark Change	200
9.1.11c	(void)	201
9.1.11d	GERAN IU Mode Classmark Change	201
9.1.12	Classmark enquiry	202
9.1.12a	(void)	202
9.1.12b	Configuration change command	202
9.1.12b.1	Description of the multislot allocation	203
9.1.12b.2	Mode of Channel Set "X" ( $1 \leq X \leq 8$ )	203
9.1.12c	Configuration change acknowledge	203
9.1.12d	Configuration change reject	203
9.1.12e	DTM Assignment Command	204
9.1.12e.1	(void)	204
9.1.12e.2	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs	204

9.1.12e.3	MultiRate configuration .....	205
9.1.12e.4	Ciphering Mode Setting .....	205
9.1.12e.5	(void).....	205
9.1.12e.6	Mobile Allocation and Frequency List.....	205
9.1.12e.7	Mobile Allocation C2, Frequency List C2, Channel Description C2 and Description of the Downlink Packet Channel Assignment Type 2.....	205
9.1.12e.8	Extended TSC Set .....	205
9.1.12f	DTM Assignment Failure .....	206
9.1.12g	DTM Information .....	206
9.1.12g.1	Routeing Area Identification .....	206
9.1.12h	DTM Reject .....	207
9.1.12i	DTM Request.....	207
9.1.13	Frequency redefinition .....	208
9.1.13.1	Cell Channel Description .....	208
9.1.13.2	Carrier Indication .....	208
9.1.13.3	Mobile Allocation C2 and Channel Description C2.....	208
9.1.13.4	Extended TSC Set .....	208
9.1.13a	(void) .....	209
9.1.13b	GPRS suspension request .....	209
9.1.13b.1	General .....	209
9.1.13b.2	Routeing Area Identification .....	209
9.1.13b.3	Temporary Logical Link Identity .....	209
9.1.14	Handover access .....	209
9.1.15	Handover command .....	210
9.1.15.1	Synchronization Indication .....	211
9.1.15.2	Mode of the First Channel (Channel Set 1) and Mode of Channel Set "X" (2= $X \leq 8$ ).....	211
9.1.15.3	Description of the Second Channel .....	211
9.1.15.4	Mode of the Second Channel .....	212
9.1.15.5	Frequency Channel Sequence, Frequency List, Frequency short list and Mobile Allocation, after time. ....	212
9.1.15.6	Starting Time.....	212
9.1.15.7	Reference cell frequency list .....	213
9.1.15.8	Real Time Difference .....	213
9.1.15.9	Timing Advance.....	213
9.1.15.10	Cipher Mode Setting .....	213
9.1.15.11	VGCS target mode indication .....	213
9.1.15.12	Description of the multislot allocation .....	213
9.1.15.13	MultiRateconfiguration .....	214
9.1.15.14	Dynamic ARFCN Mapping .....	214
9.1.15.15	VGCS Target cell Ciphering information .....	214
9.1.15.16	Dedicated Service Information.....	214
9.1.15.17	Extended TSC Set, after time .....	214
9.1.15.18	Extended TSC Set, before time .....	214
9.1.15a	Inter System To UTRAN Handover Command.....	214
9.1.15b	Inter System To cdma2000 Handover Command .....	215
9.1.15c	HANDOVER TO GERAN Iu MODE Command .....	215
9.1.15d	Inter System To E-UTRAN Handover Command .....	216
9.1.16	Handover complete .....	216
9.1.16.1	Mobile Observed Time Difference .....	217
9.1.16.2	Mobile Observed Time Difference on Hyperframe level.....	217
9.1.17	Handover failure .....	217
9.1.17.1	PS Cause .....	217
9.1.18	Immediate assignment .....	217
9.1.18.0a	Dedicated mode or TBF .....	219
9.1.18.0b	Channel Description .....	219
9.1.18.0c	Packet Channel Description .....	219
9.1.18.0d	Request Reference.....	220
9.1.18.0e	Timing Advance.....	220
9.1.18.1	Mobile Allocation .....	220
9.1.18.2	Starting Time.....	220
9.1.18.3	IA Rest Octets (Frequency parameters, before time) .....	220
9.1.18.4	IA Rest Octets (assignment of uplink or downlink TBF).....	221

9.1.18.5	Extended TSC Set .....	221
9.1.18.6	Request Reference N .....	221
9.1.18a	(void) .....	221
9.1.18b	Immediate packet assignment .....	221
9.1.19	Immediate assignment extended .....	222
9.1.19.1	Unnecessary IEs .....	223
9.1.19.2	Mobile Allocation .....	223
9.1.19.3	Starting Time .....	223
9.1.19.4	Maximum message length .....	223
9.1.19.5	IAX Rest Octets .....	223
9.1.20	Immediate assignment reject .....	223
9.1.20.1	Use of the indexes .....	224
9.1.20.2	Filling of the message .....	224
9.1.20.2a	Request Reference .....	224
9.1.20.3	Wait Indication .....	224
9.1.20.4	IAR Rest Octets .....	225
9.1.21	Measurement report .....	225
9.1.21a	Notification/FACCH .....	225
9.1.21a.1	(void) .....	228
9.1.21a.2	(void) .....	228
9.1.21a.3	(void) .....	228
9.1.21a.4	(void) .....	228
9.1.21b	Notification/NCH .....	228
9.1.21b.1	(void) .....	229
9.1.21b.2	(void) .....	229
9.1.21c	(void) .....	229
9.1.21d	Notification response .....	229
9.1.21e	(void) .....	230
9.1.21f	Packet Assignment .....	230
9.1.21f.1	RR Packet Uplink Assignment and RR Packet Downlink Assignment IEs .....	230
9.1.21f.2	(void) .....	230
9.1.21f.3	Frequency List C2, Mobile Allocation C2 and Description of the Downlink Packet Channel Assignment Type 2 .....	230
9.1.21f.4	Extended TSC Set .....	231
9.1.21g	Packet Notification .....	231
9.1.21g.1	P-TMSI .....	231
9.1.21g.2	Mobile identity .....	231
9.1.21h	VBS/VGCS reconfigure .....	231
9.1.21i	VBS/VGCS reconfigure2 .....	232
9.1.21j	MBMS Announcement .....	233
9.1.22	Paging request type 1 .....	234
9.1.22.1	Unnecessary IE .....	234
9.1.22.2	Channels needed for Mobiles 1 and 2 .....	234
9.1.22.3	Mobile Identities .....	235
9.1.22.4	P1 Rest Octets .....	235
9.1.23	Paging request type 2 .....	235
9.1.23.1	Channels needed for Mobiles 1 and 2 .....	235
9.1.23.2	Mobile Identity 3 .....	236
9.1.23.3	P2 Rest Octets .....	236
9.1.24	Paging request type 3 .....	236
9.1.24.1	Channels needed for Mobiles 1 and 2 .....	236
9.1.24.2	P3 Rest Octets .....	237
9.1.25	Paging response .....	237
9.1.25.1	Mobile Station Classmark .....	237
9.1.25.2	Additional Update Parameters .....	237
9.1.26	Partial release .....	237
9.1.26.1	Channel Description .....	238
9.1.27	Partial release complete .....	238
9.1.28	Physical information .....	238
9.1.28a	(void) .....	239
9.1.29	RR Status .....	239
9.1.30a	Synchronization channel information .....	239