DRAFT AMENDMENT ISO 7001:2007/DAM 12



ISO/TC 145/SC 1

Secretariat: BSI

Voting begins on **2012-04-10**

Voting terminates on 2012-09-10

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • ΜΕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Graphical symbols — Public information symbols

AMENDMENT 12: Symbol PI PF 045: Accessibility, limited walking capability

Symboles graphiques — Symboles destinés à l'information du public AMENDEMENT 12: Symbole PI PF 045: Accessibilité, capacité de déplacement à pied limitée

ICS 01.080.10

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7001:2007/DAmd 12</u> https://standards.iteh.ai/catalog/standards/sist/c934e899-5c5e-4267-9f5ae10a0cd98b81/iso-7001-2007-damd-12

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat w ork of editing and text composition w ill be undertaken at publication stage.

Pour accélérer la distribution, le présent doc ument est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectu é au Secrétariat central de l'ISO au stade de publication.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7001:2007/DAmd 12</u> https://standards.iteh.ai/catalog/standards/sist/c934e899-5c5e-4267-9f5ae10a0cd98b81/iso-7001-2007-damd-12

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 7001:2007 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

ITeh STANDARD PREVIEW (standards.iteh.ai) ISS.70012807/DAns 12 Intps://standards.isteh.ai/catalog/standards/sist/934e899-5c5e-4267-9f5ael/080cd98b81/iso-7001-2007-damd-12

iTeh STANDARD PREVIEW (standards.iteh.ai) ISO 7001:2007/DAmd 12 https://standards.iteh.ai/catalog/standards/sist/c934e899-5c5e-4267-9f5a-e1/0aQcd98b81/iso-7001-2007-damd-12 $\langle \rangle$

Graphical symbols — Public information symbols — Amendment 12: PI PF 045: Accessibility, limited walking capability

Add public information symbol PI PF 045 to the alphabetical summary in Table 1, the summary of all symbols in Table 2 and Table 3 as follows:

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7001:2007/DAme 12 https://standards.iteh.ai/catalog/standards/sist/2934e899-5c5e-4267-9f5ae1/0a0cd98b81/iso-7001-2007-damd-12

	Reference No.
`	ISO 7001 - PI PF 045
	Referent
	Accessibility, limited walking capability
	Function
	To indicate accessibility for people with limited walking capability.
	Image content
I	- Leaning human figure viewed from the side, walking frame.
Human behaviour that is intended to be cause	d after understanding the public information symbol's meaning
Being aware that a place is accessible for people	with limited walking capability.
Need	
When information is needed about the accessibilit	ty of a place for people with limited walking capability. ai/catalog/standards/sist/c934e899-5c5e-4267-9f5a-
Related meanings	10cd98b81/iso-7001-2007-damd-12
PI PF 006 Full accessibility.	
Field of application	
Public facilities.	
Context of use	
This information appears on information-boards on	r in guide-books, on a sign or door.
Intended user population	
General population.	
Age of user	
Any.	
Additional information	
Test data obtained according to ISO 9186-1:2007 is accompanied by text to increase comprehensio	7 are not available. Consequently, it is recommended that this symbol on.
\sim	

PI PF 045: Accessibility, limited walking capability