

DRAFT AMENDMENT ISO 7001:2007/DAM 16

ISO/TC **145**/SC **1**

Secretariat: **BSI**

Voting begins on **2012-04-10**

Voting terminates on

0 2012-09-10

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Graphical symbols — Public information symbols

AMENDMENT 16: Symbol PI PF 049: Accessibility, vision impaired

Symboles graphiques — Symboles destinés à l'information du public AMENDEMENT 16: Symbole PI PF 049: Accessibilité, malvoyant

ICS 01.080.10

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7001:2007/DAmd 16 https://standards.iteh.ai/catalog/standards/sist/980db888-1456-443d-93a0-fffe62d17535/iso-7001-2007-damd-16

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

Pour accélérer la distribution, le présent document est distribué tel qu'il est parvenu du secrétariat du comité. Le travail de rédaction et de composition de texte sera effectué au Secrétariat central de l'ISO au stade de publication.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO 7001:2007/DAM 16

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7001:2007/DAmd 16 https://standards.iteh.ai/catalog/standards/sist/980db888-1456-443d-93a0-fffe62d17535/iso-7001-2007-damd-16

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.


Amendment 1 to ISO 7001:2007 was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7001:2007/DAmd 16 https://standards.iteh.ai/catalog/standards/sigt/980db888-1456-443d-93a0-18e62d17535/iso-7001-2007-damd-16



ISO 7001:2907/DAmd 16 https://standards.iteh.ai/catalog/standards/sixt/980db888-1456-443d-93a0-18e62d17535/iso-7001-2007-damd-16



DRAFT AMENDMENT ISO 7001:2007/DAM 1

Graphical symbols — Public information symbols — Amendment 16: PI PF 049: Accessibility, vision impaired

Add public information symbol PI PF 049 to the alphabetical summary in Table 1, the summary of all symbols in Table 2 and Table 3 as follows:

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7001:2007/DAm 16 https://standards.iteh.ai/catalog/standards/six/980db888-1456-443d-93aV-1862d17535/iso-7001-2007-damd-16

PI PF 049: Accessibility, vision impaired



Reference No.

ISO 7001 - PI PF 049

Referent

Accessibility, vision impaired

Function

To indicate facilities where there is special provision for people with vision impairments.

Image content

Eye with one diagonal line passing through from top right to bottom left and six diagonal lines (alternating black and white) covering right side.

Human behaviour that is intended to be caused after understanding the public information symbol's meaning

Being aware that a place or facility is accessible to people with vision impairments.

Need

When information is needed about whether something is accessible for people with vision impairments.

Related meanings

https://standards.iteh.ai/catalog/standards/sixt/980db888-1456-443d-93a0-f862d17535/iso-7001-2007-damd-16

PI PF 051 Accessibility, blind or low vision.

Field of application

Public facilities.

Context of use

This information appears on information-boards or in guide-books, on a sign or door.

Intended user population

General population.

Age of user

Any.

Additional information

Test data obtained according to ISO 9186-1:2007 are not available. Consequently, it is recommended that this symbol is accompanied by text to increase comprehension.

