



**Digital cellular telecommunications system (Phase 2+) (GSM);
Mobile Station (MS) conformance specification;
Part 4: Subscriber identity Module (SIM)
application toolkit conformance test specification
(3GPP TS 51.010-4 version 15.1.0 Release 15)**

REF ID: TS 151 010-4 V15.1.0 (2019-04)
<https://standards.itea.apollocloud.it/standard/88888888-775f-4a23-b004-517e76945519>



Reference

RTS/TSGC-0651010-4vf10

Keywords

GSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Report (TR) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under
<http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	9
1 Scope	10
2 References	10
3 Definitions and abbreviations.....	12
3.1 Mobile station definition and configurations.....	12
3.2 Applicability.....	12
3.2.1 Applicability of the present document	12
3.2.2 Applicability of the individual tests	12
3.2.3 Applicability to terminal equipment	12
3.2.4 Definitions	12
3.2.4.1 Format of the table of optional features	12
3.2.4.2 Format of the applicability table	13
3.2.4.3 Status and notations.....	13
3.3 Table of optional features.....	14
3.4 Applicability table	20
3.5 Conventions for mathematical notations	55
3.6 Conventions on electrical terms	55
3.7 Terms on test conditions.....	55
4 Test equipment	55
5 Testing methodology in general	55
5.1 Testing of optional functions and procedures.....	55
5.2 Test interfaces and facilities.....	55
5.3 Different protocol layers	55
5.4 Information to be provided by the apparatus supplier	55
5.5 Definitions of transmit and receive times	56
6 Reference test methods.....	56
7 Implicit testing.....	56
8 Measurement uncertainty	56
9 Format of tests	56
10 Generic call set up procedures.....	59
11 - 26	Not used.....
	59
27 Testing of the SIM/ME interface.....	59
27.1 -	
27.21.....	Void
	59
27.22 SIM Application Toolkit	59
27.22.1A General Test purpose	59
27.22.2A Definition of default values for SIM Application Toolkit testing.....	60
27.22.1 Initialization of SIM Application Toolkit Enabled SIM by SIM Application Toolkit Enabled ME (Profile Download)	66
27.22.1.1 Definition and applicability.....	66
27.22.1.2 Conformance requirement.....	66
27.22.1.3 Test purpose	66
27.22.1.4 Method of test	66
27.22.1.4.1 Initial conditions.....	66

27.22.1.4.2	Procedure	67
27.22.1.5	Test requirement	68
27.22.2	Contents of the TERMINAL PROFILE command	68
27.22.2.1	Definition and applicability	68
27.22.2.2	Conformance requirement	68
27.22.2.3	Test purpose	69
27.22.2.4	Method of test	69
27.22.2.4.1	Initial conditions	69
27.22.2.4.2	Procedure	69
27.22.2.5	Test requirement	69
27.22.3	Servicing of proactive SIM commands	69
27.22.3.1	Definition and applicability	69
27.22.3.2	Conformance requirement	69
27.22.3.3	Test purpose	69
27.22.3.4	Method of test	70
27.22.3.4.1	Initial conditions	70
27.22.3.4.2	Procedure	70
27.22.3.5	Test requirement	70
27.22.4	Proactive SIM commands	70
27.22.4.1	DISPLAY TEXT	70
27.22.4.1.1	DISPLAY TEXT (Normal)	70
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user")	79
27.22.4.1.3	DISPLAY TEXT (Display of extension text)	80
27.22.4.1.4	DISPLAY TEXT (Sustained text)	82
27.22.4.1.5	DISPLAY TEXT (Display of icons)	86
27.22.4.1.6	DISPLAY TEXT (UCS2 display supported)	91
27.22.4.2	GET INKEY	93
27.22.4.2.1	GET INKEY(normal)	93
27.22.4.2.2	GET INKEY (No response from User)	99
27.22.4.2.3	GET INKEY (UCS2 format display)	101
27.22.4.2.4	GET INKEY (UCS2 format of entry)	103
27.22.4.2.5	GET INKEY ("Yes/No" Response)	105
27.22.4.2.6	GET INKEY (display of Icon)	107
27.22.4.2.7	GET INKEY (Help Information)	114
27.22.4.3	GET INPUT	117
27.22.4.3.1	GET INPUT (normal)	117
27.22.4.3.2	GET INPUT (No response from User)	129
27.22.4.3.3	GET INPUT (UCS2 format display)	131
27.22.4.3.4	GET INPUT (UCS2 format of entry)	134
27.22.4.3.5	GET INPUT (default text)	137
27.22.4.3.6	GET INPUT (display of Icon)	141
27.22.4.3.7	GET INPUT (Help Information)	148
27.22.4.4	MORE TIME	150
27.22.4.4.1	Definition and applicability	150
27.22.4.4.2	Conformance requirement	150
27.22.4.4.3	Test purpose	150
27.22.4.4.4	Method of test	150
27.22.4.4.5	Test requirement	151
27.22.4.5	PLAY TONE	151
27.22.4.5.1	Definition and applicability	151
27.22.4.5.2	Conformance requirement	151
27.22.4.5.3	Test purpose	151
27.22.4.5.4	Method of test	151
27.22.4.6	POLL INTERVAL	165
27.22.4.6.1	Definition and applicability	165
27.22.4.6.2	Conformance requirement	165
27.22.4.6.3	Test purpose	165
27.22.4.6.4	Method of test	165
27.22.4.6.5	Test requirement	166
27.22.4.7	REFRESH	166
27.22.4.7.1	REFRESH (normal)	166
27.22.4.7.2	REFRESH (IMSI changing procedure)	174

27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION	178
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION	178
27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION	190
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION	192
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION	195
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION	200
27.22.4.9	SELECT ITEM	202
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM).....	202
27.22.4.9.2	SELECT ITEM (next action support).....	215
27.22.4.9.3	SELECT ITEM (default item support).....	216
27.22.4.9.4	SELECT ITEM (help request support).....	218
27.22.4.9.5	SELECT ITEM (icons support).....	219
27.22.4.9.6	SELECT ITEM (presentation style)	223
27.22.4.9.7	SELECT ITEM (soft keys support).....	226
27.22.4.9.8	SELECT ITEM (Support of "No response from user").....	228
27.22.4.10	SEND SHORT MESSAGE.....	229
27.22.4.10.1	SEND SHORT MESSAGE (normal)	229
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 support).....	246
27.22.4.10.3	SEND SHORT MESSAGE (icon support).....	248
27.22.4.11	SEND SS.....	253
27.22.4.11.1	SEND SS (normal)	253
27.22.4.11.2	SEND SS (Icon support).....	265
27.22.4.11.3	SEND SS (UCS2 support).....	271
27.22.4.12	SEND USSD	272
27.22.4.12.1	SEND USSD (normal)	272
27.22.4.12.2	SEND USSD (Icon support).....	282
27.22.4.12.3	SEND USSD (UCS2 support)	288
27.22.4.13	SET UP CALL	290
27.22.4.13.1	SET UP CALL (normal).....	290
27.22.4.13.2	SET UP CALL (second alpha identifier).....	302
27.22.4.13.3	SET UP CALL (display of icons)	304
27.22.4.14	POLLING OFF	312
27.22.4.14.1	Definition and applicability	312
27.22.4.14.2	Conformance requirement	312
27.22.4.14.3	Test purpose	312
27.22.4.14.4	Method of test.....	313
27.22.4.14.5	Test requirement	315
27.22.4.15	PROVIDE LOCAL INFORMATION	315
27.22.4.15.1	Definition and applicability	315
27.22.4.15.2	Conformance requirement	315
27.22.4.15.3	Test purpose	315
27.22.4.15.4	Method of tests	315
27.22.4.15.5	Test requirement	322
27.22.4.16	SET UP EVENT LIST	322
27.22.4.16.1	SET UP EVENT LIST (normal)	322
27.22.4.17	PERFORM CARD APDU	331
27.22.4.17.1	PERFORM CARD APDU (normal).....	331
27.22.4.17.2	PERFORM CARD APDU (detachable card reader)	349
27.22.4.18	POWER OFF CARD	350
27.22.4.18.1	POWER OFF CARD (normal).....	350
27.22.4.18.2	POWER OFF CARD (detachable card reader)	352
27.22.4.19	POWER ON CARD	353
27.22.4.19.1	POWER ON CARD (normal)	353
27.22.4.19.2	POWER ON CARD (detachable card reader)	356
27.22.4.20	GET READER STATUS	358
27.22.4.20.1	GET READER STATUS (normal)	358
27.22.4.20.2	GET CARD READER STATUS (detachable card reader).....	367
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION	368
27.22.4.21.1	TIMER MANAGEMENT (normal).....	368
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal)	407
27.22.4.22	SET UP IDLE MODE TEXT.....	413
27.22.4.22.1	SET UP IDLE MODE TEXT (normal)	413

27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support)	422
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	428
27.22.4.23	RUN AT COMMAND.....	430
27.22.4.23.1	RUN AT COMMAND (normal)	430
27.22.4.23.2	RUN AT COMMAND (Icon support)	433
27.22.4.24	SEND DTMF	439
27.22.4.24.1	SEND DTMF (Normal).....	439
27.22.4.24.2	SEND DTMF (Display of icons).....	444
27.22.4.24.3	SEND DTMF (UCS2 support)	449
27.22.4.25	LANGUAGE NOTIFICATION	451
27.22.4.25.1	Definition and applicability	451
27.22.4.25.2	Conformance Requirement.....	451
27.22.4.25.3	Test purpose	451
27.22.4.25.4	Method of Test	451
27.22.4.25.5	Test requirement.....	453
27.22.4.26	LAUNCH BROWSER.....	454
27.22.4.26.1	LAUNCH BROWSER (No session already launched)	454
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	460
27.22.4.26.3	LAUNCH BROWSER (UCS2 support).....	464
27.22.4.26.4	LAUNCH BROWSER (icons support)	467
27.22.4.27	OPEN CHANNEL	472
27.22.4.27.1	Void.....	472
27.22.4.27.2	Open Channel (related to GPRS).....	472
27.22.4.28	CLOSE CHANNEL.....	487
27.22.4.28.1	Definition and applicability	487
27.22.4.28.2	Conformance requirements.....	487
27.22.4.28.3	Test purpose	487
27.22.4.28.4	Method of Test	487
27.22.4.29	RECEIVE DATA.....	493
27.22.4.29.1	Definition and applicability	493
27.22.4.29.2	Conformance requirements.....	493
27.22.4.29.3	Test purpose	493
27.22.4.29.4	Method of test.....	493
27.22.4.30	SEND DATA	502
27.22.4.30.1	Definition and applicability	502
27.22.4.30.2	Conformance requirements.....	502
27.22.4.30.3	Test purpose	502
27.22.4.30.4	Method of test.....	503
27.22.4.31	GET CHANNEL STATUS.....	516
27.22.4.31.1	Definition and applicability	516
27.22.4.31.2	Conformance requirements.....	516
27.22.4.31.3	Test purpose	516
27.22.4.31.4	Method of test.....	516
27.22.5	Data Download to SIM	525
27.22.5.1	SMS-PP Data Download.....	525
27.22.5.1.1	Definition and applicability	525
27.22.5.1.2	Conformance requirement	525
27.22.5.1.3	Test purpose	525
27.22.5.1.4	Method of Test	525
27.22.5.1.5	Test requirement.....	530
27.22.5.2	SMS-CB Data Download.....	531
27.22.5.2.1	Definition and applicability	531
27.22.5.2.2	Conformance requirement	531
27.22.5.2.3	Test purpose	531
27.22.5.2.4	Method of Test	531
27.22.5.2.5	Test requirement.....	534
27.22.6	CALL CONTROL BY SIM	534
27.22.6.1	Procedure for Mobile Originated calls	534
27.22.6.1.1	Definition and applicability	534
27.22.6.1.2	Conformance requirement	534
27.22.6.1.3	Test purpose	534
27.22.6.1.4	Method of tests	534

27.22.6.1.5	Test requirement	557
27.22.6.2	Procedure for Supplementary (SS) Services	557
27.22.6.2.1	Definition and applicability	557
27.22.6.2.2	Conformance requirement	557
27.22.6.2.3	Test purpose	557
27.22.6.2.4	Method of tests	558
27.22.6.2.5	Test requirement	565
27.22.6.3	Interaction with Fixed Dialling Number (FDN).....	565
27.22.6.3.1	Definition and applicability	565
27.22.6.3.2	Conformance requirement	565
27.22.6.3.3	Test purpose	565
27.22.6.3.4	Method of tests	565
27.22.6.3.5	Test requirement	571
27.22.6.4	Support of Barred Dialling Number (BDN) service.....	572
27.22.6.4.1	Definition and applicability	572
27.22.6.4.2	Conformance requirement	572
27.22.6.4.3	Test purpose	572
27.22.6.4.4	Method of tests	572
27.22.6.4.5	Test requirement	579
27.22.7	EVENT DOWNLOAD.....	579
27.22.7.1	MT Call Event.....	579
27.22.7.1.1	MT Call Event (normal)	579
27.22.7.2	Call Connected Event.....	581
27.22.7.2.1	Call Connected Event (MT and MO call).....	581
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL)	583
27.22.7.3	Call Disconnected Event	586
27.22.7.3.1	Call Disconnected Event	586
27.22.7.4	Location Status Event	590
27.22.7.4.1	Location Status Event (normal).....	590
27.22.7.5	User Activity Event.....	594
27.22.7.5.1	User Activity Event (normal).....	594
27.22.7.6	Idle screen available event	596
27.22.7.6.1	Idle Screen Available (normal).....	596
27.22.7.7	Card reader status event	598
27.22.7.7.1	Card Reader Status (normal)	598
27.22.7.7.2	Card Reader Status(detachable card reader).....	603
27.22.7.8	Language selection event	605
27.22.7.8.1	Language selection event (normal).....	605
27.22.7.9	Browser termination event.....	607
27.22.7.9.1	Browser termination (normal)	607
27.22.7.10	Data available event	609
27.22.7.10.1	Definition and applicability	609
27.22.7.10.2	Conformance requirements	609
27.22.7.10.3	Test purpose	609
27.22.7.10.4	Method of test.....	609
27.22.7.11	Channel Status event	613
27.22.7.11.1	Definition and applicability	613
27.22.7.11.2	Conformance requirements	613
27.22.7.11.3	Test purpose	613
27.22.7.11.4	Method of test.....	613
27.22.8	MO SHORT MESSAGE CONTROL BY SIM.....	617
27.22.8.1	Definition and applicability.....	617
27.22.8.2	Conformance requirement.....	617
27.22.8.3	Test purpose	617
27.22.8.4	Method of tests.....	617
27.22.8.4.1	Initial conditions.....	617
27.22.8.4.2	Procedure	618
27.22.8.5	Test requirement	626
Annex A:	Void	627
Annex B:	Void	628

Annex C:	Void	629
Annex D (normative):	Details of Test-SIM (TestSIM).....	630
Annex E (normative):	Details of terminal profile support	632
Annex F (informative):	Change History	638
History		644

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/e8be5a38-775f-4a23-b004-517e76945519/etsi-ts-151-010-4-v15.1.0-2019-04>

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/e8be5a38-775f-4a23-b004-517e76945519/etsi-ts-151-010-4-v15.1.0-2019-04>

1 Scope

The present document describes the technical characteristics and methods of test for testing the SIM Application Toolkit implemented in Mobile Stations (MS) for the Pan European digital cellular communications system and Personal Communication Systems (PCS) operating in the 450 MHz, 480 MHz, 700 MHz, 750 MHz, 850 MHz, 900 MHz, 1 800 MHz and 1 900 MHz frequency band (GSM 400, GSM 700, GSM 750, GSM 850, GSM 900, DCS 1 800 and PCS 1 900) within the European digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETS 300 406 [20].

The present document is valid for MS implemented according to GSM Phase2+ R96, or R97, or R98, or R99.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the GSM-series of technical specifications. The present document neither replaces any of the other GSM technical specifications or GSM related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the GSM 400, GSM 700, GSM 850, GSM 900, DCS1800 and PCS1900 systems . The present document lists the requirements, and provides the methods of test for testing the SIM Application Toolkit implemented in a MS for conformance to the GSM standard.

For a full description of the system, reference should be made to all the GSM technical specifications or GSM related ETSs or ENs. Clause 2 provides a complete list of the GSM technical specifications, GSM related ETSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other GSM technical specification or GSM related ETS or EN, or 3GPP TS, then the other GSM technical specification or GSM related ETS or EN or 3GPP TS shall prevail.

Normative requirements for the SIM and SIM Application Toolkit are only specified up to Rel-4. The present document is only available in this release for allowing maintenance of test cases. The core features related to those test cases remain applicable only to the releases in which they have been specified.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the relevant Release*.
 - For a GSM Phase 2+ Release 1999 MS, references to GSM documents are to version 8.x.y (for 01.-series to 12.-series) or (3.x.y for 21.-series to 35.-series), when available.
 - For a GSM Phase 2+ Release 1998 MS, references to GSM documents are to version 7.x.y, when available.
 - For a GSM Phase 2+ Release 1997 MS, references to GSM documents are to version 6.x.y, when available.
 - For a GSM Phase 2+ Release 1996 MS, references to GSM documents are to version 5.x.y., when available.

Note: References to 3GPP Technical Specifications and Technical Reports throughout the present document shall be interpreted according to the Release shown in the formal reference in this clause, based upon the Release of the implementation under test.

EXAMPLE: References for a R99 MS shall be interpreted as:

- [1] 3GPP TS 21.905 R99
 - [2] 3GPP TS 22.001 R99
 - etc.
- [1] 3GPP TS 01.04 (R96 to R98): "Abbreviations and acronyms".
3GPP TR 21.905 (R99 onwards): "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 02.01 (R96 to R98): "Principles of telecommunication services supported by a GSM Public Land Mobile Network (PLMN)".
3GPP TS 22.001 (R99 onwards): "Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [3] 3GPP TS 02.03 (R96 to R98): "Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
3GPP TS 22.003 (R99 onwards): "Circuit Teleservices supported by a Public Land Mobile Network (PLMN)".
- [4] 3GPP TS 02.04 (R96 to R98): "General on supplementary services".
3GPP TS 22.004 (R99 onwards): "General on supplementary services".
- [5] 3GPP TS 02.06 (R96 to R98): "Types of Mobile Stations (MS)"
- [6] 3GPP TS 02.07 (R96 to R98): "Mobile Station (MS) features"
- [7] 3GPP TS 03.38 (R96 to R98): "Alphabets and language-specific information".
3GPP TS 23.038 (R99 onwards): "Alphabets and language-specific information".
- [8] 3GPP TS 03.40 (R96 to R98): "Technical realization of the Short Message Service (SMS); Point-to-Point (PP)".
3GPP TS 23.040 (R99 onwards): "Technical realization of the Short Message Service (SMS)".
- [9] 3GPP TS 03.41 (R96 to R98): "Technical realization of Cell Broadcast Service (CBS)".
3GPP TS 23.041 (R99 onwards): "Technical realization of Cell Broadcast Service (CBS)".
- [10] 3GPP TS 04.08 (R96 to R98): "Mobile radio interface; Layer 3 specification".
3GPP TS 24.008 (R99 onwards): "Mobile radio interface layer 3 specification; Core network protocols; Stage 3".
- [11] 3GPP TS 04.11 (R96 to R98): "Point-to-Point (PP) Short Message Service (SMS) support on mobile radio interface".
3GPP TS 24.011 (R99 onwards): "Point-to-Point (PP) Short Message Service (SMS) Support on mobile radio interface".
- [12] 3GPP TS 51.010-1 (Rel-5): "Mobile Station (MS) conformance specification; Part 1: Conformance specification".
- [13] 3GPP TS 11.11 (R96 to R99): "Specification of the Subscriber Identity Module - Mobile Equipment (SIM-ME) interface".
- [14] 3GPP TS 11.12 (R96): "Specification of the 3 Volt Subscriber Identity Module - Mobile Equipment (SIM-ME) interface".
- [15] 3GPP TS 11.14 (R96 to R99): "Specification of the SIM application toolkit for the Subscriber Identity Module - Mobile Equipment (SIM - ME) interface".
- [16] Void.
- [17a] ISO/IEC 10646-1: "Information technology - Universal Multiple Octet Coded Character Set (UCS) - Part 1: Architecture and Basic Multilingual Plane".
- [17b] ISO/IEC 10646-2: "Information technology - Universal Multiple Octet Coded Character Set (UCS) - Part 2: Supplementary Planes".

- [18] 3GPP TS 07.07 (R96 to R98): "AT command set for GSM Mobile Equipment (ME)"
3GPP TS 27.007 (R99 onwards): "AT command set for 3G User Equipment (UE)".
- [19] ISO/IEC 9646-7 (1995): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [20] ETSI ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology".
- [21] 3GPP TS 31.124: "Mobile Equipment (ME) conformance test specification; Universal Subscriber Identity Module Application Toolkit (USAT) conformance test specification".
- [22] 3GPP TS 31.111: "USIM Application Toolkit (USAT)"

3 Definitions and abbreviations

3.1 Mobile station definition and configurations

The mobile station definition and configurations specified in TS 51.010-1 [12] clause 3.1 shall apply, unless otherwise specified in the present clause.

3.2 Applicability

3.2.1 Applicability of the present document

The present specification applies to a terminal equipment that supports the SIM Application Toolkit optional feature.

3.2.2 Applicability of the individual tests

Table A.1 lists the optional features for which the supplier of the implementation states the support.

3.2.3 Applicability to terminal equipment

The applicability to terminal equipment specified in TS 51.010-1 [12] clause 3.2.3 shall apply, unless otherwise specified in the present clause.

See table B.1.

3.2.4 Definitions

For the purposes of the present document, the terms and definitions given in TS 51.010-1 [12], clause 3.3, apply.

3.2.4.1 Format of the table of optional features

Option

The optional feature supported or not by the implementation.

Support Answer notation

The support columns shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [19], are used for the support column in the tables below.

Y or y	supported by the implementation
N or n	not supported by the implementation
N/A, n/a or -	no answer required (allowed only if the status is N/A, directly or after evaluation of a conditional status)

Mnemonic column

The Mnemonic column contains mnemonic identifiers for each item.