

ETSI TS 123 502 V15.4.1 (2019-03)



5G; Procedures for the 5G System (5GS) (3GPP TS 23.502 version 15.4.1 Release 15)

*iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard available on:
<https://standards.iteh.ai/catalog/standards/sist/5066c743-54be-4ff6-a8b9-5a4967fd58bc/etsi-ts-123-502-v15-4-1-2019-03>*



Reference

RTS/TSGS-0223502vf41

Keywords

5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	13
1 Scope	14
2 References	14
3 Definitions, symbols and abbreviations	15
3.1 Definitions	15
3.2 Abbreviations	16
4 System procedures.....	16
4.1 General	16
4.2 Connection, Registration and Mobility Management procedures	16
4.2.1 General.....	16
4.2.2 Registration Management procedures.....	16
4.2.2.1 General	16
4.2.2.2 Registration procedures.....	16
4.2.2.2.1 General	16
4.2.2.2.2 General Registration	18
4.2.2.2.3 Registration with AMF re-allocation.....	27
4.2.2.3 Deregistration procedures	30
4.2.2.3.1 General	30
4.2.2.3.2 UE-initiated Deregistration	30
4.2.2.3.3 Network-initiated Deregistration	32
4.2.3 Service Request procedures	33
4.2.3.1 General	33
4.2.3.2 UE Triggered Service Request.....	33
4.2.3.3 Network Triggered Service Request.....	42
4.2.4 UE Configuration Update	48
4.2.4.1 General	48
4.2.4.2 UE Configuration Update procedure for access and mobility management related parameters	48
4.2.4.3 UE Configuration Update procedure for transparent UE Policy delivery	51
4.2.5 Reachability procedures	52
4.2.5.1 General	52
4.2.5.2 UE Reachability Notification Request procedure	52
4.2.5.3 UE Activity Notification procedure	53
4.2.6 AN Release	54
4.2.7 N2 procedures.....	56
4.2.7.1 N2 Configuration	56
4.2.7.2 NGAP UE-TNLA-binding related procedures.....	57
4.2.7.2.1 Creating NGAP UE-TNLA-bindings during Registration and Service Request	57
4.2.7.2.2 Creating NGAP UE-TNLA-bindings during handovers.....	57
4.2.7.2.3 Re-Creating NGAP UE-TNLA-bindings subsequent to NGAP UE-TNLA-binding release	58
4.2.7.2.4 NGAP UE-TNLA-binding update procedure	58
4.2.7.2.5 NGAP UE-TNLA-binding per UE Release procedure	58
4.2.7.3 AMF Failure or Planned Maintenance handling procedure	59
4.2.8 Void	59
4.2.8a UE Capability Match Request procedure.....	59
4.3 Session Management procedures	60
4.3.1 General.....	60
4.3.2 PDU Session Establishment.....	61
4.3.2.1 General	61
4.3.2.2 UE Requested PDU Session Establishment	61
4.3.2.2.1 Non-roaming and Roaming with Local Breakout.....	61
4.3.2.2.2 Home-routed Roaming	70

4.3.2.2.3	SMF selection.....	73
4.3.2.3	Secondary authorization/authentication by an DN-AAA server during the PDU Session establishment.....	76
4.3.3	PDU Session Modification	79
4.3.3.1	General	79
4.3.3.2	UE or network requested PDU Session Modification (non-roaming and roaming with local breakout)	79
4.3.3.3	UE or network requested PDU Session Modification (home-routed roaming).....	83
4.3.4	PDU Session Release.....	86
4.3.4.1	General	86
4.3.4.2	UE or network requested PDU Session Release for Non-Roaming and Roaming with Local Breakout.....	86
4.3.4.3	UE or network requested PDU Session Release for Home-routed Roaming	90
4.3.5	Session continuity, service continuity and UP path management.....	92
4.3.5.1	Change of SSC mode 2 PDU Session Anchor with different PDU Sessions	92
4.3.5.2	Change of SSC mode 3 PDU Session Anchor with multiple PDU Sessions	93
4.3.5.3	Change of SSC mode 3 PDU Session Anchor with IPv6 Multi-homed PDU Session.....	94
4.3.5.4	Addition of additional PDU Session Anchor and Branching Point or UL CL	96
4.3.5.5	Removal of additional PDU Session Anchor and Branching Point or UL CL.....	98
4.3.5.6	Change of additional PDU Session Anchor for IPv6 multi-homing or UL CL.....	99
4.3.5.7	Simultaneous change of Branching Point or UL CL and additional PSA for a PDU Session.....	101
4.3.6	Application Function influence on traffic routing	103
4.3.6.1	General	103
4.3.6.2	Processing AF requests to influence traffic routing for Sessions not identified by an UE address....	104
4.3.6.3	Notification of User Plane Management Events	105
4.3.6.4	Transferring an AF request targeting an individual UE address to the relevant PCF.....	107
4.3.7	CN-initiated selective deactivation of UP connection of an existing PDU Session.....	108
4.4	SMF and UPF interactions	109
4.4.1	N4 session management procedures	109
4.4.1.1	General	109
4.4.1.2	N4 Session Establishment procedure	109
4.4.1.3	N4 Session Modification procedure	110
4.4.1.4	N4 Session Release procedure	110
4.4.2	N4 Reporting Procedures.....	111
4.4.2.1	General	111
4.4.2.2	N4 Session Level Reporting Procedure.....	111
4.4.3	N4 Node Level Procedures	112
4.4.3.1	N4 Association Setup Procedure.....	112
4.4.3.2	N4 Association Update Procedure	112
4.4.3.3	N4 Association Release Procedure	113
4.4.3.4	N4 Report Procedure.....	113
4.4.3.5	N4 PFD management Procedure	114
4.4.4	SMF Pause of Charging procedure	114
4.5	User Profile management procedures.....	116
4.5.1	Subscriber Data Update Notification to AMF	116
4.5.2	Session Management Subscriber Data Update Notification to SMF	116
4.5.3	Purge of subscriber data in AMF	117
4.6	Security procedures	117
4.7	ME Identity check procedure	117
4.8	RAN-CN interactions	117
4.8.1	Connection Inactive procedure	117
4.8.2	Connection Resume procedure	117
4.8.3	N2 Notification procedure	118
4.9	Handover procedures.....	119
4.9.1	Handover procedures in 3GPP access.....	119
4.9.1.1	General	119
4.9.1.2	Xn based inter NG-RAN handover	119
4.9.1.2.1	General	119
4.9.1.2.2	Xn based inter NG-RAN handover without User Plane function re-allocation.....	120
4.9.1.2.3	Xn based inter NG-RAN handover with insertion of intermediate UPF	122
4.9.1.2.4	Xn based inter NG-RAN handover with re-allocation of intermediate UPF	124
4.9.1.3	Inter NG-RAN node N2 based handover	125

4.9.1.3.1	General	125
4.9.1.3.2	Preparation phase.....	127
4.9.1.3.3	Execution phase.....	132
4.9.1.4	Inter NG-RAN node N2 based handover, Cancel	135
4.9.2	Handover of a PDU Session procedure between 3GPP and untrusted non-3GPP access	135
4.9.2.1	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (non-roaming and roaming with local breakout).....	135
4.9.2.2	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (non-roaming and roaming with local breakout).....	136
4.9.2.3	Handover of a PDU Session procedure from untrusted non-3GPP to 3GPP access (home routed roaming).....	137
4.9.2.3.1	The target AMF is in the PLMN of the N3IWF	137
4.9.2.3.2	The target AMF is not in the PLMN of the N3IWF (i.e. N3IWF in HPLMN).....	137
4.9.2.4	Handover of a PDU Session procedure from 3GPP to untrusted non-3GPP access (home routed roaming).....	138
4.9.2.4.1	The selected N3IWF is in the registered PLMN.....	138
4.9.2.4.2	The UE is roaming and the selected N3IWF is in the home PLMN.....	138
4.10	NG-RAN Location reporting procedures	139
4.11	System interworking procedures with EPC.....	140
4.11.0	General.....	140
4.11.0a	Impacts to EPS Procedures	140
4.11.0a.1	General	140
4.11.0a.2	Interaction with PCC.....	140
4.11.0a.3	Mobility Restrictions.....	141
4.11.0a.4	PGW Selection	141
4.11.0a.5	PDN Connection Establishment.....	141
4.11.1	N26 based Interworking Procedures	141
4.11.1.1	General	141
4.11.1.2	Handover procedures	142
4.11.1.2.1	5GS to EPS handover using N26 interface.....	142
4.11.1.2.2	EPS to 5GS handover using N26 interface.....	146
4.11.1.2.3	Handover Cancel	151
4.11.1.3	Idle Mode Mobility procedures.....	152
4.11.1.3.1	General	152
4.11.1.3.2	5GS to EPS Idle mode mobility using N26 interface	153
4.11.1.3.3	EPS to 5GS Mobility Registration Procedure (Idle and Connected State) using N26 interface... ..	155
4.11.1.4	Procedures for EPS bearer ID allocation.....	158
4.11.1.4.1	EPS bearer ID allocation	158
4.11.1.4.2	EPS bearer ID transfer	161
4.11.1.4.3	EPS bearer ID revocation	161
4.11.1.5	Impacts to EPS Procedures	162
4.11.1.5.1	General	162
4.11.1.5.2	E-UTRAN Initial Attach	162
4.11.1.5.3	Tracking Area Update	163
4.11.1.5.4	Session Management	164
4.11.1.5.5	5GS to EPS handover using N26 interface	166
4.11.1.6	EPS interworking information storing Procedure	166
4.11.2	Interworking procedures without N26 interface	166
4.11.2.1	General	166
4.11.2.2	5GS to EPS Mobility.....	166
4.11.2.3	EPS to 5GS Mobility.....	168
4.11.2.4	Impacts to EPS Procedures	171
4.11.2.4.1	E-UTRAN Attach.....	171
4.11.2.4.2	Session Management	172
4.11.3	Handover procedures between EPS and 5GC-N3IWF	173
4.11.3.1	Handover from EPS to 5GC-N3IWF	173
4.11.3.2	Handover from 5GC-N3IWF to EPS	173
4.11.4	Handover procedures between EPC/ePDG and 5GS	174
4.11.4.1	Handover from EPC/ePDG to 5GS	174
4.11.4.2	Handover from 5GS to EPC/ePDG	175
4.11.5	Impacts to 5GC Procedures	175
4.11.5.1	General	175

4.11.5.2	Registration procedure	175
4.11.5.3	UE Requested PDU Session Establishment procedure	175
4.11.5.4	UE or Network Requested PDU Session Modification procedure	176
4.11.5.5	Xn based inter NG-RAN handover	176
4.11.5.6	Inter NG-RAN node N2 based handover	176
4.12	Procedures for non-3GPP access	176
4.12.1	General	176
4.12.2	Registration via Untrusted non-3GPP Access	177
4.12.2.1	General	177
4.12.2.2	Registration procedure for untrusted non-3GPP access	177
4.12.2.3	Emergency Registration for untrusted non-3GPP Access	180
4.12.3	Deregistration procedure for untrusted non-3gpp access	181
4.12.4	N2 procedures via Untrusted non-3GPP Access	181
4.12.4.1	Service Request procedures via Untrusted non-3GPP Access	181
4.12.4.2	Procedure for the UE context release in the N3IWF	182
4.12.4.3	CN-initiated selective deactivation of UP connection of an existing PDU Session associated with Untrusted non-3GPP Access	184
4.12.5	UE Requested PDU Session Establishment via Untrusted non-3GPP Access	184
4.12.6	UE or Network Requested PDU Session Modification via Untrusted non-3GPP access	186
4.12.7	UE or network Requested PDU Session Release via Untrusted non-3GPP access	187
4.12.8	Mobility from a non-geographically selected AMF to a geographically selected AMF	189
4.13	Specific services	190
4.13.1	General	190
4.13.2	Application Triggering	190
4.13.2.1	General	190
4.13.2.2	The procedure of "Application Triggering" Service	191
4.13.3	SMS over NAS procedures	193
4.13.3.1	Registration procedures for SMS over NAS	193
4.13.3.2	Deregistration procedures for SMS over NAS	194
4.13.3.3	MO SMS over NAS in CM-IDLE (baseline)	195
4.13.3.4	Void	196
4.13.3.5	MO SMS over NAS in CM-CONNECTED	196
4.13.3.6	MT SMS over NAS in CM-IDLE state via 3GPP access	196
4.13.3.7	MT SMS over NAS in CM-CONNECTED state via 3GPP access	197
4.13.3.8	MT SMS over NAS via non-3GPP access	197
4.13.3.9	Unsuccessful Mobile terminating SMS delivery attempt	198
4.13.4	Emergency Services	198
4.13.4.1	General	198
4.13.4.2	Emergency Services Fallback	198
4.13.5	Location Services procedures	200
4.13.5.1	5GC-NI-LR Procedure	200
4.13.5.2	5GC-MT-LR Procedure without UDM Query	201
4.13.5.3	5GC-MT-LR Procedure	202
4.13.5.4	UE Assisted and UE Based Positioning Procedure	203
4.13.5.5	Network Assisted Positioning Procedure	204
4.13.5.6	Obtaining Non-UE Associated Network Assistance Data	204
4.13.5.7	Location continuity for Handover of an Emergency session from NG-RAN	205
4.13.6	Support of IMS Voice	207
4.13.6.1	EPS fallback for IMS voice	207
4.13.6.2	Inter RAT Fallback in 5GC for IMS voice	209
4.14	Support for Dual Connectivity	210
4.14.1	RAN Initiated QoS Flow Mobility	210
4.15	Network Exposure	211
4.15.1	General	211
4.15.2	External Exposure of Network Capabilities	213
4.15.3	Event Exposure using NEF	213
4.15.3.1	Monitoring Events	213
4.15.3.2	Information flows	214
4.15.3.2.1	AMF service operations information flow	214
4.15.3.2.2	UDM service operations information flow	215
4.15.3.2.3	NEF service operations information flow	217
4.15.3.2.4	Exposure with bulk subscription	219

4.15.4	Core Network Internal Event Exposure	220
4.15.4.1	General	220
4.15.4.2	Exposure of Mobility Events from AMF	220
4.15.5	Void	221
4.15.6	External Parameter Provisioning	221
4.15.6.1	General	221
4.15.6.2	NEF service operations information flow	221
4.15.6.3	Expected UE Behaviour parameters.....	222
4.15.6.4	Set a chargeable party at AF session setup.....	223
4.15.6.5	Change the chargeable party during the session.....	224
4.15.6.6	Setting up an AF session with required QoS procedure.....	225
4.16	Procedures and flows for Policy Framework	225
4.16.1	AM Policy Association Establishment	225
4.16.1.1	General	225
4.16.1.2	AM Policy Association Establishment with new Selected PCF.....	226
4.16.1.3	Void.....	226
4.16.2	AM Policy Association Modification	227
4.16.2.0	General	227
4.16.2.1	AM Policy Association Modification initiated by the AMF	227
4.16.2.1.1	AM Policy Association Modification initiated by the AMF without AMF relocation.....	227
4.16.2.1.2	AM Policy Association Modification with old PCF during AMF relocation.....	228
4.16.2.2	AM Policy Association Modification initiated by the PCF.....	229
4.16.3	AM Policy Association Termination	229
4.16.3.1	General	229
4.16.3.2	AMF-initiated AM Policy Association Termination.....	230
4.16.3.3	Void.....	230
4.16.4	SM Policy Association Establishment	231
4.16.5	SM Policy Association Modification	232
4.16.5.0	General	232
4.16.5.1	SMF initiated SM Policy Association Modification	232
4.16.5.2	PCF initiated SM Policy Association Modification	233
4.16.6	SM Policy Association Termination.....	234
4.16.7	Negotiations for future background data transfer.....	235
4.16.7.1	General	235
4.16.7.2	Procedures for future background data transfer	236
4.16.8	Procedures on interaction between PCF and CHF	237
4.16.8.1	General	237
4.16.8.2	Initial Spending Limit Retrieval.....	237
4.16.8.3	Intermediate Spending Limit Report Retrieval	238
4.16.8.4	Final Spending Limit Report Retrieval	238
4.16.8.5	Spending Limit Report.....	239
4.16.8.6	CHF report the removal of the subscriber	239
4.16.9	Update of the subscription information in the PCF	240
4.16.10	Void	241
4.16.11	UE Policy Association Establishment	241
4.16.12	UE Policy Association Modification	243
4.16.12.1	UE Policy Association Modification initiated by the AMF	243
4.16.12.1.1	UE Policy Association Modification initiated by the AMF without AMF relocation.....	243
4.16.12.1.2	UE Policy Association Modification with old PCF during AMF relocation.....	244
4.16.12.2	UE Policy Association Modification initiated by the PCF.....	246
4.16.13	UE Policy Association Termination	247
4.16.13.1	AMF-initiated UE Policy Association Termination.....	247
4.16.13.2	PCF-initiated UE Policy Association Termination	248
4.17	Network Function Service Framework Procedure	248
4.17.1	NF service Registration	248
4.17.2	NF service update	249
4.17.3	NF service deregistration	250
4.17.4	NF/NF service discovery in the same PLMN	250
4.17.5	NF/NF service discovery across PLMNs.....	251
4.17.6	SMF Provisioning of available UPFs using the NRF	252
4.17.6.1	General	252
4.17.6.2	SMF provisioning of UPF instances using NRF	252

4.17.7	NF/NF service status subscribe/notify in the same PLMN	253
4.17.8	NF/NF service status subscribe/notify across PLMNs.....	253
4.18	Procedures for Management of PFDs.....	254
4.18.1	General.....	254
4.18.2	PFD management via NEF (PFDf)	255
4.18.3	PFD management in the SMF.....	255
4.18.3.1	PFD Retrieval by the SMF.....	255
4.18.3.2	Management of PFDs in the SMF.....	256
4.19	Network Data Analytics	256
4.19.1	Network data analytics Subscribe/Unsubscribe	256
4.19.2	Network data analytics Request.....	257
4.20	UE Parameters Update via UDM Control Plane Procedure	257
4.20.1	General.....	257
4.20.2	UE Parameters Update via UDM Control Plane Procedure.....	258
4.20.3	Secondary RAT Usage Data Reporting Procedure	259
5	Network Function Service procedures	260
5.1	Network Function Service framework procedures	260
5.1.1	Network Function Service Discovery	260
5.2	Network Function services	260
5.2.1	General.....	260
5.2.2	AMF Services	260
5.2.2.1	General	260
5.2.2.2	Namf_Communication service.....	261
5.2.2.2.1	General	261
5.2.2.2.2	Namf_Communication_UEContextTransfer service operation	261
5.2.2.2.3	Namf_Communication_RegistrationCompleteNotify service operation.....	265
5.2.2.2.4	Namf_Communication_N1MessageNotify service operation	265
5.2.2.2.5	Namf_Communication_N1MessageSubscribe service operation.....	266
5.2.2.2.6	Namf_Communication_N1MessageUnSubscribe service operation.....	266
5.2.2.2.7	Namf_Communication_N1N2MessageTransfer service operation	266
5.2.2.2.7A	Namf_Communication_N1N2TransferFailureNotification service operation.....	267
5.2.2.2.8	Namf_Communication_N2InfoSubscribe service operation	267
5.2.2.2.9	Namf_Communication_N2InfoUnsubscribe service operation.....	268
5.2.2.2.10	Namf_Communication_N2InfoNotify service operation	268
5.2.2.2.11	Namf_Communication_CreateUEContext service operation.....	268
5.2.2.2.12	Namf_Communication_ReleaseUEContext service operation.....	268
5.2.2.2.13	Namf_Communication_EBIAssignment service operation.....	269
5.2.2.3	Namf_EventExposure service.....	270
5.2.2.3.1	General	270
5.2.2.3.2	Namf_EventExposure_Subscribe service operation.....	271
5.2.2.3.3	Namf_EventExposure_UnSubscribe service operation.....	271
5.2.2.3.4	Namf_EventExposure_Notify service operation	272
5.2.2.4	Namf_MT service	272
5.2.2.4.1	General	272
5.2.2.4.2	Namf_MT_EnableUERachability service operation	272
5.2.2.4.3	Namf_MT_ProvideDomainSelectionInfo	273
5.2.2.5	Namf_Location service	273
5.2.2.5.1	General	273
5.2.2.5.2	Namf_Location_ProvidePositioningInfo service operation.....	273
5.2.2.5.3	Namf_Location_EventNotify service operation.....	273
5.2.2.5.4	Namf_Location_ProvideLocationInfo service operation	273
5.2.3	UDM Services	274
5.2.3.1	General	274
5.2.3.2	Nudm_UECM (UECM) service.....	274
5.2.3.2.1	Nudm_UECM_Registration service operation	274
5.2.3.2.2	Nudm_UECM_DeregistrationNotification service operation	275
5.2.3.2.3	Nudm_UECM_Deregistration service operation.....	275
5.2.3.2.4	Nudm_UECM_Get service operation.....	275
5.2.3.2.5	Nudm_UECM_Update service operation.....	276
5.2.3.2.6	Nudm_UECM_PCscfRestoration service operation.....	276
5.2.3.3	Nudm_SubscriberDataManagement (SDM) Service	276

5.2.3.3.2	Nudm_SDM_Get service operation	281
5.2.3.3.3	Nudm_SDM_Notification service operation	281
5.2.3.3.4	Nudm_SDM_Subscribe service operation	282
5.2.3.3.5	Nudm_SDM_Unsubscribe service operation	282
5.2.3.3.6	Nudm_SDM_Info service operation.....	282
5.2.3.4	Nudm_UEAuthentication Service	282
5.2.3.4.1	General	282
5.2.3.4.2	Nudm_UEAuthentication_Get service operation	283
5.2.3.4.3	Nudm_UEAuthentication_ResultConfirmation service operation	283
5.2.3.5	Nudm_EventExposure service	283
5.2.3.5.1	General	283
5.2.3.5.2	Nudm_EventExposure_Subscribe service operation.....	283
5.2.3.5.3	Nudm_EventExposure_Unsubscribe service operation.....	283
5.2.3.5.4	Nudm_EventExposure_Notify service operation	283
5.2.3.6	Nudm_ParameterProvision service	283
5.2.3.6.1	General	283
5.2.3.6.2	Nudm_ParameterProvision_Update service operation	284
5.2.4	5G-EIR Services	284
5.2.4.1	General	284
5.2.4.2	N5g-eir_EquipmentIdentityCheck service	284
5.2.4.2.1	General	284
5.2.4.2.2	N5g-eir_EquipmentIdentityCheck_Get service operation.....	284
5.2.5	PCF Services.....	284
5.2.5.1	General	284
5.2.5.2	Npcf_AMPolicyControl service.....	285
5.2.5.2.1	General	285
5.2.5.2.2	Npcf_AMPolicyControl_Create service operation.....	285
5.2.5.2.3	Npcf_AMPolicyControl_UpdateNotify service operation.....	286
5.2.5.2.4	Npcf_AMPolicyControl_Delete service operation.....	286
5.2.5.2.5	Npcf_AMPolicyControl_Update service operation.....	286
5.2.5.3	Npcf_PolicyAuthorization Service	287
5.2.5.3.1	General	287
5.2.5.3.2	Npcf_PolicyAuthorization_Create service operation	287
5.2.5.3.3	Npcf_PolicyAuthorization_Update service operation	287
5.2.5.3.4	Npcf_PolicyAuthorization_Delete service operation	288
5.2.5.3.5	Npcf_PolicyAuthorization_Notify service operation	288
5.2.5.3.6	Npcf_PolicyAuthorization_Subscribe service operation.....	288
5.2.5.3.7	Npcf_PolicyAuthorization_Unsubscribe service operation.....	288
5.2.5.4	Npcf_SMPolicyControl service	289
5.2.5.4.1	General	289
5.2.5.4.2	Npcf_SMPolicyControl_Create service operation	289
5.2.5.4.3	Npcf_SMPolicyControl_UpdateNotify service operation.....	289
5.2.5.4.4	Npcf_SMPolicyControl_Delete service operation	290
5.2.5.4.5	Npcf_SMPolicyControl_Update service operation	290
5.2.5.5	Npcf_BDTPolicyControl Service	290
5.2.5.5.1	General	290
5.2.5.5.2	Npcf_BDTPolicyControl_Create service operation	290
5.2.5.5.3	Npcf_BDTPolicyControl_Update service operation	291
5.2.5.6	Npcf_UEPolicyControl Service	291
5.2.5.6.1	General	291
5.2.5.6.2	Npcf_UEPolicyControl_Create service operation.....	291
5.2.5.6.3	Npcf_UEPolicyControl_UpdateNotify service operation	292
5.2.5.6.4	Npcf_UEPolicyControl_Delete service operation.....	292
5.2.5.6.5	Npcf_UEPolicyControl_Update service operation.....	292
5.2.5.7	Npcf_EventExposure service	292
5.2.5.7.1	General	292
5.2.5.7.2	Npcf_EventExposure_Subscribe service operation.....	293
5.2.5.7.3	Npcf_EventExposure_Unsubscribe service operation.....	293
5.2.5.7.4	Npcf_EventExposure_Notify service operation	293
5.2.6	NEF Services	293
5.2.6.1	General	293
5.2.6.2	Nnef_EventExposure service	294

5.2.6.2.1	General	294
5.2.6.2.2	Nnef_EventExposure_Subscribe operation	294
5.2.6.2.3	Nnef_EventExposure_Unsubscribe service operation	294
5.2.6.2.4	Nnef_EventExposure_Notify service operation	295
5.2.6.3	Nnef_PFDManagement service	295
5.2.6.3.1	General	295
5.2.6.3.2	Nnef_PFDManagement_Fetch service operation	295
5.2.6.3.3	Nnef_PFDManagement_Subscribe service operation	295
5.2.6.3.4	Nnef_PFDManagement_Notify service operation	295
5.2.6.3.5	Nnef_PFDManagement_Unsubscribe service operation	295
5.2.6.3.6	Nnef_PFDManagement_Create service operation	296
5.2.6.3.7	Nnef_PFDManagement_Update service operation	296
5.2.6.3.8	Nnef_PFDManagement_Delete service operation	296
5.2.6.4	Nnef_ParameterProvision service	296
5.2.6.4.1	General	296
5.2.6.4.2	Nnef_ParameterProvision_Update service operation	296
5.2.6.5	Nnef_Trigger service	296
5.2.6.5.1	General	296
5.2.6.5.2	Nnef_Trigger_Delivery service operation	297
5.2.6.5.3	Nnef_Trigger_DeliveryNotify service operation	297
5.2.6.6	Nnef_BDTPNegotiation service	297
5.2.6.6.1	General	297
5.2.6.6.2	Nnef_BDTPNegotiation_Create service operation	297
5.2.6.6.3	Nnef_BDTPNegotiation_Update service operation	297
5.2.6.7	Nnef_TrafficInfluence service	297
5.2.6.7.1	General	297
5.2.6.7.2	Nnef_TrafficInfluence_Create operation	298
5.2.6.7.3	Nnef_TrafficInfluence_Update operation	298
5.2.6.7.4	Nnef_TrafficInfluence_Delete operation	298
5.2.6.7.5	Nnef_TrafficInfluence_Notify operation	298
5.2.6.8	Nnef_ChargeableParty service	299
5.2.6.8.1	General	299
5.2.6.8.2	Nnef_ChargeableParty_Create service operation	299
5.2.6.8.3	Nnef_ChargeableParty_Update service operation	299
5.2.6.8.4	Nnef_ChargeableParty_Notify service operation	299
5.2.6.9	Nnef_AFsessionWithQoS service	299
5.2.6.9.1	General	299
5.2.6.9.2	Nnef_AFsessionWithQoS_Create service operation	300
5.2.6.9.3	Nnef_AFsessionWithQoS_Notify service operation	300
5.2.7	NRF Services	300
5.2.7.1	General	300
5.2.7.2	Nnrf_NFManagement service	300
5.2.7.2.1	General	300
5.2.7.2.2	Nnrf_NFManagement_NFRegister service operation	300
5.2.7.2.3	Nnrf_NFManagement_NFUpdate service operation	301
5.2.7.2.4	Nnrf_NFManagement_NFDeregister service operation	301
5.2.7.2.5	Nnrf_NFManagement_NFStatusSubscribe service operation	302
5.2.7.2.6	Nnrf_NFManagement_NFStatusNotify service operation	302
5.2.7.2.7	Nnrf_NFManagement_NFStatusUnsubscribe service operation	303
5.2.7.3	Nnrf_NFDiscovery service	303
5.2.7.3.1	General	303
5.2.7.3.2	Nnrf_NFDiscovery_Request service operation	303
5.2.7.4	Nnrf_AccessToken_service	304
5.2.7.4.1	General	304
5.2.7.4.2	Nnrf_AccessToken_Get Service Operation	304
5.2.8	SMF Services	304
5.2.8.1	General	304
5.2.8.2	Nsmf_PDUSession Service	305
5.2.8.2.1	General	305
5.2.8.2.2	Nsmf_PDUSession_Create service operation	305
5.2.8.2.3	Nsmf_PDUSession_Update service operation	306
5.2.8.2.4	Nsmf_PDUSession_Release service operation	306

5.2.8.2.5	Nsmf_PDUSession_CreateSMContext service operation	307
5.2.8.2.6	Nsmf_PDUSession_UpdateSMContext service operation	307
5.2.8.2.7	Nsmf_PDUSession_ReleaseSMContext service operation	308
5.2.8.2.8	Nsmf_PDUSession_SMContextStatusNotify service operation	308
5.2.8.2.9	Nsmf_PDUSession_StatusNotify service operation	308
5.2.8.2.10	Nsmf_PDUSession_ContextRequest service operation	309
5.2.8.3	Nsmf_EventExposure Service	309
5.2.8.3.1	General	309
5.2.8.3.2	Nsmf_EventExposure_Notify service operation	310
5.2.8.3.3	Nsmf_EventExposure_Subscribe service operation	310
5.2.8.3.4	Nsmf_EventExposure_UnSubscribe service operation	310
5.2.9	SMSF Services	311
5.2.9.1	General	311
5.2.9.2	Nsmf_SMSService service	311
5.2.9.2.1	General	311
5.2.9.2.2	Nsmf_SMSService_Activate service operation	311
5.2.9.2.3	Nsmf_SMSService_Deactivate service operation	311
5.2.9.2.4	Nsmf_SMSService_UplinkSMS service operation	311
5.2.10	AUSF Services	312
5.2.10.1	General	312
5.2.10.2	Nausf_UEAuthentication service	312
5.2.10.2.1	General	312
5.2.10.2.2	Nausf_UEAuthentication_Authenticate service operation	312
5.2.10.2.3	Void	312
5.2.10.3	Nausf_SoRProtection service	312
5.2.10.3.1	General	312
5.2.10.3.2	Nausf_SoRProtection Protect service operation	312
5.2.11	NWDAF Services	312
5.2.11.1	General	312
5.2.11.2	Nnwdaf_EventsSubscription Service	313
5.2.11.2.1	General	313
5.2.11.2.2	Nnwdaf_EventsSubscription_Subscribe service operation	313
5.2.11.2.3	Nnwdaf_EventsSubscription_Unsubscribe service operation	313
5.2.11.2.4	Nnwdaf_EventsSubscription_Notify service operation	313
5.2.11.3	Nnwdaf_Analytics_Info service	314
5.2.11.3.1	General	314
5.2.11.3.2	Nnwdaf_AnalyticsInfo_Request service operation	314
5.2.12	UDR Services	314
5.2.12.1	General	314
5.2.12.2	Nudr_DataManagement (DM) service	316
5.2.12.2.1	General	316
5.2.12.2.2	Nudr_DM_Query service operation	317
5.2.13	BSF Services	319
5.2.13.1	General	319
5.2.13.2	Nbsf_Management service	319
5.2.13.2.1	General	319
5.2.13.2.2	Nbsf_Management_Register service operation	319
5.2.13.2.3	Nbsf_Management_Deregister service operation	320
5.2.13.2.4	Nbsf_Management_Discovery service operation	320
5.2.14	UDSF Services	320
5.2.14.1	General	320
5.2.14.2	Nudsf_UnstructuredDataManagement service	320
5.2.14.2.1	General	320
5.2.14.2.2	Nudsf_UnstructuredDataManagement_Query service operation	320
5.2.14.2.3	Nudsf_UnstructuredDataManagement_Create service operation	321
5.2.14.2.4	Nudsf_UnstructuredDataManagement_Delete service operation	321
5.2.14.2.5	Nudsf_UnstructuredDataManagement_Update service operation	321
5.2.15	LMF Services	321
5.2.15.1	General	321
5.2.15.2	Nlmf_Location service	322
5.2.15.2.1	General	322
5.2.15.2.2	Nlmf_Location_DetermineLocation service operation	322

5.2.16	NSSF Services	322
5.2.16.1	General	322
5.2.16.2	Nnssf_NSSelection service	322
5.2.16.2.1	Nnssf_NSSelection_Get service operation	322
5.2.16.3	Nnssf_NSSAIAvailability service	324
5.2.16.3.1	General	324
5.2.16.3.2	Nnssf_NSSAIAvailability_Update service operation	324
5.2.16.3.3	Nnssf_NSSAIAvailability_Notify service operation	324
5.2.17	CHF Spending Limit Control Service	324
5.2.17.1	General	324
5.2.17.2	Nchf_SpendingLimitControl service	325
5.2.17.2.1	General	325
5.2.17.2.2	Nchf_SpendingLimitControl Subscribe service operation	325
5.2.17.2.3	Nchf_SpendingLimitControl Unsubscribe service operation	325
5.2.17.2.4	Nchf_SpendingLimitControl Notify service operation	325
Annex A (informative): Drafting rules and conventions for NF services		327
A.1	General	327
A.2	Naming	327
A.2.1	Service naming	327
A.2.2	Service operation naming	327
A.3	Representation in an information flow	328
A.4	Reference to services and service operations in procedures	329
A.5	Service and service operation description template	329
A.6	Design Guidelines for NF services	329
A.6.1	Self-Containment	329
A.6.2	Reusability	330
A.6.3	Use Independent Management Schemes	330
Annex B (informative): Drafting Rules for Information flows		331
Annex C (informative): Generating EPS PDN Connection parameters from 5G PDU Session parameters		332
Annex D (normative): UE Presence in Area of Interest		333
D.1	Determination of UE presence in Area of Interest by AMF	333
D.2	Determination of UE presence in Area of Interest by NG-RAN	333
Annex D (informative): Change history		335
History		347