



Methods for Testing and Specification (MTS); The Testing and Test Control Notation version 3; Part 6: TTCN-3 Control Interface (TCI)

iTeh STANDARD PREVIEW
(Standard Preview)
Full standard:
<https://standards.iteh.ai/catalog/standards/standard/4c05-a640-702a26f74424/etsi-es-201-873-6-v4.11.1-2019-04>

Reference
RES/MTS-201873-6ed4.11.1

Keywords
control, interface, methodology, TCI, testing,
TTCN-3

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	16
1 Scope	17
2 References	17
2.1 Normative references	17
2.2 Informative references.....	18
3 Definition of terms, symbols and abbreviations.....	18
3.1 Terms.....	18
3.2 Symbols.....	19
3.3 Abbreviations	19
4 Introduction	20
5 Compliance.....	20
6 General structure of a TTCN-3 test system.....	20
6.1 Entities in a TTCN-3 test system.....	20
6.1.0 Types of entities.....	20
6.1.1 Test Management and Control (TMC).....	22
6.1.1.0 Test Management and Control Entities	22
6.1.1.1 Test Management (TM)	22
6.1.1.2 Coding and Decoding (CD)	22
6.1.1.3 Component Handling (CH)	23
6.1.1.4 Test Logging (TL).....	24
6.1.2 TTCN-3 Executable (TE)	24
6.1.3 SUT Adaptor (SA)	24
6.1.4 Platform Adaptor (PA).....	24
6.2 Execution requirements for a TTCN-3 test system	24
7 TTCN-3 control interface and operations.....	24
7.1 Overview of the TCI.....	24
7.1.0 TCI role in a TTCN-3 test system.....	24
7.1.1 Correlation between TTCN-3 and TCI operation invocations	25
7.1.1.0 Mapping of TTCN-3 operations to TCI operations.....	25
7.1.1.1 TTCN-3 operations with TCI operation equivalent	25
7.1.1.2 TTCN-3 operations with TCI operation pair equivalent	26
7.1.1.3 TTCN-3 operations without direct TCI operation equivalent	27
7.1.1.3.0 Mapping of TTCN-3 operations to series of TCI operations.....	27
7.1.1.3.1 Test case stop operation.....	27
7.2 TCI data.....	27
7.2.0 Abstract data types.....	27
7.2.1 General abstract data types	27
7.2.1.0 Use of general abstract data types	27
7.2.1.1 Management.....	27
7.2.1.2 Communication.....	28
7.2.2 Abstract TTCN-3 data types and values	29
7.2.2.0 Definition and scope of use.....	29
7.2.2.1 Abstract TTCN-3 data types	29
7.2.2.2 Abstract TTCN-3 values	31
7.2.2.2.0 Basic rules	31
7.2.2.2.1 The abstract data type Value	32
7.2.2.2.2 The abstract data type IntegerValue	35
7.2.2.2.3 The abstract data type FloatValue	35
7.2.2.2.4 The abstract data type BooleanValue	35
7.2.2.2.5 The abstract data type CharstringValue	35
7.2.2.2.6 The abstract data type UniversalCharstringValue	36

7.2.2.2.7	The abstract data type BitstringValue.....	36
7.2.2.2.8	The abstract data type OctetstringValue.....	37
7.2.2.2.9	The abstract data type HexstringValue.....	38
7.2.2.2.10	The abstract data type RecordValue.....	39
7.2.2.2.11	The abstract data type RecordOfValue.....	39
7.2.2.2.12	The abstract data type UnionValue.....	41
7.2.2.2.13	The abstract data type EnumeratedValue	41
7.2.2.2.14	The abstract data type VerdictValue	41
7.2.2.2.15	The abstract data type AddressValue	42
7.2.2.3	Abstract TTCN-3 matching mechanisms.....	42
7.2.2.3.1	The abstract data type MatchingMechanism	42
7.2.2.3.2	The abstract data type MatchingList	42
7.2.2.3.3	The abstract data type ValueRange	43
7.2.2.3.4	The abstract data type CharacterPattern.....	43
7.2.2.3.5	The abstract data type MatchDecodedContent.....	44
7.2.2.4	Data types for complex TTCN-3 properties.....	44
7.2.2.4.0	Scope of use of TTCN-3 properties.....	44
7.2.2.4.1	The abstract data type LengthRestriction	44
7.2.2.4.2	The abstract data type Permutation.....	44
7.2.2.4.3	The abstract data type RangeBoundary	45
7.2.3	Abstract logging types	45
7.2.3.1	The abstract data type TciValueTemplate	45
7.2.3.2	The abstract data type TciNonValueTemplate	45
7.2.3.3	The Value List and Mismatch Types	46
7.2.3.4	The Status Types	46
7.3	TCI operations.....	47
7.3.0	The TCI interfaces	47
7.3.1	The TCI-TM interface	48
7.3.1.0	Scope of use	48
7.3.1.1	TCI-TM required.....	48
7.3.1.1.0	Scope of use.....	48
7.3.1.1.1	tciRootModule	48
7.3.1.1.2	tciGetImportedModules.....	49
7.3.1.1.3	tciGetModuleParameters	49
7.3.1.1.4	tciGetTestCases	49
7.3.1.1.5	tciGetTestCaseParameters	49
7.3.1.1.6	tciGetTestCaseTSI.....	49
7.3.1.1.7	tciStartTestCase	50
7.3.1.1.8	tciStopTestCase	50
7.3.1.1.9	tciStartControl	50
7.3.1.1.10	tciStopControl	50
7.3.1.1.11	tciGetControlParameters	51
7.3.1.1.12	tciStartControlWithParameters.....	51
7.3.1.2	TCI-TM provided.....	51
7.3.1.2.0	Scope of use.....	51
7.3.1.2.1	tciTestCaseStarted	51
7.3.1.2.2	tciTestCaseTerminated	51
7.3.1.2.3	tciControlTerminated	52
7.3.1.2.4	tciGetModulePar.....	52
7.3.1.2.5	tciLog	52
7.3.1.2.6	tciError.....	52
7.3.1.2.7	tciControlTerminatedWithResult	52
7.3.2	The TCI-CD interface	53
7.3.2.0	Scope of use	53
7.3.2.1	TCI-CD required	53
7.3.2.1.0	Scope of use.....	53
7.3.2.1.1	getTypeForName.....	54
7.3.2.1.2	getInteger.....	54
7.3.2.1.3	getFloat.....	54
7.3.2.1.4	getBoolean.....	54

7.3.2.1.5	Void.....	54
7.3.2.1.6	getCharstring	54
7.3.2.1.7	getUniversalCharstring	54
7.3.2.1.8	getHexstring	55
7.3.2.1.9	getBitstring	55
7.3.2.1.10	getOctetstring	55
7.3.2.1.11	getVerdict	55
7.3.2.1.12	tcIErrorReq	55
7.3.2.2	TCI-CD provided	55
7.3.2.2.0	Scope of use.....	55
7.3.2.2.1	decode.....	55
7.3.2.2.2	encode.....	56
7.3.2.2.3	decodeValue	56
7.3.2.2.4	encodeValue	56
7.3.3	The TCI-CH interface	56
7.3.3.0	Scope of use	56
7.3.3.1	TCI-CH required	57
7.3.3.1.0	Scope of use.....	57
7.3.3.1.1	tcIEnqueueMsgConnected	58
7.3.3.1.2	tcIEnqueueCallConnected	58
7.3.3.1.3	tcIEnqueueReplyConnected.....	58
7.3.3.1.4	tcIEnqueueRaiseConnected	59
7.3.3.1.5	tcICreateTestComponent	59
7.3.3.1.6	tcIStartTestComponent	59
7.3.3.1.7	tcIStopTestComponent	60
7.3.3.1.8	tcIConnect.....	60
7.3.3.1.9	tcIDisconnect	60
7.3.3.1.10	tcIMap.....	60
7.3.3.1.11	tcIMapParam	60
7.3.3.1.12	tcIUnmap	61
7.3.3.1.13	tcIUnmapParam	61
7.3.3.1.14	tcITestComponentTerminated	61
7.3.3.1.15	tcITestComponentRunning	61
7.3.3.1.16	tcITestComponentDone	61
7.3.3.1.17	tcIGetMTC.....	62
7.3.3.1.18	tcIExecuteTestCase.....	62
7.3.3.1.19	tcIReset	62
7.3.3.1.20	tcIKillTestComponent.....	62
7.3.3.1.21	tcITestComponentAlive	63
7.3.3.1.22	tcITestComponentKilled.....	63
7.3.3.1.23	tcICallTestComponent	63
7.3.3.1.24	tcITestComponentCallTerminated.....	63
7.3.3.2	TCI-CH provided	64
7.3.3.2.0	Scope of use.....	64
7.3.3.2.1	tcISendConnected	64
7.3.3.2.2	tcISendConnectedBC.....	64
7.3.3.2.3	tcISendConnectedMC	64
7.3.3.2.4	tcICallConnected	65
7.3.3.2.5	tcICallConnectedBC	65
7.3.3.2.6	tcICallConnectedMC	65
7.3.3.2.7	tcIRplyConnected	66
7.3.3.2.8	tcIRplyConnectedBC	66
7.3.3.2.9	tcIRplyConnectedMC	67
7.3.3.2.10	tcIRaiseConnected	67
7.3.3.2.11	tcIRaiseConnectedBC	67
7.3.3.2.12	tcIRaiseConnectedMC	68
7.3.3.2.13	tcICreateTestComponentReq.....	68
7.3.3.2.14	tcIStartTestComponentReq.....	68
7.3.3.2.15	tcIStopTestComponentReq.....	69
7.3.3.2.16	tcIConnectReq	69
7.3.3.2.17	tcIDisconnectReq	69
7.3.3.2.18	tcIMapReq	69

7.3.3.2.19	tcIMapParamReq	69
7.3.3.2.20	tcIUnmapReq	70
7.3.3.2.21	tcIUnmapParamReq	70
7.3.3.2.22	tcITestComponentTerminatedReq	70
7.3.3.2.23	tcITestComponentRunningReq	70
7.3.3.2.24	tcITestComponentDoneReq	70
7.3.3.2.25	tcIGetMTCReq	71
7.3.3.2.26	tcIEexecuteTestCaseReq	71
7.3.3.2.27	tcIResetReq	71
7.3.3.2.28	tcIKillTestComponentReq	71
7.3.3.2.29	tcITestComponentAliveReq	71
7.3.3.2.30	tcITestComponentKilledReq	72
7.3.3.2.31	tcICallTestComponentReq	72
7.3.3.2.32	tcITestComponentCallTerminatedReq	72
7.3.4	The TCI-TL interface	73
7.3.4.0	Scope of use	73
7.3.4.1	TCI-TL provided	73
7.3.4.1.0	Scope of use	73
7.3.4.1.1	tliTcExecute	73
7.3.4.1.2	tliTcStart	74
7.3.4.1.3	tliTcStop	74
7.3.4.1.4	tliTcStarted	74
7.3.4.1.5	tliTcTerminated	75
7.3.4.1.6	tliCtrlStart	75
7.3.4.1.7	tliCtrlStop	75
7.3.4.1.8	tliCtrlTerminated	76
7.3.4.1.9	tliMSend_m	76
7.3.4.1.10	tliMSend_m_BC	77
7.3.4.1.11	tliMSend_m_MC	77
7.3.4.1.12	tliMSend_c	78
7.3.4.1.13	tliMSend_c_BC	78
7.3.4.1.14	tliMSend_c_MC	78
7.3.4.1.15	tliMDetected_m	79
7.3.4.1.16	tliMDetected_c	79
7.3.4.1.17	tliMMismatch_m	79
7.3.4.1.18	tliMMismatch_c	80
7.3.4.1.19	tliMReceive_m	80
7.3.4.1.20	tliMReceive_c	80
7.3.4.1.21	tliPrCall_m	81
7.3.4.1.22	tliPrCall_m_BC	81
7.3.4.1.23	tliPrCall_m_MC	82
7.3.4.1.24	tliPrCall_c	82
7.3.4.1.25	tliPrCall_c_BC	83
7.3.4.1.26	tliPrCall_c_MC	83
7.3.4.1.27	tliPrGetCallDetected_m	84
7.3.4.1.28	tliPrGetCallDetected_c	84
7.3.4.1.29	tliPrGetCallMismatch_m	85
7.3.4.1.30	tliPrGetCallMismatch_c	85
7.3.4.1.31	tliPrGetCall_m	86
7.3.4.1.32	tliPrGetCall_c	86
7.3.4.1.33	tliPrReply_m	87
7.3.4.1.34	tliPrReply_m_BC	87
7.3.4.1.35	tliPrReply_m_MC	88
7.3.4.1.36	tliPrReply_c	88
7.3.4.1.37	tliPrReply_c_BC	89
7.3.4.1.38	tliPrReply_c_MC	89
7.3.4.1.39	tliPrGetReplyDetected_m	90
7.3.4.1.40	tliPrGetReplyDetected_c	90
7.3.4.1.41	tliPrGetReplyMismatch_m	91
7.3.4.1.42	tliPrGetReplyMismatch_c	91
7.3.4.1.43	tliPrGetReply_m	92
7.3.4.1.44	tliPrGetReply_c	92

7.3.4.1.45	tliPrRaise_m	93
7.3.4.1.46	tliPrRaise_m_BC	93
7.3.4.1.47	tliPrRaise_m_MC	94
7.3.4.1.48	tliPrRaise_c	94
7.3.4.1.49	tliPrRaise_c_BC	95
7.3.4.1.50	tliPrRaise_c_MC	95
7.3.4.1.51	tliPrCatchDetected_m	96
7.3.4.1.52	tliPrCatchDetected_c	96
7.3.4.1.53	tliPrCatchMismatch_m	97
7.3.4.1.54	tliPrCatchMismatch_c	97
7.3.4.1.55	tliPrCatch_m	98
7.3.4.1.56	tliPrCatch_c	98
7.3.4.1.57	tliPrCatchTimeoutDetected	99
7.3.4.1.58	tliPrCatchTimeout	99
7.3.4.1.59	tliCCreate	99
7.3.4.1.60	tliCStart	100
7.3.4.1.61	tliCRunning	100
7.3.4.1.62	tliCAlive	100
7.3.4.1.63	tliCStop	101
7.3.4.1.64	tliCKill	101
7.3.4.1.65	tliCDoneMismatch	101
7.3.4.1.66	tliCDone	102
7.3.4.1.67	tliCKilledMismatch	102
7.3.4.1.68	tliCKilled	102
7.3.4.1.69	tliCTerminated	103
7.3.4.1.70	tliPConnect	103
7.3.4.1.71	tliPDisconnect	103
7.3.4.1.72	tliPMap	104
7.3.4.1.73	tliPMapParam	104
7.3.4.1.74	tliPUnmap	104
7.3.4.1.75	tliPUnmapParam	105
7.3.4.1.76	tliPClear	105
7.3.4.1.77	tliPStart	105
7.3.4.1.78	tliPStop	106
7.3.4.1.79	tliPHalt	106
7.3.4.1.80	tliEncode	106
7.3.4.1.81	tliDecode	107
7.3.4.1.82	tliTTtimeoutDetected	107
7.3.4.1.83	tliTTtimeoutMismatch	107
7.3.4.1.84	tliTTtimeout	108
7.3.4.1.85	tliTStart	108
7.3.4.1.86	tliTStop	108
7.3.4.1.87	tliTRead	109
7.3.4.1.88	tliTRunning	109
7.3.4.1.89	tliSEnter	109
7.3.4.1.90	tliSLeave	110
7.3.4.1.91	tliVar	110
7.3.4.1.92	tliModulePar	110
7.3.4.1.93	tliGetVerdict	111
7.3.4.1.94	tliSetVerdict	111
7.3.4.1.95	tliLog	111
7.3.4.1.96	tliAEnter	112
7.3.4.1.97	tliALeave	112
7.3.4.1.98	tliANomatch	112
7.3.4.1.99	tliAReset	112
7.3.4.1.100	tliADefaults	113
7.3.4.1.101	tliAActivate	113
7.3.4.1.102	tliADeactivate	113
7.3.4.1.103	tliAWait	114
7.3.4.1.104	tliAction	114
7.3.4.1.105	tliMatch	114
7.3.4.1.106	tliMatchMismatch	114

ITIen STANDARD PREVIEW
Full standard:
<http://standards.itien.org/catalog/standard/40702287424/etsi-es-201-873-6-v4.11.1-2019-04>

7.3.4.1.107	tlInfo	115
7.3.4.1.108	tlIMChecked_m	115
7.3.4.1.109	tlIMChecked_c	115
7.3.4.1.110	tlPrGetCallChecked_m	116
7.3.4.1.111	tlPrGetCallChecked_c	116
7.3.4.1.112	tlPrGetReplyChecked_m	117
7.3.4.1.113	tlPrGetReplyChecked_c	117
7.3.4.1.114	tlPrCatchChecked_m	118
7.3.4.1.115	tlPrCatchChecked_c	118
7.3.4.1.116	tlCheckedAny_m	119
7.3.4.1.117	tlCheckedAny_c	119
7.3.4.1.118	tlCheckAnyMismatch_m	119
7.3.4.1.119	tlCheckAnyMismatch_c	120
7.3.4.1.120	tlRnd	120
7.3.4.1.121	tlEvaluate	120
7.3.4.1.122	tlICCall	121
7.3.4.1.123	tlICCallTerminated	121
7.3.4.1.124	tlCtrlStartWithParameters	121
7.3.4.1.125	tlCtrlTerminatedWithResult	122
8	Java™ language mapping	122
8.1	Introduction	122
8.2	Names and scopes	122
8.2.1	Names	122
8.2.2	Scopes	122
8.3	Type mapping	122
8.3.1	Basic type mapping	122
8.3.2	Structured type mapping	123
8.3.2.0	General principles	123
8.3.2.1	TciParameterType	123
8.3.2.2	TciParameterPassingModeType	124
8.3.2.3	TciParameterListType	124
8.3.2.4	TciTypeClassType	124
8.3.2.5	TciTestComponentKindType	125
8.3.2.6	TciBehaviourIdType	125
8.3.2.7	TciTestCaseIdType	125
8.3.2.8	TciModuleIdType	125
8.3.2.9	TciModuleParameterIdType	125
8.3.2.10	TciModuleParameterListType	126
8.3.2.11	TciModuleParameterType	126
8.3.2.12	TciParameterTypeListType	126
8.3.2.13	TciParameterTypeType	127
8.3.2.14	TciModuleIdListType	127
8.3.2.15	TciTestCaseIdListType	127
8.3.2.16	TciDecodingResult	128
8.3.2.17	TciMatchingTypeType	128
8.3.2.18	LengthRestriction	128
8.3.2.19	Permutation	129
8.3.2.20	RangeBoundary	129
8.3.3	Abstract type mapping	130
8.3.3.0	General principles	130
8.3.3.1	Type	130
8.3.4	Abstract value mapping	131
8.3.4.0	General principles	131
8.3.4.1	Value	131
8.3.4.2	IntegerValue	132
8.3.4.3	FloatValue	133
8.3.4.4	BooleanValue	133
8.3.4.5	CharstringValue	133
8.3.4.6	BitstringValue	134
8.3.4.7	OctetstringValue	135
8.3.4.8	UniversalCharstringValue	136

8.3.4.9	HexstringValue	136
8.3.4.10	RecordValue.....	137
8.3.4.11	RecordOfValue	138
8.3.4.12	UnionValue	139
8.3.4.13	EnumeratedValue.....	140
8.3.4.14	VerdictValue	140
8.3.4.15	AddressValue	140
8.3.5	Abstract template mapping	141
8.3.5.0	General principles	141
8.3.5.1	MatchingMechanism.....	141
8.3.5.2	MatchingList	141
8.3.5.3	ValueRange	141
8.3.5.4	CharacterPattern.....	142
8.3.5.5	MatchDecodedContent.....	142
8.3.6	Abstract logging types mapping	142
8.3.6.0	General principles	142
8.3.6.1	TciValueTemplate	142
8.3.6.2	TciNonValueTemplate	143
8.3.6.3	TciValueList.....	143
8.3.6.4	TciValueDifference	143
8.3.6.5	TciValueDifferenceList.....	144
8.3.6.6	ComponentStatus	144
8.3.6.7	TimerStatus	144
8.3.6.8	TciStatus	144
8.4	Constants	145
8.5	Mapping of interfaces.....	146
8.5.0	Calling rules.....	146
8.5.1	The TCI-TM interface	147
8.5.1.1	TCI-TM provided.....	147
8.5.1.2	TCI-TM required.....	147
8.5.2	The TCI-CD interface	147
8.5.2.1	TCI-CD provided	147
8.5.2.2	TCI-CD required	147
8.5.3	The TCI-CH interface	148
8.5.3.1	TCI-CH provided	148
8.5.3.2	TCI-CH required	149
8.5.4	The TCI-TL interface.....	150
8.5.4.1	TCI-TL provided.....	150
8.6	Optional parameters	155
8.7	TCI initialization	155
8.8	Error handling	155
9	ANSI C language mapping.....	155
9.1	Introduction	155
9.2	Value interfaces	155
9.3	Logging interface	161
9.4	Operation interfaces	161
9.4.1	The TCI-TM interface	161
9.4.1.1	TCI-TM provided.....	161
9.4.1.2	TCI-TM required.....	162
9.4.2	The TCI-CD interface	162
9.4.2.1	TCI-CD provided	162
9.4.2.2	TCI-CD required	162
9.4.3	The TCI-CH interface	162
9.4.3.1	TCI-CH provided	162
9.4.3.2	TCI-CH required	163
9.4.4	The TCI-TL interface.....	164
9.4.4.1	TCI-TL provided.....	164
9.5	Data	169
9.6	Miscellaneous.....	171
9.7	Optional parameters	171

10	C++ language mapping	172
10.1	Introduction	172
10.2	Names and scopes	172
10.3	Memory management.....	172
10.4	Error handling	172
10.5	Type mapping.....	172
10.5.0	Basic concepts	172
10.5.1	Encapsulated C++ types.....	172
10.5.2	General abstract data types	172
10.5.2.1	TciBehaviourId	172
10.5.2.2	TciModuleId.....	173
10.5.2.3	TciModuleParameterId	173
10.5.2.4	TciTestCaseId	174
10.5.2.5	TciModuleIdList	174
10.5.2.6	TciModuleParameter.....	174
10.5.2.7	TciModuleParameterList.....	175
10.5.2.8	TciParameterPassingMode.....	175
10.5.2.9	TciParameter	176
10.5.2.10	TciParameterList	176
10.5.2.11	TciParameterType	177
10.5.2.12	TciParameterTypeList.....	177
10.5.2.13	TciTestComponentKind	178
10.5.2.14	TciTypeClass	178
10.5.2.15	TciTestCaseIdList	178
10.5.2.16	TciMatchingTypeType.....	179
10.5.2.17	LengthRestriction.....	179
10.5.2.18	Permutation	180
10.5.2.19	RangeBoundary.....	180
10.5.3	Abstract TTCN-3 data types and values	181
10.5.3.1	TciType	181
10.5.3.2	TciValue.....	182
10.5.3.3	IntegerValue.....	183
10.5.3.4	FloatValue	184
10.5.3.5	BooleanValue.....	184
10.5.3.6	CharstringValue	184
10.5.3.7	UniversalCharstringValue	185
10.5.3.8	BitstringValue	186
10.5.3.9	OctetstringValue	186
10.5.3.10	HexstringValue	187
10.5.3.11	RecordValue.....	188
10.5.3.12	RecordOfValue	189
10.5.3.13	UnionValue	190
10.5.3.14	EnumeratedValue	190
10.5.3.15	VerdictValue	191
10.5.3.16	VerdictValueEnum.....	191
10.5.3.17	AddressValue	191
10.5.3.18	MatchingMechanism.....	192
10.5.3.19	MatchingList	192
10.5.3.20	ValueRange	193
10.5.3.21	CharacterPattern.....	193
10.5.3.22	MatchDecodedContent.....	193
10.5.4	Abstract logging types	194
10.5.4.1	TciValueTemplate..	194
10.5.4.2	TciNonValueTemplate	194
10.5.4.3	TciValueList.....	195
10.5.4.4	TciValueDifference	195
10.5.4.5	TciValueDifferenceList.....	196
10.5.4.6	ComponentStatus	197
10.5.4.7	TimerStatus	197
10.5.4.8	TciStatus	197
10.6	Operations mapping	197
10.6.1	TCI-TM	197

10.6.1.1	TciTmRequired	197
10.6.1.2	TciTmProvided	198
10.6.2	TCI-CD	198
10.6.2.1	TciCdRequired	198
10.6.2.2	TciCdProvided	199
10.6.3	TCI-CH	199
10.6.3.1	TciChRequired	199
10.6.3.2	TciChProvided	201
10.6.4	TCI-TL	202
10.6.4.1	TciTlProvided	202
11	W3C XML mapping	211
11.1	Introduction	211
11.2	Scopes	211
11.3	Type mapping	211
11.3.1	Mapping of simple types	211
11.3.1.1	TBoolean	211
11.3.1.2	TString	211
11.3.1.3	TInteger	211
11.3.1.4	TriTimerDurationType	211
11.3.1.5	TciParameterPassingModeType	211
11.3.1.6	TriStatusType	211
11.3.1.7	TciStatusType	212
11.3.1.8	ComponentStatusType	212
11.3.1.9	TimerStatusType	212
11.3.1.10	PortStatusType	212
11.3.2	Complex type mapping	212
11.3.2.1	TriPortIdType	212
11.3.2.2	TriComponentIdType	212
11.3.2.3	TriComponentIdListType	213
11.3.2.4	Port	213
11.3.2.5	Id	213
11.3.2.6	TriMessageType	214
11.3.2.7	TriParameterType	214
11.3.2.8	TriParameterListType	214
11.3.2.9	TriAddressType	215
11.3.2.10	TriAddressListType	215
11.3.2.11	TriExceptionType	215
11.3.2.12	TriSignatureIdType	216
11.3.2.13	TriTimerIdType	216
11.3.2.14	TriTimerDurationType	216
11.3.2.15	QualifiedName	216
11.3.2.16	TciBehaviourIdType	216
11.3.2.17	TciTestCaseIdType	217
11.3.2.18	TciParameterType	217
11.3.2.19	TciParameterListType	217
11.3.2.20	TriPortIdListType	218
11.3.3	Abstract value mapping	218
11.3.3.1	Value	218
11.3.3.2	IntegerValue	220
11.3.3.3	FloatValue	220
11.3.3.4	BooleanValue	220
11.3.3.5	Void	221
11.3.3.6	VerdictValue	221
11.3.3.7	BitstringValue	221
11.3.3.8	HexstringValue	221
11.3.3.9	OctetstringValue	221
11.3.3.10	CharstringValue	222
11.3.3.11	UniversalCharstringValue	222
11.3.3.12	RecordValue	222
11.3.3.13	RecordOfValue	223
11.3.3.14	ArrayValue	224

11.3.3.15	SetValue	225
11.3.3.16	SetOfValue	225
11.3.3.17	EnumeratedValue	225
11.3.3.18	UnionValue	226
11.3.3.19	AnytypeValue	226
11.3.3.20	AddressValue	227
11.3.3.21	ComponentValue	227
11.3.3.22	PortValue	227
11.3.3.23	DefaultValue	228
11.3.3.24	TimerValue	228
11.3.3.25	MatchingMechanism	228
11.3.3.26	MatchingList	229
11.3.3.27	ValueRange	229
11.3.3.28	CharacterPattern	230
11.3.3.29	MatchDecodedContent	230
11.3.4	Abstract logging types mapping	230
11.3.4.1	TciValueTemplate	230
11.3.4.2	TciNonValueTemplate	232
11.3.4.3	TciValueList	232
11.3.4.4	TciValueDifference	233
11.3.4.5	TciValueDifferenceList	233
11.4	Mapping of the operations on the logging interface	233
11.4.0	Mapping rules	233
11.4.1	Event	233
11.4.2	The TCI-TL interface	234
11.4.2.1	TCI-TL provided	234
12	C# mapping	256
12.1	Introduction	256
12.2	Names and scopes	256
12.2.1	Names	256
12.2.2	Scopes	256
12.3	Null value mapping	256
12.4	Type mapping	257
12.4.1	Basic type mapping	257
12.4.1.0	Mapped types	257
12.4.1.1	TciVerdict	257
12.4.2	Structured type mapping	257
12.4.2.0	Mapping rules	257
12.4.2.1	TciParameterPassingModeType	258
12.4.2.2	TciParameterType	258
12.4.2.3	TciParameterListType	258
12.4.2.4	TciTypeClassType	259
12.4.2.5	TciTestComponentKindType	259
12.4.2.6	TciBehaviourIdType	259
12.4.2.7	TciTestCaseIdType	259
12.4.2.8	TciTestCaseIdListType	259
12.4.2.9	TciModuleIdType	260
12.4.2.10	TciModuleIdListType	260
12.4.2.11	TciModuleParameterIdType	260
12.4.2.12	TciModuleParameterType	260
12.4.2.13	TciModuleParameterListType	261
12.4.2.14	TciParameterTypeType	261
12.4.2.15	TciParameterTypeListType	261
12.4.2.16	TciMatchingTypeType	262
12.4.2.17	LengthRestriction	262
12.4.2.18	Permutation	262
12.4.2.19	RangeBoundary	263
12.4.3	Abstract type mapping	263
12.4.3.0	Mapping rules	263
12.4.3.1	Type	263
12.4.4	Abstract value mapping	264

12.4.4.0	Mapping rules	264
12.4.4.1	Value	264
12.4.4.2	IntegerValue	266
12.4.4.3	FloatValue	266
12.4.4.4	BooleanValue	266
12.4.4.5	CharstringValue	267
12.4.4.6	BitstringValue	267
12.4.4.7	OctetstringValue	268
12.4.4.8	UniversalCharstringValue	269
12.4.4.9	HexstringValue	269
12.4.4.10	RecordValue	270
12.4.4.11	RecordOfValue	270
12.4.4.12	UnionValue	272
12.4.4.13	EnumeratedValue	272
12.4.4.14	VerdictValue	273
12.4.4.15	AddressValue	273
12.4.5	Abstract template mapping	273
12.4.5.0	Mapping rules	273
12.4.5.1	MatchingMechanism	273
12.4.5.2	MatchingList	273
12.4.5.3	ValueRange	274
12.4.5.4	CharacterPattern	274
12.4.5.5	MatchDecodedContent	274
12.4.6	Abstract logging types mapping	274
12.4.6.0	Mapping rules	274
12.4.6.1	TciValueTemplate	275
12.4.6.2	TciNonValueTemplate	275
12.4.6.3	TciValueList	275
12.4.6.4	TciValueDifference	276
12.4.6.5	TciValueDifferenceList	276
12.4.6.6	TciStatusType	276
12.4.6.7	ComponentStatusType	276
12.4.6.8	TimerStatusType	277
12.5	Mapping of interfaces	277
12.5.0	Calling rules	277
12.5.1	TCI-TM interface	277
12.5.1.1	TCI-TM provided	277
12.5.1.2	TCI-TM required	278
12.5.2	TCI-CD interface	278
12.5.2.1	TCI-CD provided	278
12.5.2.2	TCI-CD required	278
12.5.3	TCI-CH interface	278
12.5.3.1	TCI-CH provided	278
12.5.3.2	TCI-CH required	279
12.5.4	TCI-TL interface	280
12.5.4.1	TCI-TL provided	280
12.6	Optional parameters	287
12.7	Error Handling	287
Annex A (normative): IDL Specification of TCI		288
Annex B (normative): XML Mapping for TCI TL Provided		306
B.0	Introduction	306
B.1	TCI-TL XML Schema for Simple Types	306
B.2	TCI-TL XML Schema for Types	307
B.3	TCI-TL XML Schema for Values	309
B.4	TCI-TL XML Schema for Templates	313
B.5	TCI-TL XML Schema for Events	316