



ISO/IEC/IEEE 60559



Edition 1.0 2011-06

INTERNATIONAL STANDARD

Information technology – Microprocessor Systems – Floating-Point arithmetic

(standards.iteh.ai)

[ISO/IEC/IEEE 60559:2011](#)

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2011 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from ISO, IEC or IEEE at the respective address given below.

ISO copyright office
Case postale 56
CH-1211 Geneva 20
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
Email: copyright@iso.org
Web: www.iso.org

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

The Institute of Electrical and Electronics Engineers, Inc
3 Park Avenue
US-New York, NY10016-5997
USA
Email: stds-info@ieee.org
Web: www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

ITeh STANDARD PREVIEW
(standards.iteh.ai)
ISO/IEC/IEEE 60559:2011
<https://standards.iteh.ai/catalog/standards/sist/2c03e22-c0e2-41e0-8c0e4156687d/iso-iec-ieee-60559-2011>



ISO/IEC/IEEE 60559



Edition 1.0 2011-06

INTERNATIONAL STANDARD

Information technology – Microprocessor Systems – Floating-Point arithmetic

(standards.iteh.ai)

[ISO/IEC/IEEE 60559:2011](https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011)

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

U

ICS 35.200

ISBN 978-2-88912-566-1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO/IEC/IEEE 60559:2011

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	1
1.3 Inclusions	1
1.4 Exclusions	2
1.5 Programming environment considerations	2
1.6 Word usage	2
2. Definitions, abbreviations, and acronyms	3
2.1 Definitions	3
2.2 Abbreviations and acronyms	5
3. Floating-point formats	6
3.1 Overview	6
3.2 Specification levels	7
3.3 Sets of floating-point data	7
3.4 Binary interchange format encodings	9
3.5 Decimal interchange format encodings	10
3.6 Interchange format parameters	13
3.7 Extended and extendable precisions	14
4. Attributes and rounding	15
4.1 Attribute specification	15
4.2 Dynamic modes for attributes	15
4.3 Rounding-direction attributes	16
5. Operations	17
5.1 Overview	17
5.2 Decimal exponent calculation	18
5.3 Homogeneous general-computational operations	19
5.4 formatOf general-computational operations	21
5.5 Quiet-computational operations	23
5.6 Signaling-computational operations	24
5.7 Non-computational operations	24
5.8 Details of conversions from floating-point to integer formats	26
5.9 Details of operations to round a floating-point datum to integral value	27
5.10 Details of totalOrder predicate	28
5.11 Details of comparison predicates	29
5.12 Details of conversion between floating-point data and external character sequences	30
6. Infinity, NaNs, and sign bit	34
6.1 Infinity arithmetic	34
6.2 Operations with NaNs	34
6.3 The sign bit	35
7. Default exception handling	36
7.1 Overview: exceptions and flags	36
7.2 Invalid operation	37
7.3 Division by zero	37
7.4 Overflow	37
7.5 Underflow	38
7.6 Inexact	38
8. Alternate exception handling attributes	39
8.1 Overview	39
8.2 Resuming alternate exception handling attributes	39
8.3 Immediate and delayed alternate exception handling attributes	40

9. Recommended operations	41
9.1 Conforming language- and implementation-defined functions	41
9.2 Recommended correctly rounded functions	42
9.3 Operations on dynamic modes for attributes	46
9.4 Reduction operations	46
10. Expression evaluation	48
10.1 Expression evaluation rules	48
10.2 Assignments, parameters, and function values	48
10.3 preferredWidth attributes for expression evaluation	49
10.4 Literal meaning and value-changing optimizations	50
11. Reproducible floating-point results	51
Annex A (informative) Bibliography	53
Annex B (informative) Program debugging support	55
Index of operations	57

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[ISO/IEC/IEEE 60559:2011](https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011)

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 60559 was prepared by the Microprocessor Standards Committee of the IEEE Computer Society of the IEEE (as IEEE 754-2008). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 25, *Interconnection of information technology equipment* in parallel with its approval by the ISO/IEC national bodies, under the "fast-track procedure" defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

This first edition, published as ISO/IEC/IEEE 60559, replaces the second edition of IEC 60559.

IEEE Introduction

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS".

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

ISO/IEC/IEEE 60559:2011

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

This introduction is not part of IEEE Std 754-2008, IEEE Standard for Floating-Point Arithmetic.

This standard is a product of the Floating-Point Working Group of, and sponsored by, the Microprocessor Standards Committee of the IEEE Computer Society.

This standard provides a discipline for performing floating-point computation that yields results independent of whether the processing is done in hardware, software, or a combination of the two. For operations specified in the normative part of this standard, numerical results and exceptions are uniquely determined by the values of the input data, the operation, and the destination, all under user control.

This standard defines a family of commercially feasible ways for systems to perform binary and decimal floating-point arithmetic. Among the desiderata that guided the formulation of this standard were:

- a) Facilitate movement of existing programs from diverse computers to those that adhere to this standard as well as among those that adhere to this standard.
- b) Enhance the capabilities and safety available to users and programmers who, although not expert in numerical methods, might well be attempting to produce numerically sophisticated programs.
- c) Encourage experts to develop and distribute robust and efficient numerical programs that are portable, by way of minor editing and recompilation, onto any computer that conforms to this standard and possesses adequate capacity. Together with language controls it should be possible to write programs that produce identical results on all conforming systems.
- d) Provide direct support for
 - execution-time diagnosis of anomalies
 - smoother handling of exceptions
 - interval arithmetic at a reasonable cost.
- e) Provide for development of [ISO/IEC/IEEE 60559:2011](https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011)
 - standard elementary functions such as *exp* and *cos*
 - high precision (multiword) arithmetic
 - coupled numerical and symbolic algebraic computation.
- f) Enable rather than preclude further refinements and extensions.

In programming environments, this standard is also intended to form the basis for a dialog between the numerical community and programming language designers. It is hoped that language-defined methods for the control of expression evaluation and exceptions might be defined in coming years, so that it will be possible to write programs that produce identical results on all conforming systems. However, it is recognized that utility and safety in languages are sometimes antagonists, as are efficiency and portability.

Therefore, it is hoped that language designers will look on the full set of operation, precision, and exception controls described here as a guide to providing the programmer with the ability to portably control expressions and exceptions. It is also hoped that designers will be guided by this standard to provide extensions in a completely portable way.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, please visit the IEEE Standards Association Web site at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA Web site at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check that URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims, or for determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC/IEEE 60559:2011](https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011)

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO/IEC/IEEE 60559:2011](https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011)

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c0e4156687d/iso-iec-ieee-60559-2011>

Floating-Point arithmetic

IMPORTANT NOTICE: This standard is not intended to assure safety, security, health, or environmental protection in all circumstances. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents”. They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

iTeh STANDARD PREVIEW (standards.iteh.ai)

1. Overview

1.1 Scope

ISO/IEC/IEEE 60559:2011

<https://standards.iteh.ai/catalog/standards/sist/23d630b2-8917-4e16-a5c9-8c704190087d/iso-iec-60559-2011>
This standard specifies formats and methods for floating-point arithmetic in computer systems—standard and extended functions with single, double, extended, and extendable precision—and recommends formats for data interchange. Exception conditions are defined and standard handling of these conditions is specified.

1.2 Purpose

This standard provides a method for computation with floating-point numbers that will yield the same result whether the processing is done in hardware, software, or a combination of the two. The results of the computation will be identical, independent of implementation, given the same input data. Errors, and error conditions, in the mathematical processing will be reported in a consistent manner regardless of implementation.

1.3 Inclusions

This standard specifies:

- Formats for binary and decimal floating-point data, for computation and data interchange.
- Addition, subtraction, multiplication, division, fused multiply add, square root, compare, and other operations.
- Conversions between integer and floating-point formats.
- Conversions between different floating-point formats.
- Conversions between floating-point formats and external representations as character sequences.
- Floating-point exceptions and their handling, including data that are not numbers (NaNs).

1.4 Exclusions

This standard does not specify:

- Formats of integers.
- Interpretation of the sign and significand fields of NaNs.

1.5 Programming environment considerations

This standard specifies floating-point arithmetic in two radices, 2 and 10. A programming environment may conform to this standard in one radix or in both.

This standard does not define all aspects of a conforming programming environment. Such behavior should be defined by a programming language definition supporting this standard, if available, and otherwise by a particular implementation. Some programming language specifications might permit some behaviors to be defined by the implementation.

Language-defined behavior should be defined by a programming language standard supporting this standard. Then all implementations conforming both to this floating-point standard and to that language standard behave identically with respect to such language-defined behaviors. Standards for languages intended to reproduce results exactly on all platforms are expected to specify behavior more tightly than do standards for languages intended to maximize performance on every platform.

Because this standard requires facilities that are not currently available in common programming languages, the standards for such languages might not be able to fully conform to this standard if they are no longer being revised. If the language can be extended by a function library or class or package to provide a conforming environment, then that extension should define all the language-defined behaviors that would normally be defined by a language standard.

Implementation-defined behavior is defined by a specific implementation of a specific programming environment conforming to this standard. Implementations define behaviors not specified by this standard nor by any relevant programming language standard or programming language extension.

Conformance to this standard is a property of a specific implementation of a specific programming environment, rather than of a language specification.

However a language standard could also be said to conform to this standard if it were constructed so that every conforming implementation of that language also conformed automatically to this standard.

1.6 Word usage

In this standard three words are used to differentiate between different levels of requirements and optionality, as follows:

- **may** indicates a course of action permissible within the limits of the standard with no implied preference (“may” means “is permitted to”)
- **shall** indicates mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (“shall” means “is required to”)
- **should** indicates that among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required; or that (in the negative form) a certain course of action is deprecated but not prohibited (“should” means “is recommended to”).

Further:

- **might** indicates the possibility of a situation that could occur, with no implication of the likelihood of that situation (“might” means “could possibly”)
- **see** followed by a number is a cross-reference to the clause or subclause of this standard identified by that number
- **NOTE** introduces text that is informative (that is, is not a requirement of this standard).

2. Definitions, abbreviations, and acronyms

2.1 Definitions

For the purposes of this standard, the following terms and definitions apply.

2.1.1 applicable attribute: The value of an attribute governing a particular instance of execution of a computational operation of this standard. Languages specify how the applicable attribute is determined.

2.1.2 arithmetic format: A floating-point format that can be used to represent floating-point operands or results for the operations of this standard.

2.1.3 attribute: An implicit parameter to operations of this standard, which a user might statically set in a programming language by specifying a constant value. The term attribute might refer to the parameter (as in “rounding-direction attribute”) or its value (as in “roundTowardZero attribute”).

2.1.4 basic format: One of five floating-point representations, three binary and two decimal, whose encodings are specified by this standard, and which can be used for arithmetic. One or more of the basic formats is implemented in any conforming implementation.

2.1.5 biased exponent: The sum of the exponent and a constant (bias) chosen to make the biased exponent’s range nonnegative.

2.1.6 binary floating-point number: A floating-point number with radix two.

2.1.7 block: A language-defined syntactic unit for which a user can specify attributes. Language standards might provide means for users to specify attributes for blocks of varying scopes, even as large as an entire program and as small as a single operation.

2.1.8 canonical encoding: The preferred encoding of a floating-point representation in a format. Applied to decllets, significands of finite numbers, infinities, and NaNs, especially in decimal formats.

2.1.9 canonicalized number: A floating-point number whose encoding (if there is one) is canonical.

2.1.10 cohort: The set of all floating-point representations that represent a given floating-point number in a given floating-point format. In this context, -0 and $+0$ are considered distinct and are in different cohorts.

2.1.11 computational operation: An operation that can signal floating-point exceptions, or that produces floating-point results, or that produces integer results by rounding them to fit destination formats according to a rounding direction rule. Comparisons are computational operations.

2.1.12 correct rounding: This standard’s method of converting an infinitely precise result to a floating-point number, as determined by the applicable rounding direction. A floating-point number so obtained is said to be correctly rounded.

2.1.13 decimal floating-point number: A floating-point number with radix ten.

2.1.14 decllet: An encoding of three decimal digits into ten bits using the densely-packed-decimal encoding scheme. Of the 1024 possible decllets, 1000 canonical decllets are produced by computational operations, while 24 non-canonical decllets are not produced by computational operations, but are accepted in operands.

2.1.15 denormalized number: *See:* **subnormal number.**

2.1.16 destination: The location for the result of an operation upon one or more operands. A destination might be either explicitly designated by the user or implicitly supplied by the system (for example, intermediate results in subexpressions or arguments for procedures). Some languages place the results of intermediate calculations in destinations beyond the user’s control; nonetheless, this standard defines the result of an operation in terms of that destination’s format and the operands’ values.

2.1.17 dynamic mode: An optional method of dynamically setting attributes by means of operations of this standard to set, test, save, and restore them.

2.1.18 exception: An event that occurs when an operation on some particular operands has no outcome suitable for every reasonable application. That operation might signal one or more exceptions by invoking the default or, if explicitly requested, a language-defined alternate handling. Note that *event*, *exception*, and *signal* are defined in diverse ways in different programming environments.