



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Ve-Vnfm Reference Point

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/NFV-SOL002ed271

Keywords

API, NFV, protocol

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	16
3.3 Abbreviations	16
4 General aspects.....	17
4.1 Overview	17
4.2 Void.....	18
4.3 Void.....	18
4.4 Common data types.....	18
4.4.1 Structured data types.....	18
4.4.1.1 Introduction.....	18
4.4.1.2 Void.....	18
4.4.1.3 Void.....	18
4.4.1.3a Void.....	18
4.4.1.4 Void.....	18
4.4.1.5 Type: VnfInstanceSubscriptionFilter.....	18
4.4.1.6 Void.....	19
4.4.2 Simple data types and enumerations.....	19
4.4.2.1 Introduction.....	19
4.4.2.2 Simple data types	19
4.4.2.3 Enumerations	19
4.5 Void.....	19
4.6 Void.....	19
4.7 Void.....	19
5 VNF Lifecycle Management interface.....	19
5.1 Description	19
5.1a API version.....	20
5.2 Resource structure and methods.....	20
5.3 Sequence diagrams (informative).....	22
5.3.1 Flow of the creation of a VNF instance resource.....	22
5.3.2 Flow of the deletion of a VNF instance resource.....	23
5.3.3 Flow of VNF lifecycle management operations triggered by task resources.....	24
5.3.4 Flow of automatic invocation of VNF scaling and VNF healing.....	26
5.3.5 Flow of the Query VNF operation	28
5.3.6 Flow of the Modify VNF Information operation	29
5.3.7 Flow of the Get Operation Status operation.....	30
5.3.8 Flow of managing subscriptions	31
5.3.9 Flow of sending notifications.....	33
5.3.10 Flow of retrying a VNF lifecycle management operation.....	34
5.3.11 Flow of rolling back a VNF lifecycle management operation.....	35
5.3.12 Flow of failing a VNF lifecycle management operation.....	36
5.3.13 Flow of cancelling a VNF lifecycle management operation.....	37
5.4 Resources	39
5.4.1 Introduction.....	39
5.4.1.1 Overview.....	39
5.4.1.2 Task resources that trigger VNF LCM operations	40
5.4.1a Resource: API versions.....	41

5.4.2	Resource: VNF instances	41
5.4.2.1	Description	41
5.4.2.2	Resource definition	41
5.4.2.3	Resource methods	42
5.4.2.3.1	POST	42
5.4.2.3.2	GET	42
5.4.2.3.3	PUT	43
5.4.2.3.4	PATCH	44
5.4.2.3.5	DELETE	44
5.4.3	Resource: Individual VNF instance	44
5.4.3.1	Description	44
5.4.3.2	Resource definition	44
5.4.3.3	Resource methods	44
5.4.3.3.1	POST	44
5.4.3.3.2	GET	44
5.4.3.3.3	PUT	45
5.4.3.3.4	PATCH	45
5.4.3.3.5	DELETE	46
5.4.4	Resource: Instantiate VNF task	46
5.4.4.1	Description	46
5.4.4.2	Resource definition	47
5.4.4.3	Resource methods	47
5.4.4.3.1	POST	47
5.4.4.3.2	GET	48
5.4.4.3.3	PUT	48
5.4.4.3.4	PATCH	48
5.4.4.3.5	DELETE	48
5.4.5	Resource: Scale VNF task	48
5.4.5.1	Description	48
5.4.5.2	Resource definition	49
5.4.5.3	Resource methods	49
5.4.5.3.1	POST	49
5.4.5.3.2	GET	50
5.4.5.3.3	PUT	50
5.4.5.3.4	PATCH	50
5.4.5.3.5	DELETE	51
5.4.6	Resource: Scale VNF to Level task	51
5.4.6.1	Description	51
5.4.6.2	Resource definition	51
5.4.6.3	Resource methods	51
5.4.6.3.1	POST	51
5.4.6.3.2	GET	52
5.4.6.3.3	PUT	52
5.4.6.3.4	PATCH	52
5.4.6.3.5	DELETE	53
5.4.7	Resource: Change VNF Flavour task	53
5.4.7.1	Description	53
5.4.7.2	Resource definition	53
5.4.7.3	Resource methods	53
5.4.7.3.1	POST	53
5.4.7.3.2	GET	54
5.4.7.3.3	PUT	54
5.4.7.3.4	PATCH	55
5.4.7.3.5	DELETE	55
5.4.8	Resource: Terminate VNF task	55
5.4.8.1	Description	55
5.4.8.2	Resource definition	55
5.4.8.3	Resource methods	55
5.4.8.3.1	POST	55
5.4.8.3.2	GET	56
5.4.8.3.3	PUT	56
5.4.8.3.4	PATCH	56

5.4.8.3.5	DELETE	56
5.4.9	Resource: Heal VNF task	56
5.4.9.1	Description	56
5.4.9.2	Resource definition	57
5.4.9.3	Resource methods	57
5.4.9.3.1	POST	57
5.4.9.3.2	GET	58
5.4.9.3.3	PUT	58
5.4.9.3.4	PATCH	58
5.4.9.3.5	DELETE	59
5.4.10	Resource: Operate VNF task	59
5.4.10.1	Description	59
5.4.10.2	Resource definition	59
5.4.10.3	Resource methods	59
5.4.10.3.1	POST	59
5.4.10.3.2	GET	60
5.4.10.3.3	PUT	61
5.4.10.3.4	PATCH	61
5.4.10.3.5	DELETE	61
5.4.11	Resource: Change external VNF connectivity task	61
5.4.11.1	Description	61
5.4.11.2	Resource definition	61
5.4.11.3	Resource methods	61
5.4.11.3.1	POST	61
5.4.11.3.2	GET	62
5.4.11.3.3	PUT	62
5.4.11.3.4	PATCH	62
5.4.11.3.5	DELETE	62
5.4.12	Resource: VNF LCM operation occurrences	63
5.4.12.1	Description	63
5.4.12.2	Resource definition	63
5.4.12.3	Resource methods	63
5.4.12.3.1	POST	63
5.4.12.3.2	GET	63
5.4.12.3.3	PUT	64
5.4.12.3.4	PATCH	64
5.4.12.3.5	DELETE	65
5.4.13	Resource: Individual VNF LCM operation occurrence	65
5.4.13.1	Description	65
5.4.13.2	Resource definition	65
5.4.13.3	Resource methods	65
5.4.13.3.1	POST	65
5.4.13.3.2	GET	65
5.4.13.3.3	PUT	66
5.4.13.3.4	PATCH	66
5.4.13.3.5	DELETE	66
5.4.14	Resource: Retry operation task	66
5.4.14.1	Description	66
5.4.14.2	Resource definition	66
5.4.14.3	Resource methods	67
5.4.14.3.1	POST	67
5.4.14.3.2	GET	68
5.4.14.3.3	PUT	68
5.4.14.3.4	PATCH	68
5.4.14.3.5	DELETE	68
5.4.15	Resource: Rollback operation task	68
5.4.15.1	Description	68
5.4.15.2	Resource definition	68
5.4.15.3	Resource methods	68
5.4.15.3.1	POST	68
5.4.15.3.2	GET	69
5.4.15.3.3	PUT	69

5.4.15.3.4	PATCH	70
5.4.15.3.5	DELETE	70
5.4.16	Resource: Fail operation task	70
5.4.16.1	Description	70
5.4.16.2	Resource definition	70
5.4.16.3	Resource methods	70
5.4.16.3.1	POST	70
5.4.16.3.2	GET	71
5.4.16.3.3	PUT	71
5.4.16.3.4	PATCH	71
5.4.16.3.5	DELETE	71
5.4.17	Resource: Cancel operation task	72
5.4.17.1	Description	72
5.4.17.2	Resource definition	72
5.4.17.3	Resource methods	72
5.4.17.3.1	POST	72
5.4.17.3.2	GET	73
5.4.17.3.3	PUT	73
5.4.17.3.4	PATCH	73
5.4.17.3.5	DELETE	73
5.4.18	Resource: Subscriptions	74
5.4.18.1	Description	74
5.4.18.2	Resource definition	74
5.4.18.3	Resource methods	74
5.4.18.3.1	POST	74
5.4.18.3.2	GET	75
5.4.18.3.3	PUT	76
5.4.18.3.4	PATCH	76
5.4.18.3.5	DELETE	76
5.4.19	Resource: Individual subscription	76
5.4.19.1	Description	76
5.4.19.2	Resource definition	77
5.4.19.3	Resource methods	77
5.4.19.3.1	POST	77
5.4.19.3.2	GET	77
5.4.19.3.3	PUT	77
5.4.19.3.4	PATCH	77
5.4.19.3.5	DELETE	78
5.4.20	Resource: Notification endpoint	78
5.4.20.1	Description	78
5.4.20.2	Resource definition	78
5.4.20.3	Resource methods	78
5.4.20.3.1	POST	78
5.4.20.3.2	GET	79
5.4.20.3.3	PUT	79
5.4.20.3.4	PATCH	80
5.4.20.3.5	DELETE	80
5.5	Data model	80
5.5.1	Introduction	80
5.5.2	Resource and notification data types	80
5.5.2.1	Introduction	80
5.5.2.2	Type: VnfInstance	80
5.5.2.3	Type: CreateVnfRequest	84
5.5.2.4	Type: InstantiateVnfRequest	84
5.5.2.5	Type: ScaleVnfRequest	85
5.5.2.6	Type: ScaleVnfToLevelRequest	85
5.5.2.7	Type: ChangeVnfFlavourRequest	86
5.5.2.8	Type: TerminateVnfRequest	86
5.5.2.9	Type: HealVnfRequest	87
5.5.2.10	Type: OperateVnfRequest	87
5.5.2.11	Type: ChangeExtVnfConnectivityRequest	88
5.5.2.12	Type: VnfInfoModificationRequest	88

5.5.2.12a	Type: VnfInfoModifications	89
5.5.2.13	Type: VnfLcmOpOcc.....	90
5.5.2.14	Type: CancelMode.....	92
5.5.2.15	Type: LccnSubscriptionRequest	92
5.5.2.16	Type: LccnSubscription	92
5.5.2.17	Type: VnfLcmOperationOccurrenceNotification	93
5.5.2.18	Type: VnfIdentifierCreationNotification	95
5.5.2.19	Type: VnfIdentifierDeletionNotification	95
5.5.3	Referenced structured data types	95
5.5.3.1	Introduction	95
5.5.3.2	Type: ExtVirtualLinkData	96
5.5.3.3	Type: ExtVirtualLinkInfo	96
5.5.3.4	Type: ExtManagedVirtualLinkData.....	96
5.5.3.5	Type: ExtManagedVirtualLinkInfo.....	97
5.5.3.6	Type: VnfExtCpData	97
5.5.3.6a	Type: VnfExtCpConfig.....	97
5.5.3.6b	Type: CpProtocolData.....	98
5.5.3.6c	Type: IpOverEthernetAddressData	98
5.5.3.7	Type: ScaleInfo	99
5.5.3.8	Type: VnfcResourceInfo	99
5.5.3.9	Type: VnfVirtualLinkResourceInfo	100
5.5.3.10	Type: VirtualStorageResourceInfo	100
5.5.3.11	Type: VnfLinkPortInfo	101
5.5.3.12	Type: ExtLinkPortInfo	101
5.5.3.12a	Type: ExtLinkPortData	101
5.5.3.13	Type: ResourceHandle	102
5.5.3.14	Void.....	102
5.5.3.15	Void.....	102
5.5.3.15a	Type: CpProtocolInfo.....	102
5.5.3.16	Type: IpOverEthernetAddressInfo	103
5.5.3.17	Type: MonitoringParameter	103
5.5.3.18	Type: LifecycleChangeNotificationsFilter	103
5.5.3.19	Type: AffectedVnfc	104
5.5.3.20	Type: AffectedVirtualLink.....	105
5.5.3.21	Type: AffectedVirtualStorage	105
5.5.3.22	Type: LccnLinks	106
5.5.3.23	Type: VnfcInfo	106
5.5.3.24	Type: VnfcInfoModifications	107
5.5.3.25	Type: VnfExtCpInfo	107
5.5.4	Referenced simple data types and enumerations	107
5.5.4.1	Introduction	107
5.5.4.2	Simple data types	107
5.5.4.3	Enumeration: VnfOperationalStateType.....	108
5.5.4.4	Void.....	108
5.5.4.5	Enumeration: LcmOperationType.....	108
5.5.4.6	Enumeration: LcmOperationStateType.....	108
5.5.4.7	Enumeration: CancelModeType	108
5.6	Success and error states of VNF lifecycle management operations	109
5.6.1	Basic concepts for error handling (informative)	109
5.6.1.1	Motivation.....	109
5.6.1.2	Failure resolution strategies: Retry and Rollback	109
5.6.1.3	Error handling at VNF and EM	110
5.6.2	States and state transitions of a VNF lifecycle management operation occurrence.....	111
5.6.2.1	General	111
5.6.2.2	States of a VNF lifecycle management operation occurrence.....	111
5.6.2.3	Error handling operations that change the state of a VNF lifecycle management operation occurrence	114
5.6.3	Detailed flows for error handling.....	115
5.6.3.1	Immediate failure	115
5.6.3.2	Failure in "STARTING" state.....	116
5.6.3.3	Failure during actual LCM operation execution	116
5.6.3.4	LCM operation cancellation.....	118

6	VNF Performance Management interface.....	118
6.1	Description.....	118
6.1a	API version.....	118
6.2	Resource structure and methods.....	118
6.3	Sequence diagrams (informative).....	119
6.3.1	Flow of creating a PM job.....	119
6.3.1a	Flow of updating the callback URI of a PM job.....	120
6.3.2	Flow of querying/reading PM jobs.....	121
6.3.3	Flow of deleting a PM job.....	122
6.3.4	Flow of obtaining performance reports.....	123
6.3.5	Flow of creating a threshold.....	124
6.3.5a	Flow of updating the callback URI of a threshold.....	125
6.3.6	Flow of querying/reading thresholds.....	125
6.3.7	Flow of deleting thresholds.....	126
6.3.8	Void.....	127
6.3.9	Flow of sending notifications.....	127
6.4	Resources.....	127
6.4.1	Introduction.....	127
6.4.1a	Resource: API versions.....	127
6.4.2	Resource: PM jobs.....	128
6.4.2.1	Description.....	128
6.4.2.2	Resource definition.....	128
6.4.2.3	Resource methods.....	128
6.4.2.3.1	POST.....	128
6.4.2.3.2	GET.....	129
6.4.2.3.3	PUT.....	130
6.4.2.3.4	PATCH.....	130
6.4.2.3.5	DELETE.....	130
6.4.3	Resource: Individual PM job.....	130
6.4.3.1	Description.....	130
6.4.3.2	Resource definition.....	130
6.4.3.3	Resource methods.....	130
6.4.3.3.1	POST.....	130
6.4.3.3.2	GET.....	131
6.4.3.3.3	PUT.....	131
6.4.3.3.4	PATCH.....	131
6.4.3.3.5	DELETE.....	132
6.4.4	Resource: Individual performance report.....	133
6.4.4.1	Description.....	133
6.4.4.2	Resource definition.....	133
6.4.4.3	Resource methods.....	133
6.4.4.3.1	POST.....	133
6.4.4.3.2	GET.....	133
6.4.4.3.3	PUT.....	134
6.4.4.3.4	PATCH.....	134
6.4.4.3.5	DELETE.....	134
6.4.5	Resource: Thresholds.....	134
6.4.5.1	Description.....	134
6.4.5.2	Resource definition.....	134
6.4.5.3	Resource methods.....	134
6.4.5.3.1	POST.....	134
6.4.5.3.2	GET.....	135
6.4.5.3.3	PUT.....	136
6.4.5.3.4	PATCH.....	136
6.4.5.3.5	DELETE.....	136
6.4.6	Resource: Individual threshold.....	136
6.4.6.1	Description.....	136
6.4.6.2	Resource definition.....	137
6.4.6.3	Resource methods.....	137
6.4.6.3.1	POST.....	137
6.4.6.3.2	GET.....	137
6.4.6.3.3	PUT.....	137

6.4.6.3.4	PATCH	138
6.4.6.3.5	DELETE	138
6.4.7	Void	139
6.4.8	Void	139
6.4.9	Resource: Notification endpoint	139
6.4.9.1	Description	139
6.4.9.2	Resource definition	139
6.4.9.3	Resource methods	139
6.4.9.3.1	POST	139
6.4.9.3.2	GET	140
6.4.9.3.3	PUT	140
6.4.9.3.4	PATCH	140
6.4.9.3.5	DELETE	140
6.5	Data Model	141
6.5.1	Introduction	141
6.5.2	Resource and notification data types	141
6.5.2.1	Introduction	141
6.5.2.2	Void	141
6.5.2.3	Void	141
6.5.2.4	Type: ThresholdCrossedNotification	141
6.5.2.5	Type: PerformanceInformationAvailableNotification	142
6.5.2.6	Type: CreatePmJobRequest	143
6.5.2.7	Type: PmJob	144
6.5.2.8	Type: CreateThresholdRequest	145
6.5.2.9	Type: Threshold	145
6.5.2.10	Type: PerformanceReport	146
6.5.2.11	Type: ThresholdModifications	147
6.5.2.12	Type: PmJobModifications	147
6.5.3	Referenced structured data types	147
6.5.3.1	Introduction	147
6.5.3.2	Void	147
6.5.3.3	Type: PmJobCriteria	148
6.5.3.4	Type: ThresholdCriteria	148
6.5.4	Referenced simple data types and enumerations	149
6.5.4.1	Introduction	149
6.5.4.2	Simple data types	149
6.5.4.3	Enumeration: CrossingDirectionType	149
7	VNF Fault Management interface	149
7.1	Description	149
7.1a	API version	150
7.2	Resource structure and methods	150
7.3	Sequence diagrams (informative)	151
7.3.1	Flow of the Get Alarm List operation	151
7.3.2	Escalate perceived severity task flow	152
7.3.3	Flow of acknowledging alarm	152
7.3.4	Flow of managing subscriptions	153
7.3.5	Flow of sending notifications	154
7.4	Resources	155
7.4.1	Introduction	155
7.4.1a	Resource: API versions	155
7.4.2	Resource: Alarms	155
7.4.2.1	Description	155
7.4.2.2	Resource definition	155
7.4.2.3	Resource methods	155
7.4.2.3.1	POST	155
7.4.2.3.2	GET	155
7.4.2.3.3	PUT	156
7.4.2.3.4	PATCH	157
7.4.2.3.5	DELETE	157
7.4.3	Resource: Individual alarm	157
7.4.3.1	Description	157

7.4.3.2	Resource definition	157
7.4.3.3	Resource methods	157
7.4.3.3.1	POST	157
7.4.3.3.2	GET	157
7.4.3.3.3	PUT	158
7.4.3.3.4	PATCH	158
7.4.3.3.5	DELETE	159
7.4.4	Resource: Escalate Perceived Severity task	159
7.4.4.1	Description	159
7.4.4.2	Resource definition	159
7.4.4.3	Resource Methods	160
7.4.4.3.1	POST	160
7.4.4.3.2	GET	160
7.4.4.3.3	PUT	160
7.4.4.3.4	PATCH	160
7.4.4.3.5	DELETE	161
7.4.5	Resource: Subscriptions	161
7.4.5.1	Description	161
7.4.5.2	Resource definition	161
7.4.5.3	Resource methods	161
7.4.5.3.1	POST	161
7.4.5.3.2	GET	162
7.4.5.3.3	PUT	163
7.4.5.3.4	PATCH	163
7.4.5.3.5	DELETE	163
7.4.6	Resource: Individual subscription	163
7.4.6.1	Description	163
7.4.6.2	Resource definition	164
7.4.6.3	Resource methods	164
7.4.6.3.1	POST	164
7.4.6.3.2	GET	164
7.4.6.3.3	PUT	164
7.4.6.3.4	PATCH	165
7.4.6.3.5	DELETE	165
7.4.7	Resource: Notification endpoint	165
7.4.7.1	Description	165
7.4.7.2	Resource definition	165
7.4.7.3	Resource methods	166
7.4.7.3.1	POST	166
7.4.7.3.2	GET	166
7.4.7.3.3	PUT	167
7.4.7.3.4	PATCH	167
7.4.7.3.5	DELETE	167
7.5	Data Model	167
7.5.1	Introduction	167
7.5.2	Resource and notification data types	167
7.5.2.1	Introduction	167
7.5.2.2	Type: FmSubscriptionRequest	167
7.5.2.3	Type: FmSubscription	168
7.5.2.4	Type: Alarm	168
7.5.2.5	Type: AlarmNotification	169
7.5.2.6	Type: AlarmClearedNotification	169
7.5.2.7	Type: PerceivedSeverityRequest	170
7.5.2.8	Type: AlarmListRebuiltNotification	170
7.5.2.9	Type: AlarmModifications	170
7.5.3	Referenced structured data types	170
7.5.3.1	Introduction	170
7.5.3.2	Type: FmNotificationsFilter	171
7.5.3.3	Type: FaultyResourceInfo	171
7.5.4	Referenced simple data types and enumerations	171
7.5.4.1	Introduction	171
7.5.4.2	Simple data types	171

7.5.4.3	Enumeration: PerceivedSeverityType	171
7.5.4.4	Enumeration: EventType	172
7.5.4.5	Enumeration: FaultyResourceType	172
8	VNF Indicator interface	173
8.1	Description	173
8.1a	API version	173
8.2	Resource structure and methods	173
8.3	Sequence diagrams (informative)	175
8.3.1	Flow of querying VNF indicators	175
8.3.2	Flow of reading a VNF indicator	176
8.3.3	Flow of managing subscriptions	176
8.3.4	Flow of sending notifications	178
8.4	Resources	179
8.4.1	Introduction	179
8.4.1a	Resource: API versions	179
8.4.2	Resource: VNF indicators	179
8.4.2.1	Description	179
8.4.2.2	Resource definition	179
8.4.2.3	Resource methods	179
8.4.2.3.1	POST	179
8.4.2.3.2	GET	179
8.4.2.3.3	PUT	180
8.4.2.3.4	PATCH	180
8.4.2.3.5	DELETE	180
8.4.3	Resource: VNF indicators related to a VNF instance	180
8.4.3.1	Description	180
8.4.3.2	Resource definition	181
8.4.3.3	Resource methods	181
8.4.3.3.1	POST	181
8.4.3.3.2	GET	181
8.4.3.3.3	PUT	182
8.4.3.3.4	PATCH	182
8.4.3.3.5	DELETE	182
8.4.4	Resource: Individual VNF indicator	182
8.4.4.1	Description	182
8.4.4.2	Resource definition	183
8.4.4.3	Resource methods	183
8.4.4.3.1	POST	183
8.4.4.3.2	GET	183
8.4.4.3.3	PUT	184
8.4.4.3.4	PATCH	184
8.4.4.3.5	DELETE	184
8.4.5	Resource: Subscriptions	184
8.4.5.1	Description	184
8.4.5.2	Resource definition	184
8.4.5.3	Resource methods	184
8.4.5.3.1	POST	184
8.4.5.3.2	GET	186
8.4.5.3.3	PUT	187
8.4.5.3.4	PATCH	187
8.4.5.3.5	DELETE	187
8.4.6	Resource: Individual subscription	187
8.4.6.1	Description	187
8.4.6.2	Resource definition	187
8.4.6.3	Resource methods	187
8.4.6.3.1	POST	187
8.4.6.3.2	GET	187
8.4.6.3.3	PUT	188
8.4.6.3.4	PATCH	188
8.4.6.3.5	DELETE	188
8.4.7	Resource: Notification endpoint	189

8.4.7.1	Description	189
8.4.7.2	Resource definition	189
8.4.7.3	Resource methods	189
8.4.7.3.1	POST	189
8.4.7.3.2	GET	189
8.4.7.3.3	PUT	190
8.4.7.3.4	PATCH	190
8.4.7.3.5	DELETE	190
8.5	Data model	190
8.5.1	Introduction	190
8.5.2	Resource and notification data types	190
8.5.2.1	Introduction	190
8.5.2.2	Type: VnfIndicator	190
8.5.2.3	Type: VnfIndicatorSubscriptionRequest	191
8.5.2.4	Type: VnfIndicatorSubscription	191
8.5.2.5	Type: VnfIndicatorValueChangeNotification	191
8.5.3	Referenced structured data types	192
8.5.3.1	Introduction	192
8.5.3.2	Type: VnfIndicatorNotificationsFilter	192
8.5.4	Referenced simple data types and enumerations	192
9	VNF Configuration interface	193
9.1	Description	193
9.1a	API version	193
9.2	Resource structure and methods	193
9.3	Sequence diagrams (informative)	194
9.3.1	Flow of setting the VNF configuration	194
9.4	Resources	194
9.4.1	Introduction	194
9.4.1a	Resource: API versions	194
9.4.2	Resource: Configuration	195
9.4.2.1	Description	195
9.4.2.2	Resource definition	195
9.4.2.3	Resource methods	195
9.4.2.3.1	POST	195
9.4.2.3.2	GET	195
9.4.2.3.3	PUT	196
9.4.2.3.4	PATCH	196
9.4.2.3.5	DELETE	196
9.5	Data model	196
9.5.1	Introduction	196
9.5.2	Resource and notification data types	197
9.5.2.1	Introduction	197
9.5.2.2	Type: VnfConfigModifications	197
9.5.3	Referenced structured data types	198
9.5.3.1	Introduction	198
9.5.3.2	Type: VnfConfiguration	198
9.5.3.3	Type: VnfConfigurationData	198
9.5.3.4	Type: VnfConfigurationData	198
9.5.3.5	Type: CpConfiguration	199
9.5.3.6	Type: CpAddress	199
9.5.4	Referenced simple data types and enumerations	199
Annex A (informative): Mapping operations to protocol elements.....		200
A.1	Overview	200
A.2	VNF Lifecycle Management interface	200
A.3	VNF Performance Management interface	201
A.4	VNF Fault Management interface	201
A.5	VNF Indicator interface	202

A.6	VNF Configuration interface.....	202
Annex B (informative): Explanations.....		203
B.1	Introduction	203
B.2	Scaling of a VNF instance.....	203
B.3	Examples of VNF connectivity patterns	205
B.3.1	Introduction	205
B.3.2	Example of a VNF instance with two different types of external connection points	205
B.3.3	Example of changing VNF connectivity	206
Annex C (informative): Complementary material for API utilization.....		207
Annex D (informative): Differences between SOL 002 and SOL 003.....		208
D.1	Overview	208
D.2	Interfaces present in both SOL 002 and SOL 003.....	208
D.2.1	Basic principles	208
D.2.2	VNF Lifecycle Management interface	208
D.2.3	VNF Performance Management interface.....	209
D.2.4	VNF Fault Management interface	210
D.2.5	VNF Indicator interface.....	210
D.3	Interfaces present in one of SOL 002 and SOL 003.....	210
D.3.1	Interfaces only present in SOL 002.....	210
D.3.2	Interfaces only present in SOL 003.....	210
Annex E (informative): Change History.....		211
History		216

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/75d9047c-0a68-4025-8f6c-887375a6e202/etsi-gs-nfv-sol-002-v2.7.1-2020-01>