

INTERNATIONAL STANDARD



Information technology — UPnP device architecture —
Part 14-12: Audio, Video Device Control Protocol — Level 3 — Audio Video
Content Directory Service (standards.iteh.ai)

ISO/IEC 29341-14-12:2011

<https://standards.iteh.ai/catalog/standards/sist/9b8a7c8e-6307-40fc-9f72-d698d2648c93/iso-iec-29341-14-12-2011>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2011 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00



ISO/IEC 29341-14-12

Edition 1.0 2011-09

INTERNATIONAL STANDARD



Information technology – UPnP device architecture –
Part 14-12: Audio, Video Device Control Protocol – Level 3 – Audio Video
Content Directory Service

<https://standards.iteh.ai/catalog/standards/sist/9b8a7c8e-6307-40fc-9f72-d698d2648c93/iso-iec-29341-14-12-2011>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XE

ICS 35.200

ISBN 978-2-88912-658-3

CONTENTS

1	Overview and Scope	10
1.1	Introduction	10
1.2	Notation	10
1.2.1	Data Types	11
1.2.2	Strings Embedded in Other Strings	11
1.2.3	Extended Backus-Naur Form	11
1.3	Derived Data Types	12
1.3.1	Comma Separated Value (CSV) Lists	12
1.4	Management of XML Namespaces in Standardized DCPs	13
1.4.1	Namespace Prefix Requirements	16
1.4.2	Namespace Names, Namespace Versioning and Schema Versioning	17
1.4.3	Namespace Usage Examples	19
1.5	Vendor-defined Extensions	19
1.5.1	Vendor-defined Action Names	19
1.5.2	Vendor-defined State Variable Names	19
1.5.3	Vendor-defined XML Elements and attributes	20
1.5.4	Vendor-defined Property Names	20
1.6	References	20
2	Service Modeling Definitions	23
2.1	Service Type	23
2.2	Key Concepts	24
2.2.1	<i>On-line and Off-line Network States</i>	24
2.2.2	object	24
2.2.3	Object Identity	25
2.2.4	Object Lifetime	25
2.2.5	Object Modification	26
2.2.6	class	26
2.2.7	<i>item</i>	26
2.2.8	<i>container</i>	27
2.2.9	Container Modification	27
2.2.10	ContentDirectory Tracking Changes Option	27
2.2.11	<i>ContainerUpdateIDValue</i> Indicator	28
2.2.12	ContentDirectory Service Object Organization	29
2.2.13	Hierarchical location	29
2.2.14	Subtree	30
2.2.15	Subtree Updates	30
2.2.16	XML Document	31
2.2.17	XML Fragment	31
2.2.18	<i>DIDL-Lite XML Document</i>	32
2.2.19	<i>CDS View</i>	34
2.2.20	property	34
2.2.21	<i>reference, reference item, referenced item</i>	35
2.2.22	CDS feature	36
2.2.23	Metadata vs. Foreign Metadata	36
2.2.24	Embedded XML Documents	37

2.3	State Variables	37
2.3.1	State Variable Overview	37
2.3.2	<u>SearchCapabilities</u>	38
2.3.3	<u>SortCapabilities</u>	39
2.3.4	<u>SortExtensionCapabilities</u>	39
2.3.5	<u>SystemUpdateID</u>	39
2.3.6	<u>ContainerUpdateIDs</u>	41
2.3.7	<u>ServiceResetToken</u>	43
2.3.8	<u>LastChange</u>	44
2.3.9	<u>TransferIDs</u>	47
2.3.10	<u>FeatureList</u>	47
2.3.11	<u>A ARG TYPE ObjectID</u>	48
2.3.12	<u>A ARG TYPE Result</u>	48
2.3.13	<u>A ARG TYPE SearchCriteria</u>	48
2.3.14	<u>A ARG TYPE BrowseFlag</u>	50
2.3.15	<u>A ARG TYPE Filter</u>	50
2.3.16	<u>A ARG TYPE SortCriteria</u>	52
2.3.17	<u>A ARG TYPE Index</u>	53
2.3.18	<u>A ARG TYPE Count</u>	53
2.3.19	<u>A ARG TYPE UpdateID</u>	53
2.3.20	<u>A ARG TYPE TransferID</u>	53
2.3.21	<u>A ARG TYPE TransferStatus</u>	53
2.3.22	<u>A ARG TYPE TransferLength</u>	54
2.3.23	<u>A ARG TYPE TransferTotal</u>	54
2.3.24	<u>A ARG TYPE TagValueList</u>	54
2.3.25	<u>A ARG TYPE URI</u>	54
2.3.26	<u>A ARG TYPE CDSView</u>	54
2.3.27	<u>A ARG TYPE QueryRequest</u>	54
2.3.28	<u>A ARG TYPE QueryResult</u>	55
2.3.29	<u>A ARG TYPE FFQCapabilities</u>	55
2.4	Eventing and Moderation	57
2.5	Actions	58
2.5.1	<u>GetSearchCapabilities()</u>	59
2.5.2	<u>GetSortCapabilities()</u>	60
2.5.3	<u>GetSortExtensionCapabilities()</u>	60
2.5.4	<u>GetFeatureList()</u>	61
2.5.5	<u>GetSystemUpdateID()</u>	61
2.5.6	<u>GetServiceResetToken()</u>	62
2.5.7	<u>Browse()</u>	62
2.5.8	<u>Search()</u>	64
2.5.9	<u>CreateObject()</u>	65
2.5.10	<u>DestroyObject()</u>	69
2.5.11	<u>UpdateObject()</u>	71
2.5.12	<u>MoveObject()</u>	76
2.5.13	<u>ImportResource()</u>	77
2.5.14	<u>ExportResource()</u>	78
2.5.15	<u>DeleteResource()</u>	79
2.5.16	<u>StopTransferResource()</u>	80
2.5.17	<u>GetTransferProgress()</u>	81

2.5.18	<u>CreateReference()</u>	82
2.5.19	<u>FreeFormQuery()</u>	82
2.5.20	<u>GetFreeFormQueryCapabilities()</u>	84
2.5.21	Non-Standard Actions Implemented by a UPnP Vendor	85
2.5.22	Common Error Codes	85
2.6	Theory of Operation (Informative)	86
2.6.1	Introduction	86
2.6.2	Generating Object ID Values	87
2.6.3	Content Setup for Browsing and Searching	87
2.6.4	Browsing	88
2.6.5	Searching	93
2.6.6	Browsing, Searching, and References	97
2.6.7	Object Creation	98
2.6.8	Object Resource Binding (Importing a Resource)	99
2.6.9	Exporting ContentDirectory Resources	101
2.6.10	Playlist Manipulation	102
2.6.11	Internet Content Representation	104
2.6.12	Bookmark Manipulation	104
2.6.13	Processing FreeForm Queries	116
2.6.14	Foreign Metadata	119
2.6.15	Monitoring Changes	121
3	XML Service Description	129
4	Test	138
Annex A (normative)	Schemas	139
A.1	DIDL-Lite	139
A.2	UPnP Elements	139
A.3	Dublin Core Subset Elements	139
A.4	Event Schema	139
A.5	<u>FeatureList</u> State Variable Schema	139
Annex B (normative)	AV Working Committee Properties	141
B.1	Base Properties	145
B.1.1	<u>@id</u>	146
B.1.2	<u>@parentID</u>	146
B.1.3	<u>@refID</u>	146
B.1.4	<u>@restricted</u>	147
B.1.5	<u>@searchable</u>	147
B.1.6	<u>@childCount</u>	147
B.1.7	<u>dc:title</u>	147
B.1.8	<u>dc:creator</u>	147
B.1.9	<u>res</u>	148
B.1.10	<u>upnp:class</u>	148
B.1.11	<u>upnp:searchClass</u>	149
B.1.12	<u>upnp:createClass</u>	150
B.1.13	<u>upnp:writeStatus</u>	151
B.2	Resource Encoding Characteristics Properties	151
B.2.1	<u>res</u>	152
B.3	Contributor-related Properties	157
B.3.1	<u>upnp:artist</u>	158

B.3.2	<u>upnp:actor</u>	158
B.3.3	<u>upnp:author</u>	158
B.3.4	<u>upnp:producer</u>	159
B.3.5	<u>upnp:director</u>	159
B.3.6	<u>dc:publisher</u>	159
B.3.7	<u>dc:contributor</u>	159
B.4	Affiliation-related Properties	159
B.4.1	<u>upnp:genre</u>	160
B.4.2	<u>upnp:album</u>	160
B.4.3	<u>upnp:playlist</u>	160
B.5	Associated Resources Properties	161
B.5.1	<u>upnp:albumArtURI</u>	161
B.5.2	<u>upnp:artistDiscographyURI</u>	161
B.5.3	<u>upnp:lyricsURI</u>	161
B.5.4	<u>dc:relation</u>	161
B.6	Storage-Related Properties	161
B.6.1	<u>upnp:storageTotal</u>	162
B.6.2	<u>upnp:storageUsed</u>	162
B.6.3	<u>upnp:storageFree</u>	162
B.6.4	<u>upnp:storageMaxPartition</u>	162
B.6.5	<u>upnp:storageMedium</u>	162
B.7	General Description (mainly for UI purposes) Properties	163
B.7.1	<u>dc:description</u>	163
B.7.2	<u>upnp:longDescription</u>	163
B.7.3	<u>upnp:icon</u>	164
B.7.4	<u>upnp:region</u>	164
B.7.5	<u>upnp:rights</u>	164
B.7.6	<u>dc:date</u>	164
B.7.7	<u>dc:language</u>	165
B.7.8	<u>upnp:playbackCount</u>	165
B.7.9	<u>upnp:lastPlaybackTime</u>	165
B.7.10	<u>upnp:lastPlaybackPosition</u>	166
B.7.11	<u>upnp:recordedStartDateTime</u>	166
B.7.12	<u>upnp:recordedDuration</u>	167
B.7.13	<u>upnp:recordedDayOfWeek</u>	167
B.7.14	<u>upnp:srsRecordScheduleID</u>	167
B.7.15	<u>upnp:srsRecordTaskID</u>	167
B.7.16	<u>upnp:recordable</u>	168
B.8	Recorded Object-related Properties	168
B.8.1	<u>upnp:programTitle</u>	168
B.8.2	<u>upnp:seriesTitle</u>	169
B.8.3	<u>upnp:programID</u>	169
B.8.4	<u>upnp:seriesID</u>	169
B.8.5	<u>upnp:channelID</u>	170
B.8.6	<u>upnp:episodeCount</u>	171
B.8.7	<u>upnp:episodeNumber</u>	171
B.8.8	<u>upnp:programCode</u>	171
B.8.9	<u>upnp:rating</u>	172
B.8.10	<u>upnp:episodeType</u>	172

B.9	User Channel and EPG Related Properties	173
B.9.1	<u>upnp:channelGroupName</u>	173
B.9.2	<u>upnp:callSign</u>	174
B.9.3	<u>upnp:networkAffiliation</u>	174
B.9.4	<u>upnp:serviceProvider</u>	174
B.9.5	<u>upnp:price</u>	174
B.9.6	<u>upnp:payPerView</u>	175
B.9.7	<u>upnp:epgProviderName</u>	175
B.9.8	<u>upnp:dateTimeRange</u>	175
B.10	Radio Broadcast Properties	176
B.10.1	<u>upnp:radioCallSign</u>	176
B.10.2	<u>upnp:radioStationID</u>	176
B.10.3	<u>upnp:radioBand</u>	176
B.11	Video Broadcast Properties	176
B.11.1	<u>upnp:channelNr</u>	177
B.11.2	<u>upnp:channelName</u>	177
B.11.3	<u>upnp:scheduledStartTime</u>	177
B.11.4	<u>upnp:scheduledEndTime</u>	178
B.11.5	<u>upnp:scheduledDuration</u>	179
B.12	Physical Tuner Status-related Properties	179
B.12.1	<u>upnp:signalStrength</u>	179
B.12.2	<u>upnp:signalLocked</u>	179
B.12.3	<u>upnp:tuned</u>	180
B.13	Bookmark-related Properties	180
B.13.1	<u>@neverPlayable</u>	180
B.13.2	<u>upnp:bookmarkID</u>	180
B.13.3	<u>upnp:bookmarkedObjectID</u>	181
B.13.4	<u>upnp:deviceUDN</u>	181
B.13.5	<u>upnp:stateVariableCollection</u>	181
B.14	Miscellaneous Properties	183
B.14.1	<u>upnp:DVDRegionCode</u>	183
B.14.2	<u>upnp:originalTrackNumber</u>	183
B.14.3	<u>upnp:toc</u>	183
B.14.4	<u>upnp:userAnnotation</u>	183
B.14.5	<u>desc</u>	183
B.15	Object Tracking Properties	184
B.15.1	<u>upnp:containerUpdateID</u>	184
B.15.2	<u>upnp:objectUpdateID</u>	185
B.15.3	<u>upnp:totalDeletedChildCount</u>	186
B.15.4	<u>res@updateCount</u>	186
B.16	Foreign Metadata-related Properties	186
B.16.1	<u>upnp:foreignMetadata</u>	187
Annex C	(normative) AV Working Committee Class Definitions	194
C.1	Class Hierarchy	194
C.1.1	Class name syntax	195
C.1.2	Class Properties Overview	196
C.2	<u>object</u> (Base Class)	200
C.2.1	<u>item:object</u>	200
C.2.2	<u>container:object</u>	208

Annex D (normative) EBNF Syntax Definitions.....	215
D.1 Date&time Syntax.....	215
Annex E (normative) CDS features.....	216
E.1 Requirements for the <i>EPG feature</i> , Version 1.....	217
E.2 Requirements for the <i>TUNER feature</i> , Version 1.....	218
E.3 Requirements for the <i>BOOKMARK feature</i> , Version 1.....	218
E.4 Requirements for the <i>FOREIGN_METADATA feature</i> , Version 1.....	219
E.5 Requirements for the <i>FFQ feature</i> , Version 1.....	220
Annex F (informative) Example ContentDirectory Hierarchy	222
Figure 1 — ContentDirectory Service Object Organization.	29
Figure 2 — Flattened DIDL-Lite hierarchical structure.....	33
Figure 3 — Class hierarchy for the item base class.	195
Figure 4 — Class hierarchy for the container base class.....	195
Table 1-1 — EBNF Operators.....	12
Table 1-2 — CSV Examples	13
Table 1-3 — Namespace Definitions.....	14
Table 1-4 — Schema-related Information	15
Table 1-5 — Default Namespaces for the AV Specifications.....	16
Table 2-1 — Properties in XML	35
Table 2-2 — State variables.....	37
Table 2-3 — <u>SearchCapabilities</u> requirements for supporting <i>Tracking Changes Option</i>	38
Table 2-4 — Sort Modifiers	39
Table 2-5 — <u>ContainerUpdateIDs</u> Example.....	42
Table 2-6 — <u>ContainerUpdateIDs</u> Example.....	42
Table 2-7 — Event moderation.....	57
Table 2-8 — Actions	58
Table 2-9 — Arguments for <u>GetSearchCapabilities()</u>	59
Table 2-10 — Error Codes for <u>GetSearchCapabilities()</u>	59
Table 2-11 — Arguments for <u>GetSortCapabilities()</u>	60
Table 2-12 — Error Codes for <u>GetSortCapabilities()</u>	60
Table 2-13 — Arguments for <u>GetSortExtensionCapabilities()</u>	60
Table 2-14 — Error Codes for <u>GetSortExtensionCapabilities()</u>	60
Table 2-15 — Arguments for <u>GetFeatureList()</u>	61
Table 2-16 — Error Codes for <u>GetFeatureList()</u>	61
Table 2-17 — Arguments for <u>GetSystemUpdateID()</u>	61
Table 2-18 — Error Codes for <u>GetSystemUpdateID()</u>	61
Table 2-19 — Arguments for <u>GetServiceResetToken()</u>	62
Table 2-20 — Error Codes for <u>GetServiceResetToken()</u>	62
Table 2-21 — Arguments for <u>Browse()</u>	63
Table 2-22 — Error Codes for <u>Browse()</u>	63
Table 2-23 — Arguments for <u>Search()</u>	64
Table 2-24 — Error Codes for <u>Search()</u>	65

Table 2-25 — Arguments for <u>CreateObject()</u>	69
Table 2-26 — Error codes for <u>CreateObject()</u>	69
Table 2-27 — Arguments for <u>DestroyObject()</u>	70
Table 2-28 — Error Codes for <u>DestroyObject()</u>	71
Table 2-29 — Update examples	73
Table 2-30 — Arguments for <u>UpdateObject()</u>	75
Table 2-31 — Error Codes for <u>UpdateObject()</u>	75
Table 2-32 — Arguments for <u>MoveObject()</u>	77
Table 2-33 — Error Codes for <u>MoveObject()</u>	77
Table 2-34 — Arguments for <u>ImportResource()</u>	78
Table 2-35 — Error Codes for <u>ImportResource()</u>	78
Table 2-36 — Arguments for <u>ExportResource()</u>	79
Table 2-37 — Error Codes for <u>ExportResource()</u>	79
Table 2-38 — Arguments for <u>DeleteResource()</u>	80
Table 2-39 — Error Codes for <u>DeleteResource()</u>	80
Table 2-40 — Arguments for <u>StopTransferResource()</u>	80
Table 2-41 — Error Codes for <u>StopTransferResource()</u>	81
Table 2-42 — Arguments for <u>GetTransferProgress()</u>	81
Table 2-43 — Error Codes for <u>GetTransferProgress()</u>	81
Table 2-44 — Arguments for <u>CreateReference()</u>	82
Table 2-45 — Error Codes for <u>CreateReference()</u>	82
Table 2-46 — Arguments for <u>FreeFormQuery()</u>	83
Table 2-47 — Error Codes for <u>FreeFormQuery()</u>	84
Table 2-48 — Arguments for <u>GetFreeFormQueryCapabilities()</u>	84
Table 2-49 — Error Codes for <u>GetFreeFormQueryCapabilities()</u>	85
Table 2-50 — Common Error Codes	85
Table B.1 — ContentDirectory Service Properties Overview	141
Table B.2 — Base Properties Overview	145
Table B.3 — allowedValueList for the <u>upnp:class</u> Property	148
Table B.4 — allowedValueList for the <u>upnp:writeStatus</u> Property	151
Table B.5 — Resource Encoding Characteristics Properties Overview	151
Table B.6 — allowedValueList for the <u>res@daylightSaving</u> Property	157
Table B.7 — Contributor-related Properties Overview	157
Table B.8 — Affiliation-related Properties Overview	159
Table B.9 — Associated Resources Properties Overview	161
Table B.10 — Storage-Related Properties Overview	161
Table B.11 — General Description (mainly for UI purposes) Properties Overview	163
Table B.12 — allowedValueList for the <u>upnp:recordedDayOfWeek</u> Property	167
Table B.13 — Recorded Object-related Properties Overview	168
Table B.14 — User Channel and EPG Related Properties Overview	173
Table B.15 — Radio Broadcast Properties Overview	176
Table B.16 — allowedValueList for the <u>upnp:radioBand</u> Property	176
Table B.17 — Video Broadcast Properties Overview	176

Table B.18 — allowedValueList for the upnp:scheduledStartTime@usage Property	178
Table B.19 — Physical Tuner Status-related Properties Overview	179
Table B.20 — Bookmark-related Properties Overview	180
Table B.21 — allowedValueList for the upnp:stateVariableCollection@rcsInstanceType Property	182
Table B.22 — Miscellaneous Properties Overview	183
Table B.23 — Object Tracking Properties Overview	184
Table B.24 — Foreign Metadata-related Properties Overview	186
Table C.1 — Class Properties Overview	196
Table C.2 — object Properties	200
Table C.3 — item Properties	201
Table C.4 — imageItem:item Properties	201
Table C.5 — photo:imageItem Properties	201
Table C.6 — audioItem:item Properties	202
Table C.7 — musicTrack:audioItem Properties	202
Table C.8 — audioBroadcast:audioItem Properties	202
Table C.9 — audioBook:audioItem Properties	203
Table C.10 — videoItem:item Properties	203
Table C.11 — movie:videoItem Properties	203
Table C.12 — videoBroadcast:videoItem Properties	204
Table C.13 — musicVideoClip:videoItem Properties	204
Table C.14 — playlistItem:item Properties	205
Table C.15 — textItem:item Properties	205
Table C.16 — bookmarkItem:item Properties	206
Table C.17 — epgItem:item Properties	206
Table C.18 — audioProgram:epgItem Properties	207
Table C.19 — videoProgram:epgItem Properties	208
Table C.20 — container Properties	208
Table C.21 — person:container Properties	208
Table C.22 — musicArtist:person Properties	209
Table C.23 — playlistContainer:container Properties	209
Table C.24 — album:container Properties	209
Table C.25 — musicAlbum:album Properties	210
Table C.26 — photoAlbum:album Properties	210
Table C.27 — genre:container Properties	210
Table C.28 — channelGroup:container Properties	211
Table C.29 — epgContainer:container Properties	212
Table C.30 — storageSystem:container Properties	213
Table C.31 — storageVolume:container Properties	213
Table C.32 — storageFolder:container Properties	214
Table C.33 — genre:container Properties	214
Table E.1 — CDS features	216
Table E.2 — REQUIRED characteristics of the <i>EPG Feature</i> element	217

Table E.3 — REQUIRED characteristics of the <i>TUNER Feature</i> element	218
Table E.4 — REQUIRED characteristics of the <i>BOOKMARK feature</i> element	219
Table E.5 — REQUIRED characteristics of the <i>FOREIGN_METADATA Feature</i> element	220
Table E.6 — REQUIRED characteristics of the <i>FFQ Feature</i> element	221

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 29341-14-12:2011

[https://standards.iteh.ai/catalog/standards/sist/9b8a7c8e-6307-40fc-9f72-
d698d2648c93/iso-iec-29341-14-12-2011](https://standards.iteh.ai/catalog/standards/sist/9b8a7c8e-6307-40fc-9f72-d698d2648c93/iso-iec-29341-14-12-2011)

INFORMATION TECHNOLOGY – UPNP DEVICE ARCHITECTURE –

Part 14-12: Audio, Video Device Control Protocol – Level 3 – Audio Video Content Directory Service

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 10) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 29341-14-12 was prepared by UPnP Forum Steering committee¹, was adopted, under the fast track procedure, by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 29341 series, under the general title *Information technology – UPnP device architecture*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

¹ UPnP Forum Steering committee, UPnP Forum, 3855 SW 153rd Drive, Beaverton, Oregon 97006 USA. See also "Introduction".

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

ISO/IEC 29341-14-12:2011

<https://standards.iteh.ai/catalog/standards/sist/9b8a7c8e-6307-40fc-9f72-d698d2648c93/iso-iec-29341-14-12-2011>

1 Overview and Scope

This service template is compliant with the UPnP Device Architecture version 1.0. It defines a service type referred to herein as ContentDirectory service.

1.1 Introduction

Many devices within the home network contain various types of content that other devices would like to access (for example, music, videos, still images, etc). As an example, a MediaServer device might contain a significant portion of the homeowner's audio, video, and still-image library. In order for the homeowner to enjoy this content, the homeowner must be able to browse the objects stored on the MediaServer, select a specific one, and cause it to be played on an appropriate rendering device (for example, an audio player for music objects, a TV for video content, an Electronic Picture Frame for still-images, etc).

For maximum convenience, it is highly desirable to allow the homeowner to initiate these operations from a variety of UI devices. In most cases, these UI devices will either be a UI built into the rendering device, or it will be a stand-alone UI device such as a wireless PDA or tablet. In any case, it is unlikely that the homeowner will interact directly with the device containing the content (that is: the homeowner won't have to walk over to the server device). In order to enable this capability, the server device needs to provide a uniform mechanism for UI devices to browse the content on the server and to obtain detailed information about individual content objects. This is the purpose of the ContentDirectory service.

The ContentDirectory service additionally provides a lookup/storage service that allows clients (for example, UI devices) to locate (and possibly store) individual objects (for example, songs, movies, pictures, etc) that the (server) device is capable of providing. For example, this service can be used to enumerate a list of songs stored on an MP3 player, a list of still-images comprising various slide-shows, a list of movies stored in a DVD-Jukebox, a list of TV shows currently being broadcast (a.k.a an EPG), a list of songs stored in a CD-Jukebox, a list of programs stored on a PVR (Personal Video Recorder) device, etc. Nearly any type of content can be enumerated via this ContentDirectory service. For devices that contain multiple types of content (for example, MP3, MPEG2, JPEG, etc.), a single instance of the ContentDirectory service can be used to enumerate all objects, regardless of their type.

1.2 Notation

- In this document, features are described as Required, Recommended, or Optional as follows:

The keywords "MUST," "MUST NOT," "REQUIRED," "SHALL," "SHALL NOT," "SHOULD," "SHOULD NOT," "RECOMMENDED," "MAY," and "OPTIONAL" in this specification are to be interpreted as described in [RFC 2119].

In addition, the following keywords are used in this specification:

PROHIBITED – The definition or behavior is prohibited by this specification. Opposite of REQUIRED.

CONDITIONALLY REQUIRED – The definition or behavior depends on a condition. If the specified condition is met, then the definition or behavior is REQUIRED, otherwise it is PROHIBITED.

CONDITIONALLY OPTIONAL – The definition or behavior depends on a condition. If the specified condition is met, then the definition or behavior is OPTIONAL, otherwise it is PROHIBITED.

These keywords are thus capitalized when used to unambiguously specify requirements over protocol and application features and behavior that affect the interoperability and security of implementations. When these words are not capitalized, they are meant in their natural-language sense.

- Strings that are to be taken literally are enclosed in "double quotes".