



SLOVENSKI STANDARD

SIST ETS 300 607-1 E6:2005

01-februar-2005

8 [[]HJb]`WV] b]`hY`Y_ca i b]_UW`g_]`g]ghYa `fZuU&L!`GdYVWZ_UW`Ug_`UXbcghj
a cV]`bY`dcgHUY`fA GL!`%`XY.`GdYVWZ_UW`Ug_`UXbcghj`fj GA`%%`\$!`%fUn`]]WU
(`%`%L

Digital cellular telecommunications system (Phase 2) (GSM); Mobile Station (MS) conformance specification; Part 1: Conformance specification (GSM 11.10-1 version 4.19.1)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/159be617-d3db-459a-923b-deed0af2b036/sist-ets-300-607-1-e6-2005>

Ta slovenski standard je istoveten z: **ETS 300 607-1 Edition 6**

ICS:

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

SIST ETS 300 607-1 E6:2005 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 607-1 E6:2005](https://standards.iteh.ai/catalog/standards/sist/159be617-d3db-459a-923b-deed0af2b036/sist-ets-300-607-1-e6-2005)

<https://standards.iteh.ai/catalog/standards/sist/159be617-d3db-459a-923b-deed0af2b036/sist-ets-300-607-1-e6-2005>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 607-1

January 1998

Sixth Edition

Source: SMG

Reference: RE/SMG-07111OPR4-1

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile Communication (GSM)



**Digital cellular telecommunications system (Phase 2);
Mobile Station (MS) conformance specification;
Part 1: Conformance specification
(GSM 11.10-1 version 4.19.1)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998. All rights reserved.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 607-1 E6:2005](https://standards.iteh.ai/catalog/standards/sist/159be617-d3db-459a-923b-deed0af2b036/sist-ets-300-607-1-e6-2005)

<https://standards.iteh.ai/catalog/standards/sist/159be617-d3db-459a-923b-deed0af2b036/sist-ets-300-607-1-e6-2005>

Contents

Foreword	29
1 Scope	31
2 Normative references	31
3 Definitions, conventions, and applicability	37
3.1 Mobile station definition and configurations	37
3.2 Applicability	38
3.2.1 Applicability of this specification	38
3.2.2 Applicability of the individual tests	38
3.2.3 Applicability to terminal equipment	58
3.3 Definitions	58
3.4 Conventions for mathematical notations	59
3.4.1 Mathematical signs	59
3.4.2 Powers to the base 10	59
3.5 Conventions on electrical terms	59
3.5.1 Radio Frequency (RF) input signal level	59
3.5.2 Reference sensitivity level	59
3.5.3 Power level of fading signal	60
3.6 Terms on test conditions	60
3.6.1 Radio test conditions	60
4 Test Equipment	60
4.1 Terms used to describe test equipment in this ETS	60
4.2 Functional requirements of test equipment	61
5 Testing methodology in general (layers 1, 2, and 3)	61
5.1 Testing of optional functions and procedures	61
5.2 Test interfaces and facilities	61
5.3 Different protocol layers	62
5.4 Information to be provided by the apparatus supplier	62
5.5 Definitions of transmit and receive times	62
6 Reference test methods	62
6.1 General	62
6.2 Choice of frequencies in the frequency hopping mode	62
6.3 "Ideal" radio conditions	63
6.4 Standard test signals	63
6.5 Power (control) levels	63
7 Implicit testing	63
8 Measurement uncertainty	63
9 Format of tests	64
10 Generic call set up procedures	64
10.1 Generic call set-up procedure for mobile terminating speech calls	64
10.1.1 Initial conditions	64
10.1.2 Definition of system information messages	65
10.1.3 Procedure	67
10.1.4 Specific message contents	68
10.2 Generic call set-up procedure for mobile originating speech calls	69
10.2.1 Initial conditions	69
10.2.2 Definition of system information messages	69

	10.2.3	Procedure	70
	10.2.4	Specific message contents	70
10.3	Generic call	set-up procedure for mobile terminating data calls	72
	10.3.1	Initial conditions	72
	10.3.2	Definition of system information messages	72
	10.3.3	Procedure	73
	10.3.4	Specific message contents	73
10.4	Generic call	set-up procedure for mobile originating data calls	75
	10.4.1	Initial conditions	75
	10.4.2	Definition of system information messages	75
	10.4.3	Procedure	76
	10.4.4	Specific message contents	76
11	General tests		79
11.1	Verification of support and non-support of services (multiple numbering scheme or ISDN)		79
	11.1.1	Mobile Terminated (MT) calls	79
	11.1.2	Mobile Originated (MO) calls	80
11.2	Verification of support of the single numbering scheme		81
11.3	Verification of non-support of services (Advice of Charge Charging (AoCC))		82
11.4	Verification of non-support of services (call hold)		83
11.5	Verification of non-support of services (multiparty)		84
11.6	Verification of non-support of feature (Fixed Dialling Number (FDN))		85
11.7	IMEI Security		86
11.8	Coding of the Bearer Capability information element		87
	11.8.1	Network to MS Direction	88
		11.8.1.1	BS 21 to 26 - Asynchronous Service
			11.8.1.1.1
			11.8.1.1.2
			11.8.1.1.3
			11.8.1.1.4
			11.8.1.1.5
			11.8.1.1.6
		11.8.1.2	BS 31 to 34 - Synchronous Service
			11.8.1.2.1
			11.8.1.2.2
			11.8.1.2.3
			11.8.1.2.4
		11.8.1.3	BS 61 - Alternate Speech / Data
			11.8.1.3.1
			11.8.1.3.2
			11.8.1.3.3
		11.8.1.4	BS 81 - Speech followed by Data
			11.8.1.4.1
			11.8.1.4.2
		11.8.1.5	TS 61 - Alternate Speech / Facsimile group 3
			11.8.1.5.1
			11.8.1.5.2
		11.8.1.6	TS 62 - Automatic Facsimile group 3
11.8.2	MS to SS direction		107
		11.8.2.1	BS 21 to 26 - Asynchronous Service
			11.8.2.1.1
			11.8.2.1.2
			11.8.2.1.3
			11.8.2.1.4
			11.8.2.1.5
			11.8.2.1.6

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 607-1 E6:2005
<https://standards.iteh.ai/catalog/standards/sist/1106417-d5d0-459a-923b-deed0a7b1839/sist-ets-300-607-1-2005>

ETS 300 607-1 (GSM 11.10-1 version 4.19.1): January 1998

11.8.2.2	BS 31 to 34 - Synchronous Service.....	113
	11.8.2.2.1 BS 32	113
	11.8.2.2.2 BS 31	117
	11.8.2.2.3 BS 33	118
	11.8.2.2.4 BS 34	118
11.8.2.3	BS 41 to 46 - PAD Access Asynchronous.....	119
	11.8.2.3.1 ²⁾ BS 41	119
	11.8.2.3.2 BS 42	120
	11.8.2.3.3 BS 44	121
	11.8.2.3.4 BS 45	121
	11.8.2.3.5 BS 46	121
	11.8.2.3.6 BS 43	121
11.8.2.4	BS 51 to 53 - Packet Service Synchronous.....	122
	11.8.2.4.1 ²⁾ BS 51	122
	11.8.2.4.2 BS 52	122
	11.8.2.4.3 BS 53	122
11.8.2.5	BS 61 - Alternate Speech / Data.....	123
	11.8.2.5.1 Speech/Asynchronous Data, Transparent	123
	11.8.2.5.2 Speech/Asynchronous Data, Non Transparent	125
	11.8.2.5.3 Speech/Synchronous Data	127
11.8.2.6	BS 81 - Speech followed by Data	128
	11.8.2.6.1 Speech followed by Asynchronous Data	128
	11.8.2.6.2 Speech followed by Synchronous Data	128
11.8.2.7	TS 61 - Alternate Speech / Facsimile group 3.....	128
	11.8.2.7.1 TS 61 - Alternate Speech / Facsimile group 3, Transparent	129
	11.8.2.7.2 TS 61 - Alternate Speech / Facsimile group 3, Non Transparent.....	130
11.8.2.8	TS 62 - Automatic Facsimile group 3	131
11.8.2.9	TS 11 and TS 12 - Speech	131
	11.8.2.9.1 Support of only full/half rate speech version 1	131
	11.8.2.9.2 Support of speech full rate version 2 (Enhanced Full Rate).....	131
12	Transceiver.....	133
12.1	Conducted spurious emissions.....	133
	12.1.1 MS allocated a channel	133
	12.1.2 MS in idle mode.....	134
12.2	Radiated spurious emissions.....	136
	12.2.1 MS allocated a channel	136
	12.2.2 MS in idle mode.....	138
13	Transmitter.....	141
13.1	Frequency error and phase error.....	141
13.2	Frequency error under multipath and interference conditions	144
13.3	Transmitter output power and burst timing	146
13.4	Output RF spectrum	153
13.5	Intermodulation attenuation	159
14	Receiver.....	161
14.1	Bad frame indication	166
	14.1.1 Bad frame indication - TCH/FS	166
	14.1.1.1 Bad frame indication - TCH/FS - Random RF input.....	166
	14.1.1.2 Bad frame indication - TCH/FS - Frequency hopping and downlink DTX	167
	14.1.2 Bad frame indication - TCH/HS.....	169
	14.1.2.1 Bad frame indication - TCH/HS - Random RF input.....	169

iTech STANDARD PREVIEW
(standards.iTech.ai)

SIST ETS 300 607-1 E6:2005
<https://standards.iTech.ai/catalog/standards/sist/59bc617-cdd-439a-923f-deed0af2b036/sist-ets-300-607-1-e6-2005>

	14.1.2.2	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX.....	170
	14.1.3	Bad frame indication - TCH/FS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network.....	171
	14.1.4	Bad frame indication - TCH/HS - Frequency hopping and downlink DTX - Phase 2 MS in a phase 1 network.....	173
14.2		Reference sensitivity.....	175
	14.2.1	Reference sensitivity - TCH/FS.....	175
	14.2.2	Reference sensitivity - TCH/HS (Speech frames).....	177
	14.2.3	Reference sensitivity - FACCH/F.....	180
	14.2.4	Reference sensitivity - FACCH/H.....	181
	14.2.5	Reference sensitivity - full rate data channels.....	182
	14.2.6	Reference sensitivity - half rate data channels.....	183
14.3		Usable receiver input level range.....	184
14.4		Co-channel rejection.....	185
	14.4.1	Co-channel rejection - TCH/FS.....	185
	14.4.2	Co-channel rejection - TCH/HS.....	187
	14.4.3	Co-channel rejection - TCH/HS (SID frames).....	189
	14.4.4	Co-channel rejection - FACCH/F.....	191
	14.4.5	Co-channel rejection - FACCH/H.....	192
14.5		Adjacent channel rejection.....	193
	14.5.1	Adjacent channel rejection - speech channels.....	193
	14.5.2	Adjacent channel rejection - control channels.....	195
14.6		Intermodulation rejection.....	197
	14.6.1	Intermodulation rejection - speech channels.....	197
	14.6.2	Intermodulation rejection - control channels.....	199
14.7		Blocking and spurious response.....	201
	14.7.1	Blocking and spurious response - speech channels.....	201
	14.7.2	Blocking and spurious response - control channels.....	204
14.8		AM suppression.....	207
	14.8.1	AM suppression - speech channels.....	207
	14.8.2	AM suppression - control channels.....	208
15		Timing advance and absolute delay.....	211
16		Reception time tracking speed.....	213
17		Access times during handover.....	215
	17.1	Intra cell channel change.....	215
	17.2	Inter cell handover.....	217
18		Temporary reception gaps.....	220
19		Channel release after unrecoverable errors.....	222
	19.1	Channel release after unrecoverable errors -1.....	222
	19.2	Channel release after unrecoverable errors - 2.....	223
	19.3	Channel release after unrecoverable errors - 3.....	224
20		Cell selection and reselection.....	226
	20.1	Cell selection.....	227
	20.2	Cell selection with varying signal strength values.....	229
	20.3	Basic cell reselection.....	231
	20.4	Cell reselection using TEMPORARY_OFFSET, CELL_RESELECT_OFFSET, POWER_OFFSET and PENALTY_TIME parameters.....	233
	20.5	Cell reselection using parameters transmitted in the System Information type 2bis, type 2ter, type 7 and type 8 messages.....	235
	20.5.5	Test Requirements.....	236
	20.6	Cell reselection timings.....	237
	20.6.1	Definition and applicability.....	237
	20.6.2	Conformance requirement.....	237
	20.6.3	Test purpose.....	237
	20.6.4	Method of test.....	237
	20.6.4.1	Initial conditions.....	237

ETS 300 607-1 (GSM 11.10-1 version 4.19.1): January 1998

	20.6.4.2	Procedure	237
	20.6.5	Test requirements	238
20.7	Priority of cells.....		238
	20.7.4.2	Procedure	239
	20.7.5	Test requirements	240
20.8	Cell reselection when C1 (serving cell) < 0 for 5 seconds.....		240
	20.8.1	Definition and applicability	240
	20.8.2	Conformance requirement	240
	20.8.3	Test purpose	240
	20.8.4	Method of test.....	240
	20.8.4.1	Initial conditions	240
	20.8.4.2	Procedure	240
	20.8.5	Test requirements	241
20.9	Running average of the surrounding cell BCCH carrier signal levels.....		241
	20.9.1	Definition and applicability	241
	20.9.2	Conformance requirement	241
	20.9.3	Test purpose	241
	20.9.4	Method of test.....	241
	20.9.4.1	Initial conditions	241
	20.9.4.2	Procedure	242
	20.9.5	Test requirements	242
20.10	Running average of the serving cell BCCH carrier signal level		242
	20.10.1	Definition and applicability	242
	20.10.2	Conformance requirement	242
	20.10.3	Test purpose	242
	20.10.4	Method of test.....	242
	20.10.4.1	Initial conditions	242
	20.10.4.2	Procedure	243
	20.10.5	Test requirement.....	243
20.11	Updating the list of six strongest neighbour carriers and decoding the BCCH information of a new carrier on the list.....		243
	20.11.1	Definition and applicability	243
	20.11.2	Conformance requirement	243
	20.11.3	Test purpose	243
	20.11.4	Method of test.....	244
	20.11.4.1	Initial conditions	244
	20.11.4.2	Procedure	244
	20.11.5	Test requirements	244
20.12	Decoding the BCCH information of the neighbour carriers on the list of six strongest neighbour carriers.....		244
	20.12.1	Definition and applicability	244
	20.12.2	Conformance requirement	244
	20.12.3	Test purpose	244
	20.12.4	Method of test.....	245
	20.12.4.1	Initial conditions	245
	20.12.4.2	Procedure	245
	20.12.5	Test requirements	245
20.13	Decoding the BSIC of the neighbour carriers on the list of six strongest neighbour carriers.....		245
	20.13.1	Definition and applicability	245
	20.13.2	Conformance requirement	245
	20.13.3	Test purpose	245
	20.13.4	Method of test.....	246
	20.13.4.1	Initial conditions	246
	20.13.4.2	Procedure	246
	20.13.5	Test requirements	246
20.14	Emergency calls.....		246
	20.14.1	Definition and applicability	246
	20.14.2	Conformance requirement	246
	20.14.3	Test purpose	247
	20.14.4	Method of test.....	247
	20.14.4.1	Initial conditions	247
	20.14.4.2	Procedure	247

20.14.5	Test requirements.....	247
20.15	Cell reselection due to MS rejection "LA not allowed".....	248
20.15.1	Definition and applicability	248
20.15.2	Conformance requirement.....	248
20.15.3	Test purpose.....	248
20.15.4	Method of test.....	248
20.15.4.1	Initial conditions.....	248
20.15.4.2	Procedure.....	249
20.15.5	Test requirements.....	249
20.16	Downlink signalling failure.....	249
20.16.1	Definition and applicability	249
20.16.2	Conformance requirement.....	249
20.16.3	Test purpose.....	250
20.17	Cell selection if no suitable cell found in 10 s.....	251
20.18	Cell reselection due to MS rejection "Roaming not allowed in this LA".....	252
20.18.5	Test requirements.....	253
20.19	Cell selection on release of SDCCH and TCH.....	253
20.19.1	Definition and applicability	253
20.19.2	Conformance requirement.....	253
20.19.3	Test purpose.....	254
20.19.4	Method of test.....	254
20.19.4.1	Initial conditions.....	254
20.19.4.2	Test procedure.....	254
20.19.5	Test requirements.....	254
20.20	Multiband cell selection and reselection.....	255
20.20.1	Multiband cell selection and reselection / Cell Selection	255
20.20.2	Multiband cell selection and reselection / Cell reselection.....	257
21	Received signal measurements.....	259
21.1	Signal strength	259
21.2	Signal strength selectivity.....	262
21.3	Signal quality under static conditions	263
21.3.1	Signal quality under static conditions - TCH/FS	263
21.3.2	Signal quality under static conditions - TCH/HS	265
21.3.2.4.2	Procedure.....	266
21.4	Signal quality under TU50 propagation conditions.....	267
21.4.4.1	Initial conditions.....	268
21.4.4.2	Procedure.....	268
22	Transmit power control timing and confirmation.....	270
23	Single frequency reference.....	271
24	Tests of the layer 1 signalling functions.....	272
25	Tests of the layer 2 signalling functions.....	273
25.1	Introduction, objective and scope.....	273
25.1.1	General	273
25.1.2	Test configurations	273
25.1.3	Pre-conditions.....	273
25.1.4	Layer 2 test frames.....	274
25.1.5	Establishment of the dedicated physical resource.....	274
25.1.6	Release of the dedicated physical resource	275
25.2	Test sequences.....	275
25.2.1	Initialization	276
25.2.1.1	Initialization when contention resolution required.....	276
25.2.1.1.1	Normal initialization	276
25.2.1.1.2	Initialization failure.....	277
25.2.1.1.2.1	Loss of UA frame	277
25.2.1.1.2.2	UA frame with different information field.....	278
25.2.1.1.2.3	Information frame and supervisory frames in response to an SABM frame.....	279

ETS 300 607-1 (GSM 11.10-1 version 4.19.1): January 1998

	25.2.1.1.3	Initialization denial.....	279
	25.2.1.1.4	Total initialization failure.....	280
	25.2.1.2	Initialization, contention resolution not required.....	281
	25.2.1.2.1	Normal initialization without contention resolution	281
	25.2.1.2.2	Initialization failure	282
	25.2.1.2.3	Initialization denial.....	284
	25.2.1.2.4	Total initialization failure.....	284
25.2.2		Normal information transfer.....	285
	25.2.2.1	Sequence counting and I frame acknowledgements.....	285
	25.2.2.2	Receipt of an I frame in the timer recovery state.....	288
	25.2.2.3	Segmentation and concatenation	290
25.2.3		Normal layer 2 disconnection	293
25.2.4		Test of link failure	293
	25.2.4.1	I frame loss (MS to SS)	293
	25.2.4.2	RR response frame loss (SS to MS)	294
	25.2.4.3	RR response frame loss (MS to SS)	295
25.2.5		Test of frame transmission with incorrect C/R values.....	296
	25.2.5.1	I frame with C bit set to zero.....	296
	25.2.5.2	SABM frame with C bit set to zero.....	297
25.2.6		Test of errors in the control field.....	298
	25.2.6.1	N(S) sequence error	298
	25.2.6.2	N(R) sequence error.....	300
	25.2.6.3	Improper F bit	300
25.2.7		Test on receipt of invalid frames	301
26		Testing of layer 3 functions	306
26.1		Default conditions and structured sequence of tests.....	306
	26.1.1	Default test conditions during layer 3 tests.....	306
	26.1.2	Structured sequence of the tests	307
	26.1.3	General rules for message parameters	308
	26.1.4	General rules for layer 3 testing	308
	26.1.5	Format of layer 3 test descriptions	308
26.2		Initial tests	310
	26.2.1	Channel request	310
	26.2.1.1	Channel request / initial time	310
	26.2.1.2	Channel request / repetition time.....	311
	26.2.1.3	Channel request / random reference.....	313
	26.2.2	IMSI detach and IMSI attach	314
	26.2.3	Sequenced MM / CM message transfer.....	318
	26.2.4	Establishment cause	319
26.3		Test of MS functions in idle mode.....	328
	26.3.1	Initial conditions.....	328
	26.3.2	MS indication of available PLMNs	330
	26.3.3	MS will send only if BSS is "on air"	331
	26.3.4	Manual mode of PLMN selection	331
26.4		Lower layer failures in layer 3 testing.....	333
	26.4.1	Introduction.....	333
	26.4.2	Layer 1 reception failures	333
	26.4.3	Data link layer failures	333
	26.4.4	Lower layer failures, used for the tests in clause 25	333
26.5		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions.....	334
	26.5.1	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown protocol discriminator.....	334
	26.5.2	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / TI and skip indicator	335
	26.5.2.1	TI and skip indicator / RR	335
	26.5.2.1.1	TI and skip indicator / RR / Idle Mode.....	335
	26.5.2.1.2	TI and skip indicator / RR / RR-Connection established.....	336
	26.5.2.2	TI and skip indicator / MM	337
	26.5.2.3	TI and skip indicator / CC	339

26.5.3	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / undefined or unexpected message type.....	341
26.5.3.1	Undefined or unexpected message type / undefined message type / CC.....	341
26.5.3.2	Undefined or unexpected message type / undefined message type / MM.....	342
26.5.3.3	Undefined or unexpected message type / undefined message type / RR.....	344
26.5.3.4	Undefined or unexpected message type / unexpected message type / CC.....	345
26.5.4	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unforeseen information elements in the non-imperative message part	346
26.5.4.1	Unforeseen information elements in the non-imperative message part / duplicated information elements	346
26.5.5	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / non-semantical mandatory IE errors	348
26.5.5.1	Non-semantical mandatory IE errors / RR.....	348
26.5.5.1.1	Non-semantical mandatory IE errors / RR / missing mandatory IE error.....	348
26.5.5.1.1.1	Non-semantical mandatory IE errors / RR / missing mandatory IE error / special case	348
26.5.5.1.1.2	Non-semantical mandatory IE errors / RR / missing mandatory IE error / general case.....	349
26.5.5.1.2	Non-semantical mandatory IE errors / RR / comprehension required	350
26.5.5.2	Non-semantical mandatory IE errors / MM	351
26.5.5.2.1	Non-semantical mandatory IE errors / MM / syntactically incorrect mandatory IE	351
26.5.5.2.2	Non-semantical mandatory IE errors / MM / syntactically incorrect mandatory IE	352
26.5.5.2.3	Non-semantical mandatory IE errors / MM / comprehension required	354
26.5.5.3	Non-semantical mandatory IE errors / CC.....	356
26.5.5.3.1	Non-semantical mandatory IE errors / CC / missing mandatory IE	356
26.5.5.3.1.1	Non-semantical mandatory IE errors / CC / missing mandatory IE / disconnect message	356
26.5.5.3.1.2	Non-semantical mandatory IE errors / CC / missing mandatory IE / general case.....	357
26.5.5.3.2	Non-semantical mandatory IE errors / CC / comprehension required	358
26.5.6	Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / unknown IE, comprehension not required.....	359
26.5.6.1	Unknown information elements in the non-imperative message part / MM	359
26.5.6.1.1	Unknown IE, comprehension not required / MM / IE unknown in the protocol.....	359
26.5.6.1.2	Unknown IE, comprehension not required / MM / IE unknown in the message.....	361
26.5.6.2	Unknown information elements in the non-imperative message part / CC.....	362
26.5.6.2.1	Unknown information elements in the non-imperative message part / CC / Call establishment.....	362

ETS 300 607-1 (GSM 11.10-1 version 4.19.1): January 1998

	26.5.6.2.2	Unknown information elements in the non-imperative message part / CC / disconnect.....	363
	26.5.6.2.3	Unknown information elements in the non-imperative message part / CC / release	364
	26.5.6.2.4	Unknown information elements in the non-imperative message part / CC / release complete	365
	26.5.6.3	Unknown IE in the non-imperative message part, comprehension not required / RR.....	366
26.5.7		Handling of unknown, unforeseen, and erroneous protocol data, and of parallel transactions / spare bits	368
	26.5.7.1	Spare bits / RR	368
	26.5.7.1.1	Spare bits / RR / paging channel	368
	26.5.7.1.2	Spare bits / RR / BCCH	369
	26.5.7.1.3	Spare bits / RR / AGCH	371
	26.5.7.1.4	Spare bits / RR / Connected Mode	373
	26.5.7.2	Spare bits / MM.....	375
	26.5.7.3	Spare bits / CC	376
26.5.8		Default contents of messages	379
26.6		Test of the elementary procedures for radio resource management	382
	26.6.1	Immediate assignment	382
	26.6.1.1	Immediate assignment / SDCCH or TCH assignment	382
	26.6.1.2	Immediate assignment / extended assignment	383
	26.6.1.3	Immediate assignment / assignment rejection	385
	26.6.1.4	Immediate assignment / ignore assignment.....	387
	26.6.1.5	Immediate assignment after immediate assignment reject.....	389
26.6.2		Test of paging.....	390
	26.6.2.1	Normal paging	390
	26.6.2.1.1	Paging / normal / type 1	390
	26.6.2.1.2	Paging / normal / type 2	392
	26.6.2.1.3	Paging / normal / type 3	394
	26.6.2.2	Paging / extended	396
	26.6.2.3	Paging / reorganization	400
	26.6.2.3.1	Paging / reorganization / procedure 1	400
	26.6.2.3.2	Paging / reorganization / procedure 2	403
	26.6.2.4	Paging / same as before.....	404
	26.6.2.5	Paging / multislot CCCH.....	405
26.6.3		Test of measurement report.....	406
	26.6.3.1	Measurement / no neighbours.....	407
	26.6.3.2	Measurement / all neighbours present	410
	26.6.3.3	Measurement / barred cells and non-permitted NCCs	414
	26.6.3.4	Measurement / DTX	419
	26.6.3.5	Measurement / Frequency Formats	423
	26.6.3.6	Measurement / multiband environment	426
26.6.4		Test of the channel assignment procedure	431
	26.6.4.1	Dedicated assignment / successful case	431
	26.6.4.2	Dedicated assignment / failure	442
	26.6.4.2.1	Dedicated assignment / failure / failure during active state.....	442
	26.6.4.2.2	Dedicated assignment / failure / general case	443
26.6.5		Test of handover	445
	26.6.5.1	Handover / successful / active call / non-synchronized	446
	26.6.5.2	Handover / successful / call under establishment / non-synchronized.....	461
	26.6.5.3	Handover / successful / active call / finely synchronized ...	479
	26.6.5.4	Handover / successful / call under establishment / finely synchronized.....	484
	26.6.5.5	Pre-synchronized handovers	494

	26.6.5.5.1	Handover / successful / active call / pre-synchronized / Timing Advance IE not included	494
	26.6.5.5.2	Handover / successful / call being established / pre-synchronized / timing advance IE is included / reporting of observed time difference requested... ..	496
	26.6.5.6	Handover / successful / active call / pseudo synchronized	498
	26.6.5.7	Handover / successful / active call / non-synchronized / reporting of observed time difference requested.	500
	26.6.5.8	Handover / layer 3 failure	501
	26.6.5.9	Handover / layer 1 failure	503
26.6.6		Test of frequency redefinition	504
	26.6.6.1	Frequency redefinition.....	504
26.6.7		Test of the channel mode modify procedure	509
	26.6.7.1	Test of the channel mode modify procedure / full rate.....	510
	26.6.7.2	Test of the channel mode modify procedure / half rate	512
26.6.8		Test of ciphering mode setting	514
	26.6.8.1	Ciphering mode / start ciphering	514
	26.6.8.2	Ciphering mode / no ciphering	515
	26.6.8.3	Ciphering mode / old cipher key.....	517
	26.6.8.4	Ciphering mode / change of mode, algorithm and key	518
	26.6.8.5	Ciphering mode / IMESV request	526
26.6.9		Test of additional assignment.....	528
26.6.10		Test of partial release	528
26.6.11		Test of classmark	528
	26.6.11.1	Classmark change	528
	26.6.11.2	Classmark interrogation.....	530
26.6.12		Test of channel release	532
	26.6.12.1	Channel release / SDCCH	532
	26.6.12.2	Channel release / SDCCH - no L2 ACK.....	533
	26.6.12.3	Channel release / TCH-F	535
	26.6.12.4	Channel release / TCH-F - no L2 ACK	536
26.6.13		Test of starting time	537
	26.6.13.1	Dedicated assignment with starting time / successful case / time not elapsed.....	539
	26.6.13.2	Dedicated assignment with starting time / successful case / time elapsed.....	540
	26.6.13.3	Dedicated assignment with starting time and frequency redefinition / failure case / time not elapsed.....	542
	26.6.13.4	Dedicated assignment with starting time and frequency redefinition / failure case / time elapsed.....	545
	26.6.13.5	Handover with starting time / successful case / time not elapsed.....	547
	26.6.13.6	Handover with starting time / successful case / time elapsed.....	549
	26.6.13.7	Handover with starting time and frequency redefinition / failure case / time not elapsed	551
	26.6.13.8	Handover with starting time and frequency redefinition / failure case / time elapsed	554
	26.6.13.9	Immediate assignment with starting time / successful case / time not elapsed	556
	26.6.13.10	Immediate assignment with starting time / successful case / time elapsed	558
26.6.14		Default contents of GSM 900 layer 3 messages for RR tests	560
26.6.15		Default contents of DCS 1 800 layer 3 messages for RR tests.....	571
26.7		Elementary procedures of mobility management.....	583
	26.7.1	TMSI reallocation	583
	26.7.2	Authentication	586
	26.7.2.1	Authentication accepted.....	586
	26.7.2.2	Authentication rejected.....	587
26.7.3		Identification.....	590
	26.7.3.1	General Identification	590

ETS 300 607-1 (GSM 11.10-1 version 4.19.1): January 1998

	26.7.3.2	Handling of IMSI shorter than the maximum length	592
26.7.4	Location updating		595
	26.7.4.1	Location updating / accepted	595
	26.7.4.2	Location updating / rejected	598
	26.7.4.2.1	Location updating / rejected / IMSI invalid	598
	26.7.4.2.2	Location updating / rejected / PLMN not allowed	601
	26.7.4.2.3	Location updating / rejected / location area not allowed	605
	26.7.4.2.4	Location updating / rejected / roaming not allowed in this location area	608
	26.7.4.3	Location updating / abnormal cases	615
	26.7.4.3.1	Location updating / abnormal cases / random access fails	615
	26.7.4.3.2	Location updating / abnormal cases / attempt counter less or equal to 4, LAI different	617
	26.7.4.3.3	Location updating / abnormal cases / attempt counter equal to 4	623
	26.7.4.3.4	Location updating / abnormal cases / attempt counter less or equal to 4, stored LAI equal to broadcast LAI	631
	26.7.4.4	Location updating / release / expiry of T3240	639
	26.7.4.5	Location updating / periodic	640
	26.7.4.5.1	Location updating / periodic spread	640
	26.7.4.5.2	Location updating / periodic normal / test 1	642
	26.7.4.5.3	Location updating / periodic normal / test 2	644
	26.7.4.5.4	Location updating / periodic HPLMN search	647
	26.7.4.5.4.1	Location updating / periodic HPLMN search / MS waits time T	647
	26.7.4.5.4.2	Location updating / periodic HPLMN search / MS in manual mode	648
	26.7.4.5.4.3	Location updating / periodic HPLMN search / MS waits at least two minutes and at most T minutes	649
	26.7.4.6	Location updating / interworking of attach and periodic	651
26.7.5	MM connection		653
	26.7.5.1	Introduction	653
	26.7.5.2	MM connection / establishment with cipher	653
	26.7.5.3	MM connection / establishment without cipher	655
	26.7.5.4	MM connection / establishment rejected	656
	26.7.5.5	MM connection / establishment rejected cause 4	657
	26.7.5.6	MM connection / expiry T3230	658
	26.7.5.7	MM connection / abortion by the network	659
	26.7.5.7.1	MM connection / abortion by the network / cause #6	659
	26.7.5.7.2	MM connection / abortion by the network / cause not equal to #6	662
	26.7.5.8	MM connection / follow-on request pending	663
	26.7.5.8.1	MM connection / follow-on request pending / test 1	663
	26.7.5.8.2	MM connection / follow-on request pending / test 2	664
	26.7.5.8.3	MM connection / follow-on request pending / test 3	665
	26.7.6	Default contents of messages	667
26.8	Tests related to circuit switched call control		671
	26.8.1	Circuit switched Call Control (CC) state machine verification	671
	26.8.1.1	General on CC state machine verification	671

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ETS 300 607-1 E6:2005

<https://standards.iteh.ai/catalog/standards/sist/159be617-c0d8-439a-9231-deed0af2b036/sist-ets-300-607-1-e6-2005>