



**Universal Mobile Telecommunications System (UMTS);
LTE;
UICC-terminal interface;
Universal Subscriber Identity Module (USIM)
application test specification
(3GPP TS 31.121 version 15.3.0 Release 15)**



Reference

RTS/TSGC-0631121vf30

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	20
Introduction	20
1 Scope	21
2 References	21
3 Definitions, symbols, abbreviations and coding.....	23
3.1 Definitions	23
3.2 Symbols.....	24
3.3 Abbreviations	24
3.4 Coding Conventions.....	26
3.5 Generic procedures for E-UTRAN/UTRAN/GERAN/IMS/NB-IoT/5G-NR.....	26
3.6 Applicability.....	27
3.6.1 Applicability of the present document	27
3.6.2 Applicability to terminal equipment	27
3.6.3 Applicability of the individual tests	27
3.7 Table of optional features.....	28
3.8 Applicability table	32
4 Default Values.....	52
4.1 Definition of default values for USIM-Terminal interface testing (Default UICC)	52
4.1.1 Values of the EF's (Default UICC).....	52
4.1.1.1 EF _{IMSI} (IMSI)	52
4.1.1.2 EF _{AD} (Administrative Data)	52
4.1.1.3 EF _{LOCI} (Location Information)	52
4.1.1.4 EF _{Keys} (Ciphering and Integrity Keys).....	53
4.1.1.5 EF _{KeysPS} (Ciphering and Integrity Keys for Packet Switched domain).....	53
4.1.1.6 EF _{ACC} (Access Control Class).....	53
4.1.1.7 EF _{FPLMN} (Forbidden PLMNs).....	53
4.1.1.8 EF _{UST} (USIM Service Table).....	53
4.1.1.9 EF _{EST} (Enable Service Table).....	54
4.1.1.10 EF _{ADN} (Abbreviated Dialling Number).....	54
4.1.1.11 EF _{PLMNWACT} (User Controlled PLMN Selector with Access Technology)	54
4.1.1.12 EF _{OPLMNWACT} (Operator Controlled PLMN Selector with Access Technology).....	55
4.1.1.13 Void.....	55
4.1.1.14 PIN	55
4.1.1.15 PIN2	55
4.1.1.16 Unblock PIN	56
4.1.1.17 Unblock PIN2	56
4.1.1.18 Other Values of the USIM	56
4.1.1.19 EF _{PSLOCI} (Packet Switch Location Information).....	56
4.1.1.20 Universal PIN.....	56
4.1.1.21 Unblock Universal PIN.....	56
4.2 Definition of FDN UICC.....	57
4.2.1 Values of the EF's (FDN UICC)	57
4.2.1.1 EF _{UST} (USIM Service Table)	57
4.2.1.2 EF _{EST} (Enable Service Table).....	57
4.2.1.3 EF _{FDN} (Fixed Dialling Numbers)	57
4.2.1.4 EF _{ECC} (Emergency Call Codes).....	58
4.2.1.5 Other Values of the USIM	58
4.3 Void.....	58
4.4 Definition of E-UTRAN/EPC UICC	58
4.4.1 EF _{UST} (USIM Service Table)	58
4.4.2 EF _{EPSLOCI} (EPS Information).....	59

4.4.3	EF _{PLMNwACT} (User Controlled PLMN Selector with Access Technology)	59
4.4.4	EF _{OPLMNwACT} (Operator Controlled PLMN Selector with Access Technology)	60
4.4.5	EF _{ACSGL} (Allowed CSG Lists)	60
4.4.6	EF _{CSGT} (CSG Type)	61
4.4.7	EF _{HNB} (Home (e)NodeB Name)	62
4.4.8	EF _{EPSNSC} (EPS NAS Security Context)	64
4.5	Definition of E-UTRAN/EPC ISIM-UICC	64
4.5.1	Applications on the E-UTRAN/EPC ISIM-UICC	64
4.5.2	Default USIM values on E-UTRAN/EPC ISIM-UICC	64
4.5.3	Default ISIM values on E-UTRAN/EPC ISIM-UICC	64
4.5.3.1	EF _{AD} (Administrative Data)	64
4.5.3.2	EF _{IST} (ISIM Service Table)	65
4.5.3.3	EF _{IMPI} (IMS private user identity)	65
4.5.3.4	EF _{DOMAIN} (Home Network Domain Name)	65
4.5.3.5	EF _{IMPU} (IMS public user identity)	65
4.5.3.6	EF _{P-CSCF} (P-CSCF ADDRESS)	66
4.5.3.7	EF _{SMS} (Short Message Service)	67
4.5.3.8	EF _{SMSR} (Short message status reports)	67
4.5.3.9	EF _{SMSF} (Short message service parameters)	67
4.5.3.10	EF _{SMS} (SMS Status)	68
4.5.4	Default values at DF_TELECOM	68
4.5.4.1	EF _{PSISMSC} (Public Service Identity of the SM-SC)	68
4.6	Definition of ACSGL/OCSGL E-UTRAN/EPC UICC	68
4.6.1	EF _{UST} (USIM Service Table)	68
4.6.2	EF _{AD} (Administrative Data)	69
4.6.3	EF _{OCSGL} (Operator CSG Lists)	69
4.6.4	EF _{OCSGT} (Operator CSG Type)	69
4.6.5	EF _{OHNBN} (Operator Home (e)NodeB Name)	71
4.7.1	Values of the EFs	72
4.7.1.1	EF _{UST} (USIM Service Table)	72
4.7.1.2	EF _{NASCONFIG} (Non Access Stratum Configuration)	73
5	Subscription related tests	80
5.1	IMSI / TMSI handling	80
5.1.1	UE identification by short IMSI	80
5.1.1.1	Definition and applicability	80
5.1.1.2	Conformance requirement	80
5.1.1.3	Test purpose	80
5.1.1.4	Method of test	80
5.1.1.4.1	Initial conditions	80
5.1.1.4.2	Procedure	80
5.1.1.5	Acceptance criteria	81
5.1.2	UE identification by short IMSI using a 2 digit MNC	81
5.1.2.1	Definition and applicability	81
5.1.2.2	Conformance requirement	81
5.1.2.3	Test purpose	81
5.1.2.4	Method of test	81
5.1.2.4.1	Initial conditions	81
5.1.2.4.2	Procedure	82
5.1.2.5	Acceptance criteria	82
5.1.3	UE identification by "short" TMSI	82
5.1.3.1	Definition and applicability	82
5.1.3.2	Conformance requirement	83
5.1.3.3	Test purpose	83
5.1.3.4	Method of test	83
5.1.3.4.1	Initial conditions	83
5.1.3.4.2	Procedure	83
5.1.3.5	Acceptance criteria	84
5.1.4	UE identification by "long" TMSI	84
5.1.4.1	Definition and applicability	84
5.1.4.2	Conformance requirement	84
5.1.4.3	Test purpose	84

5.1.4.4	Method of test	84
5.1.4.4.1	Initial conditions	84
5.1.4.4.2	Procedure	85
5.1.4.5	Acceptance criteria	85
5.1.5	UE identification by long IMSI, TMSI updating and key set identifier assignment	85
5.1.5.1	Definition and applicability	85
5.1.5.2	Conformance requirement	86
5.1.5.3	Test purpose	86
5.1.5.4	Method of test	86
5.1.5.4.1	Initial conditions	86
5.1.5.4.2	Procedure	87
5.1.5.5	Acceptance criteria	88
5.1.6	UE identification by short IMSI when accessing E-UTRAN/EPC	88
5.1.6.1	Definition and applicability	88
5.1.6.2	Conformance requirement	88
5.1.6.3	Test purpose	89
5.1.6.4	Method of test	89
5.1.6.4.1	Initial conditions	89
5.1.6.4.2	Procedure	89
5.1.6.5	Acceptance criteria	89
5.1.7	UE identification by short IMSI using a 2 digit MNC when accessing E-UTRAN/EPC	89
5.1.7.1	Definition and applicability	89
5.1.7.2	Conformance requirement	90
5.1.7.3	Test purpose	90
5.1.7.4	Method of test	90
5.1.7.4.1	Initial conditions	90
5.1.7.4.2	Procedure	90
5.1.7.5	Acceptance criteria	91
5.1.8	UE identification after changed IMSI with service "EMM Information" not available	91
5.1.8.2	Conformance requirement	91
5.1.8.3	Test purpose	91
5.1.8.4	Method of test	91
5.1.8.4.1	Initial conditions	91
5.1.8.4.2	Procedure	92
5.1.8.5	Acceptance criteria	92
5.1.9	UE identification by GUTI when using USIM with service "EMM Information" not available	92
5.1.9.2	Conformance requirement	92
5.1.9.3	Test purpose	93
5.1.9.4	Method of test	93
5.1.9.4.1	Initial conditions	93
5.1.9.4.2	Procedure	93
5.1.9.5	Acceptance criteria	93
5.1.10	UE identification by GUTI when using USIM with service "EMM Information" available	94
5.1.10.1	Definition and applicability	94
5.1.10.2	Conformance requirement	94
5.1.10.3	Test purpose	94
5.1.10.4	Method of test	94
5.1.10.4.1	Initial conditions	94
5.1.10.4.2	Procedure	95
5.1.10.5	Acceptance criteria	95
5.2	Access Control handling	95
5.2.1	Access Control information handling	95
5.2.1.1	Definition and applicability	95
5.2.1.2	Conformance requirement	95
5.2.1.3	Test purpose	96
5.2.1.4	Method of test	96
5.2.1.4.1	Initial conditions	96
5.2.1.4.2	Coding details	97
5.2.1.4.3	Procedure	97
5.2.1.5	Acceptance criteria	97
5.2.2	Access Control information handling for E-UTRAN/EPC	109
5.2.2.1	Definition and applicability	109

5.2.2.2	Conformance requirement.....	109
5.2.2.3	Test purpose	109
5.2.2.4	Method of test	109
5.2.2.4.1	Initial conditions	109
5.2.2.4.2	Coding details.....	110
5.2.2.4.3	Procedure.....	110
5.2.2.5	Acceptance criteria.....	110
6	Security related Tests	133
6.1	PIN handling	133
6.1.1	Entry of PIN.....	133
6.1.1.1	Definition and applicability.....	133
6.1.1.2	Conformance requirement.....	133
6.1.1.3	Test purpose	134
6.1.1.4	Method of test	134
6.1.1.4.1	Initial conditions	134
6.1.1.4.2	Procedure.....	134
6.1.1.5	Acceptance criteria.....	134
6.1.2	Change of PIN	134
6.1.2.1	Definition and applicability.....	134
6.1.2.2	Conformance requirement.....	134
6.1.2.3	Test purpose	134
6.1.2.4	Method of test	134
6.1.2.4.1	Initial conditions	134
6.1.2.4.2	Procedure.....	134
6.1.2.5	Acceptance criteria.....	135
6.1.3	Unblock PIN	135
6.1.3.1	Definition and applicability.....	135
6.1.3.2	Conformance requirement.....	135
6.1.3.3	Test purpose	135
6.1.3.4	Method of test	135
6.1.3.4.1	Initial conditions	135
6.1.3.4.2	Procedure.....	135
6.1.3.5	Acceptance criteria.....	136
6.1.4	Entry of PIN2.....	136
6.1.4.1	Definition and applicability.....	136
6.1.4.2	Conformance requirement.....	136
6.1.4.3	Test purpose	136
6.1.4.4	Method of test	137
6.1.4.4.1	Initial conditions	137
6.1.4.4.2	Procedure.....	137
6.1.4.5	Acceptance criteria.....	137
6.1.5	Change of PIN2	137
6.1.5.1	Definition and applicability.....	137
6.1.5.2	Conformance requirement.....	137
6.1.5.3	Test purpose	137
6.1.5.4	Method of test	137
6.1.5.4.1	Initial conditions	137
6.1.5.4.2	Procedure.....	138
6.1.5.5	Acceptance criteria.....	138
6.1.6	Unblock PIN2	138
6.1.6.1	Definition and applicability.....	138
6.1.6.2	Conformance requirement.....	138
6.1.6.3	Test purpose	138
6.1.6.4	Method of test	138
6.1.6.4.1	Initial conditions	138
6.1.6.4.2	Procedure.....	139
6.1.6.5	Acceptance criterias	139
6.1.7	Replacement of PIN.....	140
6.1.7.1	Definition and applicability.....	140
6.1.7.2	Conformance requirement.....	140
6.1.7.3	Test purpose	140

6.1.7.4	Method of test	140
6.1.7.4.1	Initial conditions	140
6.1.7.4.2	Procedure	140
6.1.7.5	Acceptance criteria	140
6.1.8	Change of Universal PIN	141
6.1.8.1	Definition and applicability	141
6.1.8.2	Conformance requirement	141
6.1.8.3	Test purpose	141
6.1.8.4	Method of test	141
6.1.8.4.1	Initial conditions	141
6.1.8.4.2	Procedure	141
6.1.8.5	Acceptance criteria	141
6.1.9	Unblock Universal PIN	142
6.1.9.1	Definition and applicability	142
6.1.9.2	Conformance requirement	142
6.1.9.3	Test purpose	142
6.1.9.4	Method of test	142
6.1.9.4.1	Initial conditions	142
6.1.9.4.2	Procedure	142
6.1.9.5	Acceptance criteria	142
6.1.10	Entry of PIN on multi-verification capable UICCs	143
6.1.10.1	Definition and applicability	143
6.1.10.2	Conformance requirement	143
6.1.10.3	Test purpose	143
6.1.10.4	Method of test	143
6.1.10.4.1	Initial conditions	143
6.1.10.4.2	Procedure	144
6.1.10.5	Acceptance criteria	144
6.1.11	Change of PIN on multi-verification capable UICCs	144
6.1.11.1	Definition and applicability	144
6.1.11.2	Conformance requirement	144
6.1.11.3	Test purpose	144
6.1.11.4	Method of test	144
6.1.11.4.1	Initial conditions	144
6.1.11.4.2	Procedure	145
6.1.11.5	Acceptance criteria	145
6.1.12	Unblock PIN on multi-verification capable UICCs	146
6.1.12.1	Definition and applicability	146
6.1.12.2	Conformance requirement	146
6.1.12.3	Test purpose	146
6.1.12.4	Method of test	146
6.1.12.4.1	Initial conditions	146
6.1.12.4.2	Procedure	147
6.1.12.5	Acceptance criteria	147
6.1.13	Entry of PIN2 on multi-verification capable UICCs	148
6.1.13.1	Definition and applicability	148
6.1.13.2	Conformance requirement	148
6.1.13.3	Test purpose	148
6.1.13.4	Method of test	148
6.1.13.4.1	Initial conditions	148
6.1.13.4.2	Procedure	149
6.1.13.5	Acceptance criteria	149
6.1.14	Change of PIN2 on multi-verification capable UICCs	149
6.1.14.1	Definition and applicability	149
6.1.14.2	Conformance requirement	149
6.1.14.3	Test purpose	149
6.1.14.4	Method of test	150
6.1.14.4.1	Initial conditions	150
6.1.14.4.2	Procedure	150
6.1.14.5	Acceptance criteria	151
6.1.15	Unblock PIN2 on multi-verification capable UICCs	151
6.1.15.1	Definition and applicability	151

6.1.15.2	Conformance requirement.....	151
6.1.15.3	Test purpose	151
6.1.15.4	Method of test	151
6.1.15.4.1	Initial conditions	151
6.1.15.4.2	Procedure.....	152
6.1.15.5	Acceptance criterias	153
6.1.16	Replacement of PIN with key reference "07"	153
6.1.16.1	Definition and applicability.....	153
6.1.16.2	Conformance requirement.....	153
6.1.16.3	Test purpose	153
6.1.16.4	Method of test	154
6.1.16.4.1	Initial conditions.....	154
6.1.16.4.2	Procedure.....	154
6.1.16.5	Acceptance criteria.....	155
6.2	Fixed Dialling Numbers (FDN) handling.....	155
6.2.1	Terminal and USIM with FDN enabled, EF _{ADN} readable and updateable	155
6.2.1.1	Definition and applicability.....	155
6.2.1.2	Conformance requirement.....	155
6.2.1.3	Test purpose	156
6.2.1.4	Method of test	156
6.2.1.4.1	Initial conditions	156
6.2.1.4.2	Procedure.....	156
6.2.1.5	Acceptance criteria.....	157
6.2.2	Terminal and USIM with FDN disabled.....	157
6.2.2.1	Definition and applicability.....	157
6.2.2.2	Conformance requirement.....	157
6.2.2.3	Test purpose	157
6.2.2.4	Method of test	157
6.2.2.4.1	Initial conditions	157
6.2.2.4.2	Procedure.....	158
6.2.2.5	Acceptance criteria.....	158
6.2.3	Enabling, disabling and updating of FDN	158
6.2.3.1	Definition and applicability.....	158
6.2.3.2	Conformance requirement.....	158
6.2.3.3	Test purpose	158
6.2.3.4	Method of test	159
6.2.3.4.1	Initial conditions	159
6.2.3.4.2	Procedure.....	159
6.2.3.5	Acceptance criteria.....	159
6.2.4	Terminal and USIM with FDN enabled, EF _{ADN} readable and updateable (Rel-4 and onwards)	159
6.2.4.1	Definition and applicability.....	159
6.2.4.2	Conformance requirement.....	159
6.2.4.3	Test purpose	160
6.2.4.4	Method of test	160
6.2.4.4.1	Initial conditions	160
6.2.4.4.2	Procedure.....	160
6.2.4.5	Acceptance criteria.....	161
6.3	Void.....	161
6.4	Advice of charge (AoC) handling	161
6.4.1	AoC not supported by USIM	161
6.4.1.1	Definition and applicability.....	161
6.4.1.2	Conformance requirement.....	161
6.4.1.3	Test purpose	161
6.4.1.4	Method of test	162
6.4.1.4.1	Initial conditions	162
6.4.1.4.2	Procedure.....	162
6.4.1.5	Acceptance criteria.....	162
6.4.2	Maximum frequency of ACM updating.....	162
6.4.2.1	Definition and applicability.....	162
6.4.2.2	Conformance requirement.....	163
6.4.2.3	Test purpose	163
6.4.2.4	Method of test	163

6.4.2.4.1	Initial conditions	163
6.4.2.4.2	Procedure	164
6.4.2.5	Acceptance criteria	165
6.4.3	Call terminated when ACM greater than ACMmax	165
6.4.3.1	Definition and applicability	165
6.4.3.2	Conformance requirement	165
6.4.3.3	Test purpose	166
6.4.3.4	Method of test	166
6.4.3.4.1	Initial conditions	166
6.4.3.4.2	Procedure	167
6.4.3.5	Acceptance criteria	169
6.4.4	Response codes of increase command of ACM	169
6.4.4.1	Definition and applicability	169
6.4.4.2	Conformance requirement	169
6.4.4.3	Test purpose	169
6.4.4.4	Method of test	170
6.4.4.4.1	Initial conditions	170
6.4.4.4.2	Procedure	170
6.4.4.5	Acceptance criteria	172
7	PLMN related tests	173
7.1	FPLMN handling	173
7.1.1	Adding FPLMN to the Forbidden PLMN list	173
7.1.1.1	Definition and applicability	173
7.1.1.2	Conformance requirement	173
7.1.1.3	Test purpose	175
7.1.1.4	Method of test	175
7.1.1.4.1	Initial conditions	175
7.1.1.4.2	Procedure	176
7.1.1.5	Acceptance criteria	179
7.1.2	UE updating forbidden PLMNs	181
7.1.2.1	Definition and applicability	181
7.1.2.2	Conformance requirement	182
7.1.2.3	Test purpose	182
7.1.2.4	Method of test	182
7.1.2.4.1	Initial conditions	182
7.1.2.4.2	Procedure	183
7.1.2.5	Acceptance criteria	183
7.1.3	UE deleting forbidden PLMNs	184
7.1.3.1	Definition and applicability	184
7.1.3.2	Conformance requirement	184
7.1.3.3	Test purpose	185
7.1.3.4	Method of test	185
7.1.3.4.1	Initial conditions	185
7.1.3.4.2	Procedure	186
7.1.3.5	Acceptance criteria	187
7.1.4	Adding FPLMN to the forbidden PLMN list when accessing E-UTRAN	188
7.1.4.1	Definition and applicability	188
7.1.4.2	Conformance requirement	188
7.1.4.3	Test purpose	189
7.1.4.4	Method of test	189
7.1.4.4.1	Initial conditions	189
7.1.4.4.2	Procedure	189
7.1.4.5	Acceptance criteria	190
7.1.5	UE updating forbidden PLMNs when accessing E-UTRAN	191
7.1.5.1	Definition and applicability	191
7.1.5.2	Conformance requirement	191
7.1.5.3	Test purpose	191
7.1.5.4	Method of test	191
7.1.5.4.1	Initial conditions	191
7.1.5.4.2	Procedure	192
7.1.5.5	Acceptance criteria	192

7.1.6	UE deleting forbidden PLMNs when accessing E-UTRAN	193
7.1.6.1	Definition and applicability.....	193
7.1.6.2	Conformance requirement.....	193
7.1.6.3	Test purpose	193
7.1.6.4	Method of test	193
7.1.6.4.1	Initial conditions.....	193
7.1.6.4.2	Procedure.....	194
7.1.6.5	Acceptance criteria.....	194
7.1.7	Updating the Forbidden PLMN list after receiving non-integrity protected reject message – UTRAN ..	195
7.1.7.1	Definition and applicability.....	195
7.1.7.2	Conformance requirement.....	195
7.1.7.3	Test purpose	195
7.1.7.4	Method of test	195
7.1.7.4.1	Initial conditions.....	195
7.1.7.4.2	Procedure.....	196
7.1.7.5	Acceptance criteria.....	196
7.1.8	Updating the Forbidden PLMN list after receiving non-integrity protected reject message – E-UTRAN	197
7.1.8.1	Definition and applicability.....	197
7.1.8.2	Conformance requirement.....	197
7.1.8.3	Test purpose	197
7.1.8.4	Method of test	198
7.1.8.4.1	Initial conditions.....	198
7.1.8.4.2	Procedure.....	198
7.1.8.5	Acceptance criteria.....	198
7.2	User controlled PLMN selector handling	199
7.2.1	UE updating the User controlled PLMN selector list	199
7.2.1.1	Definition and applicability.....	199
7.2.1.2	Conformance requirement.....	199
7.2.1.3	Test purpose	199
7.2.1.4	Method of test	199
7.2.1.4.1	Initial conditions.....	199
7.2.1.4.2	Procedure.....	200
7.2.1.5	Acceptance criteria.....	200
7.2.2	UE recognising the priority order of the User controlled PLMN selector list with the same access technology.....	200
7.2.2.1	Definition and applicability.....	200
7.2.2.2	Conformance requirement.....	201
7.2.2.3	Test purpose	201
7.2.2.4	Method of test	201
7.2.2.4.1	Initial conditions.....	201
7.2.2.4.2	Procedure.....	202
7.2.2.5	Acceptance criteria.....	203
7.2.3	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference.	204
7.2.3.1	Definition and applicability.....	204
7.2.3.2	Conformance requirement.....	204
7.2.3.3	Test purpose	204
7.2.3.4	Method of test	204
7.2.3.4.1	Initial conditions.....	204
7.2.3.4.2	Procedure.....	205
7.2.3.5	Acceptance criteria.....	205
7.2.4	Void.....	206
7.2.5	UE updating the User controlled PLMN selector list for E-UTRAN	206
7.2.5.1	Definition and applicability.....	206
7.2.5.2	Conformance requirement.....	206
7.2.5.3	Test purpose	206
7.2.5.4	Method of test	206
7.2.5.4.1	Initial conditions.....	206
7.2.5.4.2	Procedure.....	206
7.2.5.5	Acceptance criteria.....	206

7.2.6	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference- UTRAN/E-UTRAN	207
7.2.6.1	Definition and applicability.....	207
7.2.6.2	Conformance requirement.....	207
7.2.6.3	Test purpose	207
7.2.6.4	Method of test	207
7.2.6.4.1	Initial conditions.....	207
7.2.6.4.2	Procedure.....	208
7.2.6.5	Acceptance criteria.....	208
7.2.7	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference- GSM/E-UTRAN	208
7.2.7.1	Definition and applicability.....	208
7.2.7.2	Conformance requirement.....	209
7.2.7.3	Test purpose	209
7.2.7.4	Method of test	209
7.2.7.4.1	Initial conditions.....	209
7.2.7.4.2	Procedure.....	209
7.2.7.5	Acceptance criteria.....	209
7.3	Operator controlled PLMN selector handling	215
7.3.1	UE recognising the priority order of the Operator controlled PLMN selector list.....	215
7.3.1.1	Definition and applicability.....	215
7.3.1.2	Conformance requirement.....	215
7.3.1.3	Test purpose	215
7.3.1.4	Method of test	215
7.3.1.4.1	Initial conditions.....	215
7.3.1.4.2	Procedure.....	216
7.3.1.5	Acceptance criteria.....	218
7.3.2	UE recognising the priority order of the User controlled PLMN selector over the Operator controlled PLMN selector list.....	219
7.3.2.1	Definition and applicability.....	219
7.3.2.2	Conformance requirement.....	219
7.3.2.3	Test purpose	219
7.3.2.4	Method of test	219
7.3.2.4.1	Initial conditions.....	219
7.3.2.4.2	Procedure.....	220
7.3.2.5	Acceptance criteria.....	222
7.3.3	UE recognising the priority order of the Operator controlled PLMN selector list when accessing E-UTRAN	223
7.3.3.1	Definition and applicability.....	223
7.3.3.2	Conformance requirement.....	223
7.3.3.3	Test purpose	223
7.3.3.4	Method of test	223
7.3.3.4.1	Initial conditions.....	223
7.3.3.4.2	Procedure.....	224
7.3.3.5	Acceptance criteria.....	225
7.3.4	UE recognising the priority order of the User controlled PLMN selector over the Operator controlled PLMN selector list – E-UTRAN.....	225
7.3.4.1	Definition and applicability.....	225
7.3.4.2	Conformance requirement.....	225
7.3.4.3	Test purpose	225
7.3.4.4	Method of test	225
7.3.4.4.1	Initial conditions.....	225
7.3.4.4.2	Procedure.....	226
7.3.4.5	Acceptance criteria.....	226
7.4	Higher priority PLMN search handling.....	238
7.4.1	UE recognising the search period of the Higher priority PLMN	238
7.4.1.1	Definition and applicability.....	238
7.4.1.2	Conformance requirement.....	238
7.4.1.3	Test purpose	238
7.4.1.4	Method of test	239
7.4.1.4.1	Initial conditions.....	239
7.4.1.4.2	Procedure.....	239

7.4.1.5	Acceptance criteria.....	242
7.4.2	GSM/UmTS dual mode UEs recognising the search period of the Higher priority PLMN.....	243
7.4.2.1	Definition and applicability.....	243
7.4.2.2	Conformance requirement.....	243
7.4.2.3	Test purpose	243
7.4.2.4	Method of test	243
7.4.2.4.1	Initial conditions.....	243
7.4.2.4.2	Procedure.....	244
7.4.2.5	Acceptance criteria.....	245
7.4.3	UE recognising the search period of the Higher priority PLMN – E-UTRAN.....	246
7.4.3.1	Definition and applicability.....	246
7.4.3.2	Conformance requirement.....	246
7.4.3.3	Test purpose	247
7.4.3.4	Method of test	247
7.4.3.4.1	Initial conditions.....	247
7.4.3.4.2	Procedure.....	247
7.4.3.5	Acceptance criteria.....	248
7.4.4	E-UTRAN/EPC capable UEs recognising the search period of the Higher priority PLMN – GSM/E-UTRAN	248
7.4.4.1	Definition and applicability.....	248
7.4.4.2	Conformance requirement.....	248
7.4.4.3	Test purpose	249
7.4.4.4	Method of test	249
7.4.4.4.1	Initial conditions.....	249
7.4.4.4.2	Procedure.....	250
7.4.4.5	Acceptance criteria.....	250
7.4.5	E-UTRAN/EPC capable UEs recognising the search period of the Higher priority PLMN – UTRAN/E-UTRAN.....	251
7.4.5.1	Definition and applicability.....	251
7.4.5.2	Conformance requirement.....	251
7.4.5.3	Test purpose	251
7.4.5.4	Method of test	251
7.4.5.4.1	Initial conditions.....	251
7.4.5.4.2	Procedure.....	252
7.4.5.5	Acceptance criteria.....	253
7.5	Void.....	253
8	Subscription independent tests	253
8.1	Phone book procedures	253
8.1.1	Recognition of a previously changed phonebook	253
8.1.1.1	Definition and applicability.....	253
8.1.1.2	Conformance requirement.....	254
8.1.1.3	Test purpose	254
8.1.1.4	Method of test	254
8.1.1.4.1	Initial conditions.....	254
8.1.1.4.2	Procedure.....	255
8.1.1.5	Acceptance criteria.....	255
8.1.2	Update of the Phonebook Synchronisation Counter (PSC)	255
8.1.2.1	Definition and applicability.....	255
8.1.2.2	Conformance requirement.....	255
8.1.2.3	Test purpose	255
8.1.2.4	Method of test	255
8.1.2.4.1	Initial conditions.....	255
8.1.2.4.2	Procedure.....	256
8.1.2.5	Acceptance criteria.....	256
8.1.3	Phonebook content handling.....	257
8.1.3.1	Handling of BCD number/ SSC content extension	257
8.1.3.1.1	Definition and applicability.....	257
8.1.3.1.2	Conformance requirement	257
8.1.3.1.3	Test purpose	257
8.1.3.1.4	Method of test.....	257
8.1.3.1.5	Acceptance criteria	260