



TECHNICAL SPECIFICATION

**Smart Cards;
UICC-Terminal interface;
Physical, electrical and logical test specification;
Part 1: Terminal features
(Release 12)**

Standard-Preview
<https://standards.iteh.ai/catalog/standards/sls/ce6fc577-0087-450a-b216-a0e64b4a9140/etsi-ts-102-230-1-v12-0-2019-05>

ReferenceRTS/SCP-00102230TVc00

Keywordssmart card, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	12
Foreword.....	12
Modal verbs terminology.....	12
Introduction	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definition of terms, symbols, abbreviations and coding conventions.....	15
3.1 Terms.....	15
3.2 Symbols.....	15
3.3 Abbreviations	16
3.4 Coding conventions.....	17
3.5 Applicability.....	17
3.5.1 Applicability of the present document.....	17
3.5.2 Applicability of the individual test cases	17
3.5.3 Applicability to terminal equipment	17
3.6 Definitions.....	17
3.6.1 Format of table of the table of optional features.....	17
3.6.2 Format of the applicability table.....	18
3.6.3 Status and Notations	18
3.7 Table of optional features.....	18
3.8 Applicability table	19
4 Physical characteristic tests	23
4.1 Contact pressure	23
4.1.1 Definition and applicability	23
4.1.2 Conformance requirement	23
4.1.2.0 Description.....	23
4.1.2.1 Reference	23
4.1.3 Test purpose.....	23
4.1.4 Method of test.....	23
4.1.4.1 Initial conditions	23
4.1.4.2 Procedure	23
4.1.5 Acceptance criteria	23
4.2 Curvature of the contacting elements	23
4.2.1 Definition and applicability	23
4.2.2 Conformance requirement	24
4.2.2.0 Description.....	24
4.2.2.1 Reference	24
4.2.3 Test purpose.....	24
4.2.4 Method of test.....	24
4.2.4.1 Initial conditions	24
4.2.4.2 Procedure	24
4.2.5 Acceptance criteria	24
5 Electrical characteristic tests	24
5.1 Test of the power transition phases	24
5.1.1 Phase preceding Terminal power on.....	24
5.1.1.1 Definition and applicability.....	24
5.1.1.2 Conformance requirement.....	24
5.1.1.3 Reference	24
5.1.1.4 Test purpose	25
5.1.1.5 Method of test	25
5.1.1.5.1 Initial condition	25

5.1.1.5.2	Procedure.....	25
5.1.1.6	Acceptance criteria.....	25
5.1.2	Phase during UICC power on	25
5.1.2.1	Phase during UICC power on: 3 V - 5 V	25
5.1.2.1.1	Definition and applicability	25
5.1.2.1.2	Conformance requirement	25
5.1.2.1.3	Reference.....	25
5.1.2.1.4	Test purpose	26
5.1.2.1.5	Method of test.....	26
5.1.2.1.6	Acceptance criteria	26
5.1.2.2	Phase during UICC power on: 1,8 V - 3 V	26
5.1.2.2.1	Definition and applicability	26
5.1.2.2.2	Conformance requirement	26
5.1.2.2.3	Reference.....	26
5.1.2.2.4	Test purpose	26
5.1.2.2.5	Method of test.....	27
5.1.2.2.6	Acceptance criteria	27
5.1.3	Phase during Terminal power off	27
5.1.3.1	Phase during Terminal power off: 3 V - 5 V.....	27
5.1.3.1.1	Definition and applicability	27
5.1.3.1.2	Conformance requirement	27
5.1.3.1.3	Reference.....	27
5.1.3.1.4	Test purpose	28
5.1.3.1.5	Method of test.....	28
5.1.3.1.6	Acceptance criteria	28
5.1.3.2	Phase during Terminal power off: 1,8 V - 3 V.....	28
5.1.3.2.1	Definition and applicability	28
5.1.3.2.2	Conformance requirement	28
5.1.3.2.3	Reference.....	29
5.1.3.2.4	Test purpose	29
5.1.3.2.5	Method of test.....	29
5.1.3.2.6	Acceptance criteria	29
5.1.4	Warm reset timing	29
5.1.4.1	Definition and applicability.....	29
5.1.4.2	Conformance requirement.....	29
5.1.4.2.0	Description	29
5.1.4.2.1	Reference.....	30
5.1.4.3	Test purpose	30
5.1.4.4	Method of test	30
5.1.4.4.1	Initial conditions.....	30
5.1.4.4.2	Procedure.....	30
5.1.4.5	Acceptance criteria.....	30
5.1.5	UICC type recognition and voltage switching	30
5.1.5.1	Reaction of 3 V technology Terminals on type recognition of 3 V technology UICCs.....	30
5.1.5.1.1	Definition and applicability	30
5.1.5.1.2	Conformance requirement	30
5.1.5.1.3	Reference.....	30
5.1.5.1.4	Test purpose	31
5.1.5.1.5	Method of test.....	31
5.1.5.1.6	Acceptance criteria	31
5.1.5.2	Reaction of 3 V technology Terminals on type recognition of 1,8 V technology UICCs.....	31
5.1.5.2.1	Definition and applicability	31
5.1.5.2.2	Conformance requirement	31
5.1.5.2.3	Reference.....	31
5.1.5.2.4	Test purpose	32
5.1.5.2.5	Method of test.....	32
5.1.5.2.6	Acceptance criteria	32
5.1.5.3	Reaction of 1,8 V technology Terminals on type recognition of 1,8 V technology UICCs.....	32
5.1.5.3.1	Definition and applicability	32
5.1.5.3.2	Conformance requirement	32
5.1.5.3.3	Reference.....	32
5.1.5.3.4	Test purpose	32

5.1.5.3.5	Method of test.....	33
5.1.5.3.6	Acceptance criteria	33
5.1.5.4	Reaction of 1,8 V technology Terminals on type recognition of 3 V technology UICCs	33
5.1.5.4.1	Definition and applicability	33
5.1.5.4.2	Conformance requirement	33
5.1.5.4.3	Reference.....	33
5.1.5.4.4	Test purpose	33
5.1.5.4.5	Method of test.....	34
5.1.5.4.6	Acceptance criteria	34
5.1.5.5	Void.....	34
5.1.5.6	Reaction of Terminals receiving no ATR	34
5.1.5.6.1	Reaction of Terminals receiving no ATR: 3 V - 5 V.....	34
5.1.5.6.2	Reaction of Terminals receiving no ATR: 1,8 V - 3 V.....	35
5.2	Electrical tests on each Terminal contact	36
5.2.1	Nominal test conditions	36
5.2.2	Electrical tests on contact C1 (Card power supply - VCC).....	36
5.2.2.1	Electrical tests on contact C1, Test 1: 3 V - 5 V	36
5.2.2.1.1	Definition and applicability	36
5.2.2.1.2	Conformance requirement	37
5.2.2.1.3	Reference.....	37
5.2.2.1.4	Test purpose	37
5.2.2.1.5	Method of test.....	37
5.2.2.1.6	Acceptance criteria	37
5.2.2.2	Electrical tests on contact C1, Test 2: 3 V - 5 V	37
5.2.2.2.1	Definition and applicability	37
5.2.2.2.2	Conformance requirement	37
5.2.2.2.3	Reference.....	38
5.2.2.2.4	Test purpose	38
5.2.2.2.5	Method of test.....	38
5.2.2.2.6	Acceptance criteria	40
5.2.2.3	Electrical tests on contact C1, Test 1: 1,8 V - 3 V	40
5.2.2.3.1	Definition and applicability	40
5.2.2.3.2	Conformance requirement	40
5.2.2.3.3	Reference.....	40
5.2.2.3.4	Test purpose	40
5.2.2.3.5	Method of test.....	40
5.2.2.3.6	Acceptance criteria	41
5.2.2.4	Electrical tests on contact C1, Test 2: 1,8 V - 3 V	41
5.2.2.4.1	Definition and applicability	41
5.2.2.4.2	Conformance requirement	41
5.2.2.4.3	Reference.....	41
5.2.2.4.4	Test purpose	41
5.2.2.4.5	Method of test.....	41
5.2.2.4.6	Acceptance criteria	43
5.2.3	Electrical tests on contact C2 (Reset - RST).....	43
5.2.3.1	Electrical tests on contact C2: 3 V - 5 V	43
5.2.3.1.1	Definition and applicability	43
5.2.3.1.2	Conformance requirement	43
5.2.3.1.3	Reference.....	43
5.2.3.1.4	Test purpose	43
5.2.3.1.5	Method of test.....	43
5.2.3.1.6	Acceptance criteria	43
5.2.3.2	Electrical tests on contact C2: 1,8 V - 3 V	44
5.2.3.2.1	Definition and applicability	44
5.2.3.2.2	Conformance requirement	44
5.2.3.2.3	Reference.....	44
5.2.3.2.4	Test purpose	44
5.2.3.2.5	Method of test.....	44
5.2.3.2.6	Acceptance criteria	44
5.2.4	Electrical tests on contact C3 (Clock - CLK)	44
5.2.4.1	Electrical tests on contact C3: 3 V - 5 V	44
5.2.4.1.1	Definition and applicability	44

5.2.4.1.2	Conformance requirement	45
5.2.4.1.3	Reference	45
5.2.4.1.4	Test purpose	45
5.2.4.1.5	Method of test.....	45
5.2.4.1.6	Acceptance criteria	45
5.2.4.2	Electrical tests on contact C3: 1,8 V - 3 V	46
5.2.4.2.1	Definition and applicability	46
5.2.4.2.2	Conformance requirement	46
5.2.4.2.3	Reference	46
5.2.4.2.4	Test purpose	46
5.2.4.2.5	Method of test.....	46
5.2.4.2.6	Acceptance criteria	47
5.2.5	Electrical tests on contact C7 (Input/Output - I/O)	47
5.2.5.1	Electrical tests on contact C7, Test 1: 3 V - 5 V	47
5.2.5.1.1	Definition and applicability	47
5.2.5.1.2	Conformance requirement	47
5.2.5.1.3	Reference	48
5.2.5.1.4	Test purpose	48
5.2.5.1.5	Method of test.....	48
5.2.5.1.6	Acceptance criteria	48
5.2.5.2	Electrical tests on contact C7, Test 2: 3 V - 5 V	48
5.2.5.2.1	Definition and applicability	48
5.2.5.2.2	Conformance requirement	48
5.2.5.2.3	Reference	49
5.2.5.2.4	Test purpose	49
5.2.5.2.5	Method of test.....	49
5.2.5.2.6	Acceptance criteria	49
5.2.5.3	Electrical tests on contact C7, Test 1: 1,8 V - 3 V	49
5.2.5.3.1	Definition and applicability	49
5.2.5.3.2	Conformance requirement	50
5.2.5.3.3	Reference	50
5.2.5.3.4	Test purpose	50
5.2.5.3.5	Method of test.....	50
5.2.5.3.6	Acceptance criteria	51
5.2.5.4	Electrical tests on contact C7, Test 2: 1,8 V - 3 V	51
5.2.5.4.1	Definition and applicability	51
5.2.5.4.2	Conformance requirement	51
5.2.5.4.3	Reference	51
5.2.5.4.4	Test purpose	51
5.2.5.4.5	Method of test.....	52
5.2.5.4.6	Acceptance criteria	52
6	Initial communication tests	52
6.1	ATR.....	52
6.1.1	ATR characters	52
6.1.1.1	Definition and applicability.....	52
6.1.1.2	Conformance requirement.....	52
6.1.1.2.0	Description	52
6.1.1.2.1	Reference.....	52
6.1.1.3	Test purpose	52
6.1.1.4	Method of test	53
6.1.1.4.1	Initial conditions	53
6.1.1.4.2	Procedure.....	53
6.1.1.5	Acceptance criteria.....	55
6.2	Clock stop mode with 1,8 V technology UICC.....	56
6.2.1	Definition and applicability	56
6.2.2	Conformance requirement	56
6.2.2.0	Description	56
6.2.2.1	Reference	56
6.2.3	Test purpose.....	56
6.2.4	Method of test.....	56
6.2.4.1	Initial conditions	56

6.2.4.2	Procedure	56
6.2.5	Acceptance criteria	58
6.3	Clock stop mode with 3 V technology UICC	59
6.3.1	Definition and applicability	59
6.3.2	Conformance requirement	59
6.3.2.0	Description	59
6.3.2.1	Reference	59
6.3.3	Test purpose	59
6.3.4	Method of test	59
6.3.4.1	Initial conditions	59
6.3.4.2	Procedure	59
6.3.5	Acceptance criteria	61
6.4	Void	61
6.5	Speed enhancement	61
6.5.1	Definition and applicability	61
6.5.2	Conformance requirement	62
6.5.3	Test purpose	62
6.5.4	Method of test	62
6.5.4.1	Initial conditions	62
6.5.4.2	Procedure	62
6.5.5	Acceptance criteria	63
7	Transmission protocol tests	63
7.1	Character transmission	63
7.1.1	Bit/character duration during the transmission from the Terminal to the UICC	63
7.1.1.1	Definition and applicability	63
7.1.1.2	Conformance requirement	63
7.1.1.2.0	Description	63
7.1.1.2.1	Reference	63
7.1.1.3	Test purpose	64
7.1.1.4	Method of test	64
7.1.1.4.1	Initial conditions	64
7.1.1.4.2	Procedure	64
7.1.1.5	Acceptance criteria	64
7.1.2	Bit/character duration during the transmission from the UICC to the Terminal	64
7.1.2.1	Definition and applicability	64
7.1.2.2	Conformance requirement	64
7.1.2.2.0	Description	64
7.1.2.2.1	Reference	64
7.1.2.3	Test purpose	64
7.1.2.4	Method of test	64
7.1.2.4.1	Initial conditions	64
7.1.2.4.2	Procedure	65
7.1.2.5	Acceptance criteria	65
7.2	T=0 protocol	65
7.2.1	Timing	65
7.2.1.1	Definition and applicability	65
7.2.1.2	Conformance requirement	65
7.2.1.2.0	Description	65
7.2.1.2.1	Reference	65
7.2.1.3	Test purpose	65
7.2.1.4	Method of test	65
7.2.1.4.1	Initial conditions	65
7.2.1.4.2	Procedure	66
7.2.1.5	Acceptance criteria	66
7.2.2	Command processing, ACK, NACK, NULL procedure bytes	67
7.2.2.1	Definition and applicability	67
7.2.2.2	Conformance requirement	67
7.2.2.2.0	Description	67
7.2.2.2.1	Reference	67
7.2.2.3	Test purpose	67
7.2.2.4	Method of test	67

7.2.2.4.1	Initial conditions	67
7.2.2.4.2	Procedure	67
7.2.2.5	Acceptance criteria	68
7.2.3	Case 2 command, use of procedure bytes '61xx' and '6Cxx'	68
7.2.3.1	Definition and applicability	68
7.2.3.2	Conformance requirement	68
7.2.3.2.0	Description	68
7.2.3.2.1	Reference	68
7.2.3.3	Test purpose	68
7.2.3.4	Method of test	68
7.2.3.4.1	Initial conditions	68
7.2.3.4.2	Procedure	68
7.2.3.5	Acceptance criteria	68
7.2.4	Case 4 command, use of procedure bytes '61xx'	69
7.2.4.1	Definition and applicability	69
7.2.4.2	Conformance requirement	69
7.2.4.2.0	Description	69
7.2.4.2.1	Reference	69
7.2.4.3	Test purpose	69
7.2.4.4	Method of test	69
7.2.4.4.1	Initial conditions	69
7.2.4.4.2	Procedure	69
7.2.4.5	Acceptance criteria	69
7.2.5	Command processing, warning and error status bytes	70
7.2.5.1	Definition and applicability	70
7.2.5.2	Conformance requirement	70
7.2.5.2.0	Description	70
7.2.5.2.1	Reference	70
7.2.5.3	Test purpose	70
7.2.5.4	Method of test	70
7.2.5.4.1	Initial conditions	70
7.2.5.4.2	Procedure	70
7.2.5.5	Acceptance criteria	70
7.2.6	Error correction	70
7.2.6.1	Definition and applicability	70
7.2.6.2	Conformance requirement	71
7.2.6.2.0	Description	71
7.2.6.2.1	Reference	71
7.2.6.3	Test purpose	71
7.2.6.4	Method of test	71
7.2.6.4.1	Initial conditions	71
7.2.6.4.2	Procedure	71
7.2.6.5	Acceptance criteria	71
7.2.7	Error detection	71
7.2.7.1	Definition and applicability	71
7.2.7.2	Conformance requirement	71
7.2.7.2.0	Description	71
7.2.7.2.1	Reference	71
7.2.7.3	Test purpose	71
7.2.7.4	Method of test	72
7.2.7.4.1	Initial conditions	72
7.2.7.4.2	Procedure	72
7.2.7.5	Acceptance criteria	72
7.3	T=1 protocol	72
7.3.1	Character Waiting Time	72
7.3.1.1	Definition and applicability	72
7.3.1.2	Conformance requirement	72
7.3.1.2.0	Description	72
7.3.1.2.1	Reference	72
7.3.1.3	Test purpose	72
7.3.1.4	Method of test	72
7.3.1.4.1	Initial conditions	72

7.3.1.4.2	Procedure.....	73
7.3.1.5	Acceptance criteria.....	73
7.3.2	Block Timing.....	73
7.3.2.1	Definition and applicability.....	73
7.3.2.2	Conformance requirement.....	74
7.3.2.2.0	Description.....	74
7.3.2.2.1	Reference.....	74
7.3.2.3	Test purpose.....	74
7.3.2.4	Method of test.....	74
7.3.2.4.1	Initial conditions.....	74
7.3.2.4.2	Procedure.....	74
7.3.2.5	Acceptance criteria.....	75
7.3.3	Block Waiting Time extension.....	75
7.3.3.1	Definition and applicability.....	75
7.3.3.2	Conformance requirement.....	75
7.3.3.2.0	Description.....	75
7.3.3.2.1	Reference.....	75
7.3.3.3	Test purpose.....	75
7.3.3.4	Method of test.....	76
7.3.3.4.1	Initial conditions.....	76
7.3.3.4.2	Procedure.....	76
7.3.3.5	Acceptance criteria.....	77
7.3.4	Chaining - Respect of IFSC by Terminal.....	77
7.3.4.1	Definition and applicability.....	77
7.3.4.2	Conformance requirement.....	77
7.3.4.2.0	Description.....	77
7.3.4.2.1	Reference.....	77
7.3.4.3	Test purpose.....	77
7.3.4.4	Method of test.....	77
7.3.4.4.1	Initial conditions.....	77
7.3.4.4.2	Procedure.....	78
7.3.4.5	Acceptance criteria.....	79
7.3.5	Chaining - IFSD management.....	79
7.3.5.1	Definition and applicability.....	79
7.3.5.2	Conformance requirement.....	79
7.3.5.2.0	Description.....	79
7.3.5.2.1	Reference.....	79
7.3.5.3	Test purpose.....	79
7.3.5.4	Method of test.....	79
7.3.5.4.1	Initial conditions.....	79
7.3.5.4.2	Procedure.....	80
7.3.5.5	Acceptance criteria.....	80
7.3.6	I-Block error correction.....	80
7.3.6.1	Definition and applicability.....	80
7.3.6.2	Conformance requirement.....	80
7.3.6.2.0	Description.....	80
7.3.6.2.1	Reference.....	80
7.3.6.3	Test purpose.....	80
7.3.6.4	Method of test.....	80
7.3.6.4.1	Initial conditions.....	80
7.3.6.4.2	Procedure.....	81
7.3.6.5	Acceptance criteria.....	81
7.3.7	I-Block error detection.....	81
7.3.7.1	Definition and applicability.....	81
7.3.7.2	Conformance requirement.....	81
7.3.7.2.0	Description.....	81
7.3.7.2.1	Reference.....	81
7.3.7.3	Test purpose.....	81
7.3.7.4	Method of test.....	81
7.3.7.4.1	Initial conditions.....	81
7.3.7.4.2	Procedure.....	81
7.3.7.5	Acceptance criteria.....	82

7.3.8	R-Block error handling in non-chaining mode	82
7.3.8.1	Definition and applicability.....	82
7.3.8.2	Conformance requirement.....	82
7.3.8.2.0	Description	82
7.3.8.2.1	Reference.....	82
7.3.8.3	Test purpose	82
7.3.8.4	Method of test	83
7.3.8.4.1	Initial conditions.....	83
7.3.8.4.2	Procedure.....	83
7.3.8.5	Acceptance criteria.....	83
7.3.9	R-Block error handling in chaining mode.....	83
7.3.9.1	Definition and applicability.....	83
7.3.9.2	Conformance requirement.....	83
7.3.9.2.0	Description	83
7.3.9.2.1	Reference.....	84
7.3.9.3	Test purpose	84
7.3.9.4	Method of test	84
7.3.9.4.1	Initial conditions.....	84
7.3.9.4.2	Procedure.....	84
7.3.9.5	Acceptance criteria.....	84
7.3.10	Successive errors in both directions.....	84
7.3.10.1	Definition and applicability.....	84
7.3.10.2	Conformance requirement.....	85
7.3.10.2.0	Description	85
7.3.10.2.1	Reference.....	85
7.3.10.3	Test purpose	85
7.3.10.4	Method of test	85
7.3.10.4.1	Initial conditions.....	85
7.3.10.4.2	Procedure.....	85
7.3.10.5	Acceptance criteria.....	85
7.3.11	Chaining - Abortion	86
7.3.11.1	Definition and applicability.....	86
7.3.11.2	Conformance requirement.....	86
7.3.11.2.0	Description	86
7.3.11.2.1	Reference.....	86
7.3.11.3	Test purpose	86
7.3.11.4	Method of test	86
7.3.11.4.1	Initial conditions.....	86
7.3.11.4.2	Procedure.....	86
7.3.11.5	Acceptance criteria.....	87
7.3.12	Block repetition and resynchronization	87
7.3.12.1	Definition and applicability.....	87
7.3.12.2	Conformance requirement.....	87
7.3.12.2.0	Description	87
7.3.12.2.1	Reference.....	87
7.3.12.3	Test purpose	87
7.3.12.4	Method of test	88
7.3.12.4.1	Initial conditions.....	88
7.3.12.4.2	Procedure.....	88
7.3.12.5	Acceptance criteria.....	88
7.3.13	UICC is unresponsive	89
7.3.13.1	Definition and applicability.....	89
7.3.13.2	Conformance requirement.....	89
7.3.13.2.0	Description	89
7.3.13.2.1	Reference.....	89
7.3.13.3	Test purpose	89
7.3.13.4	Method of test	89
7.3.13.4.1	Initial conditions.....	89
7.3.13.4.2	Procedure.....	89
7.3.13.5	Acceptance criteria.....	90
8	Application dependent procedures	90

8.1	UICC presence detection	90
8.1.1	Definition and applicability	90
8.1.2	Conformance requirement	90
8.1.2.0	Description	90
8.1.2.1	Reference	90
8.1.3	Test purpose	90
8.1.4	Method of test	91
8.1.4.1	Initial conditions	91
8.1.4.2	Procedure	91
8.1.5	Acceptance criteria	91
9	Commands	91
9.1	TERMINAL CAPABILITY	91
9.1.1	Additional interfaces support	91
9.1.1.1	Definition and applicability	91
9.1.1.2	Conformance requirement	91
9.1.1.2.1	Description	91
9.1.1.2.2	Reference	92
9.1.1.3	Test purpose	92
9.1.1.4	Method of test	92
9.1.1.4.1	Initial conditions	92
9.1.1.4.2	Procedure	92
9.1.1.5	Acceptance criteria	92
Annex A (normative):	UICC simulator functional requirement	93
A.1	General	93
A.2	Contacts C1, C3, C7	93
A.2.1	Default measurement/setting uncertainties	93
A.2.2	Contact C1	93
A.2.3	Contact C7	94
A.2.4	Contact C3	94
A.3	Definition of timing	94
Annex B (informative):	Change history	95
History	96

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - 3 or greater indicates TC SCP approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 1 of a multi-part deliverable covering the UICC-Terminal interface; Physical, electrical and logical test specification, as identified below:

Part 1: "Terminal features";

Part 2: "UICC features".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document defines the interface tests for the Terminal/UICC interface.

The aim of the present document is to ensure interoperability between an UICC and a Terminal independently of the respective manufacturer, card issuer or operator.

Application specific tests for applications residing on an UICC are specified in ETSI TS 131 121 [4].

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/ac6fc577-0087-450a-b216-a0e64b4a914d/etsi-ts-102-230-1-v12.0.0-2019-05>