



**Smart Cards;
UICC-Terminal interface;
Physical, electrical and logical test specification;
Part 1. Terminal features
(Release 14)**

iTeh STANDARDS PREVIEW
<https://standards.iteh.aero/standards/etsi-ts-102-230-1-v14.0.0-2019-05-4500-9c12-902ca61b143884703eda4149-8efaf>

Reference

RTS/SCP-00102230Tve00

Keywords

smart card, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	12
Foreword.....	12
Modal verbs terminology.....	12
Introduction	13
1 Scope	14
2 References	14
2.1 Normative references	14
2.2 Informative references.....	15
3 Definition of terms, symbols, abbreviations and coding conventions.....	15
3.1 Terms.....	15
3.2 Symbols.....	15
3.3 Abbreviations	16
3.4 Coding conventions	17
3.5 Applicability.....	17
3.5.1 Applicability of the present document	17
3.5.2 Applicability of the individual test cases	17
3.5.3 Applicability to terminal equipment	17
3.6 Definitions.....	17
3.6.1 Format of table of the table of optional features.....	17
3.6.2 Format of the applicability table	17
3.6.3 Status and Notations	18
3.7 Table of optional features.....	18
3.8 Applicability table	19
4 Physical characteristic tests	23
4.1 Contact pressure	23
4.1.1 Definition and applicability	23
4.1.2 Conformance requirement	23
4.1.2.0 Description	23
4.1.2.1 Reference	23
4.1.3 Test purpose.....	23
4.1.4 Method of test	23
4.1.4.1 Initial conditions	23
4.1.4.2 Procedure	23
4.1.5 Acceptance criteria	23
4.2 Curvature of the contacting elements	23
4.2.1 Definition and applicability	23
4.2.2 Conformance requirement	24
4.2.2.0 Description	24
4.2.2.1 Reference	24
4.2.3 Test purpose.....	24
4.2.4 Method of test	24
4.2.4.1 Initial conditions	24
4.2.4.2 Procedure	24
4.2.5 Acceptance criteria	24
5 Electrical characteristic tests	24
5.1 Test of the power transition phases	24
5.1.1 Phase preceding Terminal power on.....	24
5.1.1.1 Definition and applicability.....	24
5.1.1.2 Conformance requirement.....	24
5.1.1.3 Reference	24
5.1.1.4 Test purpose	25
5.1.1.5 Method of test	25
5.1.1.5.1 Initial condition	25

5.1.1.5.2	Procedure	25
5.1.1.6	Acceptance criteria.....	25
5.1.2	Phase during UICC power on	25
5.1.2.1	Phase during UICC power on: 3 V - 5 V	25
5.1.2.1.1	Definition and applicability	25
5.1.2.1.2	Conformance requirement	25
5.1.2.1.3	Reference	25
5.1.2.1.4	Test purpose	26
5.1.2.1.5	Method of test.....	26
5.1.2.1.6	Acceptance criteria	26
5.1.2.2	Phase during UICC power on: 1,8 V - 3 V	26
5.1.2.2.1	Definition and applicability	26
5.1.2.2.2	Conformance requirement	26
5.1.2.2.3	Reference	26
5.1.2.2.4	Test purpose	26
5.1.2.2.5	Method of test.....	27
5.1.2.2.6	Acceptance criteria	27
5.1.3	Phase during Terminal power off	27
5.1.3.1	Phase during Terminal power off: 3 V - 5 V	27
5.1.3.1.1	Definition and applicability	27
5.1.3.1.2	Conformance requirement	27
5.1.3.1.3	Reference	27
5.1.3.1.4	Test purpose	28
5.1.3.1.5	Method of test.....	28
5.1.3.1.6	Acceptance criteria	28
5.1.3.2	Phase during Terminal power off: 1,8 V - 3 V	28
5.1.3.2.1	Definition and applicability	28
5.1.3.2.2	Conformance requirement	28
5.1.3.2.3	Reference	29
5.1.3.2.4	Test purpose	29
5.1.3.2.5	Method of test.....	29
5.1.3.2.6	Acceptance criteria	29
5.1.4	Warm reset timing	29
5.1.4.1	Definition and applicability.....	29
5.1.4.2	Conformance requirement.....	29
5.1.4.2.0	Description	29
5.1.4.2.1	Reference	30
5.1.4.3	Test purpose	30
5.1.4.4	Method of test	30
5.1.4.4.1	Initial conditions	30
5.1.4.4.2	Procedure	30
5.1.4.5	Acceptance criteria.....	30
5.1.5	UICC type recognition and voltage switching	30
5.1.5.1	Reaction of 3 V technology Terminals on type recognition of 3 V technology UICCs	30
5.1.5.1.1	Definition and applicability	30
5.1.5.1.2	Conformance requirement	30
5.1.5.1.3	Reference	30
5.1.5.1.4	Test purpose	31
5.1.5.1.5	Method of test.....	31
5.1.5.1.6	Acceptance criteria	31
5.1.5.2	Reaction of 3 V technology Terminals on type recognition of 1,8 V technology UICCs	31
5.1.5.2.1	Definition and applicability	31
5.1.5.2.2	Conformance requirement	31
5.1.5.2.3	Reference	31
5.1.5.2.4	Test purpose	32
5.1.5.2.5	Method of test.....	32
5.1.5.2.6	Acceptance criteria	32
5.1.5.3	Reaction of 1,8 V technology Terminals on type recognition of 1,8 V technology UICCs	32
5.1.5.3.1	Definition and applicability	32
5.1.5.3.2	Conformance requirement	32
5.1.5.3.3	Reference	32
5.1.5.3.4	Test purpose	32

5.1.5.3.5	Method of test.....	33
5.1.5.3.6	Acceptance criteria	33
5.1.5.4	Reaction of 1,8 V technology Terminals on type recognition of 3 V technology UICCs	33
5.1.5.4.1	Definition and applicability.....	33
5.1.5.4.2	Conformance requirement	33
5.1.5.4.3	Reference.....	33
5.1.5.4.4	Test purpose	33
5.1.5.4.5	Method of test.....	34
5.1.5.4.6	Acceptance criteria	34
5.1.5.5	Void.....	34
5.1.5.6	Reaction of Terminals receiving no ATR	34
5.1.5.6.1	Reaction of Terminals receiving no ATR: 3 V - 5 V.....	34
5.1.5.6.2	Reaction of Terminals receiving no ATR: 1,8 V - 3 V.....	35
5.2	Electrical tests on each Terminal contact	36
5.2.1	Nominal test conditions	36
5.2.2	Electrical tests on contact C1 (Card power supply - VCC).....	37
5.2.2.1	Electrical tests on contact C1, Test 1: 3 V - 5 V	37
5.2.2.1.1	Definition and applicability.....	37
5.2.2.1.2	Conformance requirement	37
5.2.2.1.3	Reference.....	37
5.2.2.1.4	Test purpose	37
5.2.2.1.5	Method of test.....	37
5.2.2.1.6	Acceptance criteria	38
5.2.2.2	Electrical tests on contact C1, Test 2: 3 V - 5 V	38
5.2.2.2.1	Definition and applicability.....	38
5.2.2.2.2	Conformance requirement	38
5.2.2.2.3	Reference.....	38
5.2.2.2.4	Test purpose	38
5.2.2.2.5	Method of test.....	38
5.2.2.2.6	Acceptance criteria	41
5.2.2.3	Electrical tests on contact C1, Test 1: 1,8 V - 3V	41
5.2.2.3.1	Definition and applicability.....	41
5.2.2.3.2	Conformance requirement	41
5.2.2.3.3	Reference.....	41
5.2.2.3.4	Test purpose	41
5.2.2.3.5	Method of test.....	41
5.2.2.3.6	Acceptance criteria	41
5.2.2.4	Electrical tests on contact C1, Test 2: 1,8 V - 3 V	41
5.2.2.4.1	Definition and applicability.....	41
5.2.2.4.2	Conformance requirement	42
5.2.2.4.3	Reference.....	42
5.2.2.4.4	Test purpose	42
5.2.2.4.5	Method of test.....	42
5.2.2.4.6	Acceptance criteria	43
5.2.3	Electrical tests on contact C2 (Reset - RST).....	43
5.2.3.1	Electrical tests on contact C2: 3 V - 5 V	43
5.2.3.1.1	Definition and applicability.....	43
5.2.3.1.2	Conformance requirement	43
5.2.3.1.3	Reference.....	44
5.2.3.1.4	Test purpose	44
5.2.3.1.5	Method of test.....	44
5.2.3.1.6	Acceptance criteria	44
5.2.3.2	Electrical tests on contact C2: 1,8 V - 3 V	44
5.2.3.2.1	Definition and applicability.....	44
5.2.3.2.2	Conformance requirement	44
5.2.3.2.3	Reference.....	44
5.2.3.2.4	Test purpose	45
5.2.3.2.5	Method of test.....	45
5.2.3.2.6	Acceptance criteria	45
5.2.4	Electrical tests on contact C3 (Clock - CLK)	45
5.2.4.1	Electrical tests on contact C3: 3 V - 5 V	45
5.2.4.1.1	Definition and applicability	45

5.2.4.1.2	Conformance requirement	45
5.2.4.1.3	Reference	46
5.2.4.1.4	Test purpose	46
5.2.4.1.5	Method of test	46
5.2.4.1.6	Acceptance criteria	46
5.2.4.2	Electrical tests on contact C3: 1,8 V - 3 V	46
5.2.4.2.1	Definition and applicability	46
5.2.4.2.2	Conformance requirement	46
5.2.4.2.3	Reference	47
5.2.4.2.4	Test purpose	47
5.2.4.2.5	Method of test	47
5.2.4.2.6	Acceptance criteria	47
5.2.5	Electrical tests on contact C7 (Input/Output - I/O)	47
5.2.5.1	Electrical tests on contact C7, Test 1: 3 V - 5 V	47
5.2.5.1.1	Definition and applicability	47
5.2.5.1.2	Conformance requirement	48
5.2.5.1.3	Reference	48
5.2.5.1.4	Test purpose	48
5.2.5.1.5	Method of test	48
5.2.5.1.6	Acceptance criteria	49
5.2.5.2	Electrical tests on contact C7, Test 2: 3 V - 5 V	49
5.2.5.2.1	Definition and applicability	49
5.2.5.2.2	Conformance requirement	49
5.2.5.2.3	Reference	49
5.2.5.2.4	Test purpose	50
5.2.5.2.5	Method of test	50
5.2.5.2.6	Acceptance criteria	50
5.2.5.3	Electrical tests on contact C7, Test 1: 1,8 V - 3 V	50
5.2.5.3.1	Definition and applicability	50
5.2.5.3.2	Conformance requirement	50
5.2.5.3.3	Reference	51
5.2.5.3.4	Test purpose	51
5.2.5.3.5	Method of test	51
5.2.5.3.6	Acceptance criteria	51
5.2.5.4	Electrical tests on contact C7, Test 2: 1,8 V - 3 V	51
5.2.5.4.1	Definition and applicability	51
5.2.5.4.2	Conformance requirement	51
5.2.5.4.3	Reference	52
5.2.5.4.4	Test purpose	52
5.2.5.4.5	Method of test	52
5.2.5.4.6	Acceptance criteria	52
6	Initial communication tests	53
6.1	ATR	53
6.1.1	ATR characters	53
6.1.1.1	Definition and applicability	53
6.1.1.2	Conformance requirement	53
6.1.1.2.0	Description	53
6.1.1.2.1	Reference	53
6.1.1.3	Test purpose	53
6.1.1.4	Method of test	53
6.1.1.4.1	Initial conditions	53
6.1.1.4.2	Procedure	53
6.1.1.5	Acceptance criteria	56
6.2	Clock stop mode with 1,8 V technology UICC	56
6.2.1	Definition and applicability	56
6.2.2	Conformance requirement	57
6.2.2.0	Description	57
6.2.2.1	Reference	57
6.2.3	Test purpose	57
6.2.4	Method of test	57
6.2.4.1	Initial conditions	57

6.2.4.2	Procedure	57
6.2.5	Acceptance criteria	59
6.3	Clock stop mode with 3 V technology UICC	59
6.3.1	Definition and applicability	59
6.3.2	Conformance requirement	59
6.3.2.0	Description	59
6.3.2.1	Reference	60
6.3.3	Test purpose	60
6.3.4	Method of test	60
6.3.4.1	Initial conditions	60
6.3.4.2	Procedure	60
6.3.5	Acceptance criteria	62
6.4	Void	62
6.5	Speed enhancement	62
6.5.1	Definition and applicability	62
6.5.2	Conformance requirement	62
6.5.3	Test purpose	62
6.5.4	Method of test	62
6.5.4.1	Initial conditions	62
6.5.4.2	Procedure	62
6.5.5	Acceptance criteria	63
7	Transmission protocol tests	64
7.1	Character transmission	64
7.1.1	Bit/character duration during the transmission from the Terminal to the UICC	64
7.1.1.1	Definition and applicability	64
7.1.1.2	Conformance requirement	64
7.1.1.2.0	Description	64
7.1.1.2.1	Reference	64
7.1.1.3	Test purpose	64
7.1.1.4	Method of test	64
7.1.1.4.1	Initial conditions	64
7.1.1.4.2	Procedure	64
7.1.1.5	Acceptance criteria	64
7.1.2	Bit/character duration during the transmission from the UICC to the Terminal	65
7.1.2.1	Definition and applicability	65
7.1.2.2	Conformance requirement	65
7.1.2.2.0	Description	65
7.1.2.2.1	Reference	65
7.1.2.3	Test purpose	65
7.1.2.4	Method of test	65
7.1.2.4.1	Initial conditions	65
7.1.2.4.2	Procedure	65
7.1.2.5	Acceptance criteria	65
7.2	T=0 protocol	65
7.2.1	Timing	65
7.2.1.1	Definition and applicability	65
7.2.1.2	Conformance requirement	66
7.2.1.2.0	Description	66
7.2.1.2.1	Reference	66
7.2.1.3	Test purpose	66
7.2.1.4	Method of test	66
7.2.1.4.1	Initial conditions	66
7.2.1.4.2	Procedure	66
7.2.1.5	Acceptance criteria	67
7.2.2	Command processing, ACK, NACK, NULL procedure bytes	67
7.2.2.1	Definition and applicability	67
7.2.2.2	Conformance requirement	67
7.2.2.2.0	Description	67
7.2.2.2.1	Reference	67
7.2.2.3	Test purpose	68
7.2.2.4	Method of test	68

7.2.2.4.1	Initial conditions.....	68
7.2.2.4.2	Procedure.....	68
7.2.2.5	Acceptance criteria.....	68
7.2.3	Case 2 command, use of procedure bytes '61xx' and '6Cxx'	68
7.2.3.1	Definition and applicability.....	68
7.2.3.2	Conformance requirement.....	68
7.2.3.2.0	Description	68
7.2.3.2.1	Reference.....	69
7.2.3.3	Test purpose	69
7.2.3.4	Method of test	69
7.2.3.4.1	Initial conditions.....	69
7.2.3.4.2	Procedure.....	69
7.2.3.5	Acceptance criteria.....	69
7.2.4	Case 4 command, use of procedure bytes '61xx'	69
7.2.4.1	Definition and applicability.....	69
7.2.4.2	Conformance requirement.....	69
7.2.4.2.0	Description	69
7.2.4.2.1	Reference.....	70
7.2.4.3	Test purpose	70
7.2.4.4	Method of test	70
7.2.4.4.1	Initial conditions.....	70
7.2.4.4.2	Procedure.....	70
7.2.4.5	Acceptance criteria.....	70
7.2.5	Command processing, warning and error status bytes.....	70
7.2.5.1	Definition and applicability.....	70
7.2.5.2	Conformance requirement.....	70
7.2.5.2.0	Description	70
7.2.5.2.1	Reference.....	70
7.2.5.3	Test purpose	70
7.2.5.4	Method of test	71
7.2.5.4.1	Initial conditions.....	71
7.2.5.4.2	Procedure.....	71
7.2.5.5	Acceptance criteria.....	71
7.2.6	Error correction.....	71
7.2.6.1	Definition and applicability.....	71
7.2.6.2	Conformance requirement.....	71
7.2.6.2.0	Description	71
7.2.6.2.1	Reference.....	71
7.2.6.3	Test purpose	71
7.2.6.4	Method of test	72
7.2.6.4.1	Initial conditions.....	72
7.2.6.4.2	Procedure.....	72
7.2.6.5	Acceptance criteria.....	72
7.2.7	Error detection	72
7.2.7.1	Definition and applicability.....	72
7.2.7.2	Conformance requirement.....	72
7.2.7.2.0	Description	72
7.2.7.2.1	Reference.....	72
7.2.7.3	Test purpose	72
7.2.7.4	Method of test	72
7.2.7.4.1	Initial conditions.....	72
7.2.7.4.2	Procedure.....	72
7.2.7.5	Acceptance criteria.....	72
7.3	T=1 protocol.....	73
7.3.1	Character Waiting Time.....	73
7.3.1.1	Definition and applicability.....	73
7.3.1.2	Conformance requirement.....	73
7.3.1.2.0	Description	73
7.3.1.2.1	Reference.....	73
7.3.1.3	Test purpose	73
7.3.1.4	Method of test	73
7.3.1.4.1	Initial conditions.....	73

7.3.1.4.2	Procedure	73
7.3.1.5	Acceptance criteria	74
7.3.2	Block Timing	74
7.3.2.1	Definition and applicability	74
7.3.2.2	Conformance requirement	74
7.3.2.2.0	Description	74
7.3.2.2.1	Reference	74
7.3.2.3	Test purpose	74
7.3.2.4	Method of test	74
7.3.2.4.1	Initial conditions	74
7.3.2.4.2	Procedure	75
7.3.2.5	Acceptance criteria	75
7.3.3	Block Waiting Time extension	75
7.3.3.1	Definition and applicability	75
7.3.3.2	Conformance requirement	76
7.3.3.2.0	Description	76
7.3.3.2.1	Reference	76
7.3.3.3	Test purpose	76
7.3.3.4	Method of test	76
7.3.3.4.1	Initial conditions	76
7.3.3.4.2	Procedure	76
7.3.3.5	Acceptance criteria	77
7.3.4	Chaining - Respect of IFSC by Terminal	77
7.3.4.1	Definition and applicability	77
7.3.4.2	Conformance requirement	78
7.3.4.2.0	Description	78
7.3.4.2.1	Reference	78
7.3.4.3	Test purpose	78
7.3.4.4	Method of test	78
7.3.4.4.1	Initial conditions	78
7.3.4.4.2	Procedure	78
7.3.4.5	Acceptance criteria	79
7.3.5	Chaining - IFSD management	79
7.3.5.1	Definition and applicability	79
7.3.5.2	Conformance requirement	80
7.3.5.2.0	Description	80
7.3.5.2.1	Reference	80
7.3.5.3	Test purpose	80
7.3.5.4	Method of test	80
7.3.5.4.1	Initial conditions	80
7.3.5.4.2	Procedure	80
7.3.5.5	Acceptance criteria	80
7.3.6	I-Block error correction	80
7.3.6.1	Definition and applicability	80
7.3.6.2	Conformance requirement	81
7.3.6.2.0	Description	81
7.3.6.2.1	Reference	81
7.3.6.3	Test purpose	81
7.3.6.4	Method of test	81
7.3.6.4.1	Initial conditions	81
7.3.6.4.2	Procedure	81
7.3.6.5	Acceptance criteria	81
7.3.7	I-Block error detection	81
7.3.7.1	Definition and applicability	81
7.3.7.2	Conformance requirement	81
7.3.7.2.0	Description	81
7.3.7.2.1	Reference	82
7.3.7.3	Test purpose	82
7.3.7.4	Method of test	82
7.3.7.4.1	Initial conditions	82
7.3.7.4.2	Procedure	82
7.3.7.5	Acceptance criteria	82

7.3.8	R-Block error handling in non-chaining mode	82
7.3.8.1	Definition and applicability.....	82
7.3.8.2	Conformance requirement.....	83
7.3.8.2.0	Description	83
7.3.8.2.1	Reference.....	83
7.3.8.3	Test purpose	83
7.3.8.4	Method of test	83
7.3.8.4.1	Initial conditions.....	83
7.3.8.4.2	Procedure.....	83
7.3.8.5	Acceptance criteria.....	83
7.3.9	R-Block error handling in chaining mode.....	84
7.3.9.1	Definition and applicability.....	84
7.3.9.2	Conformance requirement.....	84
7.3.9.2.0	Description	84
7.3.9.2.1	Reference.....	84
7.3.9.3	Test purpose	84
7.3.9.4	Method of test	84
7.3.9.4.1	Initial conditions.....	84
7.3.9.4.2	Procedure.....	84
7.3.9.5	Acceptance criteria.....	85
7.3.10	Successive errors in both directions.....	85
7.3.10.1	Definition and applicability.....	85
7.3.10.2	Conformance requirement.....	85
7.3.10.2.0	Description	85
7.3.10.2.1	Reference.....	85
7.3.10.3	Test purpose	85
7.3.10.4	Method of test	85
7.3.10.4.1	Initial conditions.....	85
7.3.10.4.2	Procedure.....	85
7.3.10.5	Acceptance criteria.....	86
7.3.11	Chaining - Abortion	86
7.3.11.1	Definition and applicability.....	86
7.3.11.2	Conformance requirement.....	86
7.3.11.2.0	Description	86
7.3.11.2.1	Reference.....	86
7.3.11.3	Test purpose	86
7.3.11.4	Method of test	86
7.3.11.4.1	Initial conditions.....	86
7.3.11.4.2	Procedure.....	87
7.3.11.5	Acceptance criteria.....	87
7.3.12	Block repetition and resynchronization	87
7.3.12.1	Definition and applicability.....	87
7.3.12.2	Conformance requirement.....	88
7.3.12.2.0	Description	88
7.3.12.2.1	Reference.....	88
7.3.12.3	Test purpose	88
7.3.12.4	Method of test	88
7.3.12.4.1	Initial conditions.....	88
7.3.12.4.2	Procedure.....	88
7.3.12.5	Acceptance criteria.....	89
7.3.13	UICC is unresponsive	89
7.3.13.1	Definition and applicability.....	89
7.3.13.2	Conformance requirement.....	89
7.3.13.2.0	Description	89
7.3.13.2.1	Reference.....	89
7.3.13.3	Test purpose	89
7.3.13.4	Method of test	89
7.3.13.4.1	Initial conditions.....	89
7.3.13.4.2	Procedure.....	90
7.3.13.5	Acceptance criteria.....	90
8	Application dependent procedures	90

8.1	UICC presence detection.....	90
8.1.1	Definition and applicability	90
8.1.2	Conformance requirement	91
8.1.2.0	Description	91
8.1.2.1	Reference	91
8.1.3	Test purpose.....	91
8.1.4	Method of test	91
8.1.4.1	Initial conditions	91
8.1.4.2	Procedure	91
8.1.5	Acceptance criteria	91
9	Commands.....	92
9.1	TERMINAL CAPABILITY	92
9.1.1	Additional interfaces support.....	92
9.1.1.1	Definition and applicability.....	92
9.1.1.2	Conformance requirement	92
9.1.1.2.1	Description	92
9.1.1.2.2	Reference	92
9.1.1.3	Test purpose	92
9.1.1.4	Method of test	92
9.1.1.4.1	Initial conditions	92
9.1.1.4.2	Procedure.....	92
9.1.1.5	Acceptance criteria.....	93
Annex A (normative): UICC simulator functional requirement		94
A.1	General	94
A.2	Contacts C1, C3, C7	94
A.2.1	Default measurement/setting uncertainties.....	94
A.2.2	Contact C1	94
A.2.3	Contact C7	95
A.2.4	Contact C3	95
A.3	Definition of timing.....	95
Annex B (informative): Change history.....		96
History		98

*This STANDARD PREVIEW
Full standard:
<https://standardsiteh.ai/catalog/standard/etsi-ts-102-230-1-v14.0-2019-05>*

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - 3 or greater indicates TC SCP approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 1 of a multi-part deliverable covering the UICC-Terminal interface; Physical, electrical and logical test specification, as identified below:

Part 1: "Terminal features";

Part 2: "UICC features".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document defines the interface tests for the Terminal/UICC interface.

The aim of the present document is to ensure interoperability between an UICC and a Terminal independently of the respective manufacturer, card issuer or operator.

Application specific tests for applications residing on an UICC are specified in ETSI TS 131 121 [4].

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/3cda4149-8efaf-4500-9c12-902ca61b1438/etsi-ts-102-230-1-v14.0.0-2019-05>