



**Smart Cards;
UICC-Terminal interface;
Physical, electrical and logical test specification;
Part 2: UICC features
(Release 10)**

Standard-IT.com
iTech Standards
https://standards.it-ebooks.info/standards/etsi/102-230-2-v10-0-2019-06
4c7c-aede-5a12-d25f233d

ReferenceRTS/SCP-00102230Uv1000

Keywordssmart card, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	11
Foreword.....	11
Modal verbs terminology.....	12
Introduction	12
1 Scope	13
2 References	13
2.1 Normative references	13
2.2 Informative references.....	14
3 Definition of terms, symbols, abbreviations and formats.....	15
3.1 Terms.....	15
3.2 Symbols.....	17
3.3 Abbreviations	17
3.4 Formats.....	18
3.4.1 Format of the table of optional features	18
3.4.2 Format of the applicability table	19
3.4.3 Status and Notations	19
3.4.4 Numbers and Strings.....	20
4 Test environment.....	20
4.1 Table of optional features.....	20
4.2 Applicability table	21
4.3 Information provided by the device supplier.....	24
4.4 Test equipment	24
4.4.1 Overview	24
4.4.2 Measurement/setting uncertainties.....	24
4.4.2.1 VCC	24
4.4.2.2 RST	25
4.4.2.3 CLK.....	25
4.4.2.4 I/O	25
4.4.3 Precision force-inducing contacting device	25
4.4.4 Temperature controllable environment.....	25
4.4.5 Temperature measuring device.....	26
4.4.6 Voltage measuring device.....	26
4.4.7 Precision measuring device.....	26
4.4.8 Current measuring device	26
4.4.9 Timing Measurements on contact I/O.....	26
4.4.10 Default conditions for DUT operation.....	26
4.5 Test execution	27
4.5.1 Parameter variations	27
4.5.2 Required application	27
4.5.2.1 Application requirements	27
4.5.2.2 Required application files	27
4.5.2.2.1 Requirements for file creation and update.....	27
4.5.2.2.2 EF _{TRANS16b}	27
4.5.2.2.3 EF _{LF4R20b}	28
4.5.2.2.4 EF _{LF4R10b}	28
4.5.2.2.5 EF _{CYC4R3b}	29
4.5.2.2.6 DF on ADF (Application DF) level.....	29
4.5.2.2.7 EF _{SUBTRANS}	30
4.5.2.2.8 EF _{SUBLF}	30
4.5.2.2.9 EF _{SUBCYC}	31
4.6 Pass criterion	31

5	Conformance Requirements	31
5.1	Conformance requirement naming	31
5.2	Physical characteristics.....	32
5.3	Electrical specifications of the UICC - Terminal interface	32
5.4	Initial communication establishment procedures	34
5.5	Transmission protocols.....	35
5.6	Application and file structure	39
5.7	Security features	44
5.8	Structure of commands and responses.....	46
5.9	Commands.....	47
5.10	Transmission oriented commands	55
5.11	Application independent files.....	55
5.12	Application independent protocol	55
5.13	Support of APDU-based UICC applications over USB	56
6	Test cases.....	56
6.1	Introduction	56
6.2	Physical characteristic tests	57
6.2.1	Dimensions of the UICC card.....	57
6.2.1.1	Test execution	57
6.2.1.2	Initial conditions	57
6.2.1.3	Test procedure.....	57
6.2.2	Temperature range for card operation.....	57
6.2.2.1	Test execution	57
6.2.2.2	Initial conditions	57
6.2.2.3	Test procedure 1.....	58
6.2.2.4	Test procedure 2.....	58
6.3	Electrical specifications of the UICC - Terminal interface	58
6.3.1	Supply voltage V_{CC} (contact C1).....	58
6.3.1.1	V_{CC} - Voltage limits	58
6.3.1.1.1	Test execution.....	58
6.3.1.1.2	Initial conditions	58
6.3.1.1.3	Test procedure	58
6.3.1.2	V_{CC} - Idle current limits	59
6.3.1.2.1	Test execution.....	59
6.3.1.2.2	Initial conditions	59
6.3.1.2.3	Test procedure	59
6.3.1.3	V_{CC} - Current limits in clock-stop-mode.....	59
6.3.1.3.1	Test execution.....	59
6.3.1.3.2	Initial conditions	59
6.3.1.3.3	Test procedure	59
6.3.2	Reset RST (contact C2)	60
6.3.2.1	RST - Static operation.....	60
6.3.2.1.1	Test execution.....	60
6.3.2.1.2	Initial conditions.....	60
6.3.2.2	Test procedure.....	60
6.3.3	Programming voltage V_{pp} (contact C6).....	60
6.3.3.1	V_{pp} - Static operation	60
6.3.3.1.1	Test execution.....	60
6.3.3.1.2	Initial conditions	60
6.3.3.1.3	Test procedure 1	61
6.3.3.1.4	Test procedure 2	61
6.3.4	Clock CLK (contact C3).....	61
6.3.4.1	Frequency and duty cycle.....	61
6.3.4.1.1	Test execution.....	61
6.3.4.1.2	Initial conditions.....	61
6.3.4.1.3	Test procedure	62
6.3.4.2	Voltage and current	62
6.3.4.2.1	Test execution.....	62
6.3.4.2.2	Initial conditions	62
6.3.4.2.3	Test procedure	62

6.3.5	I/O (contact C7)	63
6.3.5.1	Voltage and current	63
6.3.5.1.1	Test execution.....	63
6.3.5.1.2	Initial conditions	63
6.3.5.1.3	Test procedure 1	63
6.3.5.1.4	Test procedure 2	64
6.3.5.1.5	Test procedure 3	64
6.4	Initial communication establishment procedure.....	65
6.4.1	Supply voltage switching.....	65
6.4.1.1	Supply voltage classes.....	65
6.4.1.2	Power consumption of the UICC during ATR.....	65
6.4.1.2.1	Test execution.....	65
6.4.1.2.2	Initial conditions.....	65
6.4.1.2.3	Test procedure	65
6.4.1.3	Application related electrical parameters	65
6.4.1.3.1	Test execution.....	65
6.4.1.3.2	Initial conditions.....	65
6.4.1.3.3	Test procedure	66
6.4.2	ATR content.....	66
6.4.2.1	ATR - Major capabilities	66
6.4.2.1.1	Test execution.....	66
6.4.2.1.2	Initial conditions	66
6.4.2.1.3	Test procedure	66
6.4.2.2	ATR - Speed enhancement.....	66
6.4.2.2.1	Test execution.....	66
6.4.2.2.2	Initial conditions	66
6.4.2.2.3	Test procedure	67
6.4.2.3	Global Interface bytes	67
6.4.2.3.1	Test execution.....	67
6.4.2.3.2	Initial conditions	67
6.4.2.3.3	Test procedure	67
6.4.3	PPS procedure.....	67
6.4.3.1	Test execution	67
6.4.3.2	Initial conditions	67
6.4.3.3	Test procedure.....	68
6.4.4	Reset procedures	68
6.4.4.1	Test execution	68
6.4.4.2	Initial conditions	68
6.4.4.3	Test procedure 1	68
6.4.4.4	Test procedure 2	69
6.4.4.5	Test procedure 3	69
6.4.4.6	Test procedure 4.....	69
6.4.5	Clock stop mode	69
6.4.5.1	Test execution	69
6.4.5.2	Initial conditions	69
6.4.5.3	Test procedure.....	70
6.4.6	Bit/character duration and sampling time	70
6.4.7	Error handling	70
6.4.7.1	Test execution	70
6.4.7.2	Initial conditions	70
6.4.7.3	Test procedure.....	70
6.4.8	Compatibility	70
6.4.8.1	Test execution	70
6.5	Transmission Protocols	71
6.5.1	Physical Layer	71
6.5.1.1	Test execution	71
6.5.2	Data Link Layer.....	71
6.5.2.1	Character Frame	71
6.5.2.1.1	Test execution.....	71
6.5.2.1.2	Initial conditions	71
6.5.2.1.3	Test procedure	71
6.5.2.2	Transmission Protocol T = 0	72

6.5.2.2.1	Test execution.....	72
6.5.2.2.2	Initial conditions.....	72
6.5.2.2.3	Test procedure.....	73
6.5.2.3	Transmission Protocol T = 1.....	73
6.5.2.3.1	Timing and specific options for blocks sent with T = 1.....	73
6.5.2.3.2	Block frame structure.....	76
6.5.2.3.3	Error free operation.....	78
6.5.2.3.4	Error Handling for T = 1.....	78
6.5.2.3.5	Chaining.....	79
6.5.3	Transport Layer.....	80
6.5.3.1	Transportation of an APDU using T = 0.....	80
6.5.3.1.1	Purpose.....	80
6.5.3.1.2	Case 1 command.....	80
6.5.3.1.3	Case 2 command.....	81
6.5.3.1.4	Case 3.....	81
6.5.3.1.5	Case 4.....	82
6.5.3.1.6	Use of Procedure Bytes '61xx' and '6Cxx'.....	83
6.5.3.2	Transportation of an APDU using T = 1.....	84
6.5.3.2.1	Purpose.....	84
6.5.3.2.2	Case 1.....	84
6.5.3.2.3	Case 2.....	84
6.5.3.2.4	Case 3.....	85
6.5.3.2.5	Case 4.....	85
6.5.4	Application Layer.....	86
6.6	Application and File structure.....	86
6.6.1	Purpose.....	86
6.6.2	UICC Application structure.....	86
6.6.2.1	Test execution.....	86
6.6.2.2	Initial conditions.....	86
6.6.2.3	Test procedure.....	86
6.6.3	File types.....	87
6.6.3.1	Dedicated files.....	87
6.6.3.2	Elementary files.....	87
6.6.3.2.1	Introduction.....	87
6.6.3.2.2	Transparent EF.....	87
6.6.3.2.3	Linear fixed EF.....	87
6.6.3.2.4	Cyclic EF.....	88
6.6.3.2.5	BER-TLV structure EF.....	90
6.6.4	File referencing.....	90
6.6.5	Methods for selecting a file.....	90
6.6.5.1	SELECT by File Identifier Referencing.....	90
6.6.5.1.1	Test execution.....	90
6.6.5.1.2	Initial conditions.....	90
6.6.5.1.3	Test procedure.....	90
6.6.5.2	SELECT by Path Referencing.....	91
6.6.5.2.1	Test execution.....	91
6.6.5.2.2	Initial conditions.....	91
6.6.5.2.3	Test procedure.....	91
6.6.5.3	Short File Identifier.....	91
6.6.5.3.1	Test execution.....	91
6.6.5.3.2	Initial conditions.....	91
6.6.5.3.3	Test procedure.....	91
6.6.6	Application characteristic.....	92
6.6.6.1	Explicit Application selection.....	92
6.6.6.1.1	SELECT by DF Name.....	92
6.6.6.1.2	SELECT by partial DF Name.....	92
6.6.6.2	Application session activation.....	93
6.6.6.2.1	Test execution.....	93
6.6.6.2.2	Initial conditions.....	93
6.6.6.2.3	Test procedure.....	94
6.6.6.3	Application session termination.....	94
6.6.6.3.1	Test execution.....	94

6.6.6.3.2	Initial conditions	94
6.6.6.3.3	Test procedure 1	94
6.6.6.3.4	Test procedure 2	94
6.6.6.3.5	Test procedure 3	95
6.6.6.3.6	Test procedure 4	95
6.6.6.3.7	Test procedure 5	95
6.6.6.4	Application session reset	95
6.6.6.4.1	Test execution	95
6.6.6.4.2	Initial conditions	96
6.6.6.4.3	Test procedure	96
6.6.7	Reservation of file IDs	96
6.6.7.1	Test execution	96
6.6.7.2	Initial conditions	96
6.6.7.3	Test procedure 1	96
6.6.7.4	Test procedure 2	96
6.6.7.5	Test procedure 3	97
6.6.8	Logical channels	97
6.6.8.1	No Logical Channel Support	97
6.6.8.1.1	Test execution	97
6.6.8.1.2	Initial conditions	97
6.6.8.1.3	Test procedure	97
6.6.8.2	Logical Channels - Basic Behaviour	97
6.6.8.2.1	Test execution	97
6.6.8.2.2	Initial conditions	97
6.6.8.2.3	Test procedure 1	98
6.6.8.2.4	Test procedure 2	99
6.6.8.3	Opening a Logical Channel from the Basic Channel	99
6.6.8.3.1	Test execution	99
6.6.8.3.2	Initial conditions	99
6.6.8.3.3	Test procedure	99
6.6.8.4	Opening a Logical Channel from a Non-Basic Channel	99
6.6.8.4.1	Test execution	99
6.6.8.4.2	Initial conditions	100
6.6.8.4.3	Test procedure	100
6.6.8.5	Opening a Logical Channel on Non-Shareable Files	100
6.6.8.5.1	Test execution	100
6.6.8.5.2	Initial conditions	100
6.6.8.5.3	Test procedure	101
6.6.8.6	Logical Channels and Shareable Files	101
6.6.8.6.1	Test execution	101
6.6.8.6.2	Initial conditions	101
6.6.8.6.3	Test procedure 1- (non-shareable files)	102
6.6.8.6.4	Test procedure 2 - (shareable files)	102
6.6.8.7	Command Interdependencies	103
6.6.8.7.1	Test execution	103
6.6.8.7.2	Initial conditions	103
6.6.8.7.3	Test procedure	103
6.6.8.8	Consistency of File Updates	104
6.6.8.8.1	Test execution	104
6.6.8.8.2	Initial conditions	104
6.6.8.8.3	Test procedure	104
6.7	Security features	105
6.7.1	Foreword	105
6.7.2	Supported security features	105
6.7.2.1	Test execution	105
6.7.2.2	Initial conditions	105
6.7.2.3	Test procedure 1	106
6.7.2.4	Test procedure 2	106
6.7.3	Security architecture	106
6.7.3.1	Test execution	106
6.7.3.2	Initial conditions	106
6.7.3.3	Test procedure 1	107

6.7.3.4	Test procedure 2.....	107
6.7.4	Security environment.....	107
6.7.4.1	Test execution	107
6.7.4.2	Initial conditions	107
6.7.4.3	Test procedure.....	108
6.7.5	PIN definitions.....	109
6.7.5.1	Test execution	109
6.7.5.2	Initial conditions	109
6.7.5.3	Test procedure 1.....	110
6.7.5.4	Test procedure 2.....	110
6.7.5.5	Test procedure 3.....	110
6.7.6	PIN and key reference relationship.....	110
6.7.6.1	Test execution	110
6.7.6.2	Initial conditions	111
6.7.6.3	Test procedure 1.....	111
6.7.6.4	Test procedure 2.....	112
6.8	Structure of commands and responses.....	113
6.8.1	Purpose	113
6.8.2	Mapping principles	113
6.8.2.1	Test execution	113
6.8.2.2	Initial conditions	113
6.8.2.3	Test procedure.....	114
6.8.3	Response APDU Structure.....	115
6.8.3.1	Status Conditions Returned by the UICC.....	115
6.8.3.1.1	Test execution.....	115
6.8.3.1.2	Initial conditions	115
6.8.3.1.3	Test procedure	115
6.9	Commands.....	116
6.9.1	Generic Commands.....	116
6.9.1.1	SELECT.....	116
6.9.1.1.1	Test execution.....	116
6.9.1.1.2	Initial conditions	116
6.9.1.1.3	Test procedure 1	117
6.9.1.1.4	Test procedure 2	118
6.9.1.2	STATUS	118
6.9.1.2.1	Test execution.....	118
6.9.1.2.2	Initial conditions	118
6.9.1.2.3	Test procedure	119
6.9.1.3	READ BINARY	120
6.9.1.3.1	Test execution.....	120
6.9.1.3.2	Initial conditions	120
6.9.1.3.3	Test procedure	120
6.9.1.4	UPDATE BINARY.....	121
6.9.1.4.1	Test execution.....	121
6.9.1.4.2	Method of test Initial conditions.....	121
6.9.1.4.3	Test procedure	121
6.9.1.5	READ RECORD.....	122
6.9.1.5.1	Test execution.....	122
6.9.1.5.2	Initial conditions	122
6.9.1.5.3	Test procedure 1 (CURRENT and ABSOLUTE mode).....	122
6.9.1.5.4	Test procedure 2 (NEXT and PREVIOUS mode).....	123
6.9.1.5.5	Test procedure 3 (SFI referencing).....	124
6.9.1.6	UPDATE RECORD.....	124
6.9.1.6.1	Test execution.....	124
6.9.1.6.2	Initial conditions	125
6.9.1.6.3	Test procedure 1 (CURRENT and ABSOLUTE mode).....	125
6.9.1.6.4	Test procedure 2 (NEXT and PREVIOUS mode).....	126
6.9.1.6.5	Test procedure 3 (SFI referencing).....	127
6.9.1.7	SEARCH RECORD.....	127
6.9.1.7.1	Test execution.....	127
6.9.1.7.2	Initial condition	127
6.9.1.7.3	Test procedure 1 (simple search).....	127

6.9.1.7.4	Test procedure 2 (enhanced search)	129
6.9.1.7.5	Test procedure 3 (SFI).....	131
6.9.1.7.6	Test procedure 4 (Only applicable for T = 1 protocol).....	132
6.9.1.8	INCREASE	132
6.9.1.8.1	Test execution.....	132
6.9.1.8.2	Initial condition	132
6.9.1.8.3	Test procedure	132
6.9.1.9	VERIFY PIN.....	133
6.9.1.9.1	Test execution.....	133
6.9.1.9.2	Initial conditions	133
6.9.1.9.3	Test procedure 1	133
6.9.1.9.4	Test procedure 2	134
6.9.1.9.5	Test procedure 3	135
6.9.1.10	CHANGE PIN.....	135
6.9.1.10.1	Test execution.....	135
6.9.1.10.2	Initial conditions	135
6.9.1.10.3	Test procedure 1	135
6.9.1.10.4	Test procedure 2	136
6.9.1.11	DISABLE PIN	136
6.9.1.11.1	Test execution.....	136
6.9.1.11.2	Initial conditions	136
6.9.1.11.3	Test procedure 1	137
6.9.1.12	ENABLE PIN	138
6.9.1.12.1	Test execution.....	138
6.9.1.12.2	Initial conditions	138
6.9.1.12.3	Test procedure 1	138
6.9.1.13	UNBLOCK PIN	139
6.9.1.13.1	Test execution.....	139
6.9.1.13.2	Initial conditions	139
6.9.1.13.3	Test procedure 1	140
6.9.1.13.4	Test procedure 2 (Destructive test).....	141
6.9.1.13.5	Test procedure 3	141
6.9.1.13.6	Test procedure 4	142
6.9.1.14	DEACTIVATE FILE.....	142
6.9.1.14.1	Foreword	142
6.9.1.14.2	Test execution.....	142
6.9.1.14.3	Initial conditions	142
6.9.1.14.4	Test procedure 1	142
6.9.1.15	ACTIVATE FILE	144
6.9.1.15.1	Foreword	144
6.9.1.15.2	Test execution.....	144
6.9.1.15.3	Initial conditions	144
6.9.1.15.4	Test procedure	144
6.9.1.16	AUTHENTICATE	145
6.9.1.17	MANAGE CHANNEL	146
6.9.1.18	GET CHALLENGE	146
6.9.1.18.1	Foreword	146
6.9.1.18.2	Test execution.....	146
6.9.1.18.3	Initial conditions	146
6.9.1.18.4	Test procedure	146
6.9.2	Data Oriented Commands.....	146
6.9.2.1	RETRIEVE DATA	146
6.9.2.1.1	Test execution.....	146
6.9.2.1.2	Initial conditions	147
6.9.2.1.3	Test procedure 1 (basic)	147
6.9.2.1.4	Test procedure 2 (interleaving and aborting).....	148
6.9.2.1.5	Test procedure 3 (retransmitting)	149
6.9.2.2	SET DATA	150
6.9.2.2.1	Test execution.....	150
6.9.2.2.2	Initial conditions	150
6.9.2.2.3	Test procedure 1 (basic)	150
6.9.2.2.4	Test procedure 2 (interleaving and aborting).....	152

6.9.2.2.5	Test procedure 3 (retransmitting)	154
6.9.2.2.6	Test procedure 4 (segmentation of data).....	154
6.9.2.3	BER-TLV structure files	155
6.9.2.3.1	Purpose	155
6.9.2.3.2	Test execution.....	155
6.9.2.3.3	Initial conditions	155
6.9.2.3.4	Initial conditions 1 (usage of '5C').....	155
6.9.2.3.5	Test procedure 2 (supported tag values)	156
6.9.2.3.6	Test procedure 3 (FCP)	156
6.9.2.4	Logical channel interactions.....	157
6.9.2.4.1	Purpose	157
6.9.2.4.2	Test execution.....	157
6.9.2.4.3	Initial conditions	157
6.9.2.4.4	Test procedure 1 (management of tag pointers)	158
6.9.2.4.5	Test procedure 2 (concurrent access to data object)	159
6.9.2.4.6	Test procedure 3 (usage of '5C')	160
6.10	Transmission Oriented Commands	161
6.10.1	T = 0 specific commands	161
6.10.1.1	GET RESPONSE.....	161
6.10.1.1.1	Test execution.....	161
6.10.1.1.2	Initial conditions	161
6.10.1.1.3	Test procedure	161
6.11	Application independent files.....	161
6.11.1	Purpose	161
6.11.2	Test execution	161
6.11.3	Initial conditions	162
6.11.4	Test procedure	162
Annex A (informative):	List of test cases for each conformance requirement.....	163
Annex B (informative):	Bibliography	164
Annex C (informative):	Change history	165
History		166

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

It is based on work originally done in the 3GPP in TSG-terminals WG3.

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 0 early working draft;
 - 1 presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - 3 or greater indicates TC SCP approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 2 of a multi-part deliverable covering the Test specification for the Terminal/Integrated Circuit Card (ICC) interface, as identified below:

- Part 1: "Terminal features";
- Part 2: "UICC features".**

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document defines test cases for the UICC relating to the Terminal/UICC interface, as specified in ETSI TS 102 221 [1].

The aim of the present document is to ensure interoperability between the terminal and the UICC independently of the respective manufacturer, card issuer or operator.

Application specific tests for applications residing on an UICC are specified in ETSI TS 131 121 [3].

ITeH STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/d83e69fb-9dd7-4c7c-aede-5a12d25f233d/etsi-ts-102-230-2-v10.0.0-2019-06>

1 Scope

The present document covers the minimum characteristics which are considered necessary for the UICC in order to provide compliance to ETSI TS 102 221 [1].

The present document specifies the test cases for:

- the electrical characteristics of the UICC;
- the initial communication establishment and the transport protocols;
- the communication layers between the UICC and the UICC-enabled terminal.

Test cases for the USB ICC relating to ETSI TS 102 221 [1] interface as well as test cases for SWP/HCI relating to ETSI TS 102 613 [19] and ETSI TS 102 622 [i.1] are out of scope of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- In the case of a reference to a TC SCP document, a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 102 221: "Smart Cards; UICC-Terminal interface; Physical and logical characteristics".
- [2] ETSI TS 121 111: "Universal Mobile Telecommunications System (UMTS); USIM and IC card requirements (3GPP TS 21.111 Release 5)".
- [3] ETSI TS 131 121: "Universal Mobile Telecommunications System (UMTS); LTE; UICC-terminal interface; Universal Subscriber Identity Module (USIM) application test specification (3GPP TS 31.121)".
- [4] ISO/IEC 9646-7: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 7: Implementation Conformance Statements".
- [5] ETSI TS 102 223: "Smart Cards; Card Application Toolkit (CAT)".
- [6] Void.
- [7] ISO/IEC 7810: "Identification cards -- Physical characteristics".
- [8] ISO/IEC 7811-1: "Identification cards -- Recording technique -- Part 1: Embossing".
- [9] ISO/IEC 7816-1: "Identification cards - Integrated circuit cards -- Part 1: Cards with contacts -- Physical characteristics".
- [10] ISO/IEC 7816-2: "Identification cards -- Integrated circuit cards -- Part 2: Cards with contacts -- Dimensions and location of the contacts".