



**Smart Cards;
UICC-Terminal interface;
Physical, electrical and logical test specification;
Part 2: UICC features
(Release 13)**

iTeh 5G Standard Preview
<https://standards.iteh.aero/full-standard/smart-card-alog-standard-ts-102-230-2-v13.0-2019-06-4ef4-951a-0702a87a58b3>

Reference
RTS/SCP-00102230Uv1300

Keywords
smart card, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	11
Foreword.....	11
Modal verbs terminology.....	12
Introduction	12
1 Scope	13
2 References	13
2.1 Normative references	13
2.2 Informative references.....	14
3 Definition of terms, symbols, abbreviations and formats.....	15
3.1 Terms.....	15
3.2 Symbols.....	17
3.3 Abbreviations	17
3.4 Formats.....	18
3.4.1 Format of the table of optional features	18
3.4.2 Format of the applicability table	19
3.4.3 Status and Notations	19
3.4.4 Numbers and Strings.....	20
3.4.5 Format of the conformance requirements tables.....	20
4 Test environment.....	21
4.1 Table of optional features.....	21
4.2 Applicability table	22
4.3 Information provided by the device supplier.....	25
4.4 Test equipment	25
4.4.1 Overview	25
4.4.2 Measurement/setting uncertainties.....	25
4.4.2.1 V _{CC}	25
4.4.2.2 RST	26
4.4.2.3 CLK.....	26
4.4.2.4 I/O	26
4.4.3 Precision force-inducing contacting device	26
4.4.4 Temperature controllable environment.....	26
4.4.5 Temperature measuring device	27
4.4.6 Voltage measuring device.....	27
4.4.7 Precision measuring device.....	27
4.4.8 Current measuring device	27
4.4.9 Timing Measurements on contact I/O.....	27
4.4.10 Default conditions for DUT operation	27
4.5 Test execution	28
4.5.1 Parameter variations	28
4.5.2 Required application	28
4.5.2.1 Application requirements	28
4.5.2.2 Required application files	28
4.5.2.2.1 Requirements for file creation and update	28
4.5.2.2.2 EF _{TRANS} 16b	28
4.5.2.2.3 EF _{LF4R20b}	29
4.5.2.2.4 EF _{LF4R10b}	29
4.5.2.2.5 EF _{CYC4R3b}	30
4.5.2.2.6 DF on ADF (Application DF) level.....	30
4.5.2.2.7 EF _{SUBTRANS}	31
4.5.2.2.8 EF _{SUBLF}	31
4.5.2.2.9 EF _{SUBCYC}	32
4.6 Pass criterion	32

5	Conformance Requirements	33
5.1	Conformance requirement naming	33
5.2	Physical characteristics.....	33
5.3	Electrical specifications of the UICC - Terminal interface	34
5.4	Initial communication establishment procedures	35
5.5	Transmission protocols.....	36
5.6	Application and file structure	41
5.7	Security features	45
5.8	Structure of commands and responses	48
5.9	Commands.....	48
5.10	Transmission oriented commands	56
5.11	Application independent files	57
5.12	Application independent protocol	57
5.13	Support of APDU-based UICC applications over USB	57
6	Test cases.....	58
6.1	Introduction	58
6.2	Physical characteristic tests	58
6.2.1	Dimensions of the UICC card.....	58
6.2.1.1	Test execution	58
6.2.1.2	Initial conditions	58
6.2.1.3	Test procedure.....	58
6.2.2	Temperature range for card operation.....	59
6.2.2.1	Test execution	59
6.2.2.2	Initial conditions	59
6.2.2.3	Test procedure 1.....	59
6.2.2.4	Test procedure 2.....	59
6.3	Electrical specifications of the UICC - Terminal interface	59
6.3.1	Supply voltage V _{CC} (contact C1)	59
6.3.1.1	V _{CC} - Voltage limits	59
6.3.1.1.1	Test execution.....	59
6.3.1.1.2	Initial conditions	60
6.3.1.1.3	Test procedure	60
6.3.1.2	V _{CC} - Idle current limits	60
6.3.1.2.1	Test execution.....	60
6.3.1.2.2	Initial conditions	60
6.3.1.2.3	Test procedure	60
6.3.1.3	V _{CC} - Current limits in clock-stop-mode	60
6.3.1.3.1	Test execution.....	60
6.3.1.3.2	Initial conditions	60
6.3.1.3.3	Test procedure	61
6.3.2	Reset RST (contact C2)	61
6.3.2.1	RST - Static operation.....	61
6.3.2.1.1	Test execution.....	61
6.3.2.1.2	Initial conditions	61
6.3.2.2	Test procedure.....	61
6.3.3	Programming voltage V _{PP} (contact C6)	61
6.3.3.1	V _{PP} - Static operation	61
6.3.3.1.1	Test execution.....	61
6.3.3.1.2	Initial conditions	61
6.3.3.1.3	Test procedure 1	62
6.3.3.1.4	Test procedure 2	62
6.3.4	Clock CLK (contact C3)	62
6.3.4.1	Frequency and duty cycle.....	62
6.3.4.1.1	Test execution.....	62
6.3.4.1.2	Initial conditions	62
6.3.4.1.3	Test procedure	63
6.3.4.2	Voltage and current	63
6.3.4.2.1	Test execution.....	63
6.3.4.2.2	Initial conditions	63
6.3.4.2.3	Test procedure	64
6.3.5	I/O (contact C7)	64

6.3.5.1	Voltage and current	64
6.3.5.1.1	Test execution.....	64
6.3.5.1.2	Initial conditions.....	64
6.3.5.1.3	Test procedure 1	65
6.3.5.1.4	Test procedure 2	65
6.3.5.1.5	Test procedure 3	66
6.4	Initial communication establishment procedure	66
6.4.1	Supply voltage switching.....	66
6.4.1.1	Supply voltage classes.....	66
6.4.1.2	Power consumption of the UICC during ATR	66
6.4.1.2.1	Test execution.....	66
6.4.1.2.2	Initial conditions.....	67
6.4.1.2.3	Test procedure 1	67
6.4.1.2.4	Test procedure 2	67
6.4.1.3	Application related electrical parameters	67
6.4.1.3.1	Test execution.....	67
6.4.1.3.2	Initial conditions.....	67
6.4.1.3.3	Test procedure	67
6.4.2	ATR content.....	68
6.4.2.1	ATR - Major capabilities	68
6.4.2.1.1	Test execution.....	68
6.4.2.1.2	Initial conditions.....	68
6.4.2.1.3	Test procedure	68
6.4.2.2	ATR - Speed enhancement.....	68
6.4.2.2.1	Test execution.....	68
6.4.2.2.2	Initial conditions.....	68
6.4.2.2.3	Test procedure	69
6.4.2.3	Global Interface bytes	69
6.4.2.3.1	Test execution.....	69
6.4.2.3.2	Initial conditions.....	69
6.4.2.3.3	Test procedure	69
6.4.3	PPS procedure.....	69
6.4.3.1	Test execution	69
6.4.3.2	Initial conditions	69
6.4.3.3	Test procedure	70
6.4.4	Reset procedures	70
6.4.4.1	Test execution	70
6.4.4.2	Initial conditions	70
6.4.4.3	Test procedure 1.....	70
6.4.4.4	Test procedure 2.....	71
6.4.4.5	Test procedure 3	71
6.4.4.6	Test procedure 4	71
6.4.5	Clock stop mode	71
6.4.5.1	Test execution	71
6.4.5.2	Initial conditions	71
6.4.5.3	Test procedure	72
6.4.6	Bit/character duration and sampling time	72
6.4.7	Error handling	72
6.4.7.1	Test execution	72
6.4.7.2	Initial conditions	72
6.4.7.3	Test procedure	72
6.4.8	Compatibility	72
6.4.8.1	Test execution	72
6.5	Transmission Protocols	73
6.5.1	Physical Layer	73
6.5.1.1	Test execution	73
6.5.2	Data Link Layer	73
6.5.2.1	Character Frame	73
6.5.2.1.1	Test execution.....	73
6.5.2.1.2	Initial conditions.....	73
6.5.2.1.3	Test procedure	73
6.5.2.2	Transmission Protocol T = 0	74

6.5.2.2.1	Test execution.....	74
6.5.2.2.2	Initial conditions.....	74
6.5.2.2.3	Test procedure	74
6.5.2.3	Transmission Protocol T = 1	75
6.5.2.3.1	Timing and specific options for blocks sent with T = 1	75
6.5.2.3.2	Block frame structure	78
6.5.2.3.3	Error free operation	80
6.5.2.3.4	Error Handling for T = 1	80
6.5.2.3.5	Chaining	81
6.5.3	Transport Layer	82
6.5.3.1	Transportation of an APDU using T = 0	82
6.5.3.1.1	Purpose	82
6.5.3.1.2	Case 1 command.....	82
6.5.3.1.3	Case 2 command.....	83
6.5.3.1.4	Case 3	83
6.5.3.1.5	Case 4	84
6.5.3.1.6	Use of Procedure Bytes '61xx' and '6Cxx'	85
6.5.3.2	Transportation of an APDU using T = 1	86
6.5.3.2.1	Purpose	86
6.5.3.2.2	Case 1	86
6.5.3.2.3	Case 2	86
6.5.3.2.4	Case 3	87
6.5.3.2.5	Case 4	87
6.5.4	Application Layer	88
6.6	Application and File structure	88
6.6.1	Purpose	88
6.6.2	UICC Application structure	88
6.6.2.1	Test execution	88
6.6.2.2	Initial conditions	88
6.6.2.3	Test procedure.....	88
6.6.3	File types.....	89
6.6.3.1	Dedicated files.....	89
6.6.3.2	Elementary files	89
6.6.3.2.1	Introduction	89
6.6.3.2.2	Transparent EF	89
6.6.3.2.3	Linear fixed EF.....	89
6.6.3.2.4	Cyclic EF.....	90
6.6.3.2.5	BER-TLV structure EF.....	92
6.6.4	File referencing	92
6.6.5	Methods for selecting a file.....	92
6.6.5.1	SELECT by File Identifier Referencing.....	92
6.6.5.1.1	Test execution.....	92
6.6.5.1.2	Initial conditions.....	92
6.6.5.1.3	Test procedure	92
6.6.5.2	SELECT by Path Referencing.....	93
6.6.5.2.1	Test execution.....	93
6.6.5.2.2	Initial conditions.....	93
6.6.5.2.3	Test procedure	93
6.6.5.3	Short File Identifier	93
6.6.5.3.1	Test execution.....	93
6.6.5.3.2	Initial conditions.....	93
6.6.5.3.3	Test procedure	93
6.6.6	Application characteristic	94
6.6.6.1	Explicit Application selection	94
6.6.6.1.1	SELECT by DF Name.....	94
6.6.6.1.2	SELECT by partial DF Name.....	94
6.6.6.2	Application session activation.....	95
6.6.6.2.1	Test execution.....	95
6.6.6.2.2	Initial conditions.....	95
6.6.6.2.3	Test procedure	95
6.6.6.3	Application session termination	95
6.6.6.3.1	Test execution.....	95

6.6.6.3.2	Initial conditions	95
6.6.6.3.3	Test procedure 1	96
6.6.6.3.4	Test procedure 2	96
6.6.6.3.5	Test procedure 3	96
6.6.6.3.6	Test procedure 4	96
6.6.6.3.7	Test procedure 5	97
6.6.6.4	Application session reset	97
6.6.6.4.1	Test execution	97
6.6.6.4.2	Initial conditions	97
6.6.6.4.3	Test procedure	97
6.6.7	Reservation of file IDs	97
6.6.7.1	Test execution	97
6.6.7.2	Initial conditions	97
6.6.7.3	Test procedure 1	98
6.6.7.4	Test procedure 2	98
6.6.7.5	Test procedure 3	98
6.6.8	Logical channels	98
6.6.8.1	No Logical Channel Support	98
6.6.8.1.1	Test execution	98
6.6.8.1.2	Initial conditions	98
6.6.8.1.3	Test procedure	99
6.6.8.2	Logical Channels - Basic Behaviour	99
6.6.8.2.1	Test execution	99
6.6.8.2.2	Initial conditions	99
6.6.8.2.3	Test procedure 1	99
6.6.8.2.4	Test procedure 2	100
6.6.8.3	Opening a Logical Channel from the Basic Channel	100
6.6.8.3.1	Test execution	100
6.6.8.3.2	Initial conditions	100
6.6.8.3.3	Test procedure	100
6.6.8.4	Opening a Logical Channel from a Non-Basic Channel	101
6.6.8.4.1	Test execution	101
6.6.8.4.2	Initial conditions	101
6.6.8.4.3	Test procedure	101
6.6.8.5	Opening a Logical Channel on Non-Shareable Files	101
6.6.8.5.1	Test execution	101
6.6.8.5.2	Initial conditions	101
6.6.8.5.3	Test procedure	102
6.6.8.6	Logical Channels and Shareable Files	102
6.6.8.6.1	Test execution	102
6.6.8.6.2	Initial conditions	102
6.6.8.6.3	Test procedure 1 - (non-shareable files)	102
6.6.8.6.4	Test procedure 2 - (shareable files)	103
6.6.8.7	Command Interdependencies	103
6.6.8.7.1	Test execution	103
6.6.8.7.2	Initial conditions	103
6.6.8.7.3	Test procedure	103
6.6.8.8	Consistency of File Updates	105
6.6.8.8.1	Test execution	105
6.6.8.8.2	Initial conditions	105
6.6.8.8.3	Test procedure	105
6.7	Security features	106
6.7.1	Foreword	106
6.7.2	Supported security features	106
6.7.2.1	Test execution	106
6.7.2.2	Initial conditions	106
6.7.2.3	Test procedure 1	106
6.7.2.4	Test procedure 2	106
6.7.3	Security architecture	106
6.7.3.1	Test execution	106
6.7.3.2	Initial conditions	106
6.7.3.3	Test procedure 1	107

6.7.3.4	Test procedure 2.....	107
6.7.4	Security environment.....	107
6.7.4.1	Test execution	107
6.7.4.2	Initial conditions	107
6.7.4.3	Test procedure.....	108
6.7.5	PIN definitions.....	109
6.7.5.1	Test execution	109
6.7.5.2	Initial conditions	109
6.7.5.3	Test procedure 1.....	110
6.7.5.4	Test procedure 2.....	110
6.7.5.5	Test procedure 3.....	110
6.7.6	PIN and key reference relationship.....	110
6.7.6.1	Test execution	110
6.7.6.2	Initial conditions	111
6.7.6.3	Test procedure 1.....	111
6.7.6.4	Test procedure 2.....	112
6.8	Structure of commands and responses.....	113
6.8.1	Purpose	113
6.8.2	Mapping principles	113
6.8.2.1	Test execution	113
6.8.2.2	Initial conditions	113
6.8.2.3	Test procedure.....	114
6.8.3	Response APDU Structure.....	115
6.8.3.1	Status Conditions Returned by the UICC.....	115
6.8.3.1.1	Test execution.....	115
6.8.3.1.2	Initial conditions.....	115
6.8.3.1.3	Test procedure	115
6.9	Commands.....	116
6.9.1	Generic Commands.....	116
6.9.1.1	SELECT.....	116
6.9.1.1.1	Test execution.....	116
6.9.1.1.2	Initial conditions	116
6.9.1.1.3	Test procedure 1.....	116
6.9.1.1.4	Test procedure 2.....	118
6.9.1.2	STATUS	118
6.9.1.2.1	Test execution.....	118
6.9.1.2.2	Initial conditions	118
6.9.1.2.3	Test procedure	118
6.9.1.3	READ BINARY	120
6.9.1.3.1	Test execution.....	120
6.9.1.3.2	Initial conditions	120
6.9.1.3.3	Test procedure	120
6.9.1.4	UPDATE BINARY	121
6.9.1.4.1	Test execution.....	121
6.9.1.4.2	Method of test Initial conditions.....	121
6.9.1.4.3	Test procedure	121
6.9.1.5	READ RECORD.....	121
6.9.1.5.1	Test execution.....	121
6.9.1.5.2	Initial conditions	122
6.9.1.5.3	Test procedure 1 (CURRENT and ABSOLUTE mode).....	122
6.9.1.5.4	Test procedure 2 (NEXT and PREVIOUS mode)	123
6.9.1.5.5	Test procedure 3 (SFI referencing).....	124
6.9.1.6	UPDATE RECORD.....	124
6.9.1.6.1	Test execution.....	124
6.9.1.6.2	Initial conditions	124
6.9.1.6.3	Test procedure 1 (CURRENT and ABSOLUTE mode).....	124
6.9.1.6.4	Test procedure 2 (NEXT and PREVIOUS mode)	125
6.9.1.6.5	Test procedure 3 (SFI referencing).....	126
6.9.1.7	SEARCH RECORD.....	127
6.9.1.7.1	Test execution.....	127
6.9.1.7.2	Initial condition	127
6.9.1.7.3	Test procedure 1 (simple search).....	127

6.9.1.7.4	Test procedure 2 (enhanced search)	128
6.9.1.7.5	Test procedure 3 (SFI).....	131
6.9.1.7.6	Test procedure 4 (Only applicable for T = 1 protocol).....	131
6.9.1.8	INCREASE	132
6.9.1.8.1	Test execution.....	132
6.9.1.8.2	Initial condition.....	132
6.9.1.8.3	Test procedure	132
6.9.1.9	VERIFY PIN.....	132
6.9.1.9.1	Test execution.....	132
6.9.1.9.2	Initial conditions.....	132
6.9.1.9.3	Test procedure 1	132
6.9.1.9.4	Test procedure 2	134
6.9.1.9.5	Test procedure 3	134
6.9.1.10	CHANGE PIN.....	134
6.9.1.10.1	Test execution.....	134
6.9.1.10.2	Initial conditions.....	134
6.9.1.10.3	Test procedure 1	134
6.9.1.10.4	Test procedure 2	135
6.9.1.11	DISABLE PIN	135
6.9.1.11.1	Test execution.....	135
6.9.1.11.2	Initial conditions.....	136
6.9.1.11.3	Test procedure 1	136
6.9.1.12	ENABLE PIN	137
6.9.1.12.1	Test execution.....	137
6.9.1.12.2	Initial conditions.....	137
6.9.1.12.3	Test procedure 1	137
6.9.1.13	UNBLOCK PIN	138
6.9.1.13.1	Test execution.....	138
6.9.1.13.2	Initial conditions.....	138
6.9.1.13.3	Test procedure 1	138
6.9.1.13.4	Test procedure 2 (Destructive test).....	139
6.9.1.13.5	Test procedure 3	140
6.9.1.13.6	Test procedure 4	140
6.9.1.14	DEACTIVATE FILE.....	140
6.9.1.14.1	Foreword	140
6.9.1.14.2	Test execution.....	140
6.9.1.14.3	Initial conditions.....	141
6.9.1.14.4	Test procedure 1	141
6.9.1.15	ACTIVATE FILE	142
6.9.1.15.1	Foreword	142
6.9.1.15.2	Test execution.....	142
6.9.1.15.3	Initial conditions.....	142
6.9.1.15.4	Test procedure	142
6.9.1.16	AUTHENTICATE	144
6.9.1.17	MANAGE CHANNEL.....	144
6.9.1.18	GET CHALLENGE	144
6.9.1.18.1	Foreword	144
6.9.1.18.2	Test execution.....	144
6.9.1.18.3	Initial conditions.....	144
6.9.1.18.4	Test procedure	144
6.9.2	Data Oriented Commands.....	145
6.9.2.1	RETRIEVE DATA	145
6.9.2.1.1	Test execution.....	145
6.9.2.1.2	Initial conditions.....	145
6.9.2.1.3	Test procedure 1 (basic)	145
6.9.2.1.4	Test procedure 2 (interleaving and aborting).....	146
6.9.2.1.5	Test procedure 3 (retransmitting)	147
6.9.2.2	SET DATA	148
6.9.2.2.1	Test execution.....	148
6.9.2.2.2	Initial conditions.....	148
6.9.2.2.3	Test procedure 1 (basic)	148
6.9.2.2.4	Test procedure 2 (interleaving and aborting).....	150

6.9.2.2.5	Test procedure 3 (retransmitting)	151
6.9.2.2.6	Test procedure 4 (segmentation of data).....	152
6.9.2.3	BER-TLV structure files	152
6.9.2.3.1	Purpose	152
6.9.2.3.2	Test execution.....	152
6.9.2.3.3	Initial conditions.....	153
6.9.2.3.4	Initial conditions 1 (usage of '5C').....	153
6.9.2.3.5	Test procedure 2 (supported tag values).....	153
6.9.2.3.6	Test procedure 3 (FCP)	154
6.9.2.4	Logical channel interactions.....	155
6.9.2.4.1	Purpose	155
6.9.2.4.2	Test execution.....	155
6.9.2.4.3	Initial conditions.....	155
6.9.2.4.4	Test procedure 1 (management of tag pointers)	155
6.9.2.4.5	Test procedure 2 (concurrent access to data object).....	157
6.9.2.4.6	Test procedure 3 (usage of '5C')	158
6.10	Transmission Oriented Commands	158
6.10.1	T = 0 specific commands	158
6.10.1.1	GET RESPONSE.....	158
6.10.1.1.1	Test execution.....	158
6.10.1.1.2	Initial conditions.....	158
6.10.1.1.3	Test procedure	159
6.11	Application independent files.....	159
6.11.1	Purpose	159
6.11.2	Test execution.....	159
6.11.3	Initial conditions	159
6.11.4	Test procedure	160
Annex A (informative):	List of test cases for each conformance requirement.....	161
Annex B (informative):	Bibliography.....	162
Annex C (informative):	Change history	163
History	164	

*THIS STANDARD IS PREVIEW
https://standards.etsi.org/Full%20standard/catalogs/4ef4-951a-0702a87a3b3/etsi-ts-102-230-2/v13.0.0-2019-06*

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI Technical Committee Smart Card Platform (SCP).

It is based on work originally done in the 3GPP in TSG-terminals WG3.

The contents of the present document are subject to continuing work within TC SCP and may change following formal TC SCP approval. If TC SCP modifies the contents of the present document, it will then be republished by ETSI with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 0 early working draft;
 - 1 presented to TC SCP for information;
 - 2 presented to TC SCP for approval;
 - 3 or greater indicates TC SCP approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

The present document is part 2 of a multi-part deliverable covering the Test specification for the Terminal/Integrated Circuit Card (ICC) interface, as identified below:

Part 1: "Terminal features";

Part 2: "UICC features".

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document defines test cases for the UICC relating to the Terminal/UICC interface, as specified in ETSI TS 102 221 [1].

The aim of the present document is to ensure interoperability between the terminal and the UICC independently of the respective manufacturer, card issuer or operator.

Application specific tests for applications residing on an UICC are specified in ETSI TS 131 121 [3].

iTeh STANDARD PREVIEW
(Standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/9da84ec3-731d-4ef4-951a-0702a87a58b3/etsi-ts-102-230-2-v13.0.0-2019-06>

1 Scope

The present document covers the minimum characteristics which are considered necessary for the UICC in order to provide compliance to ETSI TS 102 221 [1].

The present document specifies the test cases for:

- the electrical characteristics of the UICC;
- the initial communication establishment and the transport protocols;
- the communication layers between the UICC and the UICC-enabled terminal.

Test cases for the USB ICC relating to ETSI TS 102 221 [1] interface as well as test cases for SWP/HCI relating to ETSI TS 102 613 [19] and ETSI TS 102 622 [i.1] are out of scope of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

- In the case of a reference to a TC SCP document, a non-specific reference implicitly refers to the latest version of that document in the same Release as the present document.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI TS 102 221: "Smart Cards; UICC-Terminal interface; Physical and logical characteristics".
- [2] ETSI TS 121 111: "Universal Mobile Telecommunications System (UMTS); USIM and IC card requirements (3GPP TS 21.111 Release 5)".
- [3] ETSI TS 131 121: "Universal Mobile Telecommunications System (UMTS); LTE; UICC-terminal interface; Universal Subscriber Identity Module (USIM) application test specification (3GPP TS 31.121)".
- [4] ISO/IEC 9646-7: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 7: Implementation Conformance Statements".
- [5] ETSI TS 102 223: "Smart Cards; Card Application Toolkit (CAT)".
- [6] Void.
- [7] ISO/IEC 7810: "Identification cards -- Physical characteristics".
- [8] ISO/IEC 7811-1: "Identification cards -- Recording technique -- Part 1: Embossing".
- [9] ISO/IEC 7816-1: "Identification cards - Integrated circuit cards -- Part 1: Cards with contacts -- Physical characteristics".
- [10] ISO/IEC 7816-2: "Identification cards -- Integrated circuit cards -- Part 2: Cards with contacts -- Dimensions and location of the contacts".