



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
Digital cellular telecommunications system (Phase 2+) (GSM);
3G security;
Lawful interception architecture and functions
(3GPP TS 33.107 version 15.5.0 Release 15)**



Reference

RTS/TSGS-0333107vf50

Keywords

GSM,LTE,SECURITY,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	17
Introduction	17
1 Scope	18
2 References	18
3 Definitions, symbols and abbreviations.	21
3.1 Definitions.....	21
3.2 Abbreviations	22
4 Functional architecture.....	24
5 Activation, deactivation and interrogation	32
5.0 General	32
5.1 Activation.....	34
5.1.0 General.....	34
5.1.1 X1_1-interface	34
5.1.2 X1_2-interface (IRI)	35
5.1.3 X1_3-interface (CC)	36
5.2 Deactivation	37
5.2.0 General.....	37
5.2.1 X1_1-interface	37
5.2.2 X1_2-interface (IRI)	38
5.2.3 X1_3-interface (CC)	38
5.3 Interrogation.....	39
5.3.0 General.....	39
5.3.1 Interrogation of the 3G ICES.....	39
5.3.2 Interrogation of Delivery Functions.....	39
5A X Interfaces	40
5A.1 General	40
5A.2 X1.....	40
5A.2.1 General.....	40
5A.2.2 X1 Detail.....	40
5A.3 X2.....	41
5A.3.1 General.....	41
5A.4 X3.....	41
5A.4.1 General.....	41
6 Invocation of Lawful Interception (LI) for Circuit Switched (CS) services	41
6.0 General	41
6.1 Provision of Intercept CC - Circuit Switched.....	43
6.2 Provision of CC - Short Message Service	44
6.3 Provision of Intercept Related Information	44
6.3.0 General.....	44
6.3.1 X2-interface	45
6.3.2 Structure of the events	45
6.3.3 Call Related events	48
6.3.3.1 Call establishment.....	48
6.3.3.2 Answer	48
6.3.3.3 Supplementary Services	49
6.3.3.4 Handover.....	49
6.3.3.5 Release	49
6.3.4 Non Call Related events	50

6.3.4.1	SMS.....	50
6.3.4.2	Location update.....	50
6.3.4.3	Subscriber Controlled Input (SCI)	50
6.3.5	HLR Related events	51
6.3.5.1	Serving system	51
6.3.5.2	HLR subscriber record change	51
6.3.5.3	Cancel location.....	51
6.3.5.4	Register location	52
6.4	Intercept cases for circuit switched supplementary services	53
6.4.1	Interception of Multiparty call	53
6.4.2	Interception for Call Forwarding / Call Deflection / ECT	53
7	Invocation of Lawful Interception for GSN Packet Data services	54
7.0	General	54
7.1	Provision of Intercept Product - Short Message Service	55
7.2	Provision of Intercepted Content of Communications - Packet data GSN services	56
7.2.0	General.....	56
7.2.1	X3-interface	56
7.3	Provision of Intercept Related Information	57
7.3.0	General.....	57
7.3.1	X2-interface	58
7.3.2	Structure of the events	58
7.4	Packet Data related events.....	62
7.4.1	Mobile Station Attach.....	62
7.4.2	Mobile Station Detach	63
7.4.3	Packet Data PDP context activation	63
7.4.4	Start of interception with PDP context active.....	64
7.4.5	Packet Data PDP context deactivation.....	64
7.4.6	RA update	65
7.4.7	SMS	65
7.4.8	Packet Data PDP context modification.....	66
7.4.9	Serving System	66
7.4.10	Start of interception with mobile station attached.....	66
7.4.11	Packet Data Header Information.....	66
7.4.11.0	Introduction	66
7.4.11.1	Packet Data Header Report	67
7.4.11.2	Packet Data Summary Report.....	67
7.4.12	HLR subscriber record change.....	68
7.4.13	Cancel location	69
7.4.14	Register location	69
7.4.15	Location information request.....	69
7.4.16	Void.....	69
7.5	Void.....	69
7.6	Interception of the Multimedia Messaging Service (MMS)	70
7A	Invocation of Lawful Interception for Packet Data Multi-media Service	70
7A.1	Provision of content of communications	70
7A.1.A	Decryption for IMS Media Plane Security	70
7A.2	Provision of IRI.....	71
7A.2.1	Provision of IRI with SIP messaging.....	71
7A.2.2	Provision of IRI with XCAP messages.....	71
7A.2.3	Provision of IRI with Diameter or MAP messages related to HSS.....	72
7A.2.3.0	General	72
7A.2.3.1	Serving system	73
7A.2.3.2	Subscriber record change	74
7A.2.3.3	Registration Termination	75
7A.2.4	Provision of IRI for WebRTC.....	76
7A.3	Multi-media events.....	76
7A.3.0	General.....	76
7A.3.1	Mid IMS Session Interception	78
7A.3.1.0	General	78
7A.3.1.1	SDES Media Security	79

7A.4	Multi-media Call State Control Service Scenarios	79
7A.5	Push to talk over Cellular (PoC).....	79
7A.6	SMS over IMS	79
7A.7	LI for KMS based IMS Media Security	79
7A.7.1	LI Architecture and functions	79
7A.7.2	Signalling over the Xk interfaces and LI events	80
7A.7.3	Cooperating KMSs	81
7A.7.4	Security	81
7A.7.5	Start of interception for an already established IMS media secured session	82
7A.8	IMS IMEI Interception	82
7A.9	Void.....	82
8	Security.....	83
8.0	General	83
8.1	Administration security	83
8.2	IRI security	83
8.2.1	Normal operation	83
8.2.2	Communication failure	84
8.3	CC security	84
8.4	Security aspects of Lawful Interception (LI) billing	84
8.5	Other security issues.....	84
8.5.1	Log files	84
8.5.2	Data consistency	84
9	Invocation of Lawful Interception (LI) for 3GPP WLAN interworking services	85
9.0	General	85
9.1	Provision of Intercept Product - Short Message Service	85
9.2	Provision of Intercepted Content of Communications - 3GPP WLAN Interworking services	85
9.2.0	General.....	85
9.2.1	X3-interface	86
9.3	Provision of Intercept Related Information	86
9.3.0	General.....	86
9.3.1	X2-interface	87
9.3.2	3GPP WLAN Interworking LI Events and Event Information.....	87
9.4	Structure of I-WLAN Events.....	94
9.4.1	I-WLAN Access Initiation	94
9.4.2	WLAN Access Termination	95
9.4.3	I-WLAN Tunnel Establishment.....	95
9.4.4	I-WLAN Tunnel Disconnect.....	96
9.4.5	Start of Intercept with I-WLAN Communication Active.....	97
9.4.6	Packet Data Header Information.....	98
9.4.6.0	Introduction.....	98
9.4.6.1	Packet Data Header Report	98
9.4.6.2	Packet Data Summary Report	99
10	Interception of Multimedia Broadcast/MultiCast Service (MBMS)	101
10.0	General	101
10.1	Provision of Content of Communications	101
10.2	Provision of Intercept Related Information	101
10.2.0	General.....	101
10.2.1	X2-interface	102
10.2.2	MBMS LI Events and Event Information.....	102
10.3	Structure of MBMS Events	104
10.3.1	Service Joining.....	104
10.3.2	Service Leaving	104
10.3.3	Start of Interception with Service Active.....	104
10.3.4	Subscription Activation	105
10.3.5	Subscription Modification	105
10.3.6	Subscription Termination	106
11	IMS Conference Services.....	106
11.1	Background for IMS Conference Services.....	106
11.1A	Start of Interception for IMS Conference Services	107

11.2	Provision of Intercepted Content of Communication - IMS Conference Services.....	107
11.2.0	General.....	107
11.2.1	X3-interface	108
11.3	Provision of Intercept Related Information for IMS Conference Service	108
11.3.0	General.....	108
11.3.1	X2-interface	109
11.3.2	IMS Conference Events and Event Information	109
11.3.3	Structure of Conference Events	113
11.3.3.1	Start of Conference	113
11.3.3.2	Party Join	113
11.3.3.3	Party Leave	114
11.3.3.3A	Conference Bearer Modification.....	114
11.3.3.4	Start of Intercept on an Active Conference	115
11.3.3.5	Conference End.....	115
11.3.3.6	Creation of Conference	116
11.3.3.7	Update of Conference	116
12	Lawful Interception for Evolved Packet System.....	117
12.1	LI functional architecture for EPS.....	117
12.2	Functional requirements for LI in case of E-UTRAN access and GTP based S5/S8.	120
12.2.0	General.....	120
12.2.1	Provision of Intercept Related Information	121
12.2.1.0	General	121
12.2.1.1	X2-interface	121
12.2.1.2	Structure of the events.....	121
12.2.2	X3-interface	126
12.2.3	EPS related events	127
12.2.3.1	Attach.....	127
12.2.3.2	Detach	127
12.2.3.3	Bearer activation	128
12.2.3.4	Bearer deactivation.....	128
12.2.3.5	Bearer modification.....	129
12.2.3.6	Start of interception with active bearer.....	130
12.2.3.7	Tracking Area/EPS Location Update	130
12.2.3.8	Serving Evolved Packet System.....	131
12.2.3.9	UE requested PDN connectivity	131
12.2.3.10	UE requested PDN disconnection	131
12.2.3.11	UE requested Bearer Resource Modification	132
12.2.3.12	Void.....	132
12.2.3.13	Start of interception with E-UTRAN attached UE.....	132
12.2.3.14	Packet Data Header Information	133
12.2.3.14.0	Introduction	133
12.2.3.14.1	Packet Data Header Report.....	133
12.2.3.14.2	Packet Data Summary Report.....	134
12.2.3.15	HSS subscriber record change.....	135
12.2.3.16	Cancel location.....	136
12.2.3.17	Register location	136
12.2.3.18	Location information request	136
12.3	Functional requirements for LI in case of E-UTRAN access and PMIP based S5/S8 interfaces	136
12.3.0	General.....	136
12.3.1	Provision of intercept related information	137
12.3.1.0	General	137
12.3.1.1	X2 interface.....	137
12.3.1.2	Structure of the events.....	138
12.3.2	X3-interface	141
12.3.3	LI events for E-UTRAN access with PMIP-based S5 or S8.....	141
12.3.3.1	Initial E-UTRAN Attach and UE PDN requested connectivity with PMIP-based S5 or S8	141
12.3.3.2	Detach and PDN disconnection for PMIP-based S5/S8.....	142
12.3.3.3	Start of interception with active tunnel for PMIP based S5/S8	142
12.3.3.4	Dedicated Bearer Procedures for E-UTRAN Access with PMIP-based S5/S8	142
12.3.3.5	PDN-GW initiated PDN-disconnection Procedure	142
12.3.3.6	PMIP Session modification.....	143

12.3.3.7	Packet Data Header Information	143
12.3.3.7.0	Introduction	143
12.3.3.7.1	Packet Data Header Report.....	143
12.3.3.7.2	Packet Data Summary Report.....	144
12.4	Functional requirements for LI in case of trusted non-3GPP IP access	145
12.4.0	General.....	145
12.4.1	Provision of Intercept Related Information	146
12.4.1.0	General	146
12.4.1.1	X2-interface	146
12.4.1.2	Structure of the events.....	146
12.4.2	X3-interface	151
12.4.3	LI events for trusted Non-3GPP IP access.....	151
12.4.3.1	Initial Attach and PDN connection activation with PMIPv6 on S2a.....	151
12.4.3.2	Initial Attach and PDN connection activation procedures with MIPv4 FACoA on S2a.....	152
12.4.3.3	Initial Attach and PDN connection activation procedures with DSMIPv6 over S2c	152
12.4.3.4	Detach and PDN disconnection with PMIPv6 on S2a	153
12.4.3.5	Detach and PDN disconnection with MIPv4 FACoA	153
12.4.3.6	Detach and PDN disconnection with DSMIPv6 on S2c	153
12.4.3.7	PDN-GW reallocation upon initial attach on s2c	154
12.4.3.8	PDN GW initiated Resource Allocation Deactivation with S2a PMIP	154
12.4.3.9	PDN GW initiated Resource Allocation Deactivation with S2a MIP v4.....	154
12.4.3.10	Serving Evolved Packet System.....	155
12.4.3.11	Start of interception with active tunnel or bearer	155
12.4.3.12	PMIP session modification.....	155
12.4.3.13	DSMIP session modification.....	155
12.4.3.14	Bearer activation	156
12.4.3.15	Bearer deactivation.....	156
12.4.3.16	Bearer modification.....	156
12.4.3.17	Packet Data Header Information	156
12.4.3.17.0	Introduction	156
12.4.3.17.1	Packet Data Header Report	156
12.4.3.17.2	Packet Data Summary Report	157
12.4.3.18	HSS subscriber record change.....	158
12.4.3.19	Registration Termination	159
12.4.3.20	Location Information request.....	159
12.5	Functional requirements for LI in case of untrusted non-3GPP IP access.....	160
12.5.0	Introduction.....	160
12.5.1	Provision of Intercept Related Information	160
12.5.1.0	General	160
12.5.1.1	X2-interface	161
12.5.1.2	Structure of the events.....	161
12.5.2	X3-interface	166
12.5.3	LI events for untrusted Non-3GPP IP access.....	166
12.5.3.1	Initial Attach and PDN connection activation with PMIPv6 on S2b	166
12.5.3.2	Initial attach and PDN connection activation for S2c in untrusted non-3GPP IP access.....	167
12.5.3.3	UE/ePDG-initiated Detach Procedure and UE Requested PDN disconnection with PMIP	167
12.5.3.4	Detach and PDN Disconnection for S2c in Un-trusted Non-3GPP IP access	168
12.5.3.5	Serving Evolved Packet System.....	168
12.5.3.6	Start of interception with active tunnel/bearer	168
12.5.3.7	PDN-GW reallocation upon initial attach on s2c	169
12.5.3.8	PDN GW initiated Resource Allocation Deactivation with S2b PMIP.....	169
12.5.3.9	PMIP session modification.....	169
12.5.3.10	DSMIP session modification.....	169
12.5.3.11	Packet Data Header Information	170
12.5.3.11.0	General	170
12.5.3.11.1	Packet Data Header Report.....	170
12.5.3.11.2	Packet Data Summary Report.....	171
12.5.3.12	Bearer activation	172
12.5.3.13	Bearer deactivation.....	172
12.5.3.14	Bearer modification.....	172
12.5.3.15	HSS subscriber record change.....	172
12.5.3.16	Registration Termination	173

12.5.3.17	Location Information request	173
12.6	Functional requirements for LI in case of Handovers between E-UTRAN and CDMA2000 Accesses.....	174
12.7	Functional requirements for LI in case of interworking between SGSN and EPS nodes over S4/S12 interfaces	174
12.8	Functional requirements for LI in case of interworking between SGSN and PDN-GW over Gn/Gp interfaces	174
12.9	Functional Requirements for LI in case of Control and User Plane Separation	175
12.9.1	Background.....	175
12.9.2	LI Architecture with CUPS.....	175
12.9.2.1	Overview	175
12.9.2.2	Packet detection rules.....	176
12.9.2.3	Forwarding action rules.....	176
12.9.2.4	Intercepted packet identification rules	176
12.9.3	Provision of Content of Communications.....	176
12.9.3.1	Interception for Serving Gateway	176
12.9.3.2	Interception for PDN Gateway.....	176
12.9.4	Provision of Intercept Related Information	177
12.9.4.1	Interception at the Serving Gateway	177
12.9.4.2	Interception at the PDN Gateway.....	177
13	Lawful Interception for 3GPP H(e)NBs.....	178
13.0	General	178
13.1	Provision of Intercepted Content of Communications for 3GPP H(e)NBs	178
13.2	Provision of Intercept Related Information for 3GPP H(e)NBs.....	178
13.2.1	X2-interface	178
13.3	3GPP H(e)NB LI Events and Event Information.....	178
13.4	UMTS Home Node B (HNB).....	179
13.4.0	General.....	179
13.4.1	Intercepted Content of Communications for 3GPP UMTS HNBs.....	180
13.4.2	Intercept Related Information	180
13.4.2.0	General	180
13.4.2.1	X2-interface	180
13.4.3	3GPP UMTS HNB LI Events and Event Information	181
13.4.4	Structure of HNB Events	181
13.4.4.1	Target UE Registration to HNB	181
13.4.4.2	Target UE De-Registration from HNB	182
13.4.4.3	Start of Intercept with HNB attached UE	182
13.4.4.4	Target UE HNB Handover	182
13.5	Home enhanced Node B (HeNB).....	183
14	Interception of Generic Bootstrapping Architecture (GBA) Secured Communications	184
14.1	Introduction	184
14.2	Provision of Content of Communications	184
14.3	Provision of Intercept Related Information	184
14.3.1	Provision of Intercept Related Information Data Flow	184
14.3.2	X2-interface	185
14.3.3	GBA LI Events and Event Information	185
14.4	Structure of GBA Events.....	186
14.4.1	Bootstrapping.....	186
14.4.2	Query from NAF.....	187
14.4.3	Start of Interception with GBA key	187
15	Invocation of Lawful Interception for IMS-based VoIP	187
15.1	Overview of VoIP Interception	187
15.2	Provision of Content of Communications	188
15.2.0	Overview	188
15.2.1	General Principles of CC Interception.....	188
15.2.1.1	Intercept Trigger	188
15.2.1.2	X3-Interface	189
15.2.2	VoIP CC Interception	189
15.2.3	Media Information Associated with the CC	191
15.2.4	CC Interception in HPLMN with IMS Roaming	191
15.2.5	CC Interception with CUPS.....	192

15.3	Provision of Intercept Related Information for VoIP	192
15.4	Lawful interception in the VPLMN with IMS roaming	192
15.4.1	Local breakout with P-CSCF in the VPLMN	192
15.5	Constraints for IMS VoIP Roaming Interception	192
16	LI for Group Communications using GCSE	193
16.1	Background	193
16.2	GCSE AS in Operator Network	193
16.2.0	General	193
16.2.1	Provision of Content of Communications	193
16.2.1.0	General	193
16.2.1.1	X3-interface	194
16.2.2	Provision of Intercept Related Information	194
16.2.2.0	General	194
16.2.2.1	X2-interface	195
16.2.2.2	GCSE AS LI Events and Event Information	195
16.2.2.2.0	General	195
16.2.2.2.1	Activation of GCSE Communications Group	196
16.2.2.2.2	Deactivation of GCSE Communications Group	197
16.2.2.2.3	User Added	197
16.2.2.2.4	User Dropped	198
16.2.2.2.5	Start of Intercept with an Active GCSE Communications Group	198
16.2.2.2.6	End of Intercept with an Active GCSE Communications Group	199
16.2.2.2.7	Modification of Target Connection to GCS AS	199
16.3	GCS AS outside Intercepting CSP Network	200
17	Interception for Proximity Services	200
17.1	ProSe Direct Discovery	200
17.1.1	General	200
17.1.2	Provision of Inteception of Call Content	201
17.1.3	Provision of Intercept Related Information	201
17.1.3.1	General	201
17.1.3.2	X2-interface	201
17.1.3.3	ProSe LI Events and Event Information	201
17.1.3.3.1	ProSe LI Events	201
17.1.3.3.2	ProSe LI Event Information	202
17.1.3.3.3	Structure of ProSe Events	203
17.1.3.3.3.1	Discovery Request	203
17.1.3.3.3.2	Match Report	203
17.2	ProSe One To Many Communications	203
17.2.1	General	203
17.2.2	Provision of Intercept Product - One-To-Many Communications	204
17.2.2.1	General	204
17.2.2.2	X2-interface	205
17.2.2.3	ProSe LI One-To-Many Events and Event Information	205
17.2.2.3.1	Overview of ProSe LI One-To-Many Events	205
17.2.2.3.2	Structure of ProSe LI One-To-Many Event Information	205
17.2.2.3.3	ProSe LI One-To-Many Events	207
17.3	ProSe Remote UE Communications	208
17.3.1	General	208
17.3.2	The ProSe Remote UE is a target for interception	208
17.3.3	The ProSe UE-to-NW Relay is a target for interception	209
17.3.4	X2-interface	209
17.3.4.1	Structure of the events	209
17.3.5	ProSe UE-to-NW Relay events	210
17.3.5.1	ProSe Remote UE Report	210
17.3.5.2	ProSe Remote UE Start of Communication	211
17.3.5.3	ProSe Remote UE End of Communication	211
17.3.5.4	Start of interception with ProSe Remote UE ongoing communication	211
17.3.5.5	Start of interception for ProSe UE-to-NW Relay	212
17.3.6	X3-interface	212
18	Invocation of Lawful Interception for messaging services	212

18.1	Overview of messaging services interception	212
18.2	SMS	213
18.2.1	Introduction.....	213
18.2.2	SMS over GPRS/UMTS	213
18.2.3	SMS over IP.....	213
18.2.4	SMS over NAS.....	214
18.2.4.0	Introduction.....	214
18.2.4.1	Structure of the events.....	214
18.2.4.2	SMS over NAS Events	214
18.2.4.3	SMS over NAS.....	215
18.3	MMS	216
18.3.1	Background.....	216
18.3.2	MMS Architecture IRI/CC Events.....	217
18.3.3	MMS Events	221
18.3.3.1	MMS Send	221
18.3.3.2	MMS Notification & Response.....	223
18.3.3.3	MMS Retrieval & Acknowledgement.....	224
18.3.3.4	MMS Forwarding.....	226
18.3.3.5	MMS Store.....	227
18.3.3.6	MMS Upload.....	227
18.3.3.7	MMS Delete (Stored in MMBox or in Proxy-Relay).....	228
18.3.3.8	MMS Delivery	228
18.3.3.9	MMS Read Reply.....	229
18.3.3.10	MMS Cancel	230
18.3.3.12	MMS MMBox Viewing.....	230
19	Lawful Access Location Services (LALS).....	232
19.1	General	232
19.2	Target Positioning	233
19.2.1	General.....	233
19.2.1	Immediate Location Provision.....	233
19.2.2	Periodic Location Provision	234
19.3	Enhanced Location for IRI	234
19.3.1	General.....	234
19.3.2	LALS Triggering Function	235
19.4	X2-interface for Target Positioning and Enhanced Location	235
19.4.1	General.....	235
19.4.2	LALS Information Elements.....	236
19.4.3	Structure of LALS Records	236
19.4.3.1	Target Positioning Reporting	236
19.4.3.2	Triggered Location Reporting.....	237
20	Lawful interception in the VPLMN with S8HR Roaming Architecture	237
20.1	Architecture.....	237
20.1.1	Overview	237
20.1.2	LI specific Reference Points	238
20.1.3	LI Specific Functions.....	238
20.1.3.1	Void.....	238
20.1.3.2	BBIFF: Bearer Binding Intercept and Forward Function.....	238
20.1.3.3	LMISF: LI Mirror IMS State Function	239
20.2	Provision of Content of Communications	240
20.2.1	Overview	240
20.2.1.1	General	240
20.2.1.2	S-GW/BBIFF Procedures for CC Interception	241
20.2.1.3	Void.....	242
20.2.1.4	LMISF Procedures for CC Interception	242
20.2.2	X3-Interface.....	242
20.3	Provision of Intercept Related Information	242
20.3.1	Overview	242
20.3.1.1	General	242
20.3.1.2	Void.....	243
20.3.1.3	S-GW/BBIFF Procedures for IRI interception.....	243

20.3.1.4	LMISF Procedures for IRI interception	243
20.3.2	IRI Events	244
20.3.2.1	General	244
20.3.2.2	IMEI-based interception.....	244
20.3.2.3	Mid-call Interception.....	244
20.3.2.4	Signalling Compression	244
20.3.2.5	Limitations	245
20.3.3	X2-Interface.....	245
20.4	Lawful Interception with CUPS architecture	245
20.5	S8HR LI and Target UE Mobility	247
20.5.1	Overview	247
20.5.2	S-GW Relocation.....	247
21	Invocation of Lawful Interception for Push to talk over Cellular services.	247
21.0	General	247
21.1	Provision of IRI – PTC Service.....	248
21.1.0	Introduction.....	248
21.1.1	Decryption for PTC services.....	249
21.1.2	Signalling over the Xk interfaces and LI events	250
21.2	Provision of Content – PTC Service	251
21.3	Provision of Interception	252
21.3.1	X3-Interface.....	252
21.3.2	X2-interface	252
21.3.3	LI Defined Events.....	252
21.3.3.1	IRI Defined Events.....	252
21.3.3.2	Communication Content (CC) Event	253
21.3.4	Events Elements.....	253
21.3.4.1	IRI Event Elements	253
21.3.4.2	CC Event Elements	258
21.4	PTC Surveillance Events.....	258
21.4.0	PTC General	258
21.4.1	PTC Service Registration.....	259
21.4.2	PTC Serving System	259
21.4.3	PTC Session Initiation	259
21.4.4	PTC Session Abandon	260
21.4.5	PTC Session Start	260
21.4.6	PTC Session End	260
21.4.7	PTC Start of Interception.....	261
21.4.8	PTC Pre-Established Session.....	261
21.4.9	PTC Instant Personal Alert	262
21.4.10	PTC Party Join event	262
21.4.11	PTC Party Drop	263
21.4.12	PTC Party Hold.....	263
21.4.13	PTC Party Retrieve	263
21.4.14	PTC Media Modification	264
21.4.15	PTC Group Advertisement	264
21.4.16	PTC Floor Control	264
21.4.17	PTC Target Presence	265
21.4.18	PTC Associate Presence	265
21.4.19	PTC List Management Events	266
21.4.20	PTC Access Policy event	266
21.4.21	PTC Media Type Notification	267
21.4.22	PTC Encryption Message	268
21.5	PTC Group Calls	268
21.5.1	General.....	268
21.5.2	Group Call Request.....	269
21.5.3	Group Call Response	270
21.5.4	PTC Group Interrogate	270
21.6	MCPTT Priority Calls and Alerts Messages	270
21.6.0	Background.....	270
21.6.1	General.....	271
21.6.2	MCPTT Emergency Group Call	272

21.6.3	MCPTT Emergency Group Call Cancel	272
21.6.4	MCPTT Emergency Group Alert.....	272
21.6.5	MCPTT Emergency Group State.....	273
21.6.6	MCPTT Imminent Peril Group Call	273
21.7	PTC Communication Content (CC)	273
21.7.0	General.....	274
21.7.1	Communication Content (CC)	274
22	Cell Supplemental Information Reporting	274
22.1	General	274
22.2	Cell Site Report Delivery	274
22.3	LI_CELL_INFO Interface.....	275
22.4	Cell Site Report	275
23	Lawful Interception for Non-IP Data Delivery (NIDD) using SCEF	276
23.1	Overview	276
23.2	Provision of Content of Communications	277
23.2.1	X3-interface	277
23.3	Provision of Intercept Related Information	278
23.3.1	General.....	278
23.3.2	X2-interface	278
23.3.3	Structure of the events	278
23.3.4	NIDD using SCEF related events	282
23.3.4.1	MME related events	282
23.3.4.1.1	IoT UE Attach for NIDD using SCEF.....	282
23.3.4.1.2	IoT UE Detach for NIDD using SCEF	283
23.3.4.1.3	IoT UE Tracking Area Update for NIDD using SCEF	283
23.3.4.1.4	IoT UE requested PDN connectivity	283
23.3.4.1.5	IoT UE requested PDN disconnection.....	284
23.3.4.1.6	SCEF requested PDN disconnection.....	284
23.3.4.1.7	Start of interception with attached IoT UE active NIDD connection	285
23.3.4.2	SGSN related events	285
23.3.4.2.1	IoT UE Attach for NIDD using SCEF.....	285
23.3.4.2.2	IoT UE Detach for NIDD using SCEF	286
23.3.4.2.3	IoT UE Routing Area Update for NIDD using SCEF.....	286
23.3.4.2.4	IoT UE requested PDP context activation for NIDD using SCEF	286
23.3.4.2.5	IoT UE requested PDP context deactivation for NIDD using SCEF.....	287
23.3.4.2.6	SCEF requested PDP context deactivation	288
23.3.4.2.7	Start of interception with PDP context active.....	288
23.3.4.3	SCEF related events	289
23.3.4.3.1	MME/SGSN originated connection request	289
23.3.4.3.2	MME/SGSN originated connection update	289
23.3.4.3.3	SCEF originated connection update	289
23.3.4.3.4	MME/SGSN originated disconnection request.....	290
23.3.4.3.5	SCEF originated disconnection request.....	290
23.3.4.3.6	Start of interception with connected UE.....	290
23.3.4.3.7	Non-IP Packet Data Header Information.....	291
23.3.4.4	IWK-SCEF related events	292
23.3.4.4.1	MME/SGSN originated connection request	292
23.3.4.4.2	MME/SGSN originated connection update	293
23.3.4.4.3	SCEF originated connection update	293
23.3.4.4.4	MME/SGSN originated disconnection request.....	294
23.3.4.4.5	SCEF originated disconnection request.....	294
23.3.4.4.6	Start of interception with connected UE.....	294
23.3.4.5	HSS related events	295
23.3.4.5.1	Serving Evolved Packet System for IoT UE	295
23.3.4.5.2	HSS subscriber record change for IoT UE	296
23.3.4.5.3	Cancel location for IoT UE	296
23.3.4.6	HLR related events.....	297
23.3.4.6.1	Serving System for IoT UE	297
23.3.4.6.2	Subscriber record change for IoT UE.....	297
23.3.4.6.3	Cancel location for IoT UE	297