

ETSI TS 133 108 V15.4.0 (2019-05)



TECHNICAL SPECIFICATION

**Universal Mobile Telecommunications System (UMTS);
LTE;
Digital cellular telecommunications system (Phase 2+) (GSM);
3G security;
Handover interface for Lawful Interception (LI)
(3GPP TS 33.108 version 15.4.0 Release 15)**



ReferenceRTS/TSGS-0333108vf40

KeywordsGSM,LTE,SECURITY,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

| | |
|---|----|
| Intellectual Property Rights | 2 |
| Foreword..... | 2 |
| Modal verbs terminology..... | 2 |
| Foreword..... | 13 |
| Introduction | 13 |
| 1 Scope | 14 |
| 2 References | 14 |
| 3 Definitions and abbreviations..... | 18 |
| 3.1 Definitions | 18 |
| 3.2 Abbreviations | 20 |
| 4 General | 22 |
| 4.0 Introduction | 22 |
| 4.1 Basic principles for the handover interface | 22 |
| 4.2 Legal requirements | 22 |
| 4.3 Functional requirements | 23 |
| 4.4 Overview of handover interface | 23 |
| 4.4.0 Introduction..... | 23 |
| 4.4.1 Handover interface port 2 (HI2) | 24 |
| 4.4.2 Handover interface port 3 (HI3) | 24 |
| 4.5 HI2: Interface port for intercept related information..... | 24 |
| 4.5.0 General..... | 24 |
| 4.5.1 Data transmission protocols..... | 25 |
| 4.5.2 Application for IRI (HI2 information)..... | 25 |
| 4.5.3 Types of IRI records | 25 |
| 4.6 Reliability | 26 |
| 5 Circuit-switch domain | 27 |
| 5.0 General | 27 |
| 5.1 Specific identifiers for LI | 27 |
| 5.1.0 Introduction..... | 27 |
| 5.1.1 Lawful Interception Identifier (LIID) | 27 |
| 5.1.2 Communication Identifier (CID) | 27 |
| 5.1.2.0 General | 27 |
| 5.1.2.1 Network Identifier (NID)..... | 28 |
| 5.1.2.2 Communication Identity Number (CIN) - optional..... | 28 |
| 5.1.3 CC link identifier (CCLID)..... | 28 |
| 5.1.4 Correlation of CC and IRI | 28 |
| 5.1.5 Usage of Identifiers..... | 29 |
| 5.2 HI2: interface port for IRI | 30 |
| 5.2.1 Definition of Intercept Related Information | 30 |
| 5.2.2 Structure of IRI records | 30 |
| 5.2.2.0 General | 30 |
| 5.2.2.1 Control Information for HI2..... | 30 |
| 5.2.2.2 Basic call information | 31 |
| 5.2.2.3 Information on supplementary services, related to a call in progress..... | 31 |
| 5.2.2.4 Information on non-call related supplementary services..... | 32 |
| 5.2.3 Delivery of IRI..... | 32 |
| 5.3 HI3: interface port for Content of Communication | 36 |
| 5.3.0 General..... | 36 |
| 5.3.1 CS-based Delivery of Content of Communication | 37 |
| 5.3.2 Control information for Content of Communication | 38 |
| 5.3.3 Security requirements at the interface port of HI3..... | 39 |
| 5.3.3.0 General | 39 |

| | | |
|------------|--|----|
| 5.3.3.1 | LI access verification | 39 |
| 5.3.3.2 | Access protection | 40 |
| 5.3.3.3 | Authentication | 40 |
| 5.4 | LI procedures for supplementary services | 40 |
| 5.4.1 | General | 40 |
| 5.4.2 | CC link Impact | 43 |
| 5.4.3 | IRI Impact, General Principle for Sending IRI records | 43 |
| 5.4.4 | Multi party calls - general principles, options A, B | 43 |
| 5.4.4.0 | General | 43 |
| 5.4.4.1 | CC links for active and non-active calls (option A) | 43 |
| 5.4.4.2 | Reuse of CC links for active calls (option B) | 44 |
| 5.4.5 | Subscriber Controlled Input (SCI): Activation / Deactivation / Interrogation of Services | 45 |
| 5.5 | Detailed procedures for supplementary services | 45 |
| 5.5.1 | Advice of Charge services (AOC) | 45 |
| 5.5.2 | Call Waiting (CW) | 45 |
| 5.5.2.1 | Call Waiting at target: CC links | 45 |
| 5.5.2.2 | Call Waiting: IRI records | 45 |
| 5.5.2.2.1 | Target is served user | 45 |
| 5.5.2.2.2 | Other party is served user | 45 |
| 5.5.3 | Call Hold/Retrieve | 45 |
| 5.5.3.1 | CC links for active and non-active calls (option A) | 45 |
| 5.5.3.2 | Reuse of CC links for active calls (option B) | 45 |
| 5.5.3.3 | IRI records | 46 |
| 5.5.3.3.1 | Invocation of Call Hold or Retrieve by target | 46 |
| 5.5.3.3.2 | Invocation of Call Hold or Retrieve by other parties | 46 |
| 5.5.4 | Explicit Call Transfer (ECT) | 46 |
| 5.5.4.1 | Explicit Call Transfer, CC link | 46 |
| 5.5.4.2 | Explicit Call Transfer, IRI records | 46 |
| 5.5.5 | Calling Line Identification Presentation (CLIP) (IRI Records) | 46 |
| 5.5.5.1 | Call originated by target (target is served user) | 46 |
| 5.5.5.2 | Call terminated at target (other party is served user) | 46 |
| 5.5.6 | Calling Line Identification Restriction (CLIR) | 46 |
| 5.5.7 | COnnected Line identification Presentation (COLP) | 47 |
| 5.5.7.1 | Call terminated at target (target is served user) | 47 |
| 5.5.7.2 | Call originated by target (other party is served user) | 47 |
| 5.5.8 | COnnected Line identification Restriction (COLR) | 47 |
| 5.5.9 | Closed User Group (CUG) | 47 |
| 5.5.10 | Completion of Call to Busy Subscriber (CCBS) | 47 |
| 5.5.11 | Multi ParTY call (MPTY) | 47 |
| 5.5.11.1 | General | 47 |
| 5.5.11.2 | IRI records | 47 |
| 5.5.12 | DIVersion Services (DIV) | 47 |
| 5.5.12.0 | General | 47 |
| 5.5.12.1 | Call Diversion by Target | 48 |
| 5.5.12.1.1 | Call Diversion by Target, CC links | 48 |
| 5.5.12.1.2 | Call Diversion by Target, IRI records | 48 |
| 5.5.12.2 | Forwarded Call Terminated at Target | 48 |
| 5.5.12.3 | Call from Target Forwarded | 48 |
| 5.5.13 | Variants of call diversion services | 48 |
| 5.5.14 | SUBaddressing (SUB) | 49 |
| 5.5.15 | User-to-User Signalling (UUS) | 49 |
| 5.5.16 | Incoming Call Barring (ICB) | 49 |
| 5.5.17 | Outgoing Call Barring (OCB) | 49 |
| 5.5.18 | Tones, Announcements | 49 |
| 5.6 | Functional architecture | 49 |
| 5.7 | IP-based handover interface for CC | 50 |
| 5.7.1 | General | 50 |
| 5.7.2 | Identifiers | 51 |
| 5.7.3 | Voice Content Direction | 52 |
| 5.7.4 | Payload Description | 52 |
| 5.7.5 | Sequence Number | 52 |

| | | |
|---------|--|-----|
| 6 | Packet data domain..... | 53 |
| 6.1 | Identifiers | 53 |
| 6.1.0 | Introduction..... | 53 |
| 6.1.1 | Lawful interception identifier | 53 |
| 6.1.2 | Network identifier..... | 53 |
| 6.1.3 | Correlation number | 53 |
| 6.2 | Timing and quality | 54 |
| 6.2.1 | Timing | 54 |
| 6.2.2 | Quality | 54 |
| 6.2.3 | Void | 54 |
| 6.3 | Security aspects | 54 |
| 6.4 | Quantitative aspects..... | 54 |
| 6.5 | IRI for packet domain..... | 55 |
| 6.5.0 | Introduction..... | 55 |
| 6.5.1 | Events and information | 61 |
| 6.5.1.0 | General | 61 |
| 6.5.1.1 | REPORT record information | 61 |
| 6.5.1.2 | BEGIN record information | 70 |
| 6.5.1.3 | CONTINUE record information | 72 |
| 6.5.1.4 | END record information | 74 |
| 6.6 | IRI reporting for packet domain at GGSN | 75 |
| 6.7 | Content of communication interception for packet domain at GGSN..... | 75 |
| 7 | Multi-media domain..... | 76 |
| 7.0 | Introduction | 76 |
| 7.1 | Identifiers | 77 |
| 7.1.0 | General..... | 77 |
| 7.1.1 | Lawful Interception Identifier (LIID)..... | 77 |
| 7.1.2 | Network identifier..... | 78 |
| 7.1.3 | Correlation number | 78 |
| 7.2 | Timing and quality | 79 |
| 7.2.1 | Timing | 79 |
| 7.2.2 | Quality | 79 |
| 7.2.3 | Void | 79 |
| 7.3 | Security aspects | 79 |
| 7.4 | Quantitative aspects..... | 79 |
| 7.5 | IRI for IMS..... | 80 |
| 7.5.0 | Introduction..... | 80 |
| 7.5.1 | Events and information | 84 |
| 7.6 | Correlation indications of IMS IRI with GSN CC at the LEMF..... | 88 |
| 7.7 | Void..... | 88 |
| 8 | 3GPP WLAN Interworking..... | 88 |
| 8.0 | General | 88 |
| 8.1 | Identifiers | 88 |
| 8.1.1 | Overview | 88 |
| 8.1.2 | Lawful interception identifier | 88 |
| 8.1.3 | Network identifier..... | 89 |
| 8.1.4 | Correlation number | 89 |
| 8.2 | Timing and quality | 89 |
| 8.2.1 | Timing | 89 |
| 8.2.2 | Quality | 89 |
| 8.2.3 | Void | 90 |
| 8.3 | Security aspects | 90 |
| 8.4 | Quantitative aspects..... | 90 |
| 8.5 | IRI for I-WLAN | 90 |
| 8.5.0 | Introduction..... | 90 |
| 8.5.1 | Events and information | 94 |
| 8.5.1.1 | Overview | 94 |
| 8.5.1.2 | REPORT record information | 94 |
| 8.5.1.3 | BEGIN record information | 99 |
| 8.5.1.4 | END record information | 101 |

| | | |
|----------|---|-----|
| 8.6 | CC for I-WLAN | 102 |
| 9 | Interception of Multimedia Broadcast/MultiCast Service (MBMS) | 102 |
| 9.1 | Identifiers | 102 |
| 9.1.1 | Overview | 102 |
| 9.1.2 | Lawful interception identifier | 102 |
| 9.1.3 | Network identifier..... | 103 |
| 9.1.4 | Correlation number..... | 103 |
| 9.2 | Timing and quality | 103 |
| 9.2.1 | Timing | 103 |
| 9.2.2 | Quality | 103 |
| 9.2.3 | Void..... | 103 |
| 9.3 | Security aspects..... | 103 |
| 9.4 | Quantitative aspects..... | 104 |
| 9.5 | IRI for MBMS..... | 104 |
| 9.5.0 | General..... | 104 |
| 9.5.1 | Events and information..... | 106 |
| 9.5.1.1 | Overview..... | 106 |
| 9.5.1.2 | REPORT record information | 106 |
| 9.5.1.3 | BEGIN record information | 107 |
| 9.5.1.4 | END record information | 108 |
| 9.6 | CC for MBMS..... | 109 |
| 10 | Evolved Packet System (EPS)..... | 109 |
| 10.0 | Introduction | 109 |
| 10.1 | Identifiers | 110 |
| 10.1.0 | Introduction..... | 110 |
| 10.1.1 | Lawful interception identifier | 110 |
| 10.1.2 | Network identifier..... | 110 |
| 10.1.3 | Correlation number | 111 |
| 10.2 | Timing and quality | 111 |
| 10.2.1 | Timing | 111 |
| 10.2.2 | Quality | 111 |
| 10.2.3 | Void..... | 111 |
| 10.3 | Security aspects..... | 111 |
| 10.4 | Quantitative aspects..... | 112 |
| 10.5 | IRI for evolved packet domain..... | 112 |
| 10.5.0 | Introduction..... | 112 |
| 10.5.1 | Events and information..... | 118 |
| 10.5.1.0 | Introduction..... | 118 |
| 10.5.1.1 | REPORT record information | 118 |
| 10.5.1.2 | BEGIN record information | 130 |
| 10.5.1.3 | CONTINUE record information | 133 |
| 10.5.1.4 | END record information | 137 |
| 10.6 | IRI reporting for evolved packet domain at PDN-GW..... | 140 |
| 10.7 | Content of communication interception for evolved packet domain at PDN-GW | 140 |
| 11 | 3GPP IMS Conference Services..... | 141 |
| 11.1 | Identifiers | 141 |
| 11.1.1 | Overview | 141 |
| 11.1.2 | Lawful interception identifier | 141 |
| 11.1.3 | Network identifier..... | 141 |
| 11.1.4 | Correlation number | 142 |
| 11.2 | Timing and quality | 142 |
| 11.2.1 | Timing | 142 |
| 11.2.2 | Quality | 142 |
| 11.2.3 | Void..... | 142 |
| 11.3 | Security aspects..... | 142 |
| 11.4 | Quantitative aspects..... | 142 |
| 11.5 | IRI for IMS Conference Services..... | 143 |
| 11.5.0 | Introduction..... | 143 |
| 11.5.1 | Events and information..... | 146 |
| 11.5.1.1 | Overview..... | 146 |

| | | |
|----------|--|-----|
| 11.5.1.2 | BEGIN record information | 146 |
| 11.5.1.3 | CONTINUE record information | 147 |
| 11.5.1.4 | END record information | 150 |
| 11.5.1.5 | REPORT record information | 151 |
| 11.6 | CC for IMS Conference Services | 152 |
| 12 | 3GPP IMS-based VoIP Services | 153 |
| 12.1 | Identifiers | 153 |
| 12.1.1 | Overview | 153 |
| 12.1.2 | Lawful Interception Identifier | 153 |
| 12.1.3 | Network Identifier | 153 |
| 12.1.4 | Correlation Number | 153 |
| 12.2 | Timing and quality | 154 |
| 12.3 | Security aspects | 154 |
| 12.4 | Quantitative aspects | 154 |
| 12.5 | IRI for IMS-based VoIP | 154 |
| 12.6 | CC for IMS-based VoIP | 154 |
| 12.7 | VoLTE Roaming | 155 |
| 12.7.1 | General | 155 |
| 12.7.2 | LI in HPLMN | 155 |
| 12.7.2.1 | With S8HR | 155 |
| 12.7.2.2 | With LBO | 155 |
| 12.7.3 | LI in VPLMN with S8HR | 155 |
| 12.7.4 | LI in VPLMN with LBO | 156 |
| 12.8 | Roaming Constraints to IMS VoIP/VoLTE LI | 157 |
| 13 | Interception of Proximity Services (ProSe) | 157 |
| 13.1 | General | 157 |
| 13.1.1 | Identifiers | 157 |
| 13.1.1.1 | Overview | 157 |
| 13.1.1.2 | Lawful interception identifier | 157 |
| 13.1.1.3 | Network identifier | 157 |
| 13.1.2 | Timing and quality | 158 |
| 13.1.2.1 | Timing | 158 |
| 13.1.2.2 | Quality | 158 |
| 13.1.3 | Security aspects | 158 |
| 13.1.4 | Quantitative aspects | 158 |
| 13.2 | ProSe Direct Discovery | 158 |
| 13.2.1 | General | 158 |
| 13.2.2 | Events and information | 160 |
| 13.2.2.1 | Overview | 160 |
| 13.2.2.2 | REPORT record information | 160 |
| 13.3 | ProSe Remote UE communications | 161 |
| 13.3.1 | General | 161 |
| 13.3.2 | Events and information | 163 |
| 13.3.2.1 | Overview | 163 |
| 13.3.2.2 | REPORT record information | 163 |
| 13.3.2.3 | BEGIN record information | 165 |
| 13.3.2.4 | CONTINUE record information | 166 |
| 13.3.2.5 | END record information | 167 |
| 14 | Invocation of Lawful Interception (LI) for Group Communications System Enablers (GCSE) | 168 |
| 14.1 | Background | 168 |
| 14.1.1 | Interception at GCS AS versus other nodes | 168 |
| 14.2 | GCS AS in Intercepting Operator's Network | 168 |
| 14.2.1 | General | 168 |
| 14.2.2 | Identifiers | 168 |
| 14.2.2.1 | Overview | 168 |
| 14.2.2.2 | Lawful Interception Identifier | 168 |
| 14.2.2.3 | Network Identifier | 169 |
| 14.2.2.3 | Correlation Number | 169 |
| 14.2.3 | Timing and quality | 169 |
| 14.2.3.1 | Timing | 169 |

| | | |
|------------|--|-----|
| 14.2.3.2 | Quality..... | 169 |
| 14.2.4 | Security Aspects | 169 |
| 14.2.4.1 | General | 169 |
| 14.2.5 | Quantitative Aspects | 170 |
| 14.2.5.1 | General | 170 |
| 14.2.6 | IRI for GCSE based Communications | 170 |
| 14.2.6.1 | General | 170 |
| 14.2.6.2 | Events and Event Information..... | 172 |
| 14.2.6.2.1 | Overview | 172 |
| 14.2.6.2.2 | BEGIN record information..... | 172 |
| 14.2.6.2.3 | CONTINUE record information..... | 174 |
| 14.2.6.2.4 | END record information..... | 176 |
| 14.2.7 | CC for GCSE based Communications..... | 177 |
| 14.2.7.1 | General | 177 |
| 14.3 | GCS AS Outside Intercepting Operator Network | 177 |
| 14.3.1 | General..... | 177 |
| 15 | Interception of Messaging Services | 178 |
| 15.1 | Overview | 178 |
| 15.2 | SMS..... | 178 |
| 15.2.1 | Introduction..... | 178 |
| 15.2.2 | SMS over GPRS/UMTS | 178 |
| 15.2.3 | SMS over IMS | 178 |
| 15.3 | MMS | 179 |
| 15.3.1 | Introduction..... | 179 |
| 15.3.2 | Identifiers..... | 179 |
| 15.3.2.1 | Overview..... | 179 |
| 15.3.2.2 | Lawful Interception Identifier | 180 |
| 15.3.2.3 | Correlation Number | 180 |
| 15.3.6 | IRI for MMS | 180 |
| 15.3.6.1 | General | 180 |
| 15.3.6.2 | Events and Event Information..... | 183 |
| 15.3.6.2.1 | Overview | 183 |
| 15.3.6.2.2 | REPORT record information..... | 184 |
| 15.3.7 | CC for MMS | 196 |
| 15.3.7.1 | General | 196 |
| 16 | Cell Site Reporting | 197 |
| 16.1 | Overview | 197 |
| 16.2 | LI_CELL_INFO Interface..... | 198 |
| 16.3 | Cell Site Reporting in IRI event | 198 |
| 16.4 | Cell Site Report | 199 |
| 17 | Interception of PTC | 199 |
| 17.1 | Capabilities when the PTC service is supported by a CSP..... | 199 |
| 17.1.0 | Introduction..... | 199 |
| 17.1.1 | Lawful interception identifier | 199 |
| 17.1.2 | Network identifier..... | 200 |
| 17.1.3 | PTC IRI Events..... | 200 |
| 17.1.4 | CC for PTC-based VoIP | 200 |
| 17.1.5 | IRI for PTC based Communications | 201 |
| 17.2 | PTC Event Records | 204 |
| 17.2.0 | Introduction..... | 204 |
| 17.2.1 | PTC Registration | 204 |
| 17.2.2 | PTC Start of Interception..... | 204 |
| 17.2.3 | PTC Serving System..... | 205 |
| 17.2.4 | PTC Session Initiation | 206 |
| 17.2.5 | PTC Session Abandon End Record | 207 |
| 17.2.6 | PTC Session Start Continue Record | 208 |
| 17.2.7 | PTC Session End Record..... | 209 |
| 17.2.8 | PTC Instant Personal Alert | 209 |
| 17.2.9 | PTC Party Join..... | 210 |
| 17.2.10 | PTC Party Drop | 211 |

| | | |
|---|---|------------|
| 17.2.11 | PTC Party Hold-Retrieve Record | 212 |
| 17.2.12 | PTC Media Modification | 213 |
| 17.2.13 | PTC Group Advertisement | 214 |
| 17.2.14 | PTC Floor Control | 214 |
| 17.2.15 | PTC Target Presence | 217 |
| 17.2.16 | PTC Associate Presence | 217 |
| 17.2.17 | PTC List Management Events | 217 |
| 17.2.18 | PTC Access Policy | 219 |
| 17.2.19 | PTC Media Type Notification | 220 |
| 17.2.20 | PTC Pre-established Session Record | 221 |
| 17.3 | PTC Group Calls | 222 |
| 17.3.1 | Introduction..... | 222 |
| 17.3.2 | Group Call Request..... | 222 |
| 17.3.3 | Group Call Cancel | 223 |
| 17.3.4 | Group Call Response | 224 |
| 17.3.5 | PTC Group Interrogate | 225 |
| 17.3.6 | MCPTT Imminent Peril Group Call | 226 |
| 17.4 | PTC Communication Content (CC) | 227 |
| 17.4.0 | General..... | 227 |
| 17.4.1 | Communication Content (CC)..... | 227 |
| 18 | PTC Encryption..... | 228 |
| Annex A (normative): HI2 delivery mechanisms and procedures..... | | 230 |
| A.0 | Introduction | 230 |
| A.1 | ROSE..... | 230 |
| A.1.1 | Architecture..... | 230 |
| A.1.2 | ASE_HI procedures..... | 231 |
| A.1.2.1 | Sending part..... | 231 |
| A.1.2.2 | Receiving part..... | 232 |
| A.1.2.3 | Data link management | 232 |
| A.1.2.3.0 | General..... | 232 |
| A.1.2.3.1 | Data link establishment..... | 232 |
| A.1.2.3.2 | Data link release..... | 233 |
| A.1.2.4 | Handling of unrecognized fields and parameters..... | 233 |
| A.2 | FTP..... | 233 |
| A.2.1 | Introduction | 233 |
| A.2.2 | Usage of the FTP..... | 233 |
| A.2.3 | Profiles (informative)..... | 235 |
| A.2.4 | File content | 237 |
| A.2.5 | Exceptional procedures..... | 237 |
| A.2.6 | Other considerations | 237 |
| Annex B (normative): Structure of data at the handover interface | | 239 |
| B.0 | Introduction | 239 |
| B.1 | Syntax definitions..... | 239 |
| B.2 | 3GPP object tree..... | 240 |
| B.3 | Intercept related information (HI2 PS and IMS)..... | 241 |
| B.3a | Interception related information (HI2 CS) | 258 |
| B.4 | Contents of communication (HI3 PS) | 261 |
| B.5 | HI management operation for ROSE connection..... | 263 |
| B.6 | User data packet transfer (HI3 CS) | 264 |
| B.7 | Intercept related information (and I-WLAN)..... | 265 |
| B.8 | Intercept related information (MBMS) | 270 |

| | | |
|---|---|------------|
| B.9 | Intercept related information (HI2 SAE/EPS and IMS)..... | 273 |
| B.10 | Contents of communication (HI3 EPS)..... | 292 |
| B.11 | IMS Conference Services ASN.1 | 293 |
| B.11.1 | Intercept related information (Conference Services)..... | 293 |
| B.11.2 | Contents of communication (HI3 IMS Conferencing) | 297 |
| B.12 | Contents of Communication (HI3 IMS-based VoIP)..... | 298 |
| B.13 | Intercept related information for ProSe..... | 300 |
| B.14 | GCSE Services ASN.1 | 302 |
| B.14.1 | Intercept related information (GCSE Services)..... | 302 |
| B.14.2 | Contents of communication (HI3 GCSE Group Communications) | 306 |
| B.15 | Intercept related information (HI2 MMS)..... | 307 |
| B.16 | Content information (HI3 MMS) | 313 |
| B.17 | IP based handover (HI3) for CS voice content..... | 315 |
| Annex C (normative): UMTS and EPS HI3 interfaces..... | | 317 |
| C.0 | Introduction | 317 |
| C.1 | UMTS LI correlation header | 317 |
| C.1.1 | Introduction | 317 |
| C.1.2 | Definition of ULIC header version 0..... | 317 |
| C.1.3 | Definition of ULIC header version 1..... | 319 |
| C.1.4 | Exceptional procedure..... | 320 |
| C.1.5 | Other considerations..... | 320 |
| C.2 | FTP..... | 320 |
| C.2.1 | Introduction | 320 |
| C.2.2 | Usage of the FTP..... | 320 |
| C.2.3 | Exceptional procedures | 322 |
| C.2.4 | CC contents for FTP..... | 322 |
| C.2.4.1 | Fields | 322 |
| C.2.4.2 | Information element syntax | 324 |
| C.2.5 | Other considerations..... | 326 |
| C.2.6 | Profiles (informative)..... | 327 |
| Annex D (informative): LEMF requirements - handling of unrecognised fields and parameters..... | | 329 |
| Annex E (informative): Bibliography..... | | 330 |
| Annex F (informative): Correlation indications of IMS IRI with GSN CC at the LEMF | | 332 |
| Annex G (informative): United States lawful interception | | 333 |
| G.1 | Delivery methods preferences..... | 333 |
| G.2 | HI2 delivery methods..... | 333 |
| G.2.1 | TPKT/TCP/IP..... | 333 |
| G.2.1.1 | Introduction..... | 333 |
| G.2.1.2 | Normal Procedures | 333 |
| G.2.1.2.0 | General | 333 |
| G.2.1.2.1 | Usage of TCP/IP when MF initiates TCP Connections | 333 |
| G.2.1.2.2 | Use of TPKT | 333 |
| G.2.1.2.3 | Sending of LI messages | 334 |
| G.2.1.3 | ASN.1 for HI2 Mediation Function Messages..... | 334 |
| G.2.1.4 | Error Procedures | 334 |
| G.2.1.5 | Security Considerations | 335 |
| G.3 | HI3 delivery methods..... | 335 |

| | | |
|-------------------------------|---|------------|
| G.3.1 | Use of TCP/IP | 335 |
| G.3.1.1 | Normal Procedures | 335 |
| G.3.1.1.0 | Introduction | 335 |
| G.3.1.1.1 | Usage of TCP/IP when MF/DF initiates TCP Connections | 335 |
| G.3.1.1.2 | Use of TPKT | 335 |
| G.3.1.1.3 | Sending of Content of Communication Messages | 336 |
| G.3.1.2 | ASN.1 for HI3 Mediation Function Messages..... | 336 |
| G.3.1.3 | Error Procedures | 336 |
| G.3.1.4 | Security Considerations | 336 |
| G.4 | Cross reference of terms between J-STD-025-A and 3GPP..... | 337 |
| Annex H (normative): | United States lawful interception | 338 |
| Annex I (informative): | Void | 340 |
| Annex J (normative): | Definition of the UUS1 content associated and sub-addressing to the CC link..... | 341 |
| J.0 | Introduction | 341 |
| J.1 | Definition of the UUS1 content associated to the CC link..... | 341 |
| J.2 | Use of sub-address and calling party number to carry correlation information | 342 |
| J.2.1 | Introduction | 342 |
| J.2.2 | Subaddress options | 342 |
| J.2.3 | Subaddress coding..... | 342 |
| J.2.3.0 | General..... | 342 |
| J.2.3.1 | BCD Values | 342 |
| J.2.3.2 | Field order and layout..... | 343 |
| J.2.4 | Field coding..... | 346 |
| J.2.4.0 | Introduction..... | 346 |
| J.2.4.1 | Direction | 347 |
| J.2.4.2 | Coding of the Calling Party Number | 347 |
| J.2.5 | Length of fields | 347 |
| Annex K (normative): | VoIP HI3 Interface | 348 |
| K.1 | VoIP CC Protocol Data Unit | 348 |
| K.2 | Definition of VoIP LI Correlation header | 348 |
| K.3 | Definition of Payload | 349 |
| K.4 | LEMF Considerations | 349 |
| Annex L (normative): | Conference HI3 Interface..... | 350 |
| L.1 | Conf CC Protocol Data Unit | 350 |
| L.2 | Definition of Conference LI Correlation header | 350 |
| L.3 | Definition of Payload | 351 |
| L.4 | LEMF Considerations | 351 |
| Annex M (informative): | Generic LI notification (HI1 notification using HI2 method)..... | 352 |
| M.1 | HI.1 delivery methods preferences:..... | 352 |
| M.2 | ASN.1 description of LI management notification operation (HI1 interface)..... | 353 |
| Annex N (informative): | Guidelines on IMS VoIP Correlation Information..... | 357 |
| N.1 | Introduction | 357 |
| N.2 | IMS VoIP | 357 |
| N.2.0 | General | 357 |

| | | |
|-------------------------------|--|------------|
| N.2.1 | One Correlation Number Value..... | 358 |
| N.2.2 | Multiple Correlation Number Values..... | 358 |
| N.2.2.0 | General..... | 358 |
| N.2.2.1 | Method 1..... | 358 |
| N.2.2.2 | Method 2..... | 359 |
| N.2.2.3 | Method 3..... | 359 |
| N.2.3 | Complex Example - Use of one Correlation Number..... | 360 |
| N.2.4 | Complex Example - Use of Multiple Correlation Numbers..... | 360 |
| N.2.4.0 | General..... | 360 |
| N.2.4.1 | Method 1..... | 360 |
| N.2.4.2 | Method 2..... | 361 |
| N.2.4.3 | Method 3..... | 361 |
| N.3 | IMS Conferencing..... | 362 |
| N.3.1 | General..... | 362 |
| N.3.2 | Target Initiated AdHoc Conference Call..... | 362 |
| N.3.3 | Independent Lawful Interception of IMS-Conferencing..... | 362 |
| N.3.3.1 | General..... | 362 |
| N.3.3.2 | Use of correlationNumber (OCTET STRING)..... | 362 |
| N.3.3.3 | Use of imsVoIP (IMS-VoIP-Correlation)..... | 363 |
| N.3.3.3.1 | One Correlation Number Value..... | 363 |
| N.3.3.3.2 | Multiple Correlation Number Values..... | 363 |
| Annex O (informative): | Selection of ASN.1 HI2 sub-domain for LALS Reporting..... | 364 |
| Annex P (informative): | Change history..... | 365 |
| History..... | | 372 |

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/28229943-4660-42a5-a3a6-e5970dd741c6/etsi-ts-133-108-v15.4.0-2019-05>