

# ETSI TS 133 401 V15.7.0 (2019-05)



**Digital cellular telecommunications system (Phase 2+) (GSM);  
Universal Mobile Telecommunications System (UMTS);  
LTE;  
3GPP System Architecture Evolution (SAE);  
Security architecture  
(3GPP TS 33.401 version 15.7.0 Release 15)**



---

Reference

RTS/TSGS-0333401vf70

---

Keywords

GSM,LTE,SECURITY,UMTS

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	10
1 Scope .....	11
2 References .....	11
3 Definitions, symbols and abbreviations .....	13
3.1 Definitions .....	13
3.2 Symbols.....	14
3.3 Abbreviations .....	15
3.4 Conventions.....	16
4 Overview of Security Architecture.....	17
5 Security Features .....	17
5.1 User-to-Network security .....	17
5.1.0 General.....	17
5.1.1 User identity and device confidentiality .....	18
5.1.2 Entity authentication .....	18
5.1.3 User data and signalling data confidentiality .....	18
5.1.3.1 Ciphering requirements.....	18
5.1.3.2 Algorithm Identifier Values .....	19
5.1.4 User data and signalling data integrity.....	19
5.1.4.1 Integrity requirements .....	19
5.1.4.2 Algorithm Identifier Values .....	19
5.2 Security visibility and configurability .....	20
5.3 Security requirements on eNodeB.....	20
5.3.1 General.....	20
5.3.2 Requirements for eNB setup and configuration.....	20
5.3.3 Requirements for key management inside eNB.....	21
5.3.4 Requirements for handling User plane data for the eNB .....	21
5.3.4a Requirements for handling Control plane data for the eNB.....	21
5.3.5 Requirements for secure environment of the eNB .....	21
5.4 Void.....	22
6 Security Procedures between UE and EPC Network Elements .....	22
6.0 General .....	22
6.1 Authentication and key agreement .....	22
6.1.1 AKA procedure.....	22
6.1.2 Distribution of authentication data from HSS to serving network.....	23
6.1.3 User identification by a permanent identity .....	24
6.1.4 Distribution of IMSI and authentication data within one serving network domain .....	25
6.1.5 Distribution of IMSI and authentication data between different serving network domains.....	26
6.1.6 Distribution of IMSI and UMTS authentication vectors between MMEs or between MME and SGSN .....	26
6.2 EPS key hierarchy .....	27
6.3 EPS key identification .....	29
6.4 Handling of EPS security contexts .....	30
6.5 Handling of NAS COUNTS.....	31
7 Security procedures between UE and EPS access network elements .....	32
7.0 General .....	32
7.1 Mechanism for user identity confidentiality.....	32
7.2 Handling of user-related keys in E-UTRAN .....	32
7.2.1 E-UTRAN key setting during AKA .....	32
7.2.2 E-UTRAN key identification.....	32

7.2.3	E-UTRAN key lifetimes .....	33
7.2.4	Security mode command procedure and algorithm negotiation.....	33
7.2.4.1	Requirements for algorithm selection .....	33
7.2.4.2	Procedures for AS algorithm selection.....	34
7.2.4.2.1	Initial AS security context establishment .....	34
7.2.4.2.2	X2-handover .....	34
7.2.4.2.3	S1-handover.....	34
7.2.4.2.4	Intra-eNB handover .....	34
7.2.4.3	Procedures for NAS algorithm selection.....	34
7.2.4.3.1	Initial NAS security context establishment .....	34
7.2.4.3.2	MME change .....	35
7.2.4.4	NAS security mode command procedure.....	35
7.2.4.5	AS security mode command procedure.....	36
7.2.4a	Algorithm negotiation for unauthenticated UEs in LSM .....	37
7.2.5	Key handling at state transitions to and away from EMM-DEREGISTERED .....	38
7.2.5.1	Transition to EMM-DEREGISTERED.....	38
7.2.5.2	Transition away from EMM-DEREGISTERED.....	39
7.2.5.2.1	General .....	39
7.2.5.2.2	With existing native EPS NAS security context.....	39
7.2.5.2.3	With run of EPS AKA .....	40
7.2.6	Key handling in ECM-IDLE to ECM-CONNECTED and ECM-CONNECTED to ECM-IDLE transitions.....	40
7.2.6.1	ECM-IDLE to ECM-CONNECTED transition.....	40
7.2.6.2	Establishment of keys for cryptographically protected radio bearers .....	40
7.2.6.3	ECM-CONNECTED to ECM-IDLE transition .....	41
7.2.7	Key handling for the TAU procedure when registered in E-UTRAN .....	41
7.2.8	Key handling in handover.....	42
7.2.8.1	General .....	42
7.2.8.1.1	Access stratum.....	42
7.2.8.1.2	Non access stratum .....	43
7.2.8.2	Void.....	43
7.2.8.3	Key derivations for context modification procedure.....	43
7.2.8.4	..... Key derivations during handovers .....	44
7.2.8.4.1	Intra-eNB Handover .....	44
7.2.8.4.2	X2-handover .....	44
7.2.8.4.3	S1-Handover .....	44
7.2.8.4.4	UE handling.....	45
7.2.9	Key-change-on-the fly .....	45
7.2.9.1	General .....	45
7.2.9.2	K <sub>eNB</sub> re-keying.....	45
7.2.9.3	KeNB refresh .....	46
7.2.9.4	NAS key re-keying.....	46
7.2.10	Rules on Concurrent Running of Security Procedures .....	46
7.2.11	Suspend and resume of RRC connection .....	47
7.2.11.1	General .....	47
7.2.11.2	RRC connection suspend .....	47
7.2.11.3	RRC connection resume to a new eNB .....	48
7.2.11.4	RRC connection resume to the same eNB .....	50
7.3	UP security mechanisms .....	50
7.3.1	UP confidentiality mechanisms .....	50
7.3.2	UP integrity mechanisms .....	50
7.4	RRC security mechanisms.....	51
7.4.1	RRC integrity mechanisms .....	51
7.4.2	RRC confidentiality mechanisms .....	51
7.4.3	K <sub>eNB</sub> * and Token Preparation for the RRCConnectionRe-establishment Procedure .....	51
7.4.4	RRCConnectionRe-establishment Procedure for Control Plane CIoT EPS optimisation.....	52
7.5	Signalling procedure for periodic local authentication.....	53
8	Security mechanisms for non-access stratum signalling and data via MME .....	54
8.0	General .....	54
8.1	NAS integrity mechanisms.....	54

8.1.1	NAS input parameters and mechanism.....	54
8.1.2	NAS integrity activation.....	54
8.2	NAS confidentiality mechanisms.....	55
9	Security interworking between E-UTRAN and UTRAN.....	55
9.1	RAU and TAU procedures.....	55
9.1.1	RAU procedures in UTRAN.....	55
9.1.2	TAU procedures in E-UTRAN.....	56
9.2	Handover.....	58
9.2.1	From E-UTRAN to UTRAN.....	58
9.2.2	From UTRAN to E-UTRAN.....	59
9.2.2.1	Procedure.....	59
9.2.2.2	Derivation of NAS keys and $K_{eNB}$ during Handover from UTRAN to E-UTRAN.....	63
9.3	Recommendations on AKA at IRAT-mobility to E-UTRAN.....	63
9.4	Attach procedures.....	64
9.4.1	Attach in UTRAN.....	64
10	Security interworking between E-UTRAN and GERAN.....	64
10.1	General.....	64
10.2	RAU and TAU procedures.....	65
10.2.1	RAU procedures in GERAN.....	65
10.2.2	TAU procedures in E-UTRAN.....	65
10.3	Handover.....	65
10.3.1	From E-UTRAN to GERAN.....	65
10.3.2	From GERAN to E-UTRAN.....	65
10.3.2.1	Procedures.....	65
10.4	Recommendations on AKA at IRAT-mobility to E-UTRAN.....	65
10.5	Attach procedures.....	66
10.5.1	Attach in GERAN.....	66
11	Network Domain Control Plane protection.....	66
12	Backhaul link user plane protection.....	66
13	Management plane protection over the S1 interface.....	67
14	SRVCC between E-UTRAN and Circuit Switched UTRAN/GERAN.....	68
14.1	From E-UTRAN to Circuit Switched UTRAN/GERAN.....	68
14.2	Emergency call in SRVCC from E-UTRAN to circuit switched UTRAN/GERAN.....	69
14.3	SRVCC from circuit switched UTRAN/GERAN to E-UTRAN.....	69
14.3.1	Procedure.....	69
15	Security Aspects of IMS Emergency Session Handling.....	72
15.1	General.....	72
15.2	Security procedures and their applicability.....	73
15.2.1	Authenticated IMS Emergency Sessions.....	73
15.2.1.1	General.....	73
15.2.1.2	UE and MME share a current security context.....	73
15.2.2	Unauthenticated IMS Emergency Sessions.....	74
15.2.2.1	General.....	74
15.2.2.2	UE and MME share no security context.....	75
15.2.3	Void.....	76
15.2.4	Key generation procedures for unauthenticated IMS Emergency Sessions.....	76
15.2.4.1	General.....	76
15.2.4.2	Handover.....	76
16	Void.....	76
<b>Annex A (normative): Key derivation functions.....</b>		<b>77</b>
A.1	KDF interface and input parameter construction.....	77
A.1.1	General.....	77
A.1.2	FC value allocations.....	77
A.2	$K_{ASME}$ derivation function.....	77

A.3	$K_{eNB}$ derivation function.....	78
A.4	NH derivation function.....	78
A.5	$K_{eNB}^*$ derivation function.....	78
A.6	Void.....	78
A.7	Algorithm key derivation functions .....	79
A.8	$K_{ASME}$ to $CK'$ , $IK'$ derivation at handover.....	79
A.9	NAS token derivation for inter-RAT mobility .....	80
A.10	$K'_{ASME}$ from $CK$ , $IK$ derivation during handover.....	80
A.11	$K'_{ASME}$ from $CK$ , $IK$ derivation during idle mode mobility .....	80
A.12	$K_{ASME}$ to $CK_{SRVCC}$ , $IK_{SRVCC}$ derivation .....	81
A.13	$K_{ASME}$ to $CK'$ , $IK'$ derivation at idle mobility .....	81
A.14	(Void) .....	81
A.15	Derivation of $S-K_{eNB}$ or $S-K_{gNB}$ for dual connectivity.....	81
A.16	Derivation of LWIP-PSK .....	81
A.17	Derivation of $K_n$ for IOPS subscriber key separation.....	82
A.18	Derivation of $S-K_{WT}$ for LWA .....	82
A.19	Key derivation function for key used in algorithms between UE and SgNB.....	82
<b>Annex B (normative): Algorithms for ciphering and integrity protection .....</b>		<b>83</b>
B.0	Null ciphering and integrity protection algorithms.....	83
B.1	128-bit ciphering algorithm.....	83
B.1.1	Inputs and outputs .....	83
B.1.2	128-EEA1.....	84
B.1.3	128-EEA2.....	84
B.1.4	128-EEA3.....	84
B.2	128-Bit integrity algorithm.....	85
B.2.1	Inputs and outputs .....	85
B.2.2	128-EIA1 .....	85
B.2.3	128-EIA2.....	85
B.2.4	128-EIA3.....	86
<b>Annex C (informative): Algorithm test data .....</b>		<b>87</b>
C.1	128-EEA2.....	87
C.1.1	Test Set 1 .....	87
C.1.2	Test Set 2.....	88
C.1.3	Test Set 3.....	89
C.1.4	Test Set 4.....	89
C.1.5	Test Set 5.....	90
C.1.6	Test Set 6.....	91
C.2	128-EIA2.....	94
C.2.1	Test Set 1 .....	95
C.2.2	Test Set 2.....	96
C.2.3	Test Set 3.....	97
C.2.4	Test Set 4.....	98
C.2.5	Test Set 5.....	99
C.2.6	Test Set 6.....	100
C.2.7	Test Set 7.....	102
C.2.8	Test Set 8.....	104

C.3	128-EEA1 .....	116
C.4	128-EIA1 .....	116
C.4.1	Test Set 1 .....	116
C.4.2	Test Set 2 .....	117
C.4.3	Test Set 3 .....	117
C.4.4	Test Set 4 .....	117
C.4.5	Test Set 5 .....	118
C.4.6	Test Set 6 .....	118
C.4.7	Test Set 7 .....	118
<b>Annex D (normative): Security for Relay Node Architectures.....</b>		<b>121</b>
D.1	Introduction .....	121
D.2	Solution .....	121
D.2.1	General .....	121
D.2.2	Security Procedures .....	121
D.2.3	USIM Binding Aspects .....	124
D.2.4	Enrolment procedures for RNs .....	124
D.2.5	Secure management procedures for RNs .....	125
D.2.6	Certificate and subscription handling .....	125
D.3	Secure channel profiles .....	127
D.3.1	General .....	127
D.3.2	APDU secure channel profile .....	127
D.3.3	Key agreement based on certificate exchange .....	127
D.3.3.1	TLS profile .....	127
D.3.3.2	Common profile for RN and UICC certificate .....	127
D.3.3.3	RN certificate profile .....	128
D.3.3.4	UICC certificate profile .....	128
D.3.4	Key agreement for pre-shared key (psk) case .....	128
D.3.5	Identities used in key agreement .....	129
<b>Annex E (normative): Dual connectivity.....</b>		<b>130</b>
E.1	Introduction .....	130
E.1.1	General .....	130
E.1.2	Dual Connectivity architecture with an SeNB .....	130
E.1.3	Dual Connectivity architecture with an SgNB .....	131
E.2	Dual connectivity offload architecture between eNBs .....	132
E.2.1	Protection of the X2 reference point .....	132
E.2.2	Addition and modification of DRB in SeNB .....	132
E.2.3	Activation of encryption/decryption .....	133
E.2.4	Derivation of keys for the DRBs in the SeNB .....	134
E.2.4.1	SCG Counter maintenance .....	134
E.2.4.2	Security key derivation .....	134
E.2.4.3	Negotiation of security algorithms .....	135
E.2.5	S-K <sub>eNB</sub> update .....	135
E.2.5.1	S-K <sub>eNB</sub> update triggers .....	135
E.2.5.2	S-K <sub>eNB</sub> update procedure .....	135
E.2.6	Handover procedures .....	135
E.2.7	Periodic local authentication procedure .....	135
E.2.8	Radio link failure recovery .....	136
E.2.9	Avoiding key stream reuse caused by DRB type change .....	136
E.3	Dual connectivity architecture between a MeNB and a SgNB .....	136
E.3.1	Protection of the X2 reference point .....	136
E.3.2	Addition and modification of DRBs and/or SRB in SgNB .....	136
E.3.3	Activation of encryption/decryption of DRBs and encryption/decryption/integrity protection of SRB .....	137
E.3.4	Derivation of keys for RBs with PDCP in the SgNB .....	138
E.3.4.1	SCG Counter maintenance .....	138
E.3.4.2	Security key derivation .....	138



E.3.4.3	Negotiation of security algorithms.....	139
E.3.5	S-K <sub>gNB</sub> update.....	140
E.3.5.1	S-K <sub>gNB</sub> update triggers .....	140
E.3.5.2	S-K <sub>gNB</sub> update procedure .....	140
E.3.6	Handover procedures.....	140
E.3.7	Periodic local authentication procedure .....	140
E.3.8	Radio link failure recovery .....	141
E.3.9	Avoiding key stream reuse caused by DRB type change .....	141
E.3.10	Protection of the traffic between the UE and SgNB.....	141
E.3.10.1	General.....	141
E.3.10.2	Creating the mapped UE NR security capabilities.....	141

## **Annex F (informative): Isolated E-UTRAN Operation for Public Safety.....142**

F.1	General Description.....	142
F.2	IOPS security solution.....	142
F.3	Security Considerations.....	143
F.3.1	Malicious switching of USIM applications.....	143
F.3.2	Compromise of local HSSs .....	143
F.4	Mitigation of compromise of a local HSS.....	143
F.4.0	Introduction .....	143
F.4.1	'Subscriber key separation' mechanism .....	143
F.4.2	Key derivation mechanism for 'subscriber key separation'.....	144
F.5	Actions in case of compromise of a local HSS .....	145

## **Annex G (normative): LTE - WLAN aggregation .....146**

G.1	Introduction .....	146
G.2	LTE-WLAN aggregation security.....	147
G.2.1	Protection of the WLAN Link between the UE and the WT.....	147
G.2.2	Protection of the Xw interface.....	147
G.2.3	Addition, modification and release of DRBs in LWA .....	147
G.2.4	Derivation of keys for the DRBs in LWA .....	148
G.2.4.1	WT Counter maintenance .....	148
G.2.4.2	Security key derivation .....	148
G.2.5	Security key update .....	148
G.2.5.1	Security key update triggers.....	148
G.2.5.2	Security key update procedures .....	149
G.2.6	Handover procedures.....	149
G.2.7	Periodic local authentication procedure .....	149
G.2.8	LTE and WLAN link failure .....	149
G.3	Method for installing PMK .....	149

## **Annex H (normative): LTE-WLAN RAN level integration using IPsec tunnelling .....152**

H.1	General .....	152
H.2	Security of LTE-WLAN integration using IPsec Tunnelling.....	153
H.2.1	eNB to UE interaction for setting up the LWIP offload.....	153
H.2.2	UE to LWIP-SeGW interaction for setting up the LWIP offload.....	154
H.2.3	eNB to LWIP-SeGW interaction for setting the LWIP offload.....	154
H.3	Addition and modification of DRB in LTE-WLAN integration .....	155
H.4	Security Key for IKEv2 handshake.....	155
H.4.0	LWIP counter maintenance .....	155
H.4.1	Security Key (LWIP-PSK) Derivation .....	155
H.4.2	Security key (LWIP-PSK) update .....	155
H.5	Handover procedures.....	156
H.6	LWIP radio link failure .....	156

**Annex I (normative): Hash functions.....157**

I.1 General .....157

I.2 HASH<sub>MME</sub> and HASH<sub>UE</sub> .....157

I.3 HASH<sub>UE-data</sub> and HASH<sub>eNB-data</sub>.....157

**Annex J (informative): Change history .....158**

History .....165

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/f760533c-bca2-44d3-8466-7c8508750784/etsi-ts-133-401-v15.7.0-2019-05>

---

# Foreword

This Technical Specification has been produced by the 3<sup>rd</sup> Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

**ITeH STANDARD PREVIEW**  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/sist/f760533c-bca2-44d3-8466-7c8508750784/etsi-ts-133-401-v15.7.0-2019-05>

---

# 1 Scope

The present document specifies the security architecture, i.e., the security features and the security mechanisms for the Evolved Packet System and the Evolved Packet Core, and the security procedures performed within the evolved Packet System (EPS) including the Evolved Packet Core (EPC) and the Evolved UTRAN (E-UTRAN).

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document*.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 23.401: "General Packet Radio Service (GPRS) enhancements for Evolved Universal Terrestrial Radio Access Network (E-UTRAN) access".
- [3] 3GPP TS 23.003: "Numbering, addressing and identification".
- [4] 3GPP TS 33.102: "3G security; Security architecture".
- [5] 3GPP TS 33.210: "3G security; Network Domain Security (NDS); IP network layer security".
- [6] 3GPP TS 33.310: "Network Domain Security (NDS); Authentication Framework (AF)".
- [7] IETF RFC 4303: "IP Encapsulating Security Payload (ESP)".
- [8] 3GPP TS 33.220: "Generic Authentication Architecture (GAA); Generic bootstrapping architecture".
- [9] 3GPP TS 24.301: "Non-Access-Stratum (NAS) protocol for Evolved Packet System (EPS); Stage 3".
- [10] – [11] Void.
- [12] 3GPP TS 36.323: "Evolved Universal Terrestrial Radio Access (E-UTRA); Packet Data Convergence Protocol (PDCP) specification"
- [13] 3GPP TS 31.102: "Characteristics of the Universal Subscriber Identity Module (USIM) application".
- [14] 3GPP TS 35.215: "Confidentiality and Integrity Algorithms UEA2 & UIA2; Document 1: UEA2 and UIA2 specifications"
- [15] NIST: "Advanced Encryption Standard (AES) (FIPS PUB 197) "
- [16] NIST Special Publication 800-38A (2001): "Recommendation for Block Cipher Modes of Operation".
- [17] NIST Special Publication 800-38B (2001): "Recommendation for Block Cipher Modes of Operation: The CMAC Mode for Authentication".
- [18] – [20] Void.

- [21] 3GPP TS 36.331: "Evolved Universal Terrestrial Radio Access (E-UTRA) Radio Resource Control (RRC); Protocol specification".
- [22] 3GPP TS 23.216: "Single Radio Voice Call Continuity (SRVCC); Stage 2".
- [23] 3GPP TS 22.101: "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Service aspects; Service principles".
- [24] 3GPP TS 25.331: "3rd Generation Partnership Project; Technical Specification Group Radio Access Network; Radio Resource Control (RRC); Protocol Specification".
- [25] 3GPP TS 44.060: "3rd Generation Partnership Project; Technical Specification Group GSM/EDGE Radio Access Network; General Packet Radio Service (GPRS); Mobile Station (MS) - Base Station System (BSS) interface; Radio Link Control/Medium Access Control (RLC/MAC) protocol".
- [26] 3GPP TS 23.122: "3rd Generation Partnership Project; Technical Specification Group Core Network and Terminals; Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode".
- [27] 3GPP TS 33.320: "3rd Generation Partnership Project; Technical Specification Group Services and System Aspects; Security of Home Node B (HNB) / Home evolved Node B (HeNB)".
- [28] (void)
- [29] ETSI TS 102 484 V10.0.0: "Smart Cards; Secure channel between a UICC and an end-point terminal".
- [30] 3GPP TS 36.300: "Evolved Universal Terrestrial Radio Access (E-UTRA) and Evolved Universal Terrestrial Radio Access Network (E-UTRAN); Overall description; Stage 2".
- [31] 3GPP TS 31.116 "Remote APDU Structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications".
- [32] ETSI TS 102 221 V9.2.0: "Smart Cards; UICC-Terminal interface; Physical and logical characteristics".
- [33] 3GPP TS 35.221: "Confidentiality and Integrity Algorithms EEA3 & EIA3; Document 1: EEA3 and EIA3 specifications".
- [34] RFC 4301: "Security Architecture for the Internet Protocol".
- [35] 3GPP TS 22.346: "Isolated Evolved Universal Terrestrial Radio Access Network (E-UTRAN) operation for public safety; Stage 1".
- [36] 3GPP TS 33.210: "3G security; Network Domain Security (NDS); IP network layer security".
- [37] 3GPP TS.33.310: "Network Domain Security (NDS); Authentication Framework (AF)".
- [38] IETF RFC 7296: " Internet Key Exchange Protocol Version 2 (IKEv2)".
- [39] IEEE 802.11, Part 11: "Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications, IEEE Std.".
- [40] 3GPP TS 36.463: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN) and Wireless LAN (WLAN); Xw application protocol (XwAP)".
- [41] 3GPP TS 33.402: "3GPP System Architecture Evolution (SAE); Security aspects of non-3GPP accesses".
- [42] 3GPP TS 36.413: "Evolved Universal Terrestrial Radio Access Network (E-UTRAN); S1 Application Protocol (S1AP)".
- [43] 3GPP TS 33.501: "Security architecture and procedures for 5G system".