

### SLOVENSKI STANDARD SIST TBR 031:2000

01-junij-2000

### 8][]HĴb]'WY^]b]'HY`Y\_caib]\_UW]Yg\_]'g]gHYaʿfZUhU&L'!'Df]\_`1i]hjYbY`nU\hYjY`nU Xcghcd`acV]`b]\`dcgHU^Xc`cafYÿ/U87G'%\$\$`]b`XcXUhbc`Xc`cafYÿ/U;GA`-\$\$`! 8cghcd

Digital cellular telecommunications system (Phase 2); Attachment requirements for mobile stations in the DCS 1 800 band and additional GSM 900 band; Access

### iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST TBR 031:2000

Ta slovenski standard je istoveten z: 5937a/5BR 031 Eddition 2

ICS:

33.070.50 Globalni sistem za mobilno telekomunikacijo (GSM)

Global System for Mobile Communication (GSM)

SIST TBR 031:2000

en



### iTeh STANDARD PREVIEW (standards.iteh.ai)





## TECHNICAL BASIS for REGULATION

**TBR 31** 

March 1998

**Second Edition** 

Source: SMG

Reference: RTBR/SMG-0731TTCNR1

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM), DCS

# Digital cellular telecommunications system (Phase 2); Attachment requirements for mobile stations in the DCS 1 800

band and additional GSM 900 band; https://standards.iteh.ai/catalog/standards/sist/a6aa50ca-ef8b-40ea-af32-

### aee0caa5937a/ACCESS)00

### ETSI

European Telecommunications Standards Institute

#### **ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE **Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE **Internet:** secretariat@etsi.fr - http://www.etsi.fr - http://www.etsi.org

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

Page 2 TBR 31: March 1998

### iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST TBR 031:2000</u> https://standards.iteh.ai/catalog/standards/sist/a6aa50ca-ef8b-40ea-af32aee0caa5937a/sist-tbr-031-2000

Whilst every care has been taken in the preparation and publication of this document, errors in content, typographical or otherwise, may occur. If you have comments concerning its accuracy, please write to "ETSI Editing and Committee Support Dept." at the address shown on the title page.

### Contents

| Forev  | vord                       |   |   | 5  |
|--------|----------------------------|---|---|--|
| 1      | Scope                      |   |   | 7  |
| 2      | Normativ                   | ve references   | 5   | 8  |
| 3      | Abbrevia                   | ations  |   | 9  |
| 4      | General                    | requirements  | S   | 10   |
| 5      | Requirer                   | ments for terr  | minals operating in the DCS 1 800 band  | 11   |
| 6      |                            |   | S 1 800 band operation simultaneous with GSM 900 band or Extended ation   | 62   |
| Anne   | x A (norm                  | native): TI   | he TBR Requirement Table (TBR-RT)   | 64   |
| A.1    | Introduct                  | tion to the TE  | 3R-RT   | 64   |
| A.2    | Format o                   | of the tables .   |   | 64   |
| A.3    | Reference                  | ces to ETS 3  | 00 607-14(GSM) 1410-1D PREVIEW  | 65   |
| A.4    | Notation<br>A.4.1<br>A.4.2 | Status Nota   | TB <b>R #tandards.iteh.ai)</b><br>ations<br>swer Notations  | 65   |
| A.5    | A.5.1<br>A.5.2             | Requirement<br>Static Requirement<br>A.5.1.1<br>A.5.1.2<br>A.5.1.3<br>A.5.1.4<br>A.5.1.5<br>A.5.1.6<br>A.5.1.7<br>Dynamic Ref | lards.iteh.ai/catalog/standards/sist/a6aa50ca-ef8b-40ea-af32-<br>nt Tables_0car5937a/sist-tbr-031-2000<br>iirements, TBR-RT A<br>Types of Mobile Stations<br>Mobile Station Features<br>Teleservices<br>Bearer Services<br>Supplementary Services<br>Bearer Capability Information<br>Additional Information<br>equirements, TBR-RT B | 66<br>67<br>68<br>69<br>70<br>71<br>84<br>87 |
| Histor | ry                         |   |   | 110  |

Blank page

### iTeh STANDARD PREVIEW (standards.iteh.ai)

#### Foreword

This Technical Basis for Regulation (TBR) has been produced by the Special Mobile Group (SMG) of the European Telecommunications Standards Institute (ETSI).

The present TBR has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 83/189/EEC (as amended) laying down a procedure for the provision of information in the field of technical standards and regulations.

The present TBR is intended to become a Harmonized Standard as requested by the above mentioned mandate, the reference of which will be published in the Official Journal of the European Communities referencing the Council Directive on the approximation of the laws of the Member States concerning telecommunications terminal equipment, including the mutual recognition of their conformity (Directive 91/263/EEC, known as "the TTE Directive").

A common technical regulation may be established by the European Commission in accordance with the Directive.

Technical specifications relevant to the 91/263/EEC Directive are given in the TBR-Requirements Table (TBR-RT) in annex A.

This TBR covers the general access requirements for terminal equipment for Phase 2 of the public land mobile radio service, operating in

- the DCS 1 800 band; or
- both in the DCS 1 800 band and the GSM 900 MHz band. iTeh STANDARD PREVIEW

This TBR contains the procedures and requirements for the approval testing of DCS 1 800 and Multiband terminal equipment for access.

The requirements of other TBRs apply in addition to this TBR.

https://standards.iteh.ai/catalog/standards/sist/a6aa50ca-ef8b-40ea-af32-

For each test, supplementary information is provided, giving a justification why this item has been selected for regulatory testing, and a reference to the relevant article of the Terminal Directive [1].

This TBR is based on the ETS 300 607-1 (GSM 11.10-1) [2].

NOTE: This TBR for Phase 2 may be developed in stages. The first release will include, as a minimum, all of the basic Phase 2 requirements for full rate.

Blank page

### iTeh STANDARD PREVIEW (standards.iteh.ai)

#### 1 Scope

This Technical Basis for Regulation (TBR) specifies the technical requirements to be met by terminal equipment capable of connecting to a public telecommunications network. These requirements apply to terminals for Phase 2 of the public land mobile radio service, operating in

- the DCS 1 800 band; or
- both in the DCS 1 800 band and the GSM 900 MHz band.

with a channel separation of 200 kHz, utilizing constant envelope modulation and carrying traffic channels according to the Time Division Multiple Access (TDMA) principle.

This TBR specifies the access requirements for terminals as stated above implementing the GSM standard.

For each test purpose and its corresponding conformance requirement, a reference is given to the test method in ETS 300 607-1 (GSM 11.10-1) [2]. The requirements apply at the air interface and the Subscriber Identity Module - Mobile Equipment interface for the access requirements, which may be stimulated to perform the tests by additional equipment if necessary.

The measurement uncertainty is described in ETS 300 607-1 (GSM 11.10-1) [2].

This TBR covers the essential requirements of the Terminal Directive 91/263/EEC [1] Articles 4d, 4e, 4f. Non access related aspects of speech telephony, where Article 4g has been applied, are covered by TBR 32.

The Terminal Directive 91/263/EEC [1] Articles 4a and 4b are covered by other directives, and, therefore, not by this TBR.

In this TBR, there are no Electromagnetic Compatibility technical requirements in terms of the Terminal Directive 91/263/EEC [1], Article 4c.

#### SIST TBR 031:2000

NOTE: hTechnical Requirements for EMC performance and testing of the equipment are covered by the relevant standards applicable to the EMC Directive 89/336/EEC, annex A.

Terminal equipment may be subject to additional requirements in other Common Technical Regulations (CTR) depending on the equipments functionality.

ETS 300 607-1 (GSM 11.10-1) [2] constitutes the conformance test suite referenced by this TBR. The verification of the conformance requirements in this TBR is based on the tests described in this reference. The set of requirements in ETS 300 607-1 (GSM 11.10-1) [2] and the set of requirements in this TBR need not be identical.

Some requirements only apply to specific types of mobile station (e.g. data tests only apply to mobile stations with a data facility). The TBR also indicates the specific test which should be carried out for each mobile station type.

An active accessory is covered by this TBR if it modifies the terminal performance in an aspect which affects conformance to essential requirements.

NOTE: Only active devices are subject to this TBR. Accessories may be tested with specific terminals, and either approved for use with those terminals only, or may possibly be approved for use with a wider range of terminals, depending on the nature and effect of the accessory.

#### 2 Normative references

This TBR incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revision of any of these publications apply to the requirements specified in this TBR, only when incorporated in it by amendment or revision. For undated references, the latest edition of the publication referred to applies.

- [1] Terminal Directive 91/263/EEC: "Council directive of 29 April 1991 on the approximation of the laws of the Member States concerning telecommunications terminal equipment, including the mutual recognition of their conformity. ("The Terminal Directive")".
- [2] ETS 300 607-1 (GSM 11.10-1 version 4.19.0): "Digital cellular telecommunications system (phase 2); Mobile station conformity specifications".
- [3] TBR 20 Edition 3: "European digital cellular telecommunications system; Attachment requirements for Global System for Mobile communications (GSM) mobile stations; Telephony".
- [4] ETS 300 500 Edition 2 (GSM 02.01 version 4.6.0): "Digital cellular telecommunication system (Phase 2); Principles of telecommunications services supported by a GSM Public Land Mobile Network (PLMN)".
- [5] ETS 300 501 (GSM 02.02 version 4.2.2): "Digital cellular telecommunications system (Phase 2); Bearer Services (BS) supported by a GSM Public Land Mobile Network (PLMN)".
- [6] ETS 300 502 (GSM 02.03 version 4.3.1): "Digital cellular telecommunications system (Phase 2); Teleservices supported by a GSM Public Land Mobile Network (PLMN)".
- [7] ETS 300 503 Edition SI 3T (CSM 02:04 version 4.9.1): "Digital cellular telecommunications system (Phase 2); General on supplementary services". accocaa5937a/sist-tbr-031-2000
- [8] ETS 300 504 Edition 4 (GSM 02.06 version 4.5.1): "Digital cellular telecommunications system (Phase 2); Types of Mobile Stations (MS)".
- [9] ETS 300 505 Edition 3 (GSM 02.07 version 4.8.1): "Digital cellular telecommunications system (Phase 2); Mobile Station (MS) features".
- [10] ETS 300 507 Edition 4 (GSM 02.11 version 4.9.0): "Digital cellular telecommunications system (Phase 2); Service accessibility".
- [11] ETS 300 508 Edition 2 (GSM 02.16 version 4.5.0): "Digital cellular telecommunications system (Phase 2); International Mobile station Equipment Identities (IMEI)".
- [12] ETS 300 511 Edition 2 (GSM 02.30 version 4.13.0): "Digital cellular telecommunications system (Phase 2); Man-Machine Interface (MMI) of the Mobile Station (MS)".
- [13] ETS 300 536 Edition 4 (GSM 03.40 version 4.13.0): "Digital cellular telecommunications system (Phase 2); Technical realization of the Short Message Service (SMS) Point-to-Point (PP)".
- [14] ETS 300 537 Edition 2 (GSM 03.41 version 4.11.0): "Digital cellular telecommunications system (Phase 2); Technical realization of Short Message Service Cell Broadcast (SMSCB)".

| [15] | ETS 300 538 Edition 2 (GSM 03.45 version 4.5.0): "Digital cellular telecommunications system (Phase 2); Technical realization of facsimile group 3 transparent".                   |
|------|--|
| [16] | ETS 300 539 (GSM 03.46 version 4.1.2): "Digital cellular telecommunications system (Phase 2); Technical realization of facsimile group 3 non-transparent".                         |
| [17] | ETS 300 551 (GSM 04.02 version 4.0.4): "Digital cellular telecommunications system (Phase 2); GSM Public Land Mobile Network (PLMN) access reference configuration".               |
| [18] | ETS 300 557 Edition 9 (GSM 04.08 version 4.19.0): "Digital cellular telecommunications system (Phase 2); Mobile radio interface layer 3 specification".                            |
| [19] | ETS 300 577 Edition 11 (GSM 05.05 version 4.19.0): "Digital cellular telecommunications system (Phase 2); Radio transmission and reception".                                       |
| [20] | ETS 300 582 Edition 4 (GSM 07.01 version 4.10.0): "Digital cellular telecommunications system (Phase 2); General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS)". |

### 3 Abbreviations

For the purposes of this TBR, the following abbreviations apply:

| ACK   | ACKnowledgement                                 |
|-------|---|
| BA    | iTescer Allocation DARD PREVIEW                 |
| BC    | Bearer Capability                               |
| BCCH  | Broadcast Control CHannelteh.ai)                |
| CC    | Call Control                                    |
| CCCH  | Common Control CHannel                          |
| CFB   | Call Forwarding mobile subscriber Busy          |
| CFNRc | https://stachalle.ca.ef8b-40ea-af32-            |
| CFU   | Call Forwarding Unconditional 1-2000            |
| CM    | Connection management                           |
| CTR   | Common Technical Regulations                    |
| DRX   | Discontinuous Reception (mechanism)             |
| DTE   | Data Terminal Equipment                         |
| DTMF  | Dual Tone Multi Frequency                       |
| DTX   | Discontinuous Transmission (mechanism)          |
| FACCH | Fast Associated Control CHannel                 |
| 1     | Information (frame)                             |
| IMEI  | International Mobile station Equipment Identity |
| IMSI  | International Mobile Subscriber Identity        |
| LA    | Location Area                                   |
| LAI   | Location Area Identification                    |
| ME    | Mobile Equipment                                |
| MM    | Mobility Management                             |
| MMI   | Man Machine Interface                           |
| MO    | Mobile Originated                               |
| MOC   | Mobile Originated Call                          |
| MS    | GSM Mobile Station                              |
| MT    | Mobile Terminated                               |
| MTC   | Mobile Terminated Call                          |
| N(R)  | Receive sequence Number                         |
| N(S)  | Send sequence Number                            |
| OACSU | Off Air Call Set Up                             |
| PLMN  | Public Land Mobile Network                      |
| RACH  | Random Access CHannel                           |
| REJ   | REJect (frame)                                  |
| RF    | Radio Frequency                                 |
| RR    | Radio Resource (management entity / connection) |

#### Page 10 TBR 31: March 1998

| RRReceive Ready (frame) (in L2)RSTResetSS counterSABMSet Asynchronous Balanced Mode (fraSAPIService Access Point IdentifierSDCCHStand-alone Dedicated Control CHannelSIMSubscriber Identity ModuleSMSShort Message ServiceSSSystem SimulatorTCHTraffic CHannelTCH/FSFull rate Traffic CHannel for SpeechTDMATime Division Multiple AccessTITransaction IdentifierTMSITemporary Mobile Subscriber IdentityUAUnnumbered Acknowledge (frame)UIUnnumbered Information (frame) | , |
|---|---|
|---|---|

### 4 General requirements

The requirements of this TBR apply to the following classes of terminal.

- Terminals operating only in the DCS 1 800 band. These terminals shall conform to the requirements of clause 5.
- Terminals operating in the DCS 1 800 band and in the GSM 900 band (including terminals operating in the Extended GSM 900 band), where operation is possible in only one band at a time. These terminals shall conform to: STANDARD PREVIEW
  - a) the requirements of TBR 19; and (standards.iteh.ai)
  - b) the requirements of clause 5 of this TBR.
- SIST TBR 031:2000 Terminals operating simultaneously in the DCS 1800/band and in the GSM 900 band (including terminals operating in the Extended GSM 900 band); These terminals shall conform to:
  - a) the requirements of TBR 19; and
  - b) the requirements of clause 5 of this TBR; and
  - c) the requirements from clause 6 of this TBR.

#### 5 Requirements for terminals operating in the DCS 1 800 band

Table 1 contains all requirements that are needed for terminals operating in the DCS 1 800 band to meet the essential requirements as defined in the Terminal Directive [1]. A justification according to article 4 of the Terminal Directive is given by stating the relevant categories (c to f) together with a text supporting the justification.

The entries are defined as follows:

- "ETS 300 607-1 Item" defines the item number of the conformance requirement and also the reference to ETS 300 607-1 (GSM 11.10-1) [2]. This reference is a normative reference to a subclause of ETS 300 607-1 (GSM 11.10-1) [2] containing the conformance requirement text, and references to the base standard.
- "Description" contains a short description of the requirement.
- "TBR Justification" contains supplementary information to explain the justification of the requirement according to article 4 of the Terminal Directive [1].
- "TD Cat" defines the category according to article 4 of the Terminal Directive [1].
- "Test Cat" is defined as follows:
  - an "X" indicates a special test situation (e.g. a manufacturer's declaration of some sort);
  - a blank entry indicates conformity is by the test referred to by this TBR;
  - an asterisk "\*" indicates that, where the terminal supports both the GSM 900 and DCS 1 800 bands either the test in the DCS 1 800 band in TBR 31 or the equivalent test in the GSM 900 band is performed, and that a special test situation applies for the test which is not performed.

#### SIST TBR 031:2000

### Table 1: Requirements and Justifications for terminals operating in the DCS 1 800 band

| ETS 300 607-1<br>Item | DESCRIPTION   | TBR JUSTIFICATION  | TD Cat | Test<br>Cat |
|-----------------------|---|--|--------|-------------|
| 11.1.1                | Verification of support and non-support of services (MT).                                 | To ensure that the MS correctly accepts BC(s) from the network to ensure correct interworking with the network.  | f      | *           |
| 11.1.2                | Verification of support and non-support of services (MO).                                 | To ensure that the MS correctly<br>reports BC(s) to the network to ensure<br>correct interworking with the network.  | f      | *           |
| 11.2                  | Verification of support of the single numbering scheme.                                   | To ensure correct interworking with a network supporting single numbering scheme.  | f      | *           |
| 11.3                  | Verification of non-support of<br>services. (Advice of Charge<br>Charging, AOCC)          | If the MS incorrectly supports AoCC<br>incorrect charging may result. If the<br>MS incorrectly indicates support of<br>AoCC the network may not correctly<br>decide whether access is allowed. | d, f   | *           |
| 11.4                  | Verification of non-support of services. (Call Hold)                                      | If the MS supports AoCC incorrect<br>charging may result If the MS<br>incorrectly indicates non-support of<br>call hold.   | f      | *           |
| 11.5                  | Verification of non-support of services. (MultiParty)                                     | If the MS supports AoCC incorrect<br>charging may result. If the MS<br>incorrectly indicates non-support of<br>multi-party.  | f      | *           |
| 11.6                  | Verification of non-support of<br>feature. (Fixed dialling<br>number)                     | If a fixed dialling number SIM is<br>inserted into a MS not rejecting other<br>call set-ups, calls may be made (and<br>charged) to non-authorized numbers.                                     | d, f   | Х           |
| 11.7                  | IMEI security.<br>https://standards.iteh.ai/ca  | If an IMEI could be changed without<br>authorization security mechanisms<br>based on the IMEI would not Work. <sup>132-</sup>  | d      | Х           |
| 12.1.1                | Conducted spurious accord<br>emissions - MS allocated a<br>channel.                       | Non compliance in this area may<br>cause interference to other spectrum<br>users.  | е      |             |
| 12.1.2                | Conducted spurious<br>emissions - MS in idle mode.  | Non compliance in this area may cause interference to other spectrum users.  | е      |             |
| 12.2.1                | Radiated spurious emissions<br>- MS allocated a channel.                                  | Non compliance in this area may cause interference to other spectrum users.  | е      |             |
| 12.2.2                | Radiated spurious emissions<br>- MS in idle mode.   | Non compliance in this area may cause interference to other spectrum users.  | е      |             |
| 13.1                  | Transmitter - Frequency error and phase error.  | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.  | e      |             |
| 13.2                  | Transmitter - Frequency error<br>under multipath and<br>interference conditions.          | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.  | e      |             |
| 13.3-1                | Transmitter output power and<br>burst timing - MS with<br>permanent antenna<br>connector. | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call or may cause<br>interference to other spectrum users.   | е      |             |
| 13.3-2                | Transmitter output power and<br>burst timing - MS with integral<br>antenna.               | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call or may cause<br>interference to other spectrum users.   | е      | Х           |

## Table 1: Requirements and Justifications for terminals operating in the DCS 1 800 band<br/>(continued)

| ETS 300 607-1<br>Item | DESCRIPTION   | TBR JUSTIFICATION   | TD Cat | Test<br>Cat |
|-----------------------|---|---|--------|-------------|
| 13.4                  | Transmitter - Output RF spectrum.   | Non compliance in this area may cause interference to other spectrum users.                   | е      |             |
| 13.5                  | Intermodulation attenuation.  | Non compliance in this area may cause interference to other spectrum users.                   | е      | Х           |
| 14.1.1.1              | Receiver / Bad Frame<br>Indication - TCH/FS -<br>Random RF input.   | Non compliance in this area may degrade speech quality.                                       | е      | Х           |
| 14.1.1.2              | Receiver / Bad Frame<br>Indication - TCH/FS -<br>Frequency hopping and<br>downlink DTX.                   | Non compliance in this area may degrade speech quality.                                       | e      |             |
| 14.1.2.1              | Receiver / Bad Frame<br>Indication - TCH/HS -<br>Random RF input.   | Non compliance in this area may degrade speech quality.                                       | е      | Х           |
| 14.1.2.2              | Receiver / Bad Frame<br>Indication - TCH/HS -<br>Frequency hopping and<br>downlink DTX.                   | Non compliance in this area may degrade speech quality.                                       | e      |             |
| 14.2.1                | Receiver / Reference<br>sensitivity - TCH/FS.   | Non compliance in this area may<br>degrade speech quality and may<br>impair call maintenance. | f      |             |
| 14.2.2                | Receiver / Reference<br>sensitivity - TCH/HSndard   | Non compliance in this area may<br>degrade speech quality and may<br>impair call maintenance. | f      |             |
| 14.2.3                | Receiver / Reference<br>sensitivity - FACCH/F <u>SIST TBR</u><br>https://standards.iteh.ai/catalog/standa | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      |             |
| 14.2.4                | Receiver / Reference<br>sensitivity - FACCH/H.  | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      |             |
| 14.2.5                | Receiver / Reference<br>sensitivity - full rate data<br>channels.   | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      | Х           |
| 14.2.6                | Receiver / Reference<br>sensitivity - half rate data<br>channels.   | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      | Х           |
| 14.3                  | Receiver / Usable receiver input level range.   | Non compliance in this area may<br>degrade speech quality and may<br>impair call maintenance. | е      |             |
| 14.4.1                | Co-channel rejection -<br>TCH/FS.   | Non compliance in this area may<br>degrade speech quality and may<br>impair call maintenance. | е      |             |
| 14.4.2                | Co-channel rejection -<br>TCH/HS (speech frames).   | Non compliance in this area may<br>degrade speech quality and may<br>impair call maintenance. | f      |             |
| 14.4.4                | Co-channel rejection -<br>FACCH/F.  | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      |             |
| 14.4.5                | Co-channel rejection -<br>FACCH/H.  | Non Compliance in this area may<br>impair establishment and the<br>maintaining of the call.   | f      |             |