

# ETSI TS 145 003 V14.3.0 (2019-05)



## Digital cellular telecommunications system (Phase 2+) (GSM); GSM/EDGE Channel coding (3GPP TS 45.003 version 14.3.0 Release 14)

*Standard for Review*  
*(standards.it-eui.com)*  
*Full standard: https://standards.iteh.ai/catalog/standards/sls/00000000-0000-0000-0000-000000000000/3GPP-TS-45-003-2019-05*  
*https://standards.iteh.ai/catalog/standards/sls/00000000-0000-0000-0000-000000000000/3GPP-TS-45-003-2019-05*



---

**Reference**RTS/TSGR-0645003ve30

---

---

**Keywords**GSM

---

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

---

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

---

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope .....	19
1.1 References .....	19
1.2 Abbreviations .....	20
2 General .....	20
2.1 General organization .....	20
2.2 Naming Convention .....	40
3 Traffic Channels (TCH) .....	43
3.1 Speech channel at full rate (TCH/FS and TCH/EFS).....	43
3.1.1 Preliminary channel coding for EFR only .....	43
3.1.1.1 CRC calculation .....	43
3.1.1.2 Repetition bits .....	44
3.1.1.3 Correspondence between input and output of preliminary channel coding.....	44
3.1.2 Channel coding for FR and EFR.....	44
3.1.2.1 Parity and tailing for a speech frame.....	44
3.1.2.2 Convolutional encoder .....	45
3.1.3 Interleaving .....	45
3.1.4 Mapping on a Burst.....	45
3.2 Speech channel at half rate (TCH/HS).....	46
3.2.1 Parity and tailing for a speech frame.....	46
3.2.2 Convolutional encoder.....	46
3.2.3 Interleaving.....	47
3.2.4 Mapping on a burst .....	47
3.3 Data channel at full rate, 12.0 kbit/s radio interface rate (9.6 kbit/s services (TCH/F9.6)).....	47
3.3.1 Interface with user unit .....	48
3.3.2 Block code .....	48
3.3.3 Convolutional encoder.....	48
3.3.4 Interleaving.....	48
3.3.5 Mapping on a Burst.....	48
3.4 Data channel at full rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/F4.8)).....	49
3.4.1 Interface with user unit .....	49
3.4.2 Block code .....	49
3.4.3 Convolutional encoder.....	49
3.4.4 Interleaving.....	49
3.4.5 Mapping on a Burst.....	49
3.5 Data channel at half rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/H4.8)).....	50
3.5.1 Interface with user unit .....	50
3.5.2 Block code .....	50
3.5.3 Convolutional encoder.....	50
3.5.4 Interleaving.....	50
3.5.5 Mapping on a Burst.....	50
3.6 Data channel at full rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/F2.4)).....	50
3.6.1 Interface with user unit .....	50
3.6.2 Block code .....	50
3.6.3 Convolutional encoder.....	50
3.6.4 Interleaving.....	51
3.6.5 Mapping on a Burst.....	51
3.7 Data channel at half rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/H2.4)).....	51
3.7.1 Interface with user unit .....	51
3.7.2 Block code .....	51
3.7.3 Convolutional encoder.....	51

3.7.4	Interleaving .....	51
3.7.5	Mapping on a Burst.....	52
3.8	Data channel at full rate, 14.5 kbit/s radio interface rate (14.4 kbit/s services (TCH/F14.4)).....	52
3.8.1	Interface with user unit .....	52
3.8.2	Block code .....	52
3.8.3	Convolutional encoder.....	52
3.8.4	Interleaving .....	52
3.8.5	Mapping on a Burst.....	52
3.9	Adaptive multi rate speech channel at full rate (TCH/AFS) .....	52
3.9.1	SID_UPDATE .....	53
3.9.1.1	Coding of in-band data.....	53
3.9.1.2	Parity and convolutional encoding for the comfort noise parameters .....	53
3.9.1.3	Identification marker .....	54
3.9.1.4	Interleaving .....	55
3.9.1.5	Mapping on a Burst.....	55
3.9.2	SID_FIRST .....	55
3.9.2.1	Coding of in-band data.....	55
3.9.2.2	Identification marker .....	55
3.9.2.3	Interleaving .....	55
3.9.2.4	Mapping on a Burst.....	55
3.9.3	ONSET .....	55
3.9.3.1	Coding of in-band data.....	56
3.9.3.2	Interleaving .....	56
3.9.3.3	Mapping on a Burst.....	56
3.9.4	SPEECH .....	56
3.9.4.1	Coding of the in-band data.....	56
3.9.4.2	Ordering according to subjective importance.....	57
3.9.4.3	Parity for speech frames.....	57
3.9.4.4	Convolutional encoder .....	59
3.9.4.5	Interleaving .....	65
3.9.4.6	Mapping on a Burst.....	66
3.9.5	RATSCCH.....	66
3.9.5.1	Coding of in-band data.....	66
3.9.5.2	Parity and convolutional encoding for the RATSCCH message.....	66
3.9.5.3	Identification marker .....	67
3.9.5.4	Interleaving .....	67
3.9.5.5	Mapping on a Burst.....	67
3.10	Adaptive multi rate speech channel at half rate (TCH/AHS) .....	67
3.10.1	SID_UPDATE .....	68
3.10.1.1	Coding of in-band data.....	68
3.10.1.2	Parity and convolutional encoding for the comfort noise parameters .....	68
3.10.1.3	Identification marker .....	69
3.10.1.4	Interleaving .....	69
3.10.1.5	Mapping on a Burst.....	69
3.10.2	SID_UPDATE_INH .....	70
3.10.2.1	Coding of in-band data.....	70
3.10.2.2	Identification marker .....	70
3.10.2.3	Interleaving .....	70
3.10.2.4	Mapping on a Burst.....	70
3.10.3	SID_FIRST_P1 .....	71
3.10.3.1	Coding of in-band data.....	71
3.10.3.2	Identification marker .....	71
3.10.3.3	Interleaving .....	71
3.10.3.4	Mapping on a Burst.....	71
3.10.4	SID_FIRST_P2.....	71
3.10.4.1	Coding of in-band data.....	71
3.10.4.2	Interleaving .....	71
3.10.4.3	Mapping on a Burst.....	72
3.10.5	SID_FIRST_INH.....	72
3.10.5.1	Coding of in-band data.....	72
3.10.5.2	Identification marker .....	72
3.10.5.3	Interleaving .....	72

3.10.5.4	Mapping on a Burst .....	72
3.10.6	ONSET .....	72
3.10.6.1	Coding of in-band data .....	72
3.10.6.2	Interleaving .....	73
3.10.6.3	Mapping on a Burst .....	73
3.10.7	SPEECH .....	73
3.10.7.1	Coding of the in-band data .....	73
3.10.7.2	Ordering according to subjective importance .....	73
3.10.7.3	Parity for speech frames .....	74
3.10.7.4	Convolutional encoder .....	75
3.10.7.5	Interleaving .....	79
3.10.7.6	Mapping on a Burst .....	79
3.10.8	RATSCCH_MARKER .....	79
3.10.8.1	Coding of in-band data .....	79
3.10.8.2	Identification marker .....	80
3.10.8.3	Interleaving .....	80
3.10.8.4	Mapping on a Burst .....	80
3.10.9	RATSCCH_DATA .....	80
3.10.9.1	Coding of in-band data .....	80
3.10.9.2	Parity and convolutional encoding for the RATSCCH message .....	80
3.10.9.3	Interleaving .....	81
3.10.9.4	Mapping on a Burst .....	81
3.11	Data channel for ECSD at full rate, 29.0 kbit/s radio interface rate (28.8 kbit/s services (E-TCH/F28.8)) .....	81
3.11.1	Interface with user unit .....	81
3.11.2	Block code .....	81
3.11.2.1	Repetition bits .....	81
3.11.2.2	Reed Solomon encoder .....	81
3.11.3	Convolutional encoder .....	83
3.11.3.1	Tailing bits for a data frame .....	83
3.11.3.2	Convolutional encoding for a data frame .....	83
3.11.4	Interleaving .....	83
3.11.5	Mapping on a Burst .....	84
3.12	Data channel for ECSD at full rate, 32.0 kbit/s radio interface rate (32.0 kbit/s services (E-TCH/F32.0)) .....	84
3.12.1	Interface with user unit .....	84
3.12.2	Void .....	85
3.12.3	Convolutional encoder .....	85
3.12.3.1	Tailing bits for a data frame .....	85
3.12.3.2	Convolutional encoding for a data frame .....	85
3.12.4	Interleaving .....	86
3.12.5	Mapping on a Burst .....	86
3.13	Data channel for ECSD at full rate, 43.5 kbit/s radio interface rate (43.2 kbit/s services (E-TCH/F43.2)) .....	86
3.13.1	Interface with user unit .....	86
3.13.2	Convolutional encoder .....	86
3.13.2.1	Tailing bits for a data frame .....	86
3.13.2.2	Convolutional encoding for a data frame .....	86
3.13.3	Interleaving .....	87
3.13.4	Mapping on a Burst .....	87
3.14	Wideband Adaptive multi rate speech channel at full rate (TCH/WFS) .....	87
3.14.1	SID_UPDATE .....	87
3.14.2	SID_FIRST .....	88
3.14.3	ONSET .....	88
3.14.4	SPEECH .....	88
3.14.4.1	Coding of the in-band data .....	88
3.14.4.2	Ordering according to subjective importance .....	88
3.14.4.3	Parity for speech frames .....	89
3.14.4.4	Convolutional encoder .....	90
3.14.4.5	Interleaving .....	92
3.14.4.6	Mapping on a Burst .....	92
3.14.5	RATSCCH .....	92
3.15	Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/AHS) .....	92
3.15.1	SID_UPDATE .....	93
3.15.1.1	Coding of in-band data .....	93

3.15.1.2	Parity and convolutional encoding for the comfort noise parameters .....	93
3.15.1.3	Identification marker .....	93
3.15.1.4	Repetition .....	93
3.15.1.5	Interleaving .....	93
3.15.1.6	Mapping on a Burst .....	93
3.15.2	SID_UPDATE_INH .....	94
3.15.2.1	Coding of in-band data .....	94
3.15.2.2	Identification marker .....	94
3.15.2.3	Repetition .....	94
3.15.2.4	Interleaving .....	94
3.15.2.5	Mapping on a Burst .....	94
3.15.3	SID_FIRST_P1 .....	94
3.15.3.1	Coding of in-band data .....	94
3.15.3.2	Identification marker .....	94
3.15.3.3	Repetition .....	94
3.15.3.4	Interleaving .....	95
3.15.3.5	Mapping on a Burst .....	95
3.15.4	SID_FIRST_P2 .....	95
3.15.4.1	Coding of in-band data .....	95
3.15.4.2	Repetition .....	95
3.15.4.3	Interleaving .....	95
3.15.4.4	Mapping on a Burst .....	95
3.15.5	SID_FIRST_INH .....	95
3.15.5.1	Coding of in-band data .....	95
3.15.5.2	Identification marker .....	96
3.15.5.3	Repetition .....	96
3.15.5.4	Interleaving .....	96
3.15.5.5	Mapping on a Burst .....	96
3.15.6	ONSET .....	96
3.15.6.1	Coding of in-band data .....	96
3.15.6.2	Repetition .....	96
3.15.6.3	Interleaving .....	96
3.15.6.4	Mapping on a Burst .....	96
3.15.7	SPEECH .....	96
3.15.7.1	Coding of the in-band data .....	96
3.15.7.2	Ordering according to subjective importance .....	97
3.15.7.3	Parity for speech frames .....	97
3.15.7.4	Convolutional encoder .....	99
3.15.7.5	Interleaving .....	114
3.15.7.6	Mapping on a Burst .....	114
3.15.8	RATSCCH_MARKER .....	114
3.15.8.1	Coding of in-band data .....	114
3.15.8.2	Identification marker .....	114
3.15.8.3	Interleaving .....	114
3.15.8.4	Mapping on a Burst .....	115
3.15.9	RATSCCH_DATA .....	115
3.15.9.1	Coding of in-band data .....	115
3.15.9.2	Parity and convolutional encoding for the RATSCCH message .....	115
3.15.9.3	Interleaving .....	115
3.15.9.4	Mapping on a Burst .....	115
3.16	Wideband Adaptive multi rate speech channel at 8-PSK full rate (O-TCH/WFS) .....	115
3.16.1	SID_UPDATE .....	116
3.16.1.1	Coding of in-band data .....	116
3.16.1.2	Parity and convolutional encoding for the comfort noise parameters .....	116
3.16.1.3	Identification marker .....	116
3.16.1.4	Repetition .....	116
3.16.1.5	Interleaving .....	116
3.16.1.6	Mapping on a Burst .....	116
3.16.2	SID_FIRST .....	116
3.16.2.1	Coding of in-band data .....	116
3.16.2.2	Identification marker .....	117
3.16.2.3	Repetition .....	117



3.16.2.4	Interleaving .....	117
3.16.2.5	Mapping on a Burst .....	117
3.16.3	ONSET .....	117
3.16.3.1	Coding of in-band data .....	117
3.16.3.2	Repetition .....	117
3.16.3.3	Interleaving .....	117
3.16.3.4	Mapping on a Burst .....	117
3.16.4	SPEECH .....	117
3.16.4.1	Coding of the in-band data .....	118
3.16.4.2	Ordering according to subjective importance .....	118
3.16.4.3	Parity for speech frames .....	118
3.16.4.4	Convolutional encoder .....	120
3.16.4.5	Interleaving .....	134
3.16.4.6	Mapping on a Burst .....	134
3.16.5	RATSCCH .....	134
3.16.5.1	Coding of in-band data .....	134
3.16.5.2	Parity and convolutional encoding for the RATSCCH message .....	135
3.16.5.3	Identification marker .....	135
3.16.5.4	Interleaving .....	135
3.16.5.5	Mapping on a Burst .....	135
3.17	Wideband Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/WHS) .....	135
3.17.1	SID_UPDATE .....	136
3.17.1.1	Coding of in-band data .....	136
3.17.1.2	Parity and convolutional encoding for the comfort noise parameters .....	136
3.17.1.3	Identification marker .....	136
3.17.1.4	Repetition .....	136
3.17.1.5	Interleaving .....	136
3.17.1.6	Mapping on a Burst .....	136
3.17.2	SID_UPDATE_INH .....	136
3.17.2.1	Coding of in-band data .....	136
3.17.2.2	Identification marker .....	137
3.17.2.3	Repetition .....	137
3.17.2.4	Interleaving .....	137
3.17.2.5	Mapping on a Burst .....	137
3.17.3	SID_FIRST_P1 .....	137
3.17.3.1	Coding of in-band data .....	137
3.17.3.2	Identification marker .....	137
3.17.3.3	Repetition .....	137
3.17.3.4	Interleaving .....	137
3.17.3.5	Mapping on a Burst .....	137
3.17.4	SID_FIRST_P2 .....	137
3.17.4.1	Coding of in-band data .....	137
3.17.4.2	Repetition .....	137
3.17.4.3	Interleaving .....	138
3.17.4.4	Mapping on a Burst .....	138
3.17.5	SID_FIRST_INH .....	138
3.17.5.1	Coding of in-band data .....	138
3.17.5.2	Identification marker .....	138
3.17.5.3	Repetition .....	138
3.17.5.4	Interleaving .....	138
3.17.5.5	Mapping on a Burst .....	138
3.17.6	ONSET .....	138
3.17.6.1	Coding of in-band data .....	138
3.17.6.2	Repetition .....	138
3.17.6.3	Interleaving .....	138
3.17.6.4	Mapping on a Burst .....	138
3.17.7	SPEECH .....	139
3.17.7.1	Coding of the in-band data .....	139
3.17.7.2	Ordering according to subjective importance .....	139
3.17.7.3	Parity for speech frames .....	139
3.17.7.4	Convolutional encoder .....	140
3.17.7.5	Interleaving .....	146



3.17.7.6	Mapping on a Burst .....	146
3.17.8	RATSCCH_MARKER .....	146
3.17.8.1	Coding of in-band data .....	146
3.17.8.2	Identification marker .....	146
3.17.8.3	Interleaving .....	146
3.17.8.4	Mapping on a Burst .....	146
3.17.9	RATSCCH_DATA .....	146
3.17.9.1	Coding of in-band data .....	146
3.17.9.2	Parity and convolutional encoding for the RATSCCH message .....	147
3.17.9.3	Interleaving .....	147
3.17.9.4	Mapping on a Burst .....	147
4	Control Channels .....	147
4.1	Slow associated control channel (SACCH) .....	147
4.1.1	Block constitution .....	147
4.1.2	Block code .....	147
4.1.3	Convolutional encoder .....	147
4.1.4	Interleaving .....	148
4.1.5	Mapping on a Burst .....	148
4.2	Fast associated control channel at full rate (FACCH/F) .....	148
4.2.1	Block constitution .....	148
4.2.2	Block code .....	148
4.2.3	Convolutional encoder .....	148
4.2.4	Interleaving .....	148
4.2.5	Mapping on a Burst .....	149
4.3	Fast associated control channel at half rate (FACCH/H) .....	149
4.3.1	Block constitution .....	149
4.3.2	Block code .....	149
4.3.3	Convolutional encoder .....	149
4.3.4	Interleaving .....	149
4.3.5	Mapping on a Burst .....	150
4.4	Broadcast control, Paging, Access grant, Notification and Cell broadcast channels (BCCH, PCH, AGCH, NCH, CBCH), CTS Paging and Access grant channels (CTSPCH, CTSAGCH) .....	150
4.5	Stand-alone dedicated control channel (SDCCH) .....	151
4.6	Random access channel (RACH) .....	151
4.6.1	RACH carrying 8 information bits .....	151
4.6.2	(EC-)RACH carrying 30 information bits .....	152
4.6.2.1	Block constitution .....	152
4.6.2.2	Parity bits .....	152
4.6.2.3	Tail bits .....	152
4.6.2.4	Convolutional code .....	152
4.6.2.5	Burst mapping .....	152
4.7	Synchronization channel (SCH), Compact synchronization channel (CSCH), CTS Beacon and Access request channels (CTSBCH-SB, CTSARCH) .....	153
4.7a	Extended Coverage Synchronization channel (EC-SCH) .....	153
4.7a.1	Block constitution .....	153
4.7a.2	Coding .....	153
4.7a.3	Blind physical layer transmission .....	154
4.7a.4	Cyclic shift .....	154
4.7a.5	Mapping onto a physical channel .....	154
4.8	Access Burst on circuit switched channels other than RACH .....	154
4.9	Access Bursts for uplink access on a channel used for VGCS or VBS .....	154
4.10a	Fast associated control channel at ECSD E-TCH/F (E-FACCH/F) .....	155
4.10a.1	Block constitution .....	155
4.10a.2	Block code .....	155
4.10a.3	Convolutional encoder .....	155
4.10a.4	Interleaving .....	155
4.10a.5	Mapping on a Burst .....	155
4.10b	Octal fast associated control channel at half rate (O-FACCH/H) .....	155
4.10b.1	Block constitution .....	155
4.10b.2	Block code .....	156
4.10b.3	Convolutional encoder .....	156

4.10b.4	Reordering .....	156
4.10b.5	Interleaving .....	157
4.10b.6	Mapping on a burst .....	157
4.10c	Octal fast associated control channel at full rate (O-FACCH/F) .....	157
4.10c.1	Block constitution .....	157
4.10c.2	Block code .....	157
4.10c.3	Convolutional encoder .....	157
4.10c.4	Reordering .....	157
4.10c.5	Interleaving .....	158
4.10c.6	Mapping on a burst .....	158
4.11	Slow associated control channel with embedded enhanced power control (SACCH/TP) .....	158
4.11.1	Block constitution .....	158
4.11.2	Block code .....	158
4.11.3	Convolutional encoder .....	159
4.11.4	Dummy bits insertion .....	159
4.11.5	Interleaving .....	160
4.11.6	Mapping on a Burst .....	160
4.12	Enhanced power control channel (EPCCH) .....	160
4.12.1	Block code .....	160
4.12.2	Mapping on a Burst .....	160
5	Packet Switched Channels .....	161
5.1	Packet data traffic channel (PDTCH) .....	161
5.1.1	Packet data block type 1 (CS-1) .....	161
5.1.2	Packet data block type 2 (CS-2) .....	162
5.1.2.1	Block constitution .....	162
5.1.2.2	Block code .....	162
5.1.2.3	Convolutional encoder .....	162
5.1.2.4	Interleaving .....	163
5.1.2.5	Mapping on a burst .....	163
5.1.3	Packet data block type 3 (CS-3) .....	163
5.1.3.1	Block constitution .....	163
5.1.3.2	Block code .....	163
5.1.3.3	Convolutional encoder .....	163
5.1.3.4	Interleaving .....	164
5.1.3.5	Mapping on a burst .....	164
5.1.4	Packet data block type 4 (CS-4) .....	164
5.1.4.1	Block constitution .....	164
5.1.4.2	Block code .....	164
5.1.4.3	Convolutional encoder .....	165
5.1.4.4	Interleaving .....	165
5.1.4.5	Mapping on a burst .....	165
5.1.4a	Packet data block type 5a (MCS-0) .....	165
5.1.4a.1	Downlink (MCS-0 DL) .....	165
5.1.4a.1.1	Block constitution .....	165
5.1.4a.1.2	USF precoding .....	165
5.1.4a.1.3	Data coding .....	165
5.1.4a.1.4	Header coding .....	166
5.1.4a.1.5	Interleaving .....	166
5.1.4a.1.6	Mapping on a burst .....	167
5.1.5	Packet data block type 5 (MCS-1) .....	167
5.1.5.1	Downlink (MCS-1 DL) .....	167
5.1.5.1.1	Block constitution .....	167
5.1.5.1.2	USF precoding .....	167
5.1.5.1.2.1	BTTI configuration .....	167
5.1.5.1.2.2	RTTI configuration .....	167
5.1.5.1.3	Header coding .....	168
5.1.5.1.4	Data coding .....	169
5.1.5.1.4a	Piggy-backed Ack/Nack coding .....	170
5.1.5.1.5	Interleaving .....	171
5.1.5.1.6	Mapping on a burst .....	171
5.1.5.1.6.1	BTTI configuration .....	171

5.1.5.1.6.2	RTTI configuration .....	171
5.1.5.2	Uplink (MCS-1 UL) .....	173
5.1.5.2.1	Block constitution .....	173
5.1.5.2.2	Header coding .....	173
5.1.5.2.3	Data coding .....	173
5.1.5.2.3a	Piggy-backed Ack/Nack coding .....	173
5.1.5.2.4	Interleaving .....	174
5.1.5.2.5	Mapping on a burst .....	174
5.1.6	Packet data block type 6 (MCS-2) .....	174
5.1.6.1	Downlink (MCS-2 DL) .....	174
5.1.6.1.1	Block constitution .....	174
5.1.6.1.2	USF precoding .....	175
5.1.6.1.2.1	BTTI configuration .....	175
5.1.6.1.2.2	RTTI configuration .....	175
5.1.6.1.3	Header coding .....	175
5.1.6.1.4	Data coding .....	175
5.1.6.1.4a	Piggy-backed Ack/Nack coding .....	176
5.1.6.1.5	Interleaving .....	176
5.1.6.1.6	Mapping on a burst .....	176
5.1.6.2	Uplink (MCS-2 UL) .....	176
5.1.6.2.1	Block constitution .....	176
5.1.6.2.2	Header coding .....	176
5.1.6.2.3	Data coding .....	176
5.1.6.2.3a	Piggy-backed Ack/Nack coding .....	177
5.1.6.2.4	Interleaving .....	177
5.1.6.2.5	Mapping on a burst .....	177
5.1.7	Packet data block type 7 (MCS-3) .....	177
5.1.7.1	Downlink (MCS-3 DL) .....	177
5.1.7.1.1	Block constitution .....	177
5.1.7.1.2	USF precoding .....	177
5.1.7.1.2.1	BTTI configuration .....	177
5.1.7.1.2.2	RTTI configuration .....	177
5.1.7.1.3	Header coding .....	177
5.1.7.1.4	Data coding .....	177
5.1.7.1.4a	Piggy-backed Ack/Nack coding .....	179
5.1.7.1.5	Interleaving .....	179
5.1.7.1.6	Mapping on a burst .....	179
5.1.7.2	Uplink (MCS-3 UL) .....	179
5.1.7.2.1	Block constitution .....	179
5.1.7.2.2	Header coding .....	179
5.1.7.2.3	Data coding .....	179
5.1.7.2.3a	Piggy-backed Ack/Nack coding .....	179
5.1.7.2.4	Interleaving .....	179
5.1.7.2.5	Mapping on a burst .....	179
5.1.8	Packet data block type 8 (MCS-4) .....	179
5.1.8.1	Downlink (MCS-4 DL) .....	179
5.1.8.1.1	Block constitution .....	179
5.1.8.1.2	USF precoding .....	180
5.1.8.1.2.1	BTTI configuration .....	180
5.1.8.1.2.2	RTTI configuration .....	180
5.1.8.1.3	Header coding .....	180
5.1.8.1.4	Data coding .....	180
5.1.8.1.5	Interleaving .....	181
5.1.8.1.6	Mapping on a burst .....	181
5.1.8.2	Uplink (MCS-4 UL) .....	181
5.1.8.2.1	Block constitution .....	181
5.1.8.2.2	Header coding .....	181
5.1.8.2.3	Data coding .....	181
5.1.8.2.4	Interleaving .....	181
5.1.8.2.5	Mapping on a burst .....	181
5.1.9	Packet data block type 9 (MCS-5) .....	181
5.1.9.1	Downlink (MCS-5 DL) .....	181

5.1.9.1.1	Block constitution.....	181
5.1.9.1.2	USF precoding.....	182
5.1.9.1.2.1	BTTI configuration.....	182
5.1.9.1.2.2	RTTI configurations.....	182
5.1.9.1.3	Header coding.....	182
5.1.9.1.4	Data coding.....	183
5.1.9.1.4a	Piggy-backed Ack/Nack coding.....	184
5.1.9.1.5	Interleaving.....	185
5.1.9.1.6	Mapping on a burst.....	186
5.1.9.2	Uplink (MCS-5 UL).....	188
5.1.9.2.1	Block constitution.....	188
5.1.9.2.2	Header coding.....	188
5.1.9.2.3	Data coding.....	189
5.1.9.2.3a	Piggy-backed Ack/Nack coding.....	189
5.1.9.2.4	Interleaving.....	189
5.1.9.2.5	Mapping on a burst.....	189
5.1.10	Packet data block type 10 (MCS-6).....	190
5.1.10.1	Downlink (MCS-6 DL).....	190
5.1.10.1.1	Block constitution.....	190
5.1.10.1.2	USF precoding.....	190
5.1.10.1.2.1	BTTI configuration.....	190
5.1.10.1.2.2	RTTI configuration.....	190
5.1.10.1.3	Header coding.....	190
5.1.10.1.4	Data coding.....	191
5.1.10.1.4a	Piggy-backed Ack/Nack coding.....	192
5.1.10.1.5	Interleaving.....	192
5.1.10.1.6	Mapping on a burst.....	192
5.1.10.2	Uplink (MCS-6 UL).....	192
5.1.10.2.1	Block constitution.....	192
5.1.10.2.2	Header coding.....	192
5.1.10.2.3	Data coding.....	192
5.1.10.2.3a	Piggy-backed Ack/Nack coding.....	192
5.1.10.2.4	Interleaving.....	193
5.1.10.2.5	Mapping on a burst.....	193
5.1.11	Packet data block type 11 (MCS-7).....	193
5.1.11.1	Downlink (MCS-7 DL).....	193
5.1.11.1.1	Block constitution.....	193
5.1.11.1.2	USF precoding.....	193
5.1.11.1.2.2	RTTI configuration.....	193
5.1.11.1.3	Header coding.....	193
5.1.11.1.4	Data coding.....	194
5.1.11.1.4a	Piggy-backed Ack/Nack coding.....	196
5.1.11.1.5	Interleaving.....	197
5.1.11.1.6	Mapping on a burst.....	197
5.1.11.2	Uplink (MCS-7 UL).....	198
5.1.11.2.1	Block constitution.....	198
5.1.11.2.2	Header coding.....	199
5.1.11.2.3	Data coding.....	199
5.1.11.2.3a	Piggy-backed Ack/Nack coding.....	199
5.1.11.2.4	Interleaving.....	200
5.1.11.2.5	Mapping on a burst.....	200
5.1.12	Packet data block type 12 (MCS-8).....	201
5.1.12.1	Downlink (MCS-8 DL).....	201
5.1.12.1.1	Block constitution.....	201
5.1.12.1.2	USF precoding.....	201
5.1.12.1.2.1	BTTI configuration.....	201
5.1.12.1.2.2	RTTI configuration.....	201
5.1.12.1.3	Header coding.....	201
5.1.12.1.4	Data coding.....	201
5.1.12.1.4a	Piggy-backed Ack/Nack coding.....	202
5.1.12.1.5	Interleaving.....	203
5.1.12.1.6	Mapping on a burst.....	204

5.1.12.2	Uplink (MCS-8 UL).....	204
5.1.12.2.1	Block constitution.....	204
5.1.12.2.2	Header coding.....	205
5.1.12.2.3	Data coding.....	205
5.1.12.2.3a	Piggy-backed Ack/Nack coding.....	205
5.1.12.2.4	Interleaving.....	205
5.1.12.2.5	Mapping on a burst.....	205
5.1.13	Packet data block type 13 (MCS-9).....	206
5.1.13.1	Downlink (MCS-9 DL).....	206
5.1.13.1.1	Block constitution.....	206
5.1.13.1.2	USF precoding.....	206
5.1.13.1.2.1	BTTI configuration.....	206
5.1.13.1.2.2	RTTI configuration.....	206
5.1.13.1.3	Header coding.....	206
5.1.13.1.4	Data coding.....	206
5.1.13.1.5	Interleaving.....	207
5.1.13.1.6	Mapping on a burst.....	207
5.1.13.2	Uplink (MCS-9 UL).....	207
5.1.13.2.1	Block constitution.....	207
5.1.13.2.2	Header coding.....	207
5.1.13.2.3	Data coding.....	207
5.1.13.2.4	Interleaving.....	207
5.1.13.2.5	Mapping on a burst.....	207
5.1a	Packet data traffic channels (PDTCH) for EGPRS2.....	208
5.1a.1	General descriptions of channel coding functions.....	208
5.1a.1.1	Header.....	208
5.1a.1.2	Data encoded with convolutional code.....	209
5.1a.1.3	Data encoded with turbo code.....	209
5.1a.1.3.1	Parity bits.....	209
5.1a.1.3.2	Turbo encoding.....	209
5.1a.1.3.3	Trellis termination for Turbo coder.....	211
5.1a.1.3.4	Turbo code internal interleaver.....	211
5.1a.1.3.4.1	Bits-input to rectangular matrix with padding.....	211
5.1a.1.3.5	Turbo code puncturing.....	214
5.1a.1.3.5.2.1	P1 – first puncturing version.....	215
5.1a.1.3.5.2.2	P2 – second puncturing version – Type 1.....	215
5.1a.1.3.5.2.3	P2 – second puncturing version – Type 2.....	215
5.1a.1.3.5.2.4	P3 – third puncturing version.....	216
5.1a.1.3.5.3	PAN Parameters Handling.....	216
5.1a.1.4	PAN.....	221
5.1a.2	General descriptions of interleaving functions.....	222
5.1a.2.1	Interleaver type 1.....	222
5.1a.2.2	Interleaver type 2.....	222
5.1a.3	Packet data block type 14 (UAS-7).....	222
5.1a.3.1	Block constitution.....	222
5.1a.3.2	Header coding.....	222
5.1a.3.3	Data coding.....	223
5.1a.3.4	PAN coding.....	223
5.1a.3.5	Interleaving.....	223
5.1a.3.6	Mapping on a burst.....	224
5.1a.4	Packet data block type 15 (UAS-8).....	225
5.1a.4.1	Block constitution.....	225
5.1a.4.2	Header coding.....	226
5.1a.4.3	Data coding.....	226
5.1a.4.4	PAN coding.....	226
5.1a.4.5	Interleaving.....	226
5.1a.4.6	Mapping on a burst.....	226
5.1a.5	Packet data block type 16 (UAS-9).....	227
5.1a.5.1	Block constitution.....	227
5.1a.5.2	Header coding.....	227
5.1a.5.3	Data coding.....	227
5.1a.5.4	PAN coding.....	228