

ETSI TS 145 003 V15.2.0 (2019-05)



Digital cellular telecommunications system (Phase 2+) (GSM); GSM/EDGE Channel coding (3GPP TS 45.003 version 15.2.0 Release 15)

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/145-003-v15-2-0-2019-05>
474c-a02d-0d69bcd9d44c/etsi-ts-145-003-v15-2-0-2019-05



ReferenceRTS/TSGR-0645003vf20

KeywordsGSM

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Foreword.....	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	19
1.1 References	19
1.2 Abbreviations	20
2 General	20
2.1 General organization	20
2.2 Naming Convention	40
3 Traffic Channels (TCH)	43
3.1 Speech channel at full rate (TCH/FS and TCH/EFS).....	43
3.1.1 Preliminary channel coding for EFR only	43
3.1.1.1 CRC calculation	43
3.1.1.2 Repetition bits	44
3.1.1.3 Correspondence between input and output of preliminary channel coding.....	44
3.1.2 Channel coding for FR and EFR.....	44
3.1.2.1 Parity and tailing for a speech frame.....	44
3.1.2.2 Convolutional encoder	45
3.1.3 Interleaving	45
3.1.4 Mapping on a Burst.....	45
3.2 Speech channel at half rate (TCH/HS).....	46
3.2.1 Parity and tailing for a speech frame.....	46
3.2.2 Convolutional encoder.....	46
3.2.3 Interleaving	47
3.2.4 Mapping on a burst	47
3.3 Data channel at full rate, 12.0 kbit/s radio interface rate (9.6 kbit/s services (TCH/F9.6)).....	47
3.3.1 Interface with user unit	48
3.3.2 Block code	48
3.3.3 Convolutional encoder.....	48
3.3.4 Interleaving	48
3.3.5 Mapping on a Burst.....	48
3.4 Data channel at full rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/F4.8)).....	49
3.4.1 Interface with user unit	49
3.4.2 Block code	49
3.4.3 Convolutional encoder.....	49
3.4.4 Interleaving	49
3.4.5 Mapping on a Burst.....	49
3.5 Data channel at half rate, 6.0 kbit/s radio interface rate (4.8 kbit/s services (TCH/H4.8)).....	50
3.5.1 Interface with user unit	50
3.5.2 Block code	50
3.5.3 Convolutional encoder.....	50
3.5.4 Interleaving	50
3.5.5 Mapping on a Burst.....	50
3.6 Data channel at full rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/F2.4)).....	50
3.6.1 Interface with user unit	50
3.6.2 Block code	50
3.6.3 Convolutional encoder.....	50
3.6.4 Interleaving	51
3.6.5 Mapping on a Burst.....	51
3.7 Data channel at half rate, 3.6 kbit/s radio interface rate (2.4 kbit/s and less services (TCH/H2.4)).....	51
3.7.1 Interface with user unit	51
3.7.2 Block code	51
3.7.3 Convolutional encoder.....	51

3.7.4	Interleaving	51
3.7.5	Mapping on a Burst.....	52
3.8	Data channel at full rate, 14.5 kbit/s radio interface rate (14.4 kbit/s services (TCH/F14.4)).....	52
3.8.1	Interface with user unit	52
3.8.2	Block code	52
3.8.3	Convolutional encoder.....	52
3.8.4	Interleaving	52
3.8.5	Mapping on a Burst.....	52
3.9	Adaptive multi rate speech channel at full rate (TCH/AFS)	52
3.9.1	SID_UPDATE	53
3.9.1.1	Coding of in-band data.....	53
3.9.1.2	Parity and convolutional encoding for the comfort noise parameters	53
3.9.1.3	Identification marker	54
3.9.1.4	Interleaving	55
3.9.1.5	Mapping on a Burst.....	55
3.9.2	SID_FIRST	55
3.9.2.1	Coding of in-band data.....	55
3.9.2.2	Identification marker	55
3.9.2.3	Interleaving	55
3.9.2.4	Mapping on a Burst.....	55
3.9.3	ONSET	55
3.9.3.1	Coding of in-band data.....	56
3.9.3.2	Interleaving	56
3.9.3.3	Mapping on a Burst.....	56
3.9.4	SPEECH	56
3.9.4.1	Coding of the in-band data.....	56
3.9.4.2	Ordering according to subjective importance.....	57
3.9.4.3	Parity for speech frames.....	57
3.9.4.4	Convolutional encoder	59
3.9.4.5	Interleaving	65
3.9.4.6	Mapping on a Burst.....	66
3.9.5	RATSCCH.....	66
3.9.5.1	Coding of in-band data.....	66
3.9.5.2	Parity and convolutional encoding for the RATSCCH message.....	66
3.9.5.3	Identification marker	67
3.9.5.4	Interleaving	67
3.9.5.5	Mapping on a Burst.....	67
3.10	Adaptive multi rate speech channel at half rate (TCH/AHS)	67
3.10.1	SID_UPDATE	68
3.10.1.1	Coding of in-band data.....	68
3.10.1.2	Parity and convolutional encoding for the comfort noise parameters	68
3.10.1.3	Identification marker	69
3.10.1.4	Interleaving	69
3.10.1.5	Mapping on a Burst.....	69
3.10.2	SID_UPDATE_INH	70
3.10.2.1	Coding of in-band data.....	70
3.10.2.2	Identification marker	70
3.10.2.3	Interleaving	70
3.10.2.4	Mapping on a Burst.....	70
3.10.3	SID_FIRST_P1	71
3.10.3.1	Coding of in-band data.....	71
3.10.3.2	Identification marker	71
3.10.3.3	Interleaving	71
3.10.3.4	Mapping on a Burst.....	71
3.10.4	SID_FIRST_P2.....	71
3.10.4.1	Coding of in-band data.....	71
3.10.4.2	Interleaving	71
3.10.4.3	Mapping on a Burst.....	72
3.10.5	SID_FIRST_INH.....	72
3.10.5.1	Coding of in-band data.....	72
3.10.5.2	Identification marker	72
3.10.5.3	Interleaving	72

3.10.5.4	Mapping on a Burst	72
3.10.6	ONSET	72
3.10.6.1	Coding of in-band data	72
3.10.6.2	Interleaving	73
3.10.6.3	Mapping on a Burst	73
3.10.7	SPEECH	73
3.10.7.1	Coding of the in-band data	73
3.10.7.2	Ordering according to subjective importance	73
3.10.7.3	Parity for speech frames	74
3.10.7.4	Convolutional encoder	75
3.10.7.5	Interleaving	79
3.10.7.6	Mapping on a Burst	79
3.10.8	RATSCCH_MARKER	79
3.10.8.1	Coding of in-band data	79
3.10.8.2	Identification marker	80
3.10.8.3	Interleaving	80
3.10.8.4	Mapping on a Burst	80
3.10.9	RATSCCH_DATA	80
3.10.9.1	Coding of in-band data	80
3.10.9.2	Parity and convolutional encoding for the RATSCCH message	80
3.10.9.3	Interleaving	81
3.10.9.4	Mapping on a Burst	81
3.11	Data channel for ECSD at full rate, 29.0 kbit/s radio interface rate (28.8 kbit/s services (E-TCH/F28.8))	81
3.11.1	Interface with user unit	81
3.11.2	Block code	81
3.11.2.1	Repetition bits	81
3.11.2.2	Reed Solomon encoder	81
3.11.3	Convolutional encoder	83
3.11.3.1	Tailing bits for a data frame	83
3.11.3.2	Convolutional encoding for a data frame	83
3.11.4	Interleaving	83
3.11.5	Mapping on a Burst	84
3.12	Data channel for ECSD at full rate, 32.0 kbit/s radio interface rate (32.0 kbit/s services (E-TCH/F32.0))	84
3.12.1	Interface with user unit	84
3.12.2	Void	85
3.12.3	Convolutional encoder	85
3.12.3.1	Tailing bits for a data frame	85
3.12.3.2	Convolutional encoding for a data frame	85
3.12.4	Interleaving	86
3.12.5	Mapping on a Burst	86
3.13	Data channel for ECSD at full rate, 43.5 kbit/s radio interface rate (43.2 kbit/s services (E-TCH/F43.2))	86
3.13.1	Interface with user unit	86
3.13.2	Convolutional encoder	86
3.13.2.1	Tailing bits for a data frame	86
3.13.2.2	Convolutional encoding for a data frame	86
3.13.3	Interleaving	87
3.13.4	Mapping on a Burst	87
3.14	Wideband Adaptive multi rate speech channel at full rate (TCH/WFS)	87
3.14.1	SID_UPDATE	87
3.14.2	SID_FIRST	88
3.14.3	ONSET	88
3.14.4	SPEECH	88
3.14.4.1	Coding of the in-band data	88
3.14.4.2	Ordering according to subjective importance	88
3.14.4.3	Parity for speech frames	89
3.14.4.4	Convolutional encoder	90
3.14.4.5	Interleaving	92
3.14.4.6	Mapping on a Burst	92
3.14.5	RATSCCH	92
3.15	Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/AHS)	92
3.15.1	SID_UPDATE	93
3.15.1.1	Coding of in-band data	93

3.15.1.2	Parity and convolutional encoding for the comfort noise parameters	93
3.15.1.3	Identification marker	93
3.15.1.4	Repetition	93
3.15.1.5	Interleaving	93
3.15.1.6	Mapping on a Burst	93
3.15.2	SID_UPDATE_INH	94
3.15.2.1	Coding of in-band data	94
3.15.2.2	Identification marker	94
3.15.2.3	Repetition	94
3.15.2.4	Interleaving	94
3.15.2.5	Mapping on a Burst	94
3.15.3	SID_FIRST_P1	94
3.15.3.1	Coding of in-band data	94
3.15.3.2	Identification marker	94
3.15.3.3	Repetition	94
3.15.3.4	Interleaving	95
3.15.3.5	Mapping on a Burst	95
3.15.4	SID_FIRST_P2	95
3.15.4.1	Coding of in-band data	95
3.15.4.2	Repetition	95
3.15.4.3	Interleaving	95
3.15.4.4	Mapping on a Burst	95
3.15.5	SID_FIRST_INH	95
3.15.5.1	Coding of in-band data	95
3.15.5.2	Identification marker	96
3.15.5.3	Repetition	96
3.15.5.4	Interleaving	96
3.15.5.5	Mapping on a Burst	96
3.15.6	ONSET	96
3.15.6.1	Coding of in-band data	96
3.15.6.2	Repetition	96
3.15.6.3	Interleaving	96
3.15.6.4	Mapping on a Burst	96
3.15.7	SPEECH	96
3.15.7.1	Coding of the in-band data	96
3.15.7.2	Ordering according to subjective importance	97
3.15.7.3	Parity for speech frames	97
3.15.7.4	Convolutional encoder	99
3.15.7.5	Interleaving	114
3.15.7.6	Mapping on a Burst	114
3.15.8	RATSCCH_MARKER	114
3.15.8.1	Coding of in-band data	114
3.15.8.2	Identification marker	114
3.15.8.3	Interleaving	114
3.15.8.4	Mapping on a Burst	115
3.15.9	RATSCCH_DATA	115
3.15.9.1	Coding of in-band data	115
3.15.9.2	Parity and convolutional encoding for the RATSCCH message	115
3.15.9.3	Interleaving	115
3.15.9.4	Mapping on a Burst	115
3.16	Wideband Adaptive multi rate speech channel at 8-PSK full rate (O-TCH/WFS)	115
3.16.1	SID_UPDATE	116
3.16.1.1	Coding of in-band data	116
3.16.1.2	Parity and convolutional encoding for the comfort noise parameters	116
3.16.1.3	Identification marker	116
3.16.1.4	Repetition	116
3.16.1.5	Interleaving	116
3.16.1.6	Mapping on a Burst	116
3.16.2	SID_FIRST	116
3.16.2.1	Coding of in-band data	116
3.16.2.2	Identification marker	117
3.16.2.3	Repetition	117

3.16.2.4	Interleaving	117
3.16.2.5	Mapping on a Burst	117
3.16.3	ONSET	117
3.16.3.1	Coding of in-band data	117
3.16.3.2	Repetition	117
3.16.3.3	Interleaving	117
3.16.3.4	Mapping on a Burst	117
3.16.4	SPEECH	117
3.16.4.1	Coding of the in-band data	118
3.16.4.2	Ordering according to subjective importance	118
3.16.4.3	Parity for speech frames	118
3.16.4.4	Convolutional encoder	120
3.16.4.5	Interleaving	134
3.16.4.6	Mapping on a Burst	134
3.16.5	RATSCCH	134
3.16.5.1	Coding of in-band data	134
3.16.5.2	Parity and convolutional encoding for the RATSCCH message	135
3.16.5.3	Identification marker	135
3.16.5.4	Interleaving	135
3.16.5.5	Mapping on a Burst	135
3.17	Wideband Adaptive multi rate speech channel at 8-PSK half rate (O-TCH/WHS)	135
3.17.1	SID_UPDATE	136
3.17.1.1	Coding of in-band data	136
3.17.1.2	Parity and convolutional encoding for the comfort noise parameters	136
3.17.1.3	Identification marker	136
3.17.1.4	Repetition	136
3.17.1.5	Interleaving	136
3.17.1.6	Mapping on a Burst	136
3.17.2	SID_UPDATE_INH	136
3.17.2.1	Coding of in-band data	136
3.17.2.2	Identification marker	137
3.17.2.3	Repetition	137
3.17.2.4	Interleaving	137
3.17.2.5	Mapping on a Burst	137
3.17.3	SID_FIRST_P1	137
3.17.3.1	Coding of in-band data	137
3.17.3.2	Identification marker	137
3.17.3.3	Repetition	137
3.17.3.4	Interleaving	137
3.17.3.5	Mapping on a Burst	137
3.17.4	SID_FIRST_P2	137
3.17.4.1	Coding of in-band data	137
3.17.4.2	Repetition	137
3.17.4.3	Interleaving	138
3.17.4.4	Mapping on a Burst	138
3.17.5	SID_FIRST_INH	138
3.17.5.1	Coding of in-band data	138
3.17.5.2	Identification marker	138
3.17.5.3	Repetition	138
3.17.5.4	Interleaving	138
3.17.5.5	Mapping on a Burst	138
3.17.6	ONSET	138
3.17.6.1	Coding of in-band data	138
3.17.6.2	Repetition	138
3.17.6.3	Interleaving	138
3.17.6.4	Mapping on a Burst	138
3.17.7	SPEECH	139
3.17.7.1	Coding of the in-band data	139
3.17.7.2	Ordering according to subjective importance	139
3.17.7.3	Parity for speech frames	139
3.17.7.4	Convolutional encoder	140
3.17.7.5	Interleaving	146

3.17.7.6	Mapping on a Burst	146
3.17.8	RATSCCH_MARKER	146
3.17.8.1	Coding of in-band data	146
3.17.8.2	Identification marker	146
3.17.8.3	Interleaving	146
3.17.8.4	Mapping on a Burst	146
3.17.9	RATSCCH_DATA	146
3.17.9.1	Coding of in-band data	146
3.17.9.2	Parity and convolutional encoding for the RATSCCH message	147
3.17.9.3	Interleaving	147
3.17.9.4	Mapping on a Burst	147
4	Control Channels	147
4.1	Slow associated control channel (SACCH)	147
4.1.1	Block constitution	147
4.1.2	Block code	147
4.1.3	Convolutional encoder	147
4.1.4	Interleaving	148
4.1.5	Mapping on a Burst	148
4.2	Fast associated control channel at full rate (FACCH/F)	148
4.2.1	Block constitution	148
4.2.2	Block code	148
4.2.3	Convolutional encoder	148
4.2.4	Interleaving	148
4.2.5	Mapping on a Burst	149
4.3	Fast associated control channel at half rate (FACCH/H)	149
4.3.1	Block constitution	149
4.3.2	Block code	149
4.3.3	Convolutional encoder	149
4.3.4	Interleaving	149
4.3.5	Mapping on a Burst	150
4.4	Broadcast control, Paging, Access grant, Notification and Cell broadcast channels (BCCH, PCH, AGCH, NCH, CBCH), CTS Paging and Access grant channels (CTSPCH, CTSAGCH)	150
4.5	Stand-alone dedicated control channel (SDCCH)	151
4.6	Random access channel (RACH)	151
4.6.1	RACH carrying 8 information bits	151
4.6.2	(EC-)RACH carrying 30 information bits	152
4.6.2.1	Block constitution	152
4.6.2.2	Parity bits	152
4.6.2.3	Tail bits	152
4.6.2.4	Convolutional code	152
4.6.2.5	Burst mapping	152
4.7	Synchronization channel (SCH), Compact synchronization channel (CSCH), CTS Beacon and Access request channels (CTSBCH-SB, CTSARCH)	153
4.7a	Extended Coverage Synchronization channel (EC-SCH)	153
4.7a.1	Block constitution	153
4.7a.2	Coding	153
4.7a.3	Blind physical layer transmission	154
4.7a.4	Cyclic shift	154
4.7a.5	Mapping onto a physical channel	154
4.8	Access Burst on circuit switched channels other than RACH	154
4.9	Access Bursts for uplink access on a channel used for VGCS or VBS	154
4.10a	Fast associated control channel at ECSD E-TCH/F (E-FACCH/F)	155
4.10a.1	Block constitution	155
4.10a.2	Block code	155
4.10a.3	Convolutional encoder	155
4.10a.4	Interleaving	155
4.10a.5	Mapping on a Burst	155
4.10b	Octal fast associated control channel at half rate (O-FACCH/H)	155
4.10b.1	Block constitution	155
4.10b.2	Block code	156
4.10b.3	Convolutional encoder	156

4.10b.4	Reordering	156
4.10b.5	Interleaving	157
4.10b.6	Mapping on a burst	157
4.10c	Octal fast associated control channel at full rate (O-FACCH/F)	157
4.10c.1	Block constitution	157
4.10c.2	Block code	157
4.10c.3	Convolutional encoder	157
4.10c.4	Reordering	157
4.10c.5	Interleaving	158
4.10c.6	Mapping on a burst	158
4.11	Slow associated control channel with embedded enhanced power control (SACCH/TP)	158
4.11.1	Block constitution	158
4.11.2	Block code	158
4.11.3	Convolutional encoder	159
4.11.4	Dummy bits insertion	159
4.11.5	Interleaving	160
4.11.6	Mapping on a Burst	160
4.12	Enhanced power control channel (EPCCH)	160
4.12.1	Block code	160
4.12.2	Mapping on a Burst	160
5	Packet Switched Channels	161
5.1	Packet data traffic channel (PDTCH)	161
5.1.1	Packet data block type 1 (CS-1)	161
5.1.2	Packet data block type 2 (CS-2)	162
5.1.2.1	Block constitution	162
5.1.2.2	Block code	162
5.1.2.3	Convolutional encoder	162
5.1.2.4	Interleaving	163
5.1.2.5	Mapping on a burst	163
5.1.3	Packet data block type 3 (CS-3)	163
5.1.3.1	Block constitution	163
5.1.3.2	Block code	163
5.1.3.3	Convolutional encoder	163
5.1.3.4	Interleaving	164
5.1.3.5	Mapping on a burst	164
5.1.4	Packet data block type 4 (CS-4)	164
5.1.4.1	Block constitution	164
5.1.4.2	Block code	164
5.1.4.3	Convolutional encoder	165
5.1.4.4	Interleaving	165
5.1.4.5	Mapping on a burst	165
5.1.4a	Packet data block type 5a (MCS-0)	165
5.1.4a.1	Downlink (MCS-0 DL)	165
5.1.4a.1.1	Block constitution	165
5.1.4a.1.2	USF precoding	165
5.1.4a.1.3	Data coding	165
5.1.4a.1.4	Header coding	166
5.1.4a.1.5	Interleaving	166
5.1.4a.1.6	Mapping on a burst	167
5.1.5	Packet data block type 5 (MCS-1)	167
5.1.5.1	Downlink (MCS-1 DL)	167
5.1.5.1.1	Block constitution	167
5.1.5.1.2	USF precoding	167
5.1.5.1.2.1	BTTI configuration	167
5.1.5.1.2.2	RTTI configuration	167
5.1.5.1.3	Header coding	168
5.1.5.1.4	Data coding	169
5.1.5.1.4a	Piggy-backed Ack/Nack coding	170
5.1.5.1.5	Interleaving	171
5.1.5.1.6	Mapping on a burst	171
5.1.5.1.6.1	BTTI configuration	171

5.1.5.1.6.2	RTTI configuration	171
5.1.5.2	Uplink (MCS-1 UL)	173
5.1.5.2.1	Block constitution	173
5.1.5.2.2	Header coding	173
5.1.5.2.3	Data coding	173
5.1.5.2.3a	Piggy-backed Ack/Nack coding	173
5.1.5.2.4	Interleaving	174
5.1.5.2.5	Mapping on a burst	174
5.1.6	Packet data block type 6 (MCS-2)	174
5.1.6.1	Downlink (MCS-2 DL)	174
5.1.6.1.1	Block constitution	174
5.1.6.1.2	USF precoding	175
5.1.6.1.2.1	BTTI configuration	175
5.1.6.1.2.2	RTTI configuration	175
5.1.6.1.3	Header coding	175
5.1.6.1.4	Data coding	175
5.1.6.1.4a	Piggy-backed Ack/Nack coding	176
5.1.6.1.5	Interleaving	176
5.1.6.1.6	Mapping on a burst	176
5.1.6.2	Uplink (MCS-2 UL)	176
5.1.6.2.1	Block constitution	176
5.1.6.2.2	Header coding	176
5.1.6.2.3	Data coding	176
5.1.6.2.3a	Piggy-backed Ack/Nack coding	177
5.1.6.2.4	Interleaving	177
5.1.6.2.5	Mapping on a burst	177
5.1.7	Packet data block type 7 (MCS-3)	177
5.1.7.1	Downlink (MCS-3 DL)	177
5.1.7.1.1	Block constitution	177
5.1.7.1.2	USF precoding	177
5.1.7.1.2.1	BTTI configuration	177
5.1.7.1.2.2	RTTI configuration	177
5.1.7.1.3	Header coding	177
5.1.7.1.4	Data coding	177
5.1.7.1.4a	Piggy-backed Ack/Nack coding	179
5.1.7.1.5	Interleaving	179
5.1.7.1.6	Mapping on a burst	179
5.1.7.2	Uplink (MCS-3 UL)	179
5.1.7.2.1	Block constitution	179
5.1.7.2.2	Header coding	179
5.1.7.2.3	Data coding	179
5.1.7.2.3a	Piggy-backed Ack/Nack coding	179
5.1.7.2.4	Interleaving	179
5.1.7.2.5	Mapping on a burst	179
5.1.8	Packet data block type 8 (MCS-4)	179
5.1.8.1	Downlink (MCS-4 DL)	179
5.1.8.1.1	Block constitution	179
5.1.8.1.2	USF precoding	180
5.1.8.1.2.1	BTTI configuration	180
5.1.8.1.2.2	RTTI configuration	180
5.1.8.1.3	Header coding	180
5.1.8.1.4	Data coding	180
5.1.8.1.5	Interleaving	181
5.1.8.1.6	Mapping on a burst	181
5.1.8.2	Uplink (MCS-4 UL)	181
5.1.8.2.1	Block constitution	181
5.1.8.2.2	Header coding	181
5.1.8.2.3	Data coding	181
5.1.8.2.4	Interleaving	181
5.1.8.2.5	Mapping on a burst	181
5.1.9	Packet data block type 9 (MCS-5)	181
5.1.9.1	Downlink (MCS-5 DL)	181

5.1.9.1.1	Block constitution.....	181
5.1.9.1.2	USF precoding.....	182
5.1.9.1.2.1	BTTI configuration.....	182
5.1.9.1.2.2	RTTI configurations.....	182
5.1.9.1.3	Header coding.....	182
5.1.9.1.4	Data coding.....	183
5.1.9.1.4a	Piggy-backed Ack/Nack coding.....	184
5.1.9.1.5	Interleaving.....	185
5.1.9.1.6	Mapping on a burst.....	186
5.1.9.2	Uplink (MCS-5 UL).....	188
5.1.9.2.1	Block constitution.....	188
5.1.9.2.2	Header coding.....	188
5.1.9.2.3	Data coding.....	189
5.1.9.2.3a	Piggy-backed Ack/Nack coding.....	189
5.1.9.2.4	Interleaving.....	189
5.1.9.2.5	Mapping on a burst.....	189
5.1.10	Packet data block type 10 (MCS-6).....	190
5.1.10.1	Downlink (MCS-6 DL).....	190
5.1.10.1.1	Block constitution.....	190
5.1.10.1.2	USF precoding.....	190
5.1.10.1.2.1	BTTI configuration.....	190
5.1.10.1.2.2	RTTI configuration.....	190
5.1.10.1.3	Header coding.....	190
5.1.10.1.4	Data coding.....	191
5.1.10.1.4a	Piggy-backed Ack/Nack coding.....	192
5.1.10.1.5	Interleaving.....	192
5.1.10.1.6	Mapping on a burst.....	192
5.1.10.2	Uplink (MCS-6 UL).....	192
5.1.10.2.1	Block constitution.....	192
5.1.10.2.2	Header coding.....	192
5.1.10.2.3	Data coding.....	192
5.1.10.2.3a	Piggy-backed Ack/Nack coding.....	192
5.1.10.2.4	Interleaving.....	193
5.1.10.2.5	Mapping on a burst.....	193
5.1.11	Packet data block type 11 (MCS-7).....	193
5.1.11.1	Downlink (MCS-7 DL).....	193
5.1.11.1.1	Block constitution.....	193
5.1.11.1.2	USF precoding.....	193
5.1.11.1.2.2	RTTI configuration.....	193
5.1.11.1.3	Header coding.....	193
5.1.11.1.4	Data coding.....	194
5.1.11.1.4a	Piggy-backed Ack/Nack coding.....	196
5.1.11.1.5	Interleaving.....	197
5.1.11.1.6	Mapping on a burst.....	197
5.1.11.2	Uplink (MCS-7 UL).....	198
5.1.11.2.1	Block constitution.....	198
5.1.11.2.2	Header coding.....	199
5.1.11.2.3	Data coding.....	199
5.1.11.2.3a	Piggy-backed Ack/Nack coding.....	199
5.1.11.2.4	Interleaving.....	200
5.1.11.2.5	Mapping on a burst.....	200
5.1.12	Packet data block type 12 (MCS-8).....	201
5.1.12.1	Downlink (MCS-8 DL).....	201
5.1.12.1.1	Block constitution.....	201
5.1.12.1.2	USF precoding.....	201
5.1.12.1.2.1	BTTI configuration.....	201
5.1.12.1.2.2	RTTI configuration.....	201
5.1.12.1.3	Header coding.....	201
5.1.12.1.4	Data coding.....	201
5.1.12.1.4a	Piggy-backed Ack/Nack coding.....	202
5.1.12.1.5	Interleaving.....	203
5.1.12.1.6	Mapping on a burst.....	204

5.1.12.2	Uplink (MCS-8 UL).....	204
5.1.12.2.1	Block constitution.....	204
5.1.12.2.2	Header coding.....	205
5.1.12.2.3	Data coding.....	205
5.1.12.2.3a	Piggy-backed Ack/Nack coding.....	205
5.1.12.2.4	Interleaving.....	205
5.1.12.2.5	Mapping on a burst.....	205
5.1.13	Packet data block type 13 (MCS-9).....	206
5.1.13.1	Downlink (MCS-9 DL).....	206
5.1.13.1.1	Block constitution.....	206
5.1.13.1.2	USF precoding.....	206
5.1.13.1.2.1	BTTI configuration.....	206
5.1.13.1.2.2	RTTI configuration.....	206
5.1.13.1.3	Header coding.....	206
5.1.13.1.4	Data coding.....	206
5.1.13.1.5	Interleaving.....	207
5.1.13.1.6	Mapping on a burst.....	207
5.1.13.2	Uplink (MCS-9 UL).....	207
5.1.13.2.1	Block constitution.....	207
5.1.13.2.2	Header coding.....	207
5.1.13.2.3	Data coding.....	207
5.1.13.2.4	Interleaving.....	207
5.1.13.2.5	Mapping on a burst.....	207
5.1a	Packet data traffic channels (PDTCH) for EGPRS2.....	208
5.1a.1	General descriptions of channel coding functions.....	208
5.1a.1.1	Header.....	208
5.1a.1.2	Data encoded with convolutional code.....	209
5.1a.1.3	Data encoded with turbo code.....	209
5.1a.1.3.1	Parity bits.....	209
5.1a.1.3.2	Turbo encoding.....	209
5.1a.1.3.3	Trellis termination for Turbo coder.....	211
5.1a.1.3.4	Turbo code internal interleaver.....	211
5.1a.1.3.4.1	Bits-input to rectangular matrix with padding.....	211
5.1a.1.3.5	Turbo code puncturing.....	214
5.1a.1.3.5.2.1	P1 – first puncturing version.....	215
5.1a.1.3.5.2.2	P2 – second puncturing version – Type 1.....	215
5.1a.1.3.5.2.3	P2 – second puncturing version – Type 2.....	215
5.1a.1.3.5.2.4	P3 – third puncturing version.....	216
5.1a.1.3.5.3	PAN Parameters Handling.....	216
5.1a.1.4	PAN.....	221
5.1a.2	General descriptions of interleaving functions.....	222
5.1a.2.1	Interleaver type 1.....	222
5.1a.2.2	Interleaver type 2.....	222
5.1a.3	Packet data block type 14 (UAS-7).....	222
5.1a.3.1	Block constitution.....	222
5.1a.3.2	Header coding.....	222
5.1a.3.3	Data coding.....	223
5.1a.3.4	PAN coding.....	223
5.1a.3.5	Interleaving.....	223
5.1a.3.6	Mapping on a burst.....	224
5.1a.4	Packet data block type 15 (UAS-8).....	225
5.1a.4.1	Block constitution.....	225
5.1a.4.2	Header coding.....	226
5.1a.4.3	Data coding.....	226
5.1a.4.4	PAN coding.....	226
5.1a.4.5	Interleaving.....	226
5.1a.4.6	Mapping on a burst.....	226
5.1a.5	Packet data block type 16 (UAS-9).....	227
5.1a.5.1	Block constitution.....	227
5.1a.5.2	Header coding.....	227
5.1a.5.3	Data coding.....	227
5.1a.5.4	PAN coding.....	228