



SLOVENSKI STANDARD

SIST ISO 16924:2017

01-september-2017

Polnilne postaje za oskrbo z zemeljskim plinom - Postaje za oskrbo vozil z utekočinjenim zemeljskim plinom

Natural gas fuelling stations - LNG stations for fuelling vehicles

Stations-service de gaz naturel - Stations GNL pour le ravitaillement de véhicules

(standards.iteh.ai)

Ta slovenski standard je istoveten z: ISO 16924:2016

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>

ICS:

75.200

Oprema za skladiščenje
nafte, naftnih proizvodov in
zemeljskega plina

Petroleum products and
natural gas handling
equipment

SIST ISO 16924:2017

en,fr

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 16924:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>

INTERNATIONAL
STANDARD

ISO
16924

First edition
2016-12-01

**Natural gas fuelling stations — LNG
stations for fuelling vehicles**

*Stations-service de gaz naturel — Stations GNL pour le ravitaillement
de véhicules*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 16924:2017

[https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-
bb06b01b2489/sist-iso-16924-2017](https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017)



Reference number
ISO 16924:2016(E)

© ISO 2016

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 16924:2017](https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017)

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviated terms	9
5 Risk management	10
5.1 Risk assessment.....	10
5.1.1 General.....	10
5.1.2 Protection against overpressure.....	10
5.1.3 Static electricity.....	11
5.2 Fire protection.....	11
5.2.1 Hazardous area classification.....	11
5.2.2 Sources of ignition.....	11
5.2.3 Fire fighting.....	12
5.3 Explosion protection measures.....	12
6 General design requirements	12
6.1 General.....	12
6.1.1 Design philosophy.....	12
6.1.2 Buildings and civil works.....	13
6.1.3 Installation and construction.....	14
6.2 Site layout.....	15
6.2.1 Separation distances.....	15
6.2.2 Traffic management.....	15
6.2.3 Security.....	15
6.2.4 Requirements for location of equipment.....	15
6.3 Environmental considerations.....	16
6.3.1 Noise attenuation.....	16
6.3.2 Prevention of venting of natural gas.....	16
7 Fuel supply to the fuelling station	16
7.1 Application.....	16
7.2 Equipment compatibility.....	16
7.3 Filling connector.....	17
7.4 Requirements for filling.....	17
7.4.1 General requirements.....	17
7.4.2 Prevention of overpressurization and overfilling.....	17
7.5 Prevention of back flow.....	17
7.6 Bleed connections.....	17
7.7 Draining of liquid from the LNG storage tank.....	18
7.8 LNG tanker.....	18
7.8.1 Immobility.....	18
7.8.2 Anti-drive-away equipment.....	18
7.8.3 Turning off the engine.....	18
7.8.4 Equalizing the potentials.....	18
8 Storage	18
8.1 LNG storage.....	18
8.1.1 Design and construction.....	18
8.1.2 Safety requirements.....	20
8.1.3 Installation guidance.....	24
8.2 CNG buffer storage.....	25
9 Pumps and compressors	25
9.1 Connection of LNG pumps to the LNG storage tank.....	25

ISO 16924:2016(E)

9.1.1	General	25
9.1.2	NPSH requirements	25
9.1.3	Vapour return	25
9.1.4	Protection against weather	25
9.1.5	Accessibility	26
9.2	LNG centrifugal pump (including ancillaries)	26
9.2.1	General provisions	26
9.2.2	Liquid inlet to the centrifugal pump	26
9.2.3	Centrifugal pump design	26
9.2.4	Vibration	26
9.2.5	Detection of shaft seal leak	27
9.2.6	Detection of cavitation	27
9.3	LNG reciprocating pump for LCNG fuelling stations (including ancillaries)	27
9.3.1	General provisions	27
9.3.2	Liquid supplied to the reciprocating pump	27
9.3.3	Design	27
9.3.4	Vibration	27
9.3.5	Pulsation	27
9.4	Commonalities for LNG centrifugal and reciprocating pumps	27
9.4.1	Suction line	27
9.4.2	Instrumentation	28
9.4.3	Markings of a pump	28
9.4.4	Instructions	28
9.5	Natural gas compressor	29
10	Dispensers	29
10.1	LNG dispensers	29
10.1.1	General requirements	29
10.1.2	Breakaway system	31
10.1.3	Fuelling hoses	31
10.1.4	Fuelling nozzles	32
10.1.5	Dispenser enclosure	32
10.1.6	Other requirements	33
10.2	CNG dispensers	33
11	Vaporizers and heaters	34
11.1	Application	34
11.2	Design of vaporizers and heaters	34
11.3	Ambient air vaporizer	35
11.3.1	General	35
11.3.2	Defrosting	35
11.3.3	Aluminium vaporizers	35
11.4	Electric vaporizer/heater	35
11.5	Water bath vaporizer	36
11.6	Fired vaporizers	36
11.7	Remotely heated vaporizers	36
12	Odorization	36
12.1	General requirements	36
12.2	High-pressure odorizer	37
12.3	Safety	37
12.4	Monitoring	37
12.5	Odorant	38
12.6	Dynamics of function	38
13	Pipework	38
13.1	General	38
13.2	Pipework design	38
13.2.1	General	38
13.2.2	Overground pipework	39

	13.2.3	Underground pipework.....	39
	13.2.4	Pipework in ducts.....	39
	13.2.5	Flexible connections.....	40
14		Electrical equipment and wiring.....	40
	14.1	General.....	40
	14.2	Main considerations.....	40
	14.2.1	Grounding.....	40
	14.2.2	Lightning.....	40
	14.2.3	Contact with live parts.....	40
	14.2.4	Cables.....	40
	14.2.5	Static electricity.....	41
	14.3	Other considerations.....	41
	14.3.1	Interface.....	41
	14.3.2	Primary seal.....	41
	14.3.3	Additional seal.....	41
	14.3.4	Conduit seals.....	41
	14.3.5	Detection vents.....	42
15		Instrumentation and control system.....	42
	15.1	General.....	42
	15.2	Gas detectors.....	42
	15.3	Flame detectors.....	42
	15.4	Pressure gauges.....	42
	15.5	Temperature sensors.....	42
	15.6	Manual emergency shutdown devices.....	42
	15.7	Emergency power supply unit.....	43
16		Emergency shutdown.....	43
	16.1	Application.....	43
	16.2	Procedure.....	43
	16.3	Activation.....	43
	16.4	ESD action.....	43
	16.5	Reset.....	44
17		Special configurations.....	44
	17.1	Movable LNG fuelling station.....	44
	17.1.1	General requirements.....	44
	17.1.2	Anchoring.....	44
	17.1.3	Containment.....	44
	17.2	Mobile LNG fuelling station.....	44
	17.2.1	General requirements.....	44
	17.2.2	Anchoring.....	45
	17.2.3	Containment.....	45
	17.2.4	Design.....	45
	17.2.5	Additional requirements for operation.....	45
18		Testing and commissioning.....	45
	18.1	Testing.....	45
	18.1.1	Electrical testing.....	45
	18.1.2	Pressure strength testing.....	46
	18.1.3	Leak testing.....	46
	18.2	Commissioning.....	46
	18.2.1	General provisions.....	46
	18.2.2	Purging.....	47
	18.2.3	Functional testing.....	47
	18.2.4	First filling of the LNG storage tank and other components.....	47
19		Operations.....	47
	19.1	LNG tanker offloading.....	47
	19.2	Fuelling procedure.....	47

ISO 16924:2016(E)

19.3	Safety signs.....	48
19.3.1	General on identification labels.....	48
19.3.2	Equipment marking.....	48
19.4	Equipment and pipework identification.....	49
19.5	Training.....	49
19.6	Installation and operating instructions.....	50
19.7	Emergency plan.....	51
19.8	Maintaining the emergency shutdown.....	51
20	Inspection and maintenance.....	51
20.1	Inspection.....	51
20.1.1	General requirements.....	51
20.1.2	Inspection and testing of electrical systems.....	52
20.1.3	Inspection and re-testing of the safety relief valves.....	52
20.1.4	Safety and fire protection equipment.....	53
20.2	Maintenance.....	53
20.2.1	Preventive maintenance planning.....	53
20.2.2	Maintenance procedures.....	53
20.2.3	Maintenance safety.....	53
20.2.4	Draining of the LNG storage tank.....	54
Annex A	(informative) Examples of hazardous zones classification.....	55
Annex B	(normative) Separation distances.....	59
Annex C	(informative) Example flow diagram of an LNG fuelling station.....	63
Annex D	(informative) Example flow diagram of an LCNG fuelling station.....	64
Annex E	(informative) Example flow diagram of an LNG and LCNG fuelling station.....	65
Annex F	(informative) Process requirements for the effective cryogenic pump operation.....	66
Annex G	(informative) Recommendations for installation of a centrifugal pump.....	68
Annex H	(informative) Recommendations for centrifugal pump design.....	69
Annex I	(informative) Recommendations for installation of a reciprocating pump.....	70
Annex J	(informative) Recommendations on the content of the cryogenic pump operation instructions.....	72
Annex K	(informative) Example flow diagram of a high-pressure odorizer.....	74
Annex L	(informative) LNG identification mark of an LNG fuelling station.....	75
Bibliography	76

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is ISO/PC 252, *Natural gas fuelling stations for vehicles*.

[SIST ISO 16924:2017](https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017)

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 16924:2017](https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017)

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>

Natural gas fuelling stations — LNG stations for fuelling vehicles

1 Scope

This document specifies the design, construction, operation, maintenance and inspection of stations for fuelling liquefied natural gas (LNG) to vehicles, including equipment, safety and control devices.

This document also specifies the design, construction, operation, maintenance and inspection of fuelling stations for using LNG as an onsite source for fuelling CNG to vehicles (LCNG fuelling stations), including safety and control devices of the station and specific LCNG fuelling station equipment.

NOTE Specific CNG equipment is dealt with in ISO 16923.

This document is applicable to fuelling stations receiving LNG and other liquefied methane-rich gases that comply with local applicable gas composition regulation or with the gas quality requirements of ISO 13686.

This document includes all equipment from the LNG storage tank filling connection up to the fuelling nozzle on the vehicle. The LNG storage tank filling connection itself and the vehicle fuelling nozzle are not covered in this document.

This document includes fuelling stations having the following characteristics:

- private access;
- public access (self-service or assisted);
- metered dispensing and non metered dispensing;
- fuelling stations with fixed LNG storage;
- fuelling stations with mobile LNG storage;
- movable fuelling stations;
- mobile fuelling stations;
- multi-fuel stations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4126 (all parts), *Safety devices for protection against excessive pressure*

ISO 9606-1, *Qualification testing of welders — Fusion welding — Part 1: Steels*

ISO 12100, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 12617, *Road vehicles — Liquefied natural gas (LNG) refuelling connector — 3,1 MPa connector*

ISO 13709, *Centrifugal pumps for petroleum, petrochemical and natural gas industries*

ISO 16924:2016(E)

ISO 15609-1, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 1: Arc welding*

ISO 15609-2, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 2: Gas welding*

ISO 15609-3, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 3: Electron beam welding*

ISO 15609-4, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 4: Laser beam welding*

ISO 15609-5, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 5: Resistance welding*

ISO 15609-6, *Specification and qualification of welding procedures for metallic materials — Welding procedure specification — Part 6: Laser-arc hybrid welding*

ISO 20421-1, *Cryogenic vessels — Large transportable vacuum-insulated vessels — Part 1: Design, fabrication, inspection and testing*

ISO 21011, *Cryogenic vessels — Valves for cryogenic service*

ISO 21012, *Cryogenic vessels — Hoses*

ISO 21013-1, *Cryogenic vessels — Pressure-relief accessories for cryogenic service — Part 1: Reclosable pressure-relief valves*

ISO 21029-1, *Cryogenic vessels — Transportable vacuum-insulated vessels of not more than 1 000 litres volume — Part 1: Design, fabrication, inspection and tests*

ISO 24490, *Cryogenic vessels — Pumps for cryogenic service*

ISO 31000, *Risk management — Principles and guidelines*

IEC 31010, *Risk management — Risk assessment techniques*

IEC 60079-10-1, *Explosive atmospheres — Part 10-1: Classification of areas — Explosive gas atmospheres*

IEC 60079-14, *Explosive atmospheres — Part 14: Electrical installations design, selection and erection*

IEC 60079-17, *Explosive atmospheres — Part 17: Electrical installations inspection and maintenance*

IEC 60204-1:2005, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61511 (all parts), *Functional safety — Safety instrumented systems for the process industry sector*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 ambient vaporizer

heat exchanger that vaporizes LNG with the heat of ambient air

3.2**assembly**

sub-system of the fuelling station comprising several components

3.3**approved**

having approval for the intended usage from an authority having jurisdiction or having the manufacturer's declaration for intended use

3.4**boil-off gas**

gas produced from evaporation of LNG in the LNG storage tank and other parts of the fuelling station including the gas returned from the vehicle tank

3.5**breakaway device**

coupling which separates at a predetermined section when required and each separated section contains a self-closing shut-off valve which seals automatically

[SOURCE: ISO/TS 18683:2015, 3.1.3]

3.6**buffer storage**

one or more suitable pressure vessels designed for the purpose of storing compressed natural gas

3.7**building**

structure, usually enclosed by walls and a roof, constructed to provide support or shelter for an intended occupancy

3.8**bund**

elevated boundary of the containment, like wall, dike or embankment

3.9**burst pressure**

pb

pressure that causes failure and consequential fluid loss through the component envelope

3.10**canopy**

roof, overhead shelter, or hood, that affords a degree of weather protection

3.11**cold end**

cryogenic part of a reciprocating LNG pump

3.12**competent person**

person having the ability, appropriate training, knowledge and experience, to supervise or carry out the work being undertaken in a safe and proper manner

3.13**compressed natural gas****CNG**

natural gas which has been compressed and stored for use as a vehicle fuel

[SOURCE: ISO 15500-1:2000, 3.2]

ISO 16924:2016(E)**3.14****compressor**

machine that increases the pressure of gas

3.15**conduit**

casing, tubing or liner, either metallic or non-metallic

[SOURCE: ISO 14310:2008, 3.6]

3.16**containment**

area, surrounded by a bund, to contain spilled LNG within that area

3.17**cryogenic**

intended for service over the temperature of -153 °C and -196 °C , the lower point being the normal boiling point of nitrogen

3.18**cryogenic pump**

pump that delivers LNG at a higher pressure

Note 1 to entry: Pumps used for delivery of LNG to the LNG dispenser are typically centrifugal pumps; however, slow speed reciprocating pumps are also used.

Note 2 to entry: Pumps used for delivery of high-pressure liquid into the high-pressure vaporizer are typically reciprocating piston pumps.

STANDARD PREVIEW
(standards.iteh.ai)

3.19**detachable joint**

mechanical joint that can be readily disassembled

EXAMPLE Flanges, threaded joints and similar.

SIST ISO 16924:2017
<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>

3.20**dispenser**

equipment through which the fuel is supplied to the vehicle

Note 1 to entry: This equipment can include metering.

3.21**dry air**

air with a maximum dew point of -40 °C

3.22**enclosure**

structure, not being a building or canopy, that encloses a component of the fuelling station

EXAMPLE Housing, container and machine cabinet.

3.23**explosive gas atmosphere**

mixture of substances with air, under atmospheric conditions, in the form of gases, vapours or mists in which, after ignition has occurred, combustion spreads to the entire unburned mixture

Note 1 to entry: Derived from definition of “explosive atmosphere” in IEC 61340-4-4:2014, 11, 3.4.

3.24**fail-safe**

design feature that ensures that safe conditions are maintained in the event of a malfunction of a control device or an interruption of a supply source

3.25**filling**

process of transferring LNG into the LNG storage tank

3.26**fire resistance**

property of materials or their assemblies that prevents or retards the passage of excessive heat, hot gases or flames under specified conditions

3.27**fire wall**

wall or separating partition erected to reduce the effects of radiated heat

3.28**flash gas**

gas generated from liquid when delivered to the tank to lower pressure than is its boiling pressure at its temperature

3.29**fuelling**

transfer of fuel from dispenser to the vehicle

3.30**fuelling nozzle**

device which permits quick connection and disconnection of the fuelling hose to/from the refuelling receptacle

3.31**fuelling pressure**

pressure at which the fuel is delivered to the vehicle

3.32**fuelling station**

facility at which vehicle fuels are dispensed

3.33**grounding**

electrical connection of potentially live exposed metallic parts to earth

3.34**hazardous area**

area in which an explosive gas atmosphere is present, or can be expected to be present, in quantities such as to require special precautions for the construction, installation and use of apparatus to prevent ignition

[SOURCE: IEC 60079-10-1:2015, 3.3]

3.35**hose**

pipeline of flexible material with end fittings attached

3.36**hose assembly**

hose, or hoses, with ancillary components, such as bend restrictors, breakaways and nozzles, attached

3.37**LCNG fuelling station**

facility at which CNG derived from LNG is dispensed to vehicles

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 16924:2017](https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017)

<https://standards.iteh.ai/catalog/standards/sist/c95cd070-4520-4d52-a5e8-bb06b01b2489/sist-iso-16924-2017>