ETSI GS NFV-IFA 006 V2.7.1 (2019-08)

GROUP SPECIFICATION

Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; Vi-Vnfm reference point - Interface and Information Model Specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf6f096-9952-46cf-93f4-14a12ccc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference
RGS/NFV-IFA006ed271

Keywords
configuration, management, MANO, network,
NFV, virtualisation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/d3e96-9752-46f5-ba1-12cccb2/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.
GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights 13

Foreword 13

Modal verbs terminology 13

1 Scope 14

2 References 14
2.1 Normative references 14
2.2 Informative references 14

3 Definition of terms, symbols and abbreviations 15
3.1 Terms 15
3.2 Symbols 15
3.3 Abbreviations 16

4 Overview of interfaces and information models associated to the Vi-Vnfm reference point 16
4.1 Introduction 16
4.2 Relation to other NFV group specifications 17
4.3 Conventions 17

5 Reference point and interface requirements 17
5.1 Introduction 17
5.2 Vi-Vnfm Reference Point Requirements 18
5.3 Interface Requirements 18
5.3.1 Software Image Management interface requirements 18
5.3.2 Virtualised Resources Information Management interface requirements 19
5.3.3 Virtualised Resources Management interface requirements 19
5.3.4 Virtualised Resources Reservation Management interface requirements 20
5.3.5 Virtualised Resources Change Notification interface requirements 20
5.3.6 Virtualised Resources Reservation Change Notification interface requirements 21
5.3.7 Virtualised Resources Quota Management interface requirements 21
5.3.8 Virtualised Resources Performance Management interface requirements 21
5.3.9 Virtualised Resources Fault Management interface requirements 22

6 VNFM exposed interfaces 23

7 VIM exposed interfaces 23
7.1 Introduction 23
7.2 Software Image Management Interface 24
7.2.1 Description 24
7.2.2 Query Images operation 24
7.2.2.1 Description 24
7.2.2.2 Input parameters 24
7.2.2.3 Output parameters 24
7.2.2.4 Operation results 24
7.2.3 Query Image operation 25
7.2.3.1 Description 25
7.2.3.2 Input parameters 25
7.2.3.3 Output parameters 25
7.2.3.4 Operation results 25
7.3 Virtualised Compute Interfaces 25
7.3.1 Virtualised Compute Resources Management Interface 25
7.3.1.1 Description 25
7.3.1.2 Allocate Virtualised Compute Resource operation 26
7.3.1.2.1 Description 26
7.3.1.2.2 Input parameters 26
7.3.1.2.3 Output parameters 27
7.3.1.2.4 Operation results 27
7.3.1.3 Query Virtualised Compute Resource operation 27

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46cf-93f4-14a12ce0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

7.3.1.3.1 Description 27
7.3.1.3.2 Input parameters 27
7.3.1.3.3 Output parameters 28
7.3.1.3.4 Operation results 28
7.3.1.4 Update Virtualised Compute Resource operation 28
7.3.1.4.1 Description 28
7.3.1.4.2 Input parameters 28
7.3.1.4.3 Output parameters 29
7.3.1.4.4 Operation results 29
7.3.1.5 Terminate Virtualised Compute Resource operation 29
7.3.1.5.1 Description 29
7.3.1.5.2 Input parameters 30
7.3.1.5.3 Output parameters 30
7.3.1.5.4 Operation results 30
7.3.1.6 Operate Virtualised Compute Resource operation 30
7.3.1.6.1 Description 30
7.3.1.6.2 Input parameters 30
7.3.1.6.3 Output parameters 31
7.3.1.6.4 Operation results 31
7.3.1.7 Scale Virtualised Compute Resource operation 31
7.3.1.7.1 Description 31
7.3.1.7.2 Input parameters 32
7.3.1.7.3 Output parameters 32
7.3.1.7.4 Operation results 32
7.3.1.8 Migrate Virtualised Compute Resource operation 32
7.3.1.8.1 Description 32
7.3.1.8.2 Input parameters 33
7.3.1.8.3 Output parameters 33
7.3.1.8.4 Operation results 33
7.3.1.9 Create Virtualised Compute Resource Affinity Or AntiAffinity Constraints Group operation 33
7.3.1.9.1 Description 33
7.3.1.9.2 Input parameters 34
7.3.1.9.3 Output parameters 34
7.3.1.9.4 Operation results 34
7.3.2 Virtualised Compute Resources Change Notification Interface 34
7.3.2.1 Description 34
7.3.2.2 Subscribe operation 34
7.3.2.2.1 Description 34
7.3.2.2.2 Input parameters 35
7.3.2.2.3 Output parameters 35
7.3.2.2.4 Operation results 35
7.3.2.3 Notify operation 35
7.3.2.3.1 Description 35
7.3.3 Virtualised Compute Resources Information Management Interface 36
7.3.3.1 Description 36
7.3.3.2 Subscribe operation 36
7.3.3.2.1 Description 36
7.3.3.2.2 Input parameters 36
7.3.3.2.3 Output parameters 36
7.3.3.2.4 Operation results 37
7.3.3.3 Notify operation 37
7.3.3.3.1 Description 37
7.3.3.4 Query Virtualised Compute Resource Information operation 37
7.3.3.4.1 Description 37
7.3.3.4.2 Input parameters 37
7.3.3.4.3 Output parameters 37
7.3.3.4.4 Operation results 38
7.3.4 Virtualised Compute Flavour Management Interface 38
7.3.4.1 Introduction 38
7.3.4.2 Create Compute Flavour operation 38
7.3.4.2.1 Description 38
7.3.4.2.2 Input parameters 38

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46ef-93f4-14a12cc0d12/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

7.3.4.2.3 Output parameters 38
7.3.4.2.4 Operation results 39
7.3.4.3 Query Compute Flavour operation 39
7.3.4.3.1 Description 39
7.3.4.3.2 Input parameters 39
7.3.4.3.3 Output parameters 39
7.3.4.3.4 Operation results 39
7.3.4.4 Delete Compute Flavour operation 39
7.3.4.4.1 Description 39
7.3.4.4.2 Input parameters 40
7.3.4.4.3 Output parameters 40
7.3.4.4.4 Operation results 40
7.4 Virtualised Network Interfaces 40
7.4.1 Virtualised Network Resources Management Interface 40
7.4.1.1 Description 40
7.4.1.2 Allocate Virtualised Network Resource operation 40
7.4.1.2.1 Description 40
7.4.1.2.2 Input parameters 41
7.4.1.2.3 Output parameters 42
7.4.1.2.4 Operation results 42
7.4.1.3 Query Virtualised Network Resource operation 42
7.4.1.3.1 Description 42
7.4.1.3.2 Input parameters 42
7.4.1.3.3 Output parameters 43
7.4.1.3.4 Operation results 43
7.4.1.4 Update Virtualised Network Resource operation 43
7.4.1.4.1 Description 43
7.4.1.4.2 Input parameters 43
7.4.1.4.3 Output parameters 44
7.4.1.4.4 Operation results 44
7.4.1.5 Terminate Virtualised Network Resource operation 44
7.4.1.5.1 Description 44
7.4.1.5.2 Input parameters 44
7.4.1.5.3 Output parameters 45
7.4.1.5.4 Operation results 45
7.4.1.6 Create Virtualised Network Resource Affinity Or AntiAffinity Constraints Group operation 45
7.4.1.6.1 Description 45
7.4.1.6.2 Input parameters 45
7.4.1.6.3 Output parameters 46
7.4.1.6.4 Operation results 46
7.4.2 Virtualised Network Resources Change Notification Interface 46
7.4.2.1 Description 46
7.4.2.2 Subscribe operation 46
7.4.2.2.1 Description 46
7.4.2.2.2 Input parameters 46
7.4.2.2.3 Output parameters 47
7.4.2.2.4 Operation results 47
7.4.2.3 Notify operation 47
7.4.2.3.1 Description 47
7.4.3 Virtualised Network Resources Information Management Interface 47
7.4.3.1 Description 47
7.4.3.2 Subscribe operation 48
7.4.3.2.1 Description 48
7.4.3.2.2 Input parameters 48
7.4.3.2.3 Output parameters 48
7.4.3.2.4 Operation results 48
7.4.3.3 Notify operation 48
7.4.3.3.1 Description 48
7.4.3.4 Query Virtualised Network Resource Information operation 49
7.4.3.4.1 Description 49
7.4.3.4.2 Input parameters 49
7.4.3.4.3 Output parameters 49

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/1ddf3e96-9952-46ef-93f4-14a9ccc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

7.4.3.4.4 Operation results 49
7.5 Virtualised Storage Interfaces 50
7.5.1 Virtualised Storage Resources Management Interface 50
7.5.1.1 Description 50
7.5.1.2 Allocate Virtualised Storage Resource operation 50
7.5.1.2.1 Description 50
7.5.1.2.2 Input parameters 50
7.5.1.2.3 Output parameters 51
7.5.1.2.4 Operation results 51
7.5.1.3 Query Virtualised Storage Resource operation 51
7.5.1.3.1 Description 51
7.5.1.3.2 Input parameters 51
7.5.1.3.3 Output parameters 52
7.5.1.3.4 Operation results 52
7.5.1.4 Update Virtualised Storage Resource operation 52
7.5.1.4.1 Description 52
7.5.1.4.2 Input parameters 52
7.5.1.4.3 Output parameters 53
7.5.1.4.4 Operation results 53
7.5.1.5 Terminate Virtualised Storage Resource operation 53
7.5.1.5.1 Description 53
7.5.1.5.2 Input parameters 54
7.5.1.5.3 Output parameters 54
7.5.1.5.4 Operation results 54
7.5.1.6 Operate Virtualised Storage Resource operation 54
7.5.1.6.1 Description 54
7.5.1.6.2 Input parameters 54
7.5.1.6.3 Output parameters 55
7.5.1.6.4 Operation results 55
7.5.1.7 Scale Virtualised Storage Resource operation 55
7.5.1.7.1 Description 55
7.5.1.7.2 Input parameters 55
7.5.1.7.3 Output parameters 55
7.5.1.7.4 Operation results 56
7.5.1.8 Migrate Virtualised Storage Resource operation 56
7.5.1.8.1 Description 56
7.5.1.8.2 Input parameters 56
7.5.1.8.3 Output parameters 56
7.5.1.8.4 Operation results 57
7.5.1.9 Create Virtualised Storage Resource Affinity Or AntiAffinity Constraints Group operation 57
7.5.1.9.1 Description 57
7.5.1.9.2 Input parameters 57
7.5.1.9.3 Output parameters 57
7.5.1.9.4 Operation results 57
7.5.2 Virtualised Storage Resources Change Notification Interface 58
7.5.2.1 Description 58
7.5.2.2 Subscribe operation 58
7.5.2.2.1 Description 58
7.5.2.2.2 Input parameters 58
7.5.2.2.3 Output parameters 58
7.5.2.2.4 Operation results 58
7.5.2.3 Notify operation 58
7.5.2.3.1 Description 58
7.5.3 Virtualised Storage Resources Information Management Interface 59
7.5.3.1 Description 59
7.5.3.2 Subscribe operation 59
7.5.3.2.1 Description 59
7.5.3.2.2 Input parameters 59
7.5.3.2.3 Output parameters 60
7.5.3.2.4 Operation results 60
7.5.3.3 Notify operation 60
7.5.3.3.1 Description 60

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46ef-93f4-14a12cc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

7.5.3.4 Query Virtualised Storage Resources Information operation 60
7.5.3.4.1 Description 60
7.5.3.4.2 Input parameters 60
7.5.3.4.3 Output parameters 61
7.5.3.4.4 Operation results 61
7.6 Virtualised Resources Fault Management Interface 61
7.6.1 Description 61
7.6.2 Subscribe operation 61
7.6.2.1 Description 61
7.6.2.2 Input parameters 62
7.6.2.3 Output parameters 62
7.6.2.4 Operation results 62
7.6.3 Notify operation 62
7.6.3.1 Description 62
7.6.4 Get Alarm List operation 63
7.6.4.1 Description 63
7.6.4.2 Input parameters 63
7.6.4.3 Output parameters 63
7.6.4.4 Operation results 63
7.7 Virtualised Resources Performance Management Interface 63
7.7.1 Description 63
7.7.2 Create PM Job operation 64
7.7.2.1 Description 64
7.7.2.2 Input parameters 64
7.7.2.3 Output parameters 65
7.7.2.4 Operation results 65
7.7.3 Query PM Job operation 65
7.7.3.1 Description 65
7.7.3.2 Input parameters 65
7.7.3.3 Output parameters 66
7.7.3.4 Operation results 66
7.7.4 Delete PM Jobs operation 66
7.7.4.1 Description 66
7.7.4.2 Input parameters 66
7.7.4.3 Output parameters 66
7.7.4.4 Operation results 66
7.7.5 Subscribe operation 67
7.7.5.1 Description 67
7.7.5.2 Input parameters 67
7.7.5.3 Output parameters 67
7.7.5.4 Operation results 67
7.7.6 Notify operation 67
7.7.6.1 Description 67
7.7.7 Create Threshold operation 68
7.7.7.1 Description 68
7.7.7.2 Input parameters 68
7.7.7.3 Output parameters 68
7.7.7.4 Operation results 68
7.7.8 Query Threshold operation 69
7.7.8.1 Description 69
7.7.8.2 Input parameters 69
7.7.8.3 Output parameters 69
7.7.8.4 Operation results 69
7.7.9 Delete Thresholds operation 69
7.7.9.1 Description 69
7.7.9.2 Input parameters 70
7.7.9.3 Output parameters 70
7.7.9.4 Operation results 70
7.8 Virtualised Resource Reservation Interfaces 70
7.8.1 Virtualised Compute Resources Reservation Management Interface 70
7.8.1.1 Description 70
7.8.1.2 Query Compute Resource Reservation operation 70

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46ef-93f4-14a12cec0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

7.8.1.2.1 Description 70
7.8.1.2.2 Input parameters 70
7.8.1.2.3 Output parameters 71
7.8.1.2.4 Operation results....71
7.8.2 Virtualised Network Resources Reservation Management Interface....71
7.8.2.1 Description....71
7.8.2.2 Query Network Resource Reservation operation....71
7.8.2.2.1 Description 71
7.8.2.2.2 Input parameters 71
7.8.2.2.3 Output parameters 72
7.8.2.2.4 Operation results....72
7.8.3 Virtualised Storage Resources Reservation Management Interface 72
7.8.3.1 Description....72
7.8.3.2 Query Storage Resource Reservation operation....72
7.8.3.2.1 Description 72
7.8.3.2.2 Input parameters 72
7.8.3.2.3 Output parameters 73
7.8.3.2.4 Operation results....73
7.8.4 Virtualised Resources Reservation Change Notification Interface....73
7.8.4.1 Description....73
7.8.4.2 Subscribe operation....73
7.8.4.2.1 Description 73
7.8.4.2.2 Input parameters 73
7.8.4.2.3 Output parameters 74
7.8.4.2.4 Operation results....74
7.8.4.3 Notify operation 74
7.8.4.3.1 Description 74
7.9 Virtualised Resource Quota Interfaces....74
7.9.1 Virtualised Compute Resources Quota Management Interface 74
7.9.1.1 Description....74
7.9.1.2 Query Compute Resource Quota operation....75
7.9.1.2.1 Description 75
7.9.1.2.2 Input parameters 75
7.9.1.2.3 Output parameters 75
7.9.1.2.4 Operation results....75
7.9.2 Virtualised Network Resources Quota Management Interface....75
7.9.2.1 Description....75
7.9.2.2 Query Network Resource Quota operation 75
7.9.2.2.1 Description 75
7.9.2.2.2 Input parameters 76
7.9.2.2.3 Output parameters 76
7.9.2.2.4 Operation results....76
7.9.3 Virtualised Storage Resources Quota Management Interface....76
7.9.3.1 Description....76
7.9.3.2 Query Storage Resource operation....76
7.9.3.2.1 Description 76
7.9.3.2.2 Input parameters 77
7.9.3.2.3 Output parameters 77
7.9.3.2.4 Operation results....77
7.9.4 Virtualised Resources Quota Change Notification Interface 77
7.9.4.1 Description....77
7.9.4.2 Subscribe operation....77
7.9.4.2.1 Description 77
7.9.4.2.2 Input parameters 78
7.9.4.2.3 Output parameters 78
7.9.4.2.4 Operation results....78
7.9.4.3 Notify operation 78
7.9.4.3.1 Description 78

8 Information element exchanged 79
8.1 Introduction....79
8.2 Information elements related to software images....79

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46cf-9564-14a1cccc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

8.2.1 Introduction....79
8.2.2 SoftwareImageInformation information element....79
8.3 Information elements and notifications related to Consumable Virtualised Resources Information....79
8.3.1 Introduction....79
8.3.2 InformationChangeNotification....79
8.3.2.1 Description....79
8.3.2.2 Trigger conditions....80
8.3.2.3 Attributes....80
8.3.3 Information elements related to Virtual Compute Resource Information....80
8.3.3.1 Introduction....80
8.3.3.2 VirtualComputeResourceInformation information element....80
8.3.3.2.1 Description....80
8.3.3.2.2 Attributes....80
8.3.3.3 VirtualCpuResourceInformation information element....81
8.3.3.3.1 Description....81
8.3.3.3.2 Attributes....81
8.3.3.4 VirtualMemoryResourceInformation information element....81
8.3.3.4.1 Description....81
8.3.3.4.2 Attributes....81
8.3.4 VirtualStorageResourceInformation information element....82
8.3.4.1 Description....82
8.3.4.2 Attributes....82
8.3.5 VirtualNetworkResourceInformation information element....82
8.3.5.1 Description....82
8.3.5.2 Attributes....82
8.4 Information elements and notifications related to Virtualised Resources....83
8.4.1 Introduction....83
8.4.2 Information elements related to Virtual Compute Flavour....83
8.4.2.1 Introduction....83
8.4.2.2 VirtualComputeFlavour information element....83
8.4.2.2.1 Description....83
8.4.2.2.2 Attributes....83
8.4.2.3 VirtualCpuData information element....84
8.4.2.3.1 Description....84
8.4.2.3.2 Attributes....84
8.4.2.4 VirtualCpuPinningData information element format....84
8.4.2.4.1 Description....84
8.4.2.4.2 Attributes....84
8.4.2.5 VirtualMemoryData information element format....85
8.4.2.5.1 Description....85
8.4.2.5.2 Attributes....85
8.4.2.6 VirtualNetworkInterfaceData information element....85
8.4.2.6.1 Description....85
8.4.2.6.2 Attributes....85
8.4.3 Information elements related to Virtual Compute....86
8.4.3.1 Introduction....86
8.4.3.2 VirtualCompute information element....86
8.4.3.2.1 Description....86
8.4.3.2.2 Attributes....86
8.4.3.3 VirtualCpu information element format....87
8.4.3.3.1 Description....87
8.4.3.3.2 Attributes....87
8.4.3.4 VirtualCpuPinning information element format....87
8.4.3.4.1 Description....87
8.4.3.4.2 Attributes....88
8.4.3.5 VirtualMemory information element format....88
8.4.3.5.1 Description....88
8.4.3.5.2 Attributes....88
8.4.3.6 VirtualNetworkInterface information element....88
8.4.3.6.1 Description....88
8.4.3.6.2 Attributes....88
8.4.3.7 VirtualInterfaceData information element....89

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf5f96-9952-46e6-93f4-14a12cec0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

8.4.3.7.1 Description 89
8.4.3.7.2 Attributes 89
8.4.4 Information elements related to Virtual Network Data 90
8.4.4.1 Introduction 90
8.4.4.2 VirtualNetworkData information element format 90
8.4.4.2.1 Description 90
8.4.4.2.2 Attributes 90
8.4.4.3 NetworkQos information element format 91
8.4.4.3.1 Description 91
8.4.4.3.2 Attributes 91
8.4.4.4 NetworkSubnetData information element 91
8.4.4.4.1 Description 91
8.4.4.4.2 Attributes 91
8.4.4.5 VirtualNetworkPortData information element 92
8.4.4.5.1 Description 92
8.4.4.5.2 Attributes 92
8.4.5 Information elements related to Virtual Network 92
8.4.5.1 Introduction 92
8.4.5.2 VirtualNetwork information element 92
8.4.5.2.1 Description 92
8.4.5.2.2 Attributes 92
8.4.5.3 NetworkSubnet information element 93
8.4.5.3.1 Description 93
8.4.5.3.2 Attributes 93
8.4.5.4 VirtualNetworkPort information element 94
8.4.5.4.1 Description 94
8.4.5.4.2 Attributes 94
8.4.6 Information elements related to Virtual Storage Flavour 95
8.4.6.1 Introduction 95
8.4.6.2 VirtualStorageFlavour information element 95
8.4.6.2.1 Description 95
8.4.6.2.2 Attributes 95
8.4.6.3 VirtualStorageData information element 95
8.4.6.3.1 Description 95
8.4.6.3.2 Attributes 95
8.4.7 Information elements related to Virtual Storage 96
8.4.7.1 Introduction 96
8.4.7.2 VirtualStorage information element 96
8.4.7.2.1 Description 96
8.4.7.2.2 Attributes 96
8.4.8 Information elements related to Affinity or AntiAffinity 96
8.4.8.1 Introduction 96
8.4.8.2 AffinityOrAntiAffinityConstraint information element 97
8.4.8.2.1 Description 97
8.4.8.2.2 Attributes 97
8.4.8.3 AffinityOrAntiAffinityResourceList information element 98
8.4.8.3.1 Description 98
8.4.8.3.2 Attributes 98
8.4.9 VirtualisedResourceChangeNotification 98
8.4.9.1 Description 98
8.4.9.2 Trigger conditions 98
8.4.9.3 Attributes 98
8.4.10 UserData information element 99
8.4.10.1 Description 99
8.4.10.2 Attributes 99
8.5 Information elements and notifications related to Virtualised Resources Performance Management 99
8.5.1 Introduction 99
8.5.2 ObjectSelection information element 99
8.5.2.1 Description 99
8.5.2.2 Attributes 100
8.5.3 PmJob information element 100
8.5.3.1 Description 100

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46ef-9564-14a1ccc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

8.5.3.2 Attributes 100
8.5.4 Threshold information element 101
8.5.4.1 Description 101
8.5.4.2 Attributes 101
8.5.5 PerformanceReport information element 102
8.5.5.1 Description 102
8.5.5.2 Attributes 102
8.5.6 PerformanceReportEntry information element 102
8.5.6.1 Description 102
8.5.6.2 Attributes 102
8.5.7 PerformanceValueEntry information element 103
8.5.7.1 Description 103
8.5.7.2 Attributes 103
8.5.8 PerformanceInformationAvailableNotification 103
8.5.8.1 Description 103
8.5.8.2 Trigger Conditions 104
8.5.8.3 Attributes 104
8.5.9 ThresholdCrossedNotification 104
8.5.9.1 Description 104
8.5.9.2 Trigger Condition 104
8.5.9.3 Attributes 104
8.6 Information elements and notifications related to Virtualised Resources Fault Management 105
8.6.1 Introduction 105
8.6.2 AlarmNotification 105
8.6.2.1 Description 105
8.6.2.2 Trigger conditions 105
8.6.2.3 Attributes 105
8.6.3 AlarmClearedNotification 105
8.6.3.1 Description 105
8.6.3.2 Trigger conditions 105
8.6.3.3 Attributes 105
8.6.4 Alarm information element 106
8.6.4.1 Description 106
8.6.4.2 Attributes 106
8.7 Information elements and notifications related to Reservation 107
8.7.1 Introduction 107
8.7.2 ReservedVirtualCompute information element 107
8.7.2.1 Description 107
8.7.2.2 Attributes 107
8.7.3 Information elements related to Compute Pool Reservation 108
8.7.3.1 Introduction 108
8.7.3.2 ReservedComputePool information element 108
8.7.3.2.1 Description 108
8.7.3.2.2 Attributes 108
8.7.3.3 ReservedVirtualComputeAttributes information element 108
8.7.3.3.1 Description 108
8.7.3.3.2 Attributes 109
8.7.4 Information elements related to Network reservation 109
8.7.4.1 Introduction 109
8.7.4.2 ReservedVirtualNetwork information element 109
8.7.4.2.1 Description 109
8.7.4.2.2 Attributes 109
8.7.4.3 ReservedVirtualNetworkAttributes information element 110
8.7.4.3.1 Description 110
8.7.4.3.2 Attributes 110
8.7.4.4 ReservedVirtualNetworkPort information element 110
8.7.4.4.1 Description 110
8.7.4.4.2 Attributes 110
8.7.5 Information elements related to Virtualisation Container Reservation 111
8.7.5.1 Introduction 111
8.7.5.2 ReservedVirtualizationContainer information element 111
8.7.5.2.1 Description 111

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-46cf-93f4-4a12cc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

8.7.5.2.2 Attributes 111
8.7.6 Information elements related to Storage reservation 112
8.7.6.1 Introduction 112
8.7.6.2 ReservedVirtualStorage information element 112
8.7.6.2.1 Description 112
8.7.6.2.2 Attributes 112
8.7.6.3 ReservedStoragePool information element 112
8.7.6.3.1 Description 112
8.7.6.3.2 Attributes 112
8.7.7 VirtualisedResourceReservationChangeNotification 113
8.7.7.1 Description 113
8.7.7.2 Trigger conditions 113
8.7.7.3 Attributes 113
8.8 Information elements and notifications related to Quota 113
8.8.1 Introduction 113
8.8.2 Information elements related to Compute Quota 114
8.8.2.1 Introduction 114
8.8.2.2 VirtualComputeQuota information element 114
8.8.2.2.1 Description 114
8.8.2.2.2 Attributes 114
8.8.3 Information elements related to Network Quota 114
8.8.3.1 Introduction 114
8.8.3.2 VirtualNetworkQuota information element 114
8.8.3.2.1 Description 114
8.8.3.2.2 Attributes 114
8.8.4 Information elements related to Storage Quota 115
8.8.4.1 Introduction 115
8.8.4.2 VirtualStorageQuota information element 115
8.8.4.2.1 Description 115
8.8.4.2.2 Attributes 115
8.8.5 VirtualisedResourceQuotaChangeNotification 115
8.8.5.1 Description 115
8.8.5.2 Trigger conditions 116
8.8.5.3 Attributes 116

Annex A (informative): Bibliography 117

Annex B (informative): Authors & contributors 118

Annex C (informative): Change History 120

History 121

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/ddf3ef96-9952-4cf-9534-14a12ccc0412/etsi-gs-nfv-ifa-006-v2.7.1-2019-08

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards/sist/edf3ef96-9952-46cf-93f4-14a12cc0d1f8/etsi-gs-nfv-ifa-006-v2.7.1-2019-08