



Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; Os-Ma-Nfvo reference point - Interface and Information Model Specification

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/NFV-IFA013ed271

Keywordsinterface, management, MANO, NFV,
orchestration, virtualisation**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	15
Foreword.....	15
Modal verbs terminology.....	15
1 Scope	16
2 References	16
2.1 Normative references	16
2.2 Informative references.....	16
3 Definition of terms, symbols and abbreviations.....	17
3.1 Terms.....	17
3.2 Symbols.....	17
3.3 Abbreviations	17
4 Overview of interfaces and information elements associated to the Os-Ma-nfvo reference point.....	17
4.1 Introduction	17
4.2 Relation to other NFV group specifications	18
4.3 Conventions.....	18
5 Reference point and interface requirements	19
5.1 Introduction	19
5.2 Os-Ma-nfvo reference point requirements.....	19
5.3 Interface requirements	19
5.3.1 NSD Management interface requirements.....	19
5.3.2 NS Lifecycle Management interface requirements.....	20
5.3.3 Void	22
5.3.4 NS Performance Management interface requirements.....	22
5.3.5 NS Fault Management interface requirements.....	23
5.3.6 VNF Package Management interface requirements.....	24
6 OSS exposed interfaces	24
7 NFVO exposed interfaces	24
7.1 Introduction	24
7.2 NSD Management interface	24
7.2.1 Description.....	24
7.2.2 Upload NSD operation.....	25
7.2.2.1 Description.....	25
7.2.2.2 Input parameters.....	26
7.2.2.3 Output parameters	26
7.2.2.4 Operation results	26
7.2.3 Void	26
7.2.4 Void	26
7.2.5 Update NSD Info operation	26
7.2.5.1 Description	26
7.2.5.2 Input parameters.....	27
7.2.5.3 Output parameters	27
7.2.5.4 Operation results	27
7.2.6 Delete NSD operation.....	27
7.2.6.1 Description	27
7.2.6.2 Input parameters.....	27
7.2.6.3 Output parameters	28
7.2.6.4 Operation results	28
7.2.7 Query NSD Info operation.....	28
7.2.7.1 Description	28
7.2.7.2 Input parameters.....	28
7.2.7.3 Output parameters	28
7.2.7.4 Operation results	29

7.2.8	Upload PNFD operation	29
7.2.8.1	Description	29
7.2.8.2	Input parameters	29
7.2.8.3	Output parameters	29
7.2.8.4	Operation results	29
7.2.9	Update PNFD Info operation	29
7.2.9.1	Description	29
7.2.9.2	Input parameters	30
7.2.9.3	Output parameters	30
7.2.9.4	Operation results	30
7.2.10	Delete PNFD operation	30
7.2.10.1	Description	30
7.2.10.2	Input parameters	30
7.2.10.3	Output parameters	31
7.2.10.4	Operation results	31
7.2.11	Query PNFD Info operation	31
7.2.11.1	Description	31
7.2.11.2	Input parameters	31
7.2.11.3	Output parameters	31
7.2.11.4	Operation results	32
7.2.12	Subscribe operation	32
7.2.12.1	Description	32
7.2.12.2	Input parameters	32
7.2.12.3	Output parameters	32
7.2.12.4	Operation results	32
7.2.13	Notify operation	32
7.2.13.1	Description	32
7.2.14	Terminate Subscription operation	33
7.2.14.1	Description	33
7.2.14.2	Input parameters	33
7.2.14.3	Output parameters	33
7.2.14.4	Operation results	33
7.2.15	Query Subscription Info operation	34
7.2.15.1	Description	34
7.2.15.2	Input parameters	34
7.2.15.3	Output parameters	34
7.2.15.4	Operation results	34
7.2.16	Create NSD Info operation	34
7.2.16.1	Description	34
7.2.16.2	Input parameters	35
7.2.16.3	Output parameters	35
7.2.16.4	Operation results	35
7.2.17	Fetch NSD operation	35
7.2.17.1	Description	35
7.2.17.2	Input parameters	35
7.2.17.3	Output parameters	35
7.2.17.4	Operation results	36
7.2.18	Create PNFD Info operation	36
7.2.18.1	Description	36
7.2.18.2	Input parameters	36
7.2.18.3	Output parameters	36
7.2.18.4	Operation results	36
7.2.19	Fetch PNFD operation	36
7.2.19.1	Description	36
7.2.19.2	Input parameters	37
7.2.19.3	Output parameters	37
7.2.19.4	Operation results	37
7.3	NS Lifecycle Management interface	37
7.3.1	Description	37
7.3.2	Create NS Identifier operation	38
7.3.2.1	Description	38
7.3.2.2	Input parameters	38

7.3.2.3	Output parameters	38
7.3.2.4	Operation results	38
7.3.3	Instantiate NS operation.....	38
7.3.3.1	Description	38
7.3.3.2	Input parameters.....	39
7.3.3.3	Output parameters	40
7.3.3.4	Operation results	41
7.3.4	Scale NS operation.....	41
7.3.4.1	Description	41
7.3.4.2	Input parameters.....	41
7.3.4.3	Output parameters	42
7.3.4.4	Operation results	42
7.3.5	Update NS operation.....	42
7.3.5.1	Introduction.....	42
7.3.5.2	Input parameters.....	43
7.3.5.3	Output parameters	46
7.3.5.4	Operation results	46
7.3.6	Query NS operation	46
7.3.6.1	Description	46
7.3.6.2	Input parameters.....	47
7.3.6.3	Output parameters	47
7.3.6.4	Operation results	47
7.3.7	Terminate NS operation.....	47
7.3.7.1	Description	47
7.3.7.2	Input parameters.....	48
7.3.7.3	Output parameters	48
7.3.7.4	Operation results	48
7.3.8	Delete NS Identifier operation.....	49
7.3.8.1	Description	49
7.3.8.2	Input parameters.....	49
7.3.8.3	Output parameters	49
7.3.8.4	Operation results	49
7.3.9	Heal NS operation.....	49
7.3.9.1	Description	49
7.3.9.2	Input parameters.....	49
7.3.9.3	Output parameters	50
7.3.9.4	Operation results	50
7.3.10	Get Operation Status operation.....	50
7.3.10.1	Description	50
7.3.10.2	Input parameters.....	50
7.3.10.3	Output Parameters	51
7.3.10.4	Operation results	51
7.3.11	Subscribe operation.....	51
7.3.11.1	Description	51
7.3.11.2	Input parameters.....	51
7.3.11.3	Output parameters	51
7.3.11.4	Operation results	52
7.3.12	Notify operation.....	52
7.3.12.1	Description	52
7.3.13	Terminate Subscription operation.....	52
7.3.13.1	Description	52
7.3.13.2	Input parameters.....	53
7.3.13.3	Output parameters	53
7.3.13.4	Operation results	53
7.3.14	Query Subscription Info operation.....	53
7.3.14.1	Description	53
7.3.14.2	Input parameters.....	53
7.3.14.3	Output parameters	53
7.3.14.4	Operation results	54
7.4	Void.....	54
7.5	NS Performance Management interface.....	54
7.5.1	Description.....	54

7.5.2	Create PM Job operation.....	54
7.5.2.1	Description	54
7.5.2.2	Input parameters	55
7.5.2.3	Output parameters	56
7.5.2.4	Operation results	56
7.5.3	Delete PM Jobs operation.....	56
7.5.3.1	Description	56
7.5.3.2	Input parameters.....	56
7.5.3.3	Output parameters.....	56
7.5.3.4	Operation results	56
7.5.4	Subscribe operation.....	57
7.5.4.1	Description	57
7.5.4.2	Input parameters.....	57
7.5.4.3	Output parameters	57
7.5.4.4	Operation results	57
7.5.5	Notify operation.....	57
7.5.5.1	Description	57
7.5.6	Query PM Job operation.....	58
7.5.6.1	Description	58
7.5.6.2	Input parameters.....	58
7.5.6.3	Output parameters	58
7.5.6.4	Operation results	58
7.5.7	Create Threshold operation.....	58
7.5.7.1	Description	58
7.5.7.2	Input parameters.....	59
7.5.7.3	Output parameters	59
7.5.7.4	Operation results	59
7.5.8	Delete Thresholds operation	59
7.5.8.1	Description	59
7.5.8.2	Input parameters.....	60
7.5.8.3	Output parameters	60
7.5.8.4	Operation results	60
7.5.9	Query Threshold operation.....	60
7.5.9.1	Description	60
7.5.9.2	Input parameters.....	60
7.5.9.3	Output parameters	60
7.5.9.4	Operation results	61
7.6	NS Fault Management interface.....	61
7.6.1	Description.....	61
7.6.2	Subscribe operation.....	61
7.6.2.1	Description	61
7.6.2.2	Input parameters.....	61
7.6.2.3	Output parameters.....	61
7.6.2.4	Operation results	62
7.6.3	Notify operation.....	62
7.6.3.1	Description	62
7.6.4	Get Alarm List operation	62
7.6.4.1	Description	62
7.6.4.2	Input parameters.....	62
7.6.4.3	Output parameters	63
7.6.4.4	Operation results	63
7.6.5	Terminate Subscription operation.....	63
7.6.5.1	Description	63
7.6.5.2	Input parameters.....	63
7.6.5.3	Output parameters.....	63
7.6.5.4	Operation results	63
7.6.6	Query Subscription Info operation.....	64
7.6.6.1	Description	64
7.6.6.2	Input parameters.....	64
7.6.6.3	Output parameters	64
7.6.6.4	Operation results	64
7.6.7	Acknowledge Alarms operation	64

7.6.7.1	Description	64
7.6.7.2	Input parameters	65
7.6.7.3	Output parameters	65
7.6.7.4	Operation results	65
7.7	VNF Package management interface	65
7.7.1	Description	65
7.7.2	Upload VNF Package operation	66
7.7.2.1	Description	66
7.7.2.2	Input parameters	66
7.7.2.3	Output parameters	66
7.7.2.4	Operation results	66
7.7.3	Void	67
7.7.4	Void	67
7.7.5	Delete VNF Package operation	67
7.7.5.1	Description	67
7.7.5.2	Input parameters	67
7.7.5.3	Output parameters	67
7.7.5.4	Operation results	67
7.7.6	Query VNF Package Info operation	67
7.7.6.1	Description	67
7.7.6.2	Input parameters	68
7.7.6.3	Output parameters	68
7.7.6.4	Operation results	68
7.7.7	Subscribe operation	68
7.7.7.1	Description	68
7.7.7.2	Input parameters	69
7.7.7.3	Output parameters	69
7.7.7.4	Operation results	69
7.7.8	Notify operation	69
7.7.8.1	Description	69
7.7.9	Void	69
7.7.10	Fetch VNF Package operation	70
7.7.10.1	Description	70
7.7.10.2	Input parameters	70
7.7.10.3	Output parameters	70
7.7.10.4	Operation results	70
7.7.11	Fetch VNF Package Artifacts operation	70
7.7.11.1	Description	70
7.7.11.2	Input parameters	71
7.7.11.3	Output parameters	71
7.7.11.4	Operation results	71
7.7.12	Void	71
7.7.13	Terminate Subscription operation	71
7.7.13.1	Description	71
7.7.13.2	Input parameters	71
7.7.13.3	Output parameters	72
7.7.13.4	Operation results	72
7.7.14	Query Subscription Info operation	72
7.7.14.1	Description	72
7.7.14.2	Input parameters	72
7.7.14.3	Output parameters	72
7.7.14.4	Operation results	72
7.7.15	Create VNF Package Info operation	72
7.7.15.1	Description	72
7.7.15.2	Input parameters	73
7.7.15.3	Output parameters	73
7.7.15.4	Operation results	73
7.7.16	Update VNF Package Info operation	73
7.7.16.1	Description	73
7.7.16.2	Input parameters	73
7.7.16.3	Output parameters	74
7.7.16.4	Operation results	74

8	Information elements exchanged.....	74
8.1	Introduction.....	74
8.2	Information elements related to NSD Management.....	74
8.2.1	Introduction.....	74
8.2.2	NsdInfo information element.....	75
8.2.2.1	Description.....	75
8.2.2.2	Attributes.....	75
8.2.3	Pnfd information element.....	75
8.2.3.1	Description.....	75
8.2.3.2	Attributes.....	75
8.2.4	PnfdInfo information element.....	76
8.2.4.1	Description.....	76
8.2.4.2	Attributes.....	76
8.2.5	Nsd information element.....	76
8.2.5.1	Description.....	76
8.2.5.2	Attributes.....	76
8.2.6	NsdOnBoardingNotification.....	76
8.2.6.1	Description.....	76
8.2.6.2	Trigger Conditions.....	77
8.2.6.3	Attributes.....	77
8.2.7	NsdChangeNotification.....	77
8.2.7.1	Description.....	77
8.2.7.2	Trigger Conditions.....	77
8.2.7.3	Attributes.....	77
8.2.8	NsdDeletionNotification.....	77
8.2.8.1	Description.....	77
8.2.8.2	Trigger Conditions.....	78
8.2.8.3	Attributes.....	78
8.2.9	PnfdOnBoardingNotification.....	78
8.2.9.1	Description.....	78
8.2.9.2	Trigger Conditions.....	78
8.2.9.3	Attributes.....	78
8.2.10	PnfdDeletionNotification.....	78
8.2.10.1	Description.....	78
8.2.10.2	Trigger Conditions.....	78
8.2.10.3	Attributes.....	79
8.3	Information elements and notifications related to NS Lifecycle Management.....	79
8.3.1	Introduction.....	79
8.3.2	Information elements and notifications related to NS Lifecycle Changes.....	79
8.3.2.1	Introduction.....	79
8.3.2.2	NsLcmOperationOccurrenceNotification.....	79
8.3.2.2.1	Description.....	79
8.3.2.2.2	Trigger conditions.....	79
8.3.2.2.3	Attributes.....	80
8.3.2.3	AffectedVnf information element.....	81
8.3.2.3.1	Description.....	81
8.3.2.3.2	Attributes.....	81
8.3.2.4	AffectedPnf information element.....	81
8.3.2.4.1	Description.....	81
8.3.2.4.2	Attributes.....	82
8.3.2.5	AffectedVirtualLink information element.....	82
8.3.2.5.1	Description.....	82
8.3.2.5.2	Attributes.....	82
8.3.2.6	AffectedVnffg information element.....	82
8.3.2.6.1	Description.....	82
8.3.2.6.2	Attributes.....	82
8.3.2.7	AffectedNs information element.....	83
8.3.2.7.1	Description.....	83
8.3.2.7.2	Attributes.....	83
8.3.2.8	AffectedSap information element.....	83
8.3.2.8.1	Description.....	83
8.3.2.8.2	Attributes.....	83

8.3.2.9	NsIdentifierCreationNotification	84
8.3.2.9.1	Description	84
8.3.2.9.2	Trigger conditions	84
8.3.2.9.3	Attributes	84
8.3.2.10	NsIdentifierDeletionNotification	84
8.3.2.10.1	Description	84
8.3.2.10.2	Trigger conditions	84
8.3.2.10.3	Attributes	84
8.3.2.11	NsChangeNotification	85
8.3.2.11.1	Description	85
8.3.2.11.2	Trigger conditions	85
8.3.2.11.3	Attributes	85
8.3.3	Information elements related to NsInfo	86
8.3.3.1	Introduction	86
8.3.3.2	NsInfo information element	86
8.3.3.2.1	Description	86
8.3.3.2.2	Attributes	86
8.3.3.3	VnfInfo information element	87
8.3.3.3.1	Description	87
8.3.3.3.2	Attributes	87
8.3.3.4	InstantiatedVnfInfo information element	89
8.3.3.4.1	Description	89
8.3.3.4.2	Attributes	89
8.3.3.5	VnfcResourceInfo information element	90
8.3.3.5.1	Description	90
8.3.3.5.2	Attributes	90
8.3.3.6	VnfVirtualLinkResourceInfo information element	91
8.3.3.6.1	Description	91
8.3.3.6.2	Attributes	91
8.3.3.7	VirtualStorageResourceInfo information element	91
8.3.3.7.1	Description	91
8.3.3.7.2	Attributes	91
8.3.3.8	ResourceHandle information element	92
8.3.3.8.1	Description	92
8.3.3.8.2	Attributes	92
8.3.3.9	PnfInfo information element	92
8.3.3.9.1	Description	92
8.3.3.9.2	Attributes	92
8.3.3.10	NsVirtualLinkInfo information element	93
8.3.3.10.1	Description	93
8.3.3.10.2	Attributes	93
8.3.3.11	NsLinkPortInfo information element	93
8.3.3.11.1	Description	93
8.3.3.11.2	Attributes	94
8.3.3.12	SapInfo information element	94
8.3.3.12.1	Description	94
8.3.3.12.2	Attributes	94
8.3.3.13	VnffgInfo information element	94
8.3.3.13.1	Description	94
8.3.3.13.2	Attributes	94
8.3.3.14	PnfExtCpInfo information element	95
8.3.3.14.1	Description	95
8.3.3.14.2	Attributes	95
8.3.3.15	NfpInfo information element	95
8.3.3.15.1	Description	95
8.3.3.15.2	Attributes	95
8.3.3.16	NsScaleInfo information element	96
8.3.3.16.1	Description	96
8.3.3.16.2	Attributes	96
8.3.3.17	VnfExtCpInfo information element	96
8.3.3.17.1	Description	96
8.3.3.17.2	Attributes	96

8.3.3.18	ExtVirtualLinkInfo information element	97
8.3.3.18.1	Description	97
8.3.3.18.2	Attributes	97
8.3.3.19	ExtManagedVirtualLinkInfo information element	97
8.3.3.19.1	Description	97
8.3.3.19.2	Attributes	98
8.3.3.20	VnfLinkPortInfo information element	98
8.3.3.20.1	Description	98
8.3.3.20.2	Attributes	98
8.3.3.21	ScaleInfo information element	99
8.3.3.21.1	Description	99
8.3.3.21.2	Attributes	99
8.3.3.22	ExtLinkPortInfo information element	99
8.3.3.22.1	Description	99
8.3.3.22.2	Attributes	99
8.3.3.23	VnfcCpInfo information element	99
8.3.3.23.1	Description	99
8.3.3.23.2	Attributes	99
8.3.3.24	CpProtocolInfo information element	100
8.3.3.24.1	Description	100
8.3.3.24.2	Attributes	100
8.3.3.25	CpGroupInfo information element	100
8.3.3.25.1	Description	100
8.3.3.25.2	Attributes	100
8.3.3.26	CpPairInfo information element	101
8.3.3.26.1	Description	101
8.3.3.26.2	Attributes	101
8.3.4	Information elements related to NS Lifecycle Management operations	101
8.3.4.1	Introduction	101
8.3.4.2	SapData information element	102
8.3.4.2.1	Description	102
8.3.4.2.2	Attributes	102
8.3.4.3	VnfInstanceData information element	102
8.3.4.3.1	Description	102
8.3.4.3.2	Attributes	102
8.3.4.4	VnfLocationConstraint information element	102
8.3.4.4.1	Description	102
8.3.4.4.2	Attributes	102
8.3.4.5	ParamsForVnf information element	103
8.3.4.5.1	Description	103
8.3.4.5.2	Attributes	103
8.3.4.6	ScaleNsData information element	103
8.3.4.6.1	Description	103
8.3.4.6.2	Attributes	103
8.3.4.7	ScaleNsByStepsData information element	104
8.3.4.7.1	Description	104
8.3.4.7.2	Attributes	104
8.3.4.8	ScaleNsToLevelData information element	105
8.3.4.8.1	Description	105
8.3.4.8.2	Attributes	105
8.3.4.9	ScaleVnfData information element	105
8.3.4.9.1	Description	105
8.3.4.9.2	Attributes	105
8.3.4.10	ScaleToLevelData information element	106
8.3.4.10.1	Description	106
8.3.4.10.2	Attributes	106
8.3.4.11	ScaleByStepData information element	106
8.3.4.11.1	Description	106
8.3.4.11.2	Attributes	106
8.3.4.12	InstantiateVnfData information element	107
8.3.4.12.1	Description	107
8.3.4.12.2	Attributes	107

8.3.4.13	ExtVirtualLinkData information element	108
8.3.4.13.1	Description	108
8.3.4.13.2	Attributes	108
8.3.4.14	VnfExtCpData information element	109
8.3.4.14.1	Description	109
8.3.4.14.2	Attributes	109
8.3.4.15	ChangeVnfFlavourData information element	109
8.3.4.15.1	Description	109
8.3.4.15.2	Attributes	109
8.3.4.16	OperateVnfData information element	110
8.3.4.16.1	Description	110
8.3.4.16.2	Attributes	110
8.3.4.17	ModifyVnfInfoData information element	111
8.3.4.17.1	Description	111
8.3.4.17.2	Attributes	111
8.3.4.18	Void.....	112
8.3.4.19	AssocNewNsdVersionData information element.....	112
8.3.4.19.1	Description	112
8.3.4.19.2	Attributes	112
8.3.4.20	MoveVnfInstanceData information element	113
8.3.4.20.1	Description	113
8.3.4.20.2	Attributes	113
8.3.4.21	AddVnffgData information element	113
8.3.4.21.1	Description	113
8.3.4.21.2	Attributes	113
8.3.4.22	UpdateVnffgData information element.....	113
8.3.4.22.1	Description	113
8.3.4.22.2	Attributes	113
8.3.4.23	NfpData information element.....	114
8.3.4.23.1	Description	114
8.3.4.23.2	Attributes	114
8.3.4.24	HealNsData information element.....	114
8.3.4.24.1	Description	114
8.3.4.24.2	Attributes	114
8.3.4.25	HealVnfData information element	115
8.3.4.25.1	Description	115
8.3.4.25.2	Attributes	115
8.3.4.26	AffinityOrAntiAffinityRule information element	116
8.3.4.26.1	Description	116
8.3.4.26.2	Attributes	116
8.3.4.27	ChangeNsFlavourData information element	116
8.3.4.27.1	Description	116
8.3.4.27.2	Attributes	116
8.3.4.28	ExtManagedVirtualLinkData information element.....	117
8.3.4.28.1	Description	117
8.3.4.28.2	Attributes	117
8.3.4.29	ChangeExtVnfConnectivityData information element	117
8.3.4.29.1	Description	117
8.3.4.29.2	Attributes	117
8.3.4.30	NfpRule Information element	118
8.3.4.30.1	Description	118
8.3.4.30.2	Attributes	118
8.3.4.31	PortRange Information element	118
8.3.4.31.1	Description	118
8.3.4.31.2	Attributes	119
8.3.4.32	AddPnfData information element	119
8.3.4.32.1	Description	119
8.3.4.32.2	Attributes	119
8.3.4.33	ModifyPnfData information element	119
8.3.4.33.1	Description	119
8.3.4.33.2	Attributes	119
8.3.4.34	PnfExtCpData information element	120

8.3.4.34.1	Description	120
8.3.4.34.2	Attributes	120
8.3.4.35	ExtLinkPortData information element	120
8.3.4.35.1	Description	120
8.3.4.35.2	Attributes	120
8.3.4.36	VnfExtCpConfig information element	120
8.3.4.36.1	Description	120
8.3.4.36.2	Attributes	120
8.3.4.37	NestedNsInstanceData information element	121
8.3.4.37.1	Description	121
8.3.4.37.2	Attributes	121
8.3.4.38	ParamsForNestedNs information element	121
8.3.4.38.1	Description	121
8.3.4.38.2	Attributes	121
8.4	Information elements and notifications related to NS Performance Management	122
8.4.1	Introduction	122
8.4.2	ObjectSelection information element	122
8.4.2.1	Description	122
8.4.2.2	Attributes	122
8.4.3	PmJob information element	123
8.4.3.1	Description	123
8.4.3.2	Attributes	123
8.4.4	Threshold information element	124
8.4.4.1	Description	124
8.4.4.2	Attributes	124
8.4.5	PerformanceReport information element	125
8.4.5.1	Description	125
8.4.5.2	Attributes	125
8.4.6	PerformanceReportEntry information element	125
8.4.6.1	Description	125
8.4.6.2	Attributes	126
8.4.7	PerformanceValueEntry information element	126
8.4.7.1	Description	126
8.4.7.2	Attributes	126
8.4.8	PerformanceInformationAvailableNotification	127
8.4.8.1	Description	127
8.4.8.2	Trigger Conditions	127
8.4.8.3	Attributes	127
8.4.9	ThresholdCrossedNotification	127
8.4.9.1	Description	127
8.4.9.2	Trigger Conditions	127
8.4.9.3	Attributes	127
8.5	Information elements and notifications NS Fault management	128
8.5.1	Introduction	128
8.5.2	AlarmNotification	128
8.5.2.1	Description	128
8.5.2.2	Trigger conditions	128
8.5.2.3	Attributes	128
8.5.3	AlarmClearedNotification	129
8.5.3.1	Description	129
8.5.3.2	Trigger conditions	129
8.5.3.3	Attributes	129
8.5.4	Alarm information element	129
8.5.4.1	Description	129
8.5.4.2	Attributes	129
8.5.5	AlarmListRebuiltNotification	130
8.5.5.1	Description	130
8.5.5.2	Trigger conditions	130
8.5.5.3	Attributes	130
8.5.6	FaultyComponentInfo information element	131
8.5.6.1	Description	131
8.5.6.2	Attributes	131

8.5.7	FaultyResourceInfo information element	131
8.5.7.1	Description	131
8.5.7.2	Attributes	131
8.6	Information elements and notifications related to VNF Package	131
8.6.1	Introduction	131
8.6.2	VnfPkgInfo information element	132
8.6.2.1	Description	132
8.6.2.2	Attributes	132
8.6.3	Vnfd information element	133
8.6.3.1	Description	133
8.6.3.2	Attributes	133
8.6.4	VnfPackageSoftwareImageInformation information element	133
8.6.4.1	Description	133
8.6.4.2	Attributes	133
8.6.5	SoftwareImageInformation information element	133
8.6.5.1	Description	133
8.6.5.2	Attributes	133
8.6.6	VnfPackageArtifactInformation information element	134
8.6.6.1	Description	134
8.6.6.2	Attributes	134
8.6.7	Void	134
8.6.8	VnfPackageOnBoardingNotification	134
8.6.8.1	Description	134
8.6.8.2	Trigger Conditions	134
8.6.8.3	Attributes	134
8.6.9	VnfPackageChangeNotification	135
8.6.9.1	Description	135
8.6.9.2	Trigger Conditions	135
8.6.9.3	Attributes	135
Annex A (informative):	Principles related to VNF lifecycle management and NS lifecycle management	136
Annex B (informative):	Use cases for VNF reuse and referencing in NSs	137
B.1	Re-use of VNFs from a terminated NS	137
B.2	Creation of VNF instances in anticipation of future NS demand	137
B.3	Bottom-up NS instantiation	138
B.4	Shared VNF instances	138
Annex C (informative):	Message flows for supporting use cases with fine grained NS lifecycle management	139
C.1	Introduction	139
C.2	New NS with VNF pools	139
C.3	New NS utilizing VNF instances from a VNF pool NS	141
C.4	Terminating NS instance with retained VNF instances	142
Annex D (informative):	State models	144
D.1	VNF Package state model	144
D.1.1	Introduction	144
D.1.2	State model	144
D.2	NSD state model	145
D.2.1	Introduction	145
D.2.2	State model	145
D.3	NS state model	147
D.3.1	Introduction	147