



Network Functions Virtualisation (NFV) Release 3; Management and Orchestration; Ve-Vnfm reference point - Interface and Information Model Specification

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG.
It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/NFV-IFA008ed331

Keywords

configuration, interface, management, MANO,
NFV, virtualisation

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
1 Scope	15
2 References	15
2.1 Normative references	15
2.2 Informative references.....	15
3 Definition of terms, symbols and abbreviations.....	16
3.1 Terms.....	16
3.2 Symbols.....	16
3.3 Abbreviations	16
4 Overview of interfaces and information elements associated to the Ve-Vnfm-em and Ve-Vnfm-vnf reference points	16
4.1 Introduction	16
4.2 Relation to other NFV Group Specifications.....	17
4.3 Conventions.....	18
5 Reference point and interface requirements	18
5.1 Introduction	18
5.2 Ve-Vnfm-em Reference Point Requirements.....	18
5.2.0 Requirements applicable to the Ve-Vnfm-em reference point	18
5.2.1 Interface Requirements	19
5.2.1.1 VNF Lifecycle Management interface requirements	19
5.2.1.2 Void.....	21
5.2.1.3 VNF Fault Management interface requirements	21
5.2.1.4 VNF Indicator interface requirements.....	22
5.2.1.5 Void.....	22
5.2.1.6 VNF Performance Management interface requirements	22
5.2.1.7 Policy Management interface requirements	23
5.2.1.8 NFCC Snapshot Package Management interface requirements.....	23
5.2.1.9 LCM Coordination interface requirements	24
5.3 Ve-Vnfm-vnf Reference Point Requirements	24
5.3.0 Requirements applicable to the Ve-Vnfm-vnf reference point	24
5.3.1 Interface Requirements	25
5.3.1.1 VNF Lifecycle Management interface requirements	25
5.3.1.2 VNF Configuration interface requirements.....	26
5.3.1.3 VNF Indicator interface requirements.....	26
5.3.1.4 VNF Performance Management interface requirements	26
5.3.1.5 VNF Fault Management interface requirements	26
5.3.1.6 LCM Coordination interface requirements	27
6 VNF exposed interfaces	28
6.1 Introduction	28
6.2 VNF configuration interface.....	28
6.2.1 Description.....	28
6.2.2 Void	28
6.2.3 Set Configuration.....	28
6.2.3.1 Description	28
6.2.3.2 Input parameters.....	28
6.2.3.3 Output parameters	29
6.2.3.4 Operation results	29
6.3 VNF Indicator interface.....	29
6.3.1 Description.....	29
6.3.2 Subscribe operation.....	29
6.3.2.1 Description	29

6.3.2.2	Input parameters	30
6.3.2.3	Output parameters	30
6.3.2.4	Operation results	30
6.3.3	Notify operation	30
6.3.3.1	Description	30
6.3.4	Get Indicator Value operation	30
6.3.4.1	Description	30
6.3.4.2	Input parameters	31
6.3.4.3	Output parameters	31
6.3.4.4	Operation results	31
6.3.5	Terminate Subscription operation	31
6.3.5.1	Description	31
6.3.5.2	Input parameters	31
6.3.5.3	Output parameters	31
6.3.5.4	Operation results	32
6.3.6	Query Subscription Info operation	32
6.3.6.1	Description	32
6.3.6.2	Input parameters	32
6.3.6.3	Output parameters	32
6.3.6.4	Operation results	32
6.4	LCM Coordination interface	32
6.4.1	Description	32
6.4.2	CoordinateLcmOperation operation	33
6.4.2.1	Description	33
6.4.2.2	Input parameters	33
6.4.2.3	Output parameters	34
6.4.2.4	Operation results	34
7	VNFM exposed interfaces	34
7.1	Introduction	34
7.2	VNF Lifecycle Management interface	34
7.2.1	Description	34
7.2.2	Create VNF Identifier operation	35
7.2.2.1	Description	35
7.2.2.2	Input parameters	36
7.2.2.3	Output parameters	36
7.2.2.4	Operation results	36
7.2.3	Instantiate VNF operation	36
7.2.3.1	Description	36
7.2.3.2	Input parameters	37
7.2.3.3	Output parameters	37
7.2.3.4	Operation results	38
7.2.4	Scale VNF operation	38
7.2.4.1	Description	38
7.2.4.2	Input parameters	40
7.2.4.3	Output parameters	40
7.2.4.4	Operation results	40
7.2.5	Scale VNF to Level operation	41
7.2.5.1	Description	41
7.2.5.2	Input parameters	41
7.2.5.3	Output parameters	41
7.2.5.4	Operation results	42
7.2.6	Change VNF Flavour operation	42
7.2.6.1	Description	42
7.2.6.2	Input parameters	42
7.2.6.3	Output parameters	43
7.2.6.4	Operation results	43
7.2.7	Terminate VNF operation	43
7.2.7.1	Description	43
7.2.7.2	Input parameters	43
7.2.7.3	Output parameters	44
7.2.7.4	Operation results	44

7.2.8	Delete VNF Identifier operation	44
7.2.8.1	Description	44
7.2.8.2	Input parameters	44
7.2.8.3	Output parameters	44
7.2.8.4	Operation results	45
7.2.9	Query VNF operation	45
7.2.9.1	Description	45
7.2.9.2	Input parameters	45
7.2.9.3	Output parameters	45
7.2.9.4	Operation results	45
7.2.10	Heal VNF operation	46
7.2.10.1	Description	46
7.2.10.2	Input parameters	46
7.2.10.3	Output parameters	46
7.2.10.4	Operation results	46
7.2.11	Operate VNF operation	47
7.2.11.1	Description	47
7.2.11.2	Input parameters	48
7.2.11.3	Output parameters	48
7.2.11.4	Operation results	48
7.2.12	Modify VNF Information operation	48
7.2.12.1	Description	48
7.2.12.2	Input parameters	49
7.2.12.3	Output parameters	49
7.2.12.4	Operation results	49
7.2.13	Get Operation Status operation	49
7.2.13.1	Description	49
7.2.13.2	Input parameters	50
7.2.13.3	Output parameters	50
7.2.13.4	Operation results	50
7.2.14	Subscribe operation	50
7.2.14.1	Description	50
7.2.14.2	Input parameters	51
7.2.14.3	Output parameters	51
7.2.14.4	Operation results	51
7.2.15	Notify operation	51
7.2.15.1	Description	51
7.2.16	Terminate Subscription operation	52
7.2.16.1	Description	52
7.2.16.2	Input parameters	52
7.2.16.3	Output parameters	52
7.2.16.4	Operation results	52
7.2.17	Query Subscription Info operation	52
7.2.17.1	Description	52
7.2.17.2	Input parameters	53
7.2.17.3	Output parameters	53
7.2.17.4	Operation results	53
7.2.18	Change External VNF Connectivity operation	53
7.2.18.1	Description	53
7.2.18.2	Input parameters	53
7.2.18.3	Output parameters	54
7.2.18.4	Operation results	54
7.2.19	Query Snapshot Information operation	54
7.2.19.1	Description	54
7.2.19.2	Input parameters	55
7.2.19.3	Output parameters	55
7.2.19.4	Operation results	55
7.2.20	Create Snapshot operation	56
7.2.20.1	Description	56
7.2.20.2	Input parameters	56
7.2.20.3	Output parameters	56
7.2.20.4	Operation results	56

7.2.21	Revert-to Snapshot operation.....	57
7.2.21.1	Description	57
7.2.21.2	Input parameters.....	57
7.2.21.3	Output parameters	57
7.2.21.4	Operation results	57
7.2.22	Delete Snapshot Information operation	58
7.2.22.1	Description	58
7.2.22.2	Input parameters.....	58
7.2.22.3	Output parameters	58
7.2.22.4	Operation results	58
7.2.23	Void	58
7.2.24	Change current VNF package operation.....	58
7.2.24.1	Description	58
7.2.24.2	Input parameters.....	59
7.2.24.3	Output parameters	60
7.2.24.4	Operation results	60
7.3	Void.....	60
7.4	VNF Performance Management interface	61
7.4.1	Description.....	61
7.4.2	Create PM Job operation.....	61
7.4.2.1	Description	61
7.4.2.2	Input parameters.....	62
7.4.2.3	Output parameters	62
7.4.2.4	Operation results	63
7.4.3	Delete PM Jobs operation.....	63
7.4.3.1	Description	63
7.4.3.2	Input parameters.....	63
7.4.3.3	Output parameters	63
7.4.3.4	Operation results	63
7.4.4	Subscribe operation.....	63
7.4.4.1	Description	63
7.4.4.2	Input parameters.....	64
7.4.4.3	Output parameters	64
7.4.4.4	Operation results	64
7.4.5	Notify operation.....	64
7.4.5.1	Description	64
7.4.6	Query PM Job operation.....	65
7.4.6.1	Description	65
7.4.6.2	Input parameters.....	65
7.4.6.3	Output parameters	65
7.4.6.4	Operation results	65
7.4.7	Create Threshold operation.....	65
7.4.7.1	Description	65
7.4.7.2	Input parameters.....	66
7.4.7.3	Output parameters	66
7.4.7.4	Operation results	66
7.4.8	Delete Thresholds operation	66
7.4.8.1	Description	66
7.4.8.2	Input parameters.....	66
7.4.8.3	Output parameters	67
7.4.8.4	Operation results	67
7.4.9	Query Threshold operation	67
7.4.9.1	Description	67
7.4.9.2	Input parameters.....	67
7.4.9.3	Output parameters	67
7.4.9.4	Operation results	68
7.4.10	Terminate Subscription operation.....	68
7.4.10.1	Description	68
7.4.10.2	Input parameters.....	68
7.4.10.3	Output parameters	68
7.4.10.4	Operation results	68
7.4.11	Query Subscription Info operation.....	68

7.4.11.1	Description	68
7.4.11.2	Input parameters.....	69
7.4.11.3	Output parameters	69
7.4.11.4	Operation results	69
7.5	VNF Fault Management interface	69
7.5.1	Description.....	69
7.5.2	Subscribe operation.....	70
7.5.2.1	Description	70
7.5.2.2	Input parameters.....	70
7.5.2.3	Output parameters	70
7.5.2.4	Operation results	70
7.5.3	Notify operation.....	70
7.5.3.1	Description	70
7.5.4	Get Alarm List operation	71
7.5.4.1	Description	71
7.5.4.2	Input parameters.....	71
7.5.4.3	Output parameters	71
7.5.4.4	Operation results	72
7.5.5	Terminate Subscription operation.....	72
7.5.5.1	Description	72
7.5.5.2	Input parameters.....	72
7.5.5.3	Output parameters	72
7.5.5.4	Operation results	72
7.5.6	Query Subscription Info operation.....	72
7.5.6.1	Description	72
7.5.6.2	Input parameters.....	73
7.5.6.3	Output parameters	73
7.5.6.4	Operation results	73
7.5.7	Escalate perceived severity operation.....	73
7.5.7.1	Description	73
7.5.7.2	Input parameters.....	73
7.5.7.3	Output parameters	74
7.5.7.4	Operation results	74
7.5.8	Acknowledge alarms operation.....	74
7.5.8.1	Description	74
7.5.8.2	Input parameters.....	74
7.5.8.3	Output parameters	75
7.5.8.4	Operation results	75
7.6	Void.....	75
7.7	Policy Management interface	75
7.7.1	Description.....	75
7.7.2	Transfer Policy operation.....	75
7.7.2.1	Description	75
7.7.2.2	Input parameters.....	76
7.7.2.3	Output parameters	76
7.7.2.4	Operation results	76
7.7.3	Delete Policy operation.....	76
7.7.3.1	Description	76
7.7.3.2	Input parameters.....	76
7.7.3.3	Output parameters	77
7.7.3.4	Operation results	77
7.7.4	Query Policy operation	77
7.7.4.1	Description	77
7.7.4.2	Input parameters.....	77
7.7.4.3	Output parameters	77
7.7.4.4	Operation results	78
7.7.5	Activate Policy operation.....	78
7.7.5.1	Description	78
7.7.5.2	Input parameters.....	78
7.7.5.3	Output parameters	78
7.7.5.4	Operation results	78
7.7.6	Deactivate Policy operation	79

7.7.6.1	Description	79
7.7.6.2	Input parameters	79
7.7.6.3	Output parameters	79
7.7.6.4	Operation results	79
7.7.7	Subscribe operation	79
7.7.7.1	Description	79
7.7.7.2	Input parameters	80
7.7.7.3	Output parameters	80
7.7.7.4	Operation results	80
7.7.8	Notify operation	80
7.7.8.1	Description	80
7.7.9	Terminate Subscription operation	80
7.7.9.1	Description	80
7.7.9.2	Input parameters	81
7.7.9.3	Output parameters	81
7.7.9.4	Operation results	81
7.7.10	Query Subscription Info operation	81
7.7.10.1	Description	81
7.7.10.2	Input parameters	81
7.7.10.3	Output parameters	81
7.7.10.4	Operation results	82
7.7.11	Associate Policy operation	82
7.7.11.1	Description	82
7.7.11.2	Input parameters	82
7.7.11.3	Output parameters	82
7.7.11.4	Operation results	82
7.7.12	Disassociate Policy operation	83
7.7.12.1	Description	83
7.7.12.2	Input parameters	83
7.7.12.3	Output parameters	83
7.7.12.4	Operation results	83
7.8	VNFC Snapshot Package Management interface	83
7.8.1	Description	83
7.8.2	Create VNFC Snapshot Package Info operation	84
7.8.2.1	Description	84
7.8.2.2	Input parameters	84
7.8.2.3	Output parameters	84
7.8.2.4	Operation results	84
7.8.3	Build VNFC Snapshot Package operation	84
7.8.3.1	Description	84
7.8.3.2	Input parameters	85
7.8.3.3	Output parameters	85
7.8.3.4	Operation results	85
7.8.4	Upload VNFC Snapshot Package operation	85
7.8.4.1	Description	85
7.8.4.2	Input parameters	86
7.8.4.3	Output parameters	86
7.8.4.4	Operation results	86
7.8.5	Extract VNFC Snapshot Package operation	86
7.8.5.1	Description	86
7.8.5.2	Input parameters	87
7.8.5.3	Output parameters	87
7.8.5.4	Operation results	87
7.8.6	Fetch VNFC Snapshot Package operation	87
7.8.6.1	Description	87
7.8.6.2	Input parameters	87
7.8.6.3	Output parameters	88
7.8.6.4	Operation results	88
7.8.7	Fetch VNFC Snapshot Package Artifacts operation	88
7.8.7.1	Description	88
7.8.7.2	Input parameters	88
7.8.7.3	Output parameters	89

7.8.7.4	Operation results	89
7.8.8	Query VNFC Snapshot Package Information operation	89
7.8.8.1	Description	89
7.8.8.2	Input parameters	89
7.8.8.3	Output parameters	90
7.8.8.4	Operation results	90
7.8.9	Delete VNFC Snapshot Package operation	90
7.8.9.1	Description	90
7.8.9.2	Input parameters	90
7.8.9.3	Output parameters	90
7.8.9.4	Operation results	91
7.8.10	Update VNFC Snapshot Package operation	91
7.8.10.1	Description	91
7.8.10.2	Input parameters	91
7.8.10.3	Output parameters	91
7.8.10.4	Operation results	91
8	EM exposed interfaces	92
8.1	Introduction	92
8.2	Indicator Interface	92
8.2.1	Description	92
8.2.2	Subscribe operation	92
8.2.2.1	Description	92
8.2.2.2	Input parameters	92
8.2.2.3	Output parameters	93
8.2.2.4	Operation results	93
8.2.3	Notify operation	93
8.2.3.1	Description	93
8.2.4	Get Indicator Value operation	93
8.2.4.1	Description	93
8.2.4.2	Input parameters	93
8.2.4.3	Output parameters	94
8.2.4.4	Operation results	94
8.2.5	Terminate Subscription operation	94
8.2.5.1	Description	94
8.2.5.2	Input parameters	94
8.2.5.3	Output parameters	94
8.2.5.4	Operation results	94
8.2.6	Query Subscription Info operation	94
8.2.6.1	Description	94
8.2.6.2	Input parameters	95
8.2.6.3	Output parameters	95
8.2.6.4	Operation results	95
8.3	LCM Coordination interface	95
8.3.1	Description	95
8.3.2	CoordinateLcmOperation operation	95
8.3.2.1	Description	95
8.3.2.2	Input parameters	96
8.3.2.3	Output parameters	96
8.3.2.4	Operation results	97
9	Information elements exchanged over reference point Ve-Vnfm	97
9.1	Introduction	97
9.2	Information elements and notifications related to VNF Configuration Management	98
9.2.1	Introduction	98
9.2.2	VnfConfiguration information element	98
9.2.2.1	Description	98
9.2.2.2	Attributes	98
9.2.3	VnfcConfiguration information element	98
9.2.3.1	Description	98
9.2.3.2	Attributes	98
9.2.4	CpConfiguration information element	99

9.2.4.1	Description	99
9.2.4.2	Attributes	99
9.2.5	CpAddress information element	99
9.2.5.1	Description	99
9.2.5.2	Attributes	99
9.2.6	VnfcConfigurationKvp information element	99
9.2.6.1	Description	99
9.2.6.2	Attributes	100
9.2.7	Void	100
9.3	Information elements and notifications related to VNF Fault Management	100
9.3.1	Introduction	100
9.3.2	AlarmNotification	100
9.3.2.1	Description	100
9.3.2.2	Trigger conditions	100
9.3.2.3	Attributes	100
9.3.3	AlarmClearedNotification	101
9.3.3.1	Description	101
9.3.3.2	Trigger conditions	101
9.3.3.3	Attributes	101
9.3.4	Alarm information element	101
9.3.4.1	Description	101
9.3.4.2	Attributes	101
9.3.5	FaultyResourceInfo information element	102
9.3.5.1	Description	102
9.3.5.2	Attributes	103
9.3.6	AlarmListRebuiltNotification	103
9.3.6.1	Description	103
9.3.6.2	Trigger conditions	103
9.3.6.3	Attributes	103
9.4	Information elements related to VNF Lifecycle Management	103
9.4.1	Introduction	103
9.4.2	VnfInfo information element	103
9.4.2.1	Description	103
9.4.2.2	Attributes	103
9.4.3	InstantiatedVnfInfo information element	105
9.4.3.1	Description	105
9.4.3.2	Attributes	105
9.4.4	VnfcResourceInfo information element	106
9.4.4.1	Description	106
9.4.4.2	Attributes	106
9.4.5	VnfVirtualLinkResourceInfo information element	107
9.4.5.1	Description	107
9.4.5.2	Attributes	107
9.4.6	VirtualStorageResourceInfo information element	107
9.4.6.1	Description	107
9.4.6.2	Attributes	107
9.4.7	ResourceHandle information element	108
9.4.7.1	Description	108
9.4.7.2	Attributes	108
9.4.8	ScaleInfo information element	109
9.4.8.1	Description	109
9.4.8.2	Attributes	109
9.4.9	ExtVirtualLinkInfo information element	109
9.4.9.1	Description	109
9.4.9.2	Attributes	109
9.4.10	ExtManagedVirtualLinkInfo information element	109
9.4.10.1	Description	109
9.4.10.2	Attributes	109
9.4.11	VnfLinkPortInfo information element	110
9.4.11.1	Description	110
9.4.11.2	Attributes	110
9.4.12	ExtManagedVirtualLinkData information element	110

9.4.12.1	Description	110
9.4.12.2	Attributes	110
9.4.13	VnfcInfo information element	111
9.4.13.1	Description	111
9.4.13.2	Attributes	111
9.4.14	ExtLinkPortInfo information element	112
9.4.14.1	Description	112
9.4.14.2	Attributes	112
9.4.15	VnfcCpInfo information element	112
9.4.15.1	Description	112
9.4.15.2	Attributes	112
9.4.16	VnfSnapshotInfo information element	113
9.4.16.1	Description	113
9.4.16.2	Attributes	113
9.4.17	VnfcSnapshotInfo information element	113
9.4.17.1	Description	113
9.4.17.2	Attributes	113
9.5	Information elements and notifications related to VNF Lifecycle Changes	114
9.5.1	Introduction	114
9.5.2	VnfLcmOperationOccurrenceNotification	114
9.5.2.1	Description	114
9.5.2.2	Trigger conditions	114
9.5.2.3	Attributes	115
9.5.3	AffectedVnfc information element	116
9.5.3.1	Description	116
9.5.3.2	Attributes	116
9.5.4	AffectedVirtualLink information element	117
9.5.4.1	Description	117
9.5.4.2	Attributes	117
9.5.5	AffectedVirtualStorage information element	117
9.5.5.1	Description	117
9.5.5.2	Attributes	117
9.5.6	Void	118
9.5.7	VnfIdentifierCreationNotification	118
9.5.7.1	Description	118
9.5.7.2	Trigger conditions	118
9.5.7.3	Attributes	118
9.5.8	VnfIdentifierDeletionNotification	118
9.5.8.1	Description	118
9.5.8.2	Trigger conditions	119
9.5.8.3	Attributes	119
9.6	Information elements and notifications related to VNF indicators	119
9.6.1	Introduction	119
9.6.2	IndicatorValueChangeNotification	119
9.6.2.1	Description	119
9.6.2.2	Trigger conditions	119
9.6.2.3	Attributes	119
9.6.3	IndicatorInformation information element	119
9.6.3.1	Description	119
9.6.3.2	Attributes	119
9.7	Information elements and notifications related to VNF Performance Management	120
9.7.1	Introduction	120
9.7.2	ObjectSelection information element	120
9.7.2.1	Description	120
9.7.2.2	Attributes	120
9.7.3	PmJob information element	121
9.7.3.1	Description	121
9.7.3.2	Attributes	121
9.7.4	Threshold information element	122
9.7.4.1	Description	122
9.7.4.2	Attributes	122
9.7.5	PerformanceReport information element	123

9.7.5.1	Description	123
9.7.5.2	Attributes	123
9.7.6	PerformanceReportEntry information element	123
9.7.6.1	Description	123
9.7.6.2	Attributes	123
9.7.7	PerformanceValueEntry information element	124
9.7.7.1	Description	124
9.7.7.2	Attributes	124
9.7.8	PerformanceInformationAvailableNotification	124
9.7.8.1	Description	124
9.7.8.2	Trigger Conditions	124
9.7.8.3	Attributes	125
9.7.9	ThresholdCrossedNotification	125
9.7.9.1	Description	125
9.7.9.2	Trigger Condition	125
9.7.9.3	Attributes	125
9.8	Information elements and notifications related to multiple interfaces	126
9.8.1	Introduction	126
9.8.2	VnfExtCpInfo information element	126
9.8.2.1	Description	126
9.8.2.2	Attributes	126
9.8.2a	ExtLinkPortData information element	126
9.8.2a.1	Description	126
9.8.2a.2	Attributes	126
9.8.3	ExtVirtualLinkData information element	127
9.8.3.1	Description	127
9.8.3.2	Attributes	127
9.8.3a	VnfExtCpConfig information element	128
9.8.3a.1	Description	128
9.8.3a.2	Attributes	128
9.8.4	VnfExtCpData information element	128
9.8.4.1	Description	128
9.8.4.2	Attributes	128
9.8.5	Void	129
9.8.6	CpProtocolInfo information element	129
9.8.6.1	Description	129
9.8.6.2	Attributes	129
9.9	Information elements and notifications related to Policy Management	129
9.9.1	Introduction	129
9.9.2	Information elements related to Policy Management Operations	129
9.9.2.1	Introduction	129
9.9.2.2	PolicyInfo information element	129
9.9.2.2.1	Description	129
9.9.2.2.2	Attributes	130
9.9.3	PolicyChangeNotification	130
9.9.3.1	Description	130
9.9.3.2	Trigger Conditions	130
9.9.3.3	Attributes	130
9.9.4	PolicyConflictNotification	130
9.9.4.1	Description	130
9.9.4.2	Trigger Conditions	130
9.9.4.3	Attributes	130
9.10	Information elements related to VNFC Snapshot Package Management	130
9.10.1	Introduction	130
9.10.2	VnfcSnapshotPkgInfo information element	130
9.10.2.1	Description	130
9.10.2.2	Attributes	131
9.10.3	SnapshotPkgArtifactInformation information element	131
9.10.3.1	Description	131
9.10.3.2	Attributes	131
9.10.4	VnfcSnapshotImageInfo information element	132
9.10.4.1	Description	132

9.10.4.2	Attributes.....	132
Annex A (informative):	Examples of VNF connectivity patterns	133
A.1	Introduction	133
A.2	Example of a VNF with two different types of external connection points	133
A.3	Example of changing VNF connectivity	134
Annex B (informative):	Example VNF Configuration flows	135
B.1	Explicit change of VNF Configurable Properties	135
Annex C (normative):	NFVI operation and maintenance policies	138
Annex D (informative):	Authors & contributors.....	139
Annex E (informative):	Change History	141
History		144

iTeh STANDARD PREVIEW
 (standards.iteh.ai)
 Full standard:
<https://standards.iteh.ai/catalog/standards/sist/bad80823-1fe1-4110-858e-6b0e255e092e/etsi-gs-nfv-ifa-008-v3.3.1-2019-08>