



Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; NFV-MANO procedures specification

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

DGS/NFV-SOL016

Keywords

management, MANO, NFV, procedure

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	9
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	9
3.3 Abbreviations	9
4 Overview of NFV-MANO procedures.....	9
4.1 Introduction	9
4.2 List of NFV-MANO procedures	10
4.3 Security considerations.....	10
5 NFV-MANO procedures	11
5.1 VNF Package on-boarding procedure	11
5.1.1 Introduction.....	11
5.1.2 Pre-conditions	11
5.1.3 Procedure flow.....	11
5.1.4 Post-conditions	14
5.1.5 Key information exchanged in the procedure.....	14
5.1.5.1 VNF package id creation.....	14
5.1.5.2 VNF package upload.....	15
5.1.5.3 VNF package on-boarding complete.....	15
5.1.6 Execution of dependent and non-dependent side procedures	16
5.1.6.1 Introduction.....	16
5.1.6.2 Non-dependent side procedures	16
5.1.6.2.1 VNF Package management.....	16
5.1.6.2.2 NSD management.....	16
5.1.6.2.3 VNF lifecycle management.....	16
5.1.6.3 Dependent side procedures.....	17
5.1.6.3.1 VNF Package management	17
5.1.6.3.2 NSD management.....	17
5.1.6.3.3 NS lifecycle management.....	17
5.1.6.3.4 VNF lifecycle management	17
5.1.6.3.5 VNF lifecycle granting.....	17
5.1.6.4 Error cases and other considerations	17
5.1.6.4.1 VNF Package management	17
5.2 NS instantiation procedure	18
5.2.1 Introduction.....	18
5.2.2 Pre-conditions	18
5.2.3 Procedure flow.....	18
5.2.4 Post-conditions	26
5.2.5 Key information exchanged in the procedure	26
5.2.5.1 Create NS instance resource.....	26
5.2.5.2 Instantiate NS instance	26
5.2.5.3 Create VNF instance resource.....	27
5.2.5.4 Modification of VNF information and virtualised resource configuration data.....	27
5.2.5.5 Instantiate VNF instance	29
5.2.5.6 VNF LCM granting exchange.....	29
5.2.5.7 VNF lifecycle change notifications.....	30
5.2.5.8 VNF lifecycle management operation occurrences.....	31
5.2.6 Execution of dependent and non-dependent side procedures	32

5.2.6.1	Introduction	32
5.2.6.2	Non-dependent side procedures	32
5.2.6.2.1	VNF Package management	32
5.2.6.2.2	NSD management	32
5.2.6.2.3	NS lifecycle management	32
5.2.6.2.4	NS fault management	33
5.2.6.2.5	NS performance management	33
5.2.6.2.6	VNF lifecycle management	33
5.2.6.2.7	VNF fault management	33
5.2.6.2.8	VNF performance management	34
5.2.6.2.9	VNF indicators	34
5.2.6.3	Dependent side procedures	34
5.2.6.3.1	NS lifecycle management	34
5.2.6.3.2	VNF lifecycle management	34
5.2.6.3.3	NSD management	35
5.2.6.4	Error cases and other considerations	35
5.2.6.4.1	VNF Package management	35
5.2.6.4.2	NSD management	35
5.2.7	Other information	35
5.2.7.1	Creation of VNF instance from VNFD	35
5.2.7.2	Fetch VNFD	36
5.2.7.3	Fetch VNF Package Artifacts	36
5.3	NS termination procedure	37
5.3.1	Introduction	37
5.3.2	Pre-conditions	37
5.3.3	Procedure flow	38
5.3.3.1	Overview	38
5.3.3.2	Procedure flow terminating and disconnecting the NS constituents	38
5.3.3.3	Procedure flow using the NS termination operation	44
5.3.3.4	Procedure flow using combination of terminating individual NS constituents and using NS termination operation	48
5.3.4	Post-conditions	49
5.3.5	Key information exchanged in the procedure	49
5.3.5.1	Update NS instance to terminate specific VNF instances	49
5.3.5.2	Terminate VNF instance	49
5.3.5.3	VNF LCM granting exchange for VNF termination	50
5.3.5.4	Update NS instance to remove PNFs from the NS instance	50
5.3.5.5	Terminate NS instance	50
5.3.5.6	VNF Lifecycle change notifications	51
5.3.5.7	VNF lifecycle management operation occurrences	51
5.3.6	Execution of dependent and non-dependent side procedures	52
5.3.6.1	Introduction	52
5.3.6.2	Non-dependent side procedures	52
5.3.6.2.1	VNF Package management	52
5.3.6.2.2	NSD management	52
5.3.6.2.3	NS lifecycle management	53
5.3.6.2.4	NS fault management	53
5.3.6.2.5	NS performance management	53
5.3.6.2.6	VNF lifecycle management	53
5.3.6.2.7	VNF fault management	54
5.3.6.2.8	VNF performance management	54
5.3.6.2.9	VNF indicators	54
5.3.6.3	Dependent side procedures	55
5.3.6.3.1	VNF Package management	55
5.3.6.3.2	NSD management	55
5.3.6.3.3	NS lifecycle management	55
5.3.6.3.4	NS fault management	55
5.3.6.3.5	NS performance management	55
5.3.6.3.6	VNF lifecycle management	56
5.3.6.3.7	VNF fault management	56
5.3.6.3.8	VNF performance management	56
5.3.6.3.9	VNF indicators	57

5.3.6.4	Error cases and other considerations	57
5.3.6.4.1	VNF Package management	57
5.3.6.4.2	NSD management	57
5.4	VNF scaling triggered through scale NS procedure	57
5.4.1	Introduction	57
5.4.2	Pre-conditions	57
5.4.3	Procedure flow	57
5.4.4	Post-conditions	61
5.4.5	Key information exchanged in the procedure	61
5.4.5.1	Scale NS instance to scale specific VNF instances	61
5.4.5.2	Scale VNF instance	61
5.4.5.3	Scale VNF instance to level	62
5.4.5.4	VNF LCM granting exchange for VNF scaling	62
5.4.5.5	VNF lifecycle change notifications	63
5.4.5.6	VNF lifecycle management operation occurrences	63
5.4.6	Execution of dependent and non-dependent side procedures	64
5.4.6.1	Introduction	64
5.4.6.2	Non-dependent side procedures	64
5.4.6.2.1	VNF Package management	64
5.4.6.2.2	NSD management	64
5.4.6.2.3	NS lifecycle management	65
5.4.6.2.4	NS fault management	65
5.4.6.2.5	NS performance management	65
5.4.6.2.6	VNF lifecycle management	65
5.4.6.2.7	VNF fault management	66
5.4.6.2.8	VNF performance management	66
5.4.6.2.9	VNF indicators	66
5.4.6.3	Dependent side procedures	66
5.4.6.3.1	NS performance management	66
5.4.6.3.2	VNF performance management	67
5.4.6.4	Error cases and other considerations	67
5.4.6.4.1	VNF Package management	67
5.4.6.4.2	NSD management	67
5.5	Change external VNF connectivity triggered through NS update procedure	67
5.5.1	Introduction	67
5.5.2	Pre-conditions	67
5.5.3	Procedure flow	67
5.5.4	Post-conditions	70
5.5.5	Key information exchanged in the procedure	71
5.5.5.1	Update NS instance to change external connectivity of specific VNF instances	71
5.5.5.2	Change external connectivity of VNF instance	71
5.5.5.3	VNF LCM granting exchange for change external VNF connectivity	71
5.5.5.4	VNF lifecycle change notifications	72
5.5.5.5	VNF lifecycle management operation occurrences	73
5.5.6	Execution of dependent and non-dependent side procedures	73
5.5.6.1	Introduction	73
5.5.6.2	Non-dependent side procedures	73
5.5.6.2.1	VNF Package management	73
5.5.6.2.2	NSD management	74
5.5.6.2.3	NS lifecycle management	74
5.5.6.2.4	NS fault management	74
5.5.6.2.5	NS performance management	74
5.5.6.2.6	VNF lifecycle management	75
5.5.6.2.7	VNF fault management	75
5.5.6.2.8	VNF performance management	75
5.5.6.2.9	VNF indicators	75
5.5.6.3	Dependent side procedures	76
5.5.6.4	Error cases and other considerations	76
5.5.6.4.1	VNF Package management	76
5.5.6.4.2	NSD management	76
5.5.6.4.3	VNF performance management	76

Annex A (informative): **Change History**77
History79

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/edc483f8-af00-4579-9ce2-5e67b09c3be7/etsi-gs-nfv-sol-016-v2.8.1-2020-08>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document specifies NFV-MANO procedures involving multiple interfaces that reference the operations specified in ETSI GS NFV-SOL 003 [3], ETSI GS NFV-SOL 002 [2] and ETSI GS NFV-SOL 005 [4], and the information from NFV descriptors as specified in ETSI GS NFV-SOL 001 [1] and ETSI GS NFV-SOL 006 [5]. In addition, the procedures consider the functional requirements specified in ETSI GS NFV-IFA 010 [i.3] and related interface specifications.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI GS NFV-SOL 001: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; NFV descriptors based on TOSCA specification".
- [2] ETSI GS NFV-SOL 002: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Ve-Vnfm Reference Point".
- [3] ETSI GS NFV-SOL 003: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Or-Vnfm Reference Point".
- [4] ETSI GS NFV-SOL 005: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; RESTful protocols specification for the Os-Ma-nfvo Reference Point".
- [5] ETSI GS NFV-SOL 006: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; NFV descriptors based on YANG Specification".
- [6] ETSI GS NFV-IFA 014: "Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; Network Service Templates Specification".
- [7] ETSI GS NFV-SOL 013: "Network Functions Virtualisation (NFV) Release 2; Protocols and Data Models; Specification of common aspects for RESTful NFV MANO APIs".
- [8] ETSI GS NFV-IFA 011: "Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; VNF Descriptor and Packaging Specification".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are not necessary for the application of the present document, but they assist the user with regard to a particular subject area.

- [i.1] ETSI GS NFV 003: "Network Functions Virtualisation (NFV); Terminology for Main Concepts in NFV".
- [i.2] ETSI GS NFV-SOL 009: "Network Functions Virtualisation (NFV) Release 3; Protocols and Data Models: RESTful protocols specification for the management of NFV-MANO".
- [i.3] ETSI GS NFV-IFA 010: "Network Functions Virtualisation (NFV) Release 2; Management and Orchestration; Functional requirements specification".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI GS NFV 003 [i.1] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GS NFV 003 [i.1] apply.

4 Overview of NFV-MANO procedures

4.1 Introduction

The present document specifies NFV-MANO procedures that consist of information flows and the key information to be sent across the NFV-MANO interfaces to realize the interaction with and within the NFV-MANO framework. For each one of the procedures, it specifies:

- the order in which the information is exchanged;
- the input data to operations based on the information state held by the interface consumers (e.g. from NFV descriptors); and
- key information to be exchanged between the different NFV-MANO entities in various scenarios.

Each NFV-MANO procedure specifies the baseline interaction steps corresponding to the functionality and capabilities specified in NFV-MANO API specifications in the ETSI GS NFV-SOL series ([2], [3] and [4]), clarifying the key information exchanged among the different NFV-MANO functional entities and with other external entities such as OSS/BSS, EM and VNF. The specified NFV-MANO procedures focus on the interactions and management capabilities offered by the NFV-MANO framework. In this respect, additional interactions performed by other management systems such as the OSS/BSS and EM with the VNF might be necessary to ensure that the NS and VNF instances are fully configured and operational, or to decommission services that the NS and VNF instances perform.

4.2 List of NFV-MANO procedures

The present document specifies NFV-MANO procedures involving the baseline interactions with and within the NFV-MANO framework based on ETSI NFV Release-2 specifications. The present document details the procedures below:

- 1) On-boarding of a VNF Package: The procedure for the on-boarding of a VNF package.
- 2) Instantiation of a NS instance: The procedure for the creation and instantiation of a NS instance needed for a network service.
- 3) Termination of a NS instance: The procedure for the termination of a NS instance triggered through Update NS or Terminate NS.
- 4) Scaling of VNF instance(s) in a NS instance: The procedure for the scaling of VNF instance(s) associated with a NS instance triggered through Scale NS with option of scaling VNF instance(s).
- 5) Change VNF external connectivity of VNF instance(s) in a NS instance: The procedure for the change of external connectivity of VNF instance(s) associated with a NS instance triggered through NS update.

In the subsequent clauses, the applicable flows, procedural steps and mapping of key attributes across different interfaces corresponding to the individual MANO procedures are specified in detail.

NOTE: The present document version does not specify detailed error handling applicable to NFV-MANO procedures.

4.3 Security considerations

The NFV-MANO procedures documented in the present document do not specify the steps to handle the authorization to consume the NFV-MANO APIs referred in the procedures.

Before the start of the NFV-MANO procedure (as a general security framework setup policy), or as part of the steps in which the NFV-MANO API interactions take place, the producer and consumer functional blocks of an API shall have established the proper authorization setup as specified in clause 8 of ETSI GS NFV-SOL 013 [7].

As a pre-condition for all the NFV-MANO procedure flows specified in the present document:

- The NFV-MANO functional entity acting as a producer functional block of an API shall have been configured the server interface security information for each of its produced interfaces.
- The NFV-MANO functional entity acting as a consumer functional block of an API shall have been configured the client interface security information for each of the consumed interfaces.

NOTE: Server and client interface security information that is referred can include configuration parameters such as those specified in ETSI GS NFV-SOL 009 [i.2]. The present document version provides an informative reference to ETSI GS NFV-SOL 009 [i.2] due to the different Release matching.

5 NFV-MANO procedures

5.1 VNF Package on-boarding procedure

5.1.1 Introduction

Clause 5.1 specifies the NFV-MANO procedure for VNF package on-boarding.

NOTE: Additional interactions previous to the VNF Package on-boarding might be possible as required for operations that are handled outside MANO such as collecting VNFD creation requirement, developing VNFD, build VNF package, checking the VNF package consistency and its contents, and verifying the instantiation in test environment.

5.1.2 Pre-conditions

Table 5.1.2-1 specifies the pre-conditions applicable to the VNF package on-boarding procedure.

Table 5.1.2-1: VNF package on-boarding procedure pre-conditions

#	Pre-condition	Additional description
1	VNF Provider delivers the VNF descriptor, artefacts and other CSAR content in a VNF package.	VNF Provider delivers a new VNF package to the Service Provider.

5.1.3 Procedure flow

Depending on the service provider's requirement and the size of artifacts (such as software images), the VNF package may include or exclude certain artifacts in a flexible manner. For example, the VNF package may exclude software images or other artifacts and provide artefact path or link to the external artifacts as specified in clause 9.2 of ETSI GS NFV-SOL 005 [4]. The means to provide these artifacts is not specified in the present document.




Figure 5.1.3-1: Procedure flow of VNF package on-boarding

The NFV-MANO procedure of VNF package on-boarding comprises the following steps:

1. To perform the VNF package on-boarding process, the OSS/BSS shall first send to the NFVO a "CreateVnfPkgInfoRequest" in the payload of the POST request to the "VNF packages" resource as specified in clause 9.4.2.3.1 of ETSI GS NFV-SOL 005 [4].

As described in "Flow of the creation of an individual VNF package resource" (see clause 9.3.1 of ETSI GS NFV-SOL 005 [4]), the NFVO creates the "Individual VNF package" resource.

The NFVO generates a unique VnfPkgId for the VNF package.

Table 5.1.5.1-1 lists the key information exchanged between OSS/BSS and NFVO for the create VNF package operation.

2. In case the VNF package references external artifacts and access configuration information is needed, the OSS/BSS shall provide access configuration information for the subsequent download of the external VNF package artifacts to the NFVO by sending a PUT request to the "Access configuration for external artifacts" resource as specified in clause 9.4.4a.3.3 of ETSI GS NFV-SOL 005 [4], according to the "Flow of the uploading of VNF package content" (see clause 9.3.2 of ETSI GS NFV-SOL 005 [4]). The NFVO stores the access configuration information for later use.
3. In case the OSS/BSS uploads the VNF package content to the NFVO directly, the OSS/BSS shall send to the NFVO a "ZIP file that represents the VNF package" in the payload of the PUT request to the "VNF package content" resource as specified in clause 9.4.5.3.3 of ETSI GS NFV-SOL 005 [4], and as described in the "Flow of the uploading of VNF package content" (see clause 9.3.2 of ETSI GS NFV-SOL 005 [4]).

Table 5.1.5.2-1 lists the key information exchanged between NFVO and VNFM during VNF package upload operation.

The OSS/BSS can poll the "Individual VNF package" resource to track the completion of uploading operation by sending a GET request to the "Individual VNF package" resource as specified in clause 9.4.3.3.2 of ETSI GS NFV-SOL 005 [4].

4. In case the OSS/BSS uploads the VNF package content to the NFVO indirectly from URI, the OSS/BSS shall send to the NFVO a data structure of type "UploadVnfPackageFromUriRequest" in the payload of the POST request to the "Upload VNF package from URI task" resource as specified in clause 9.4.6.3.1 of ETSI GS NFV-SOL 005 [4], and as described in the "Flow of the uploading of VNF package content" (see clause 9.3.2 of ETSI GS NFV-SOL 005 [4]). The NFVO utilizes the address information to retrieve the VNF package content.

Table 5.1.5.2-2 lists the key information exchanged between NFVO and VNFM during VNF package upload operation.

The OSS/BSS can poll the "Individual VNF package" resource to track the completion of uploading operation by sending a GET request to the "Individual VNF package" resource as specified in clause 9.4.3.3.2 of ETSI GS NFV-SOL 005 [4].

In case the VNF package references external artifacts, the NFVO downloads the external artifacts (see clause 9.4.6.3.1 of ETSI GS NFV-SOL 005 [4], as applicable) by utilizing the access configuration information and the information in the VNF package.

NOTE 1: Some parts of the validation of the package on NFVO side can happen before downloading external artifacts (for instance, in case of a double zipped, externally signed package, the validation of the signature would typically be performed after uploading the package).

5. Further, the NFVO processes the VNF package validating the contents of the package such as checksum, certificates, etc. Upon completion of validating the VNF package (including external artifacts, if applicable), the NFVO stores the VNF package contents in its repository and updates the VNF package information. Table 5.1.5.3-1 lists the key information updated in the VNF package information.

Sending the VnfPackageOnBoardingNotification (step 6 and step 7) may be executed in any order, and in parallel to the step 8.

6. On completion of successful on-boarding of the VNF content, if there are any applicable subscriptions for VNF Package Management notifications, NFVO sends a POST request, each containing a "VnfPackageOnBoardingNotification" in the payload body, to the OSS/BSS as "notification endpoint" resources defined in the matching subscriptions, as per clauses 9.5.2.8 and 9.4.10.3.1 of ETSI GS NFV-SOL 005 [4].
7. On completion of successful on-boarding of the VNF content, if there are any applicable subscriptions for VNF Package Management notifications, NFVO sends a POST request, each containing a "VnfPackageOnBoardingNotification" in the payload body, to the VNFM as "notification endpoint" resources defined in the matching subscriptions, as per clauses 9.5.2.5 and 10.4.9.3.1 of ETSI GS NFV-SOL 003 [3].

Uploading software images (step 8) can be executed after successful completion of step 4. Uploading software images (step 8) and fetching of VNFD (step 9) may be executed in any order.