



SLOVENSKI STANDARD
SIST ES 203 119-7 V1.2.1:2020

01-november-2020

Metode za preskušanje in specificiranje (MTS) - Jezik za opis preskusa (TDL) - 7.
del: Razširjene preskusne konfiguracije

Methods for Testing and Specification (MTS) - The Test Description Language (TDL) -
Part 7: Extended Test Configurations

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: ~~SIST ES 203 119-7 V1.2.1:2020~~ ETSI ES 203 119-7 V1.2.1 (2020-08)

<https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-ecaa63effb62/sist-es-203-119-7-v1-2-1-2020>

ICS:

35.060

Jeziki, ki se uporabljajo v
informacijski tehniki in
tehnologiji

Languages used in
information technology

SIST ES 203 119-7 V1.2.1:2020

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ES 203 119-7 V1.2.1:2020

<https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-ecaa63effb62/sist-es-203-119-7-v1-2-1-2020>

ETSI ES 203 119-7 V1.2.1 (2020-08)



Methods for Testing and Specification (MTS); The Test Description Language (TDL); Part 7: Extended Test Configurations

[SIST ES 203 119-7 V1.2.1:2020](https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-ecaa63effb62/sist-es-203-119-7-v1-2-1-2020)

<https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-ecaa63effb62/sist-es-203-119-7-v1-2-1-2020>

ReferenceRES/MTS-TDL1197v121

Keywordslanguage, MBT, methodology, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Important notice

<https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-ec0a131b6278/sist-es-203-119-7-v1.2.1-2020>
The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
Modal verbs terminology.....	4
Introduction	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	5
3 Definition of terms, symbols and abbreviations.....	5
3.1 Terms.....	5
3.2 Symbols.....	6
3.3 Abbreviations	6
4 Basic Principles	6
4.1 Extended Test Configurations	6
4.2 Document Structure.....	6
4.3 Notational Conventions	7
4.4 Element Operations	7
4.5 Conformance	7
5 Meta-Model Extensions.....	7
5.1 Overview	7
5.2 ExtendedTestConfiguration.....	8
5.3 TestConfigurationInstance	8
5.4 TestConfigurationOperation.....	9
5.5 ComponentReference	9
5.6 ExtendedGateReference	10
5.7 ComponentMerge	10
5.8 ComponentAlias	11
5.9 ComponentHide	11
5.10 RoleReassignment	11
6 Graphical Syntax Extensions.....	12
6.1 ExtendedTestConfiguration.....	12
6.2 TestConfigurationInstance	12
6.3 TestConfigurationOperation.....	13
6.4 ComponentReference	13
6.5 ComponentMerge	13
6.6 ComponentAlias	14
6.7 ComponentHide	14
6.8 RoleReassignment	14
7 Exchange Format Extensions	14
Annex A (informative): Examples.....	15
A.0 Overview	15
A.1 Test Configuration Instantiation.....	15
A.2 Test Configuration Operations	15
A.3 Component Merging.....	17
History	18

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This ETSI Standard (ES) has been produced by ETSI Technical Committee Methods for Testing and Specification (MTS).

The present document is part 7 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

This extension package to TDL introduces additional features for the specification of extended test configurations by reusing existing test configurations. Existing test configurations can be instantiated within an extended test configuration. By means of test configuration operations, the test configuration instances can be modified within an extended test configuration, without affecting the original test configuration specification that is instantiated.

The present document describes the relevant abstract syntax (meta-model) extensions as well as the corresponding concrete syntactical notation.

1 Scope

The present document defines extensions to the Test Description Language (TDL) to support the re-use of test configurations.

NOTE: OMG[®], UML[®], OCL[™] and UTP[™] are the trademarks of OMG (Object Management Group). This information is given for the convenience of users of the present document and does not constitute an endorsement by ETSI of the products named.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference/>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] ETSI ES 203 119-1 (V1.5.1): "Methods for Testing and Specification (MTS); The Test Description Language (TDL); Part 1: Abstract Syntax and Associated Semantics".
- [2] ETSI ES 203 119-2 (V1.4.1): "Methods for Testing and Specification (MTS); The Test Description Language (TDL); Part 2: Graphical Syntax".
- [3] ETSI ES 203 119-3 (V1.4.1): "Methods for Testing and Specification (MTS); The Test Description Language (TDL); Part 3: Exchange Format".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

Not applicable.

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI ES 203 119-1 [1] and the following apply:

component reference: reference to a unique component instance in an extended test configuration

extended gate reference: extension to gate reference that makes it possible to specify gate references from different component instances in a unique manner within an extended test configuration

extended test configuration: specification of a test configuration which includes a set test configuration instances and test configuration operations, as well as additional component instances and connections

flattened test configuration: test configuration resulting from the transformation of an extended test configuration into a test configuration that includes all the component instances and connections from the instantiated test configurations after applying the test configuration operations, as well as additional component instances and connections defined within the extended test configuration

test configuration instance: instantiation of an existing test configuration

test configuration operation: operation on a component instance in an extended test configuration

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the following abbreviations apply:

OCL	Object Constraint Language™
SUT	System Under Test
TDL	Test Description Language

ITih STANDARD PREVIEW
(standards.iteh.ai)

4 Basic Principles

SIST ES 203 119-7 V1.2.1:2020

4.1 Extended Test Configurations

<https://standards.iteh.ai/catalog/standards/sist/e309b6b4-fc72-4ca1-a523-7-v1-2-1-2020>

Re-use of test configurations with the capability to modify a test configuration as part of the re-use is an essential feature for managing larger test specifications in TDL. This extension for the specification of extended test configurations in TDL provides the necessary capabilities for instantiating existing test configuration within an extended test configuration, as well as modifying the instantiated test configurations by means of test configuration operations. Extended test configurations are intended for higher-level specification of reusable test configurations. An extended test configuration shall be transformed into a "*flattened*" test configuration in order to be used in a test description. The flattened test configuration shall contain all the component instances and connections from the instantiated test configurations after applying the test configuration operations, as well as additional component instances and connections defined within the extended test configuration.

4.2 Document Structure

The present document defines the composite test configuration extensions for TDL comprising:

- Meta-model extensions describing additional concepts required for the specification of extended test configurations (clause 5).
- Concrete syntax extension describing corresponding shapes for the representation of the additional concepts (clause 6).
- An informative annex with examples (annex A).

4.3 Notational Conventions

The present document inherits the notational conventions defined in ETSI ES 203 119-1 [1] and ETSI ES 203 119-2 [2].

The abstract syntax specification and the classifier descriptions follow the notational conventions defined in clause 4.5 of Abstract Syntax and Associated Semantics [1]. The concrete syntax notation specification follows the notational conventions described in clause 4.5 of the Graphical Syntax [2].

4.4 Element Operations

The formalized constraints for the present document rely on operations provided by the standard library of OCL and in ETSI ES 203 119-1 [1].

4.5 Conformance

For an implementation claiming to conform to this extension of the TDL meta-model, all concepts specified in the present document and in ETSI ES 203 119-1 [1], as well as the concrete syntax representation specified in the present document shall be implemented consistently with the requirements given in the present document and in ETSI ES 203 119-1 [1]. The electronic attachment from annex A in ETSI ES 203 119-1 [1] may serve as a starting point for a TDL meta-model implementation conforming to the present document and the overall abstract syntax of TDL [1].

5 Meta-Model Extensions

ITh STANDARD PREVIEW
(standards.iteh.ai)

5.1 Overview

SIST ES 203 119-7 V1.2.1:2020

The extended test configuration concepts are defined within a single package in the TDL meta-model. The additional concepts are "self-contained" in that a specification that relies on them shall be transformed into a test configuration that does not make any use of the additional concepts before using the test configuration in a test description.

5.2 ExtendedTestConfiguration




Figure 5.2.1: Extended test configuration specification concepts
(standards.iteh.ai)

Semantics

An 'ExtendedTestConfiguration' is a refinement of 'TestConfiguration' that contains the 'TestConfigurationInstance's and 'TestConfigurationOperation's enabling the reuse of existing 'TestConfiguration's. The 'TestConfigurationOperation's shall be applied in the specified order.

Generalization

- TestConfiguration.

Properties

- configurations: TestConfigurationInstance [0..*]
The instantiated 'TestConfiguration's.
- operations: TestConfigurationsOperation [0..*]
The 'TestConfigurationOperation's for the refinement of the instantiated 'TestConfiguration's.

Constraints

- There are no constraints specified.

5.3 TestConfigurationInstance

Semantics

A 'TestConfigurationInstance' represents an instantiation of an existing 'TestConfiguration' All 'ComponentInstance's and 'Connection's of the instantiated 'TestConfiguration' shall be replicated.

Generalization

- Element.

Properties

- configuration: TestConfiguration [1]
A reference to the instantiated 'TestConfiguration'.

Constraints

- There are no constraints specified.

5.4 TestConfigurationOperation

Semantics

An abstract super-class for any concrete operation on 'ComponentInstances' within an 'ExtendedTestConfiguration'.

Generalization

- Element.

Properties

- component: ComponentReference ([1])
A reference to the 'ComponentInstance' on which the operation shall be applied.

Constraints

- There are no constraints specified.

5.5 ComponentReference

Semantics

A 'ComponentReference' is a target of a 'TestConfigurationOperation'. It allows 'ComponentInstance's within an 'ExtendedTestConfiguration' to be referenced in unique manner, where multiple instances of the same 'TestConfiguration' would otherwise create ambiguity.

Generalization

- Element.

Properties

- component: ComponentInstance [1]
The 'ComponentInstance' that the 'ComponentReference' refers to.
- configuration: TestConfigurationReference [0..1]
The 'TestConfigurationInstance' that the 'ComponentReference' refers to.

Constraints

- There are no constraints specified.