
**Essential oil of petitgrain, Paraguayan
type (*Citrus aurantium* L. var.
Paraguay (syn. *Citrus aurantium* var.
bigaradia Hook f.))**

*Huile essentielle de petitgrain, type Paraguay (Citrus aurantium L.
var. Paraguay (syn. Citrus aurantium var. bigaradia Hook f.))*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3064:2015](https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015)

<https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 3064:2015

<https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Specifications.....	1
4.1 Appearance.....	1
4.2 Colour.....	2
4.3 Odour.....	2
4.4 Relative density, d_{20}^{20}	2
4.5 Refractive index at 20 °C.....	2
4.6 Optical rotation at 20 °C.....	2
4.7 Miscibility in ethanol 70 % (volume fraction) at 20 °C.....	2
4.8 Acid value.....	2
4.9 Chromatographic profile.....	2
4.10 Flashpoint.....	3
5 Sampling.....	3
6 Test methods.....	3
6.1 Relative density, d_{20}^{20}	3
6.2 Refractive index at 20 °C.....	3
6.3 Optical rotation at 20 °C.....	3
6.4 Miscibility in ethanol 70 % (volume fraction) at 20 °C.....	3
6.5 Acid value.....	3
6.6 Chromatographic profile.....	3
7 Packaging, labelling, marking, and storage.....	4
Annex A (informative) Typical chromatograms of the analysis by gas chromatography of the essential oil of petitgrain, Paraguay type (<i>Citrus aurantium</i> L. var. Paraguay (syn. <i>Citrus aurantium</i> L. var. bigaradia Hook f.)).....	5
Annex B (informative) Flashpoint.....	7
Bibliography.....	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 54, *Essential oils*.

This third edition cancels and replaces the second edition (ISO 3064:2000), which has been technically revised.

<https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015>

Essential oil of petitgrain, Paraguayan type (*Citrus aurantium* L. var. Paraguay (syn. *Citrus aurantium* var. bigaradia Hook f.))

1 Scope

This International Standard specifies certain characteristics of the essential oil of petitgrain, Paraguayan type (*Citrus aurantium* L. var. Paraguay (syn. *Citrus aurantium* var. bigaradia Hook f.)), intended to facilitate the assessment of its quality.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 210, *Essential oils — General rules for packaging, conditioning and storage*

ISO/TS 211, *Essential oils — General rules for labelling and marking of containers*

ISO 212, *Essential oils — Sampling*

ISO 279, *Essential oils — Determination of relative density at 20 °C — Reference method*

ISO 280, *Essential oils — Determination of refractive index*

ISO 592, *Essential oils — Determination of optical rotation*

ISO 875, *Essential oils — Evaluation of miscibility in ethanol*

ISO 1242, *Essential oils — Determination of acid value*

ISO 11024 (all parts), *Essential oils — General guidance on chromatographic profiles*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

essential oil of petitgrain

essential oil obtained by steam distillation of only leaves and twigs of *Citrus aurantium* L. var. Paraguay (syn. *Citrus aurantium* var. bigaradia Hook f.), mainly cultivated in Paraguay, of the *Rutaceae* family

Note 1 to entry: For information on the CAS number, see ISO/TR 21092.[2]

4 Specifications

4.1 Appearance

Clear liquid.

4.2 Colour

Colourless to pale yellow.

4.3 Odour

Fresh, green, and flowery.

4.4 Relative density, d_{20}^{20}

Minimum: 0,884.

Maximum: 0,892.

4.5 Refractive index at 20 °C

Minimum: 1,454.

Maximum: 1,463.

4.6 Optical rotation at 20 °C

Between -5° and -1° .

4.7 Miscibility in ethanol 70 % (volume fraction) at 20 °C

It shall not be necessary to use more than 3,5 volumes of ethanol 70 % (volume fraction) to obtain a clear solution with one volume of essential oil.

4.8 Acid value

Maximum: 1.

4.9 Chromatographic profile

Carry out the analysis of the essential oil by gas chromatography. Identify in the chromatogram obtained, the representative and characteristic components shown in [Table 1](#). The proportions of these components, indicated by the integrator, shall be as shown in [Table 1](#). This constitutes the chromatographic profile of the essential oil.

Table 1 — Chromatographic profile

Component	Minimum	Maximum
	%	%
β -Pinene	0,5	2,0
Myrcene	1,3	3,0
Sabinene	0,1	0,5
Limonene	0,7	3,5
(Z)- β -Ocimene	0,7	1,5
(E)- β -Ocimene	0,5	3,5
Linalool	15,0	30,0
Linalyl acetate	40,0	60,0

NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in [Annex A](#).

Table 1 (continued)

Component	Minimum %	Maximum %
β -Caryophyllene	0,3	1,5
α -Terpineol	3,0	7,0
Nerol	0,5	2,0
Geraniol	2,0	4,5
Neryl acetate	1,0	3,0
Geranyl acetate	2,0	5,0

NOTE The chromatographic profile is normative, contrary to typical chromatograms given for information in [Annex A](#).

4.10 Flashpoint

Information concerning the flashpoint is given in [Annex B](#).

5 Sampling

Sampling shall be performed in accordance with ISO 212.

Minimum volume of the test sample: 25 ml.

NOTE This volume makes it possible for each of the tests specified in this International Standard to be carried out at least once.

6 Test methods

ISO 3064:2015

<https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015>

6.1 Relative density, d_{20}^{20}

Determine the relative density in accordance with ISO 279.

6.2 Refractive index at 20 °C

Determine the refractive index in accordance with ISO 280.

6.3 Optical rotation at 20 °C

Determine the optical rotation in accordance with ISO 592.

6.4 Miscibility in ethanol 70 % (volume fraction) at 20 °C

Determine the miscibility in accordance with ISO 875.

6.5 Acid value

Determine the acid value in accordance with ISO 1242.

6.6 Chromatographic profile

Determine the chromatographic profile in accordance with ISO 11024.

7 Packaging, labelling, marking, and storage

These items shall be in accordance with ISO/TS 210 and ISO/TS 211.


iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 3064:2015](https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015)

<https://standards.iteh.ai/catalog/standards/sist/97b94b19-1f66-4148-a5e6-93068ce60a5a/iso-3064-2015>

Annex A (informative)

Typical chromatograms of the analysis by gas chromatography of the essential oil of petitgrain, Paraguay type (*Citrus aurantium* L. var. Paraguay (syn. *Citrus aurantium* L. var. bigaradia Hook f.))



Peak identification	Operating conditions:
1 β -Pinene	Column: dimethylpolysiloxane (HP-1 or BP-1a), length 30 m, internal diameter 0,25 mm
2 Sabinene	Film thickness: 0,25 μ m
3 Myrcene	Oven temperature: temperature programmed 1 min at 60 $^{\circ}$ C, then from 60 $^{\circ}$ C to 240 $^{\circ}$ C at a rate of 2 $^{\circ}$ C/min
4 Limonene	Injector temperature: 250 $^{\circ}$ C
5 (<i>Z</i>)- β -Ocimene	Detector temperature: 300 $^{\circ}$ C
6 (<i>E</i>)- β -Ocimene	Detector: flame ionization type
7 Terpinolene	Carrier gas: nitrogen
8 Linalool	Volume injected: 0,5 μ l
9 Linalyl acetate	Carrier gas flow rate: 1 ml/min
10 β -Caryophyllene	Split: 1/100
11 α -Terpineol	
12 Geranyl acetate	
13 Neryl acetate	
14 Nerol	
15 Geraniol	
16 Terpenyl acetate	

^a HP-1 and BP-1 are examples of suitable products available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of these products.

Figure A.1 — Typical chromatogram of essential oil of petitgrain taken on an apolar column