



**Universal Mobile Telecommunications System (UMTS);
LTE;
Mobile Equipment (ME) conformance test specification;
Universal Subscriber Identity Module
Application Toolkit (USAT) conformance test specification
(3GPP TS 31.124 version 15.5.0 Release 15)**



Reference

RTS/TSGC-0631124vf50

Keywords

LTE,UMTS

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology	2
Foreword	10
1 Scope	11
2 References	12
3 Definitions and abbreviations	14
3.1 Mobile station definition and configurations	14
3.2 Applicability	14
3.2.1 Applicability of the present document	14
3.2.2 Applicability of the individual tests	14
3.2.3 Applicability to terminal equipment	14
3.2.4 Definitions	14
3.2.4.1 Format of the table of optional features	14
3.2.4.2 Format of the applicability table	15
3.2.4.3 Status and notations	15
3.3 Table of optional features	16
3.4 Applicability table	26
3.5 Conventions for mathematical notations	110
3.5.1 Mathematical signs	110
4 Test equipment	110
5 Testing methodology in general	110
5.1 Testing of optional functions and procedures	110
5.2 Test interfaces and facilities	110
5.3 Information to be provided by the apparatus supplier	110
6 Implicit testing	111
7 Measurement uncertainty	111
8 Format of tests	111
9 Generic call set up procedures	114
10 - 26 Not used	114
27 Testing of the UICC/ME interface	114
27.0 Introduction	114
27.1 - 27.21 Void	114
27.22 USIM Application Toolkit	115
27.22.1A General Test purpose	115
27.22.2A Definition of default values for USIM Application Toolkit testing	115
27.22.2B Definition of default values for LTE related USIM Application Toolkit testing	119
27.22.2B.1 Definition of E-UTRAN/EPC UICC	119
27.22.2B.2 Definition of E-UTRAN parameters	121
27.22.2C Definition of E-UTRAN/EPC ISIM-UICC	121
27.22.2C.1 Applications on the E-UTRAN/EPC ISIM-UICC	121
27.22.2C.2 Default USIM values of E-UTRAN/EPC ISIM-UICC	121
27.22.2C.3 Default ISIM values of E-UTRAN/EPC ISIM-UICC	121
27.22.2C.3.1 EF _{AD} (Administrative Data)	121
27.22.2C.3.2 EF _{IST} (ISIM Service Table)	121
27.22.2C.3.3 EF _{IMPI} (IMS private user identity)	122
27.22.2C.3.4 EF _{DOMAIN} (Home Network Domain Name)	122
27.22.2C.3.5 EF _{IMPU} (IMS public user identity)	122
27.22.2C.3.6 EF _{P-CSCF} (P-CSCF ADDRESS)	123
27.22.2C.3.7 EF _{SMS} (Short Message Service)	123
27.22.2C.3.8 EF _{SMSR} (Short message status reports)	124
27.22.2C.3.9 EF _{SMSF} (Short message service parameters)	124
27.22.2C.3.10 EF _{SMS} (SMS Status)	124

27.22.2C.4	Default values at DF_TELECOM.....	125
27.22.2C.4.1	EF _{PSISMSC} (Public Service Identity of the SM-SC)	125
27.22.1	Initialization of USIM Application Toolkit Enabled UICC by USIM Application Toolkit Enabled ME (Profile Download)	125
27.22.1.1	Definition and applicability.....	125
27.22.1.2	Conformance requirement.....	125
27.22.1.3	Test purpose	125
27.22.1.4	Method of test	125
27.22.1.4.1	Initial conditions	125
27.22.1.4.2	Procedure.....	125
27.22.1.5	Test requirement	126
27.22.2	Contents of the TERMINAL PROFILE command.....	126
27.22.2.1	Definition and applicability.....	126
27.22.2.2	Conformance requirement.....	126
27.22.2.3	Test purpose	126
27.22.2.4	Method of test	126
27.22.2.4.1	Initial conditions.....	126
27.22.1.4.2	Procedure.....	126
27.22.2.5	Test requirement	127
27.22.3	Servicing of proactive UICC commands	127
27.22.3.1	Definition and applicability.....	127
27.22.3.2	Conformance requirement.....	127
27.22.3.3	Test purpose	127
27.22.3.4	Method of test	127
27.22.3.4.1	Initial conditions.....	127
27.22.3.4.2	Procedure.....	127
27.22.3.5	Test requirement	128
27.22.4	Proactive UICC commands	128
27.22.4.1	DISPLAY TEXT.....	128
27.22.4.1.1	DISPLAY TEXT (Normal).....	128
27.22.4.1.2	DISPLAY TEXT (Support of "No response from user")	129
27.22.4.1.3	DISPLAY TEXT (Display of extension text).....	130
27.22.4.1.4	DISPLAY TEXT (Sustained text).....	130
27.22.4.1.5	DISPLAY TEXT (Display of icons).....	132
27.22.4.1.6	DISPLAY TEXT (UCS2 display in Cyrillic).....	133
27.22.4.1.7	DISPLAY TEXT (Variable Time out)	134
27.22.4.1.8	DISPLAY TEXT (Support of Text Attribute).....	134
27.22.4.1.9	DISPLAY TEXT (UCS2 display in Chinese)	142
27.22.4.1.10	DISPLAY TEXT (UCS2 display in Katakana)	142
27.22.4.2	GET INKEY	143
27.22.4.2.1	GET INKEY(normal).....	143
27.22.4.2.2	GET INKEY (No response from User)	144
27.22.4.2.3	GET INKEY (UCS2 display in Cyrillic).....	145
27.22.4.2.4	GET INKEY (UCS2 entry in Cyrillic)	146
27.22.4.2.5	GET INKEY ("Yes/No" Response).....	146
27.22.4.2.6	GET INKEY (display of Icon)	147
27.22.4.2.7	GET INKEY (Help Information).....	148
27.22.4.2.8	GET INKEY (Variable Time out)	149
27.22.4.2.9	GET INKEY (Support of Text Attribute).....	149
27.22.4.2.10	GET INKEY (UCS2 display in Chinese)	156
27.22.4.2.11	GET INKEY (UCS2 entry in Chinese)	157
27.22.4.2.12	GET INKEY (UCS2 display in Katakana)	157
27.22.4.2.13	GET INKEY (UCS2 entry in Katakana)	158
27.22.4.3	GET INPUT	159
27.22.4.3.1	GET INPUT (normal).....	159
27.22.4.3.2	GET INPUT (No response from User).....	160
27.22.4.3.3	GET INPUT (UCS2 display in Cyrillic)	161
27.22.4.3.4	GET INPUT (UCS2 entry in Cyrillic).....	162
27.22.4.3.5	GET INPUT (default text).....	163
27.22.4.3.6	GET INPUT (display of Icon)	163
27.22.4.3.7	GET INPUT (Help Information)	164
27.22.4.3.8	GET INPUT (Support of Text Attribute)	165

27.22.4.3.9	GET INPUT (UCS2 display in Chinese).....	172
27.22.4.3.10	GET INPUT (UCS2 entry in Chinese).....	172
27.22.4.3.11	GET INPUT (UCS2 display in Katakana).....	173
27.22.4.3.12	GET INPUT (UCS2 entry in Katakana).....	174
27.22.4.4	MORE TIME.....	175
27.22.4.4.2	Conformance requirement.....	175
27.22.4.4.3	Test purpose.....	175
27.22.4.4.4	Method of test.....	175
27.22.4.4.5	Test requirement.....	175
27.22.4.5	PLAY TONE.....	175
27.22.4.5.1	PLAY TONE (Normal).....	175
27.22.4.5.2	PLAY TONE (UCS2 display in Cyrillic).....	181
27.22.4.5.3	PLAY TONE (display of Icon).....	182
27.22.4.5.4	PLAY TONE (Support of Text Attribute).....	183
27.22.4.5.5	PLAY TONE (UCS2 display in Chinese).....	190
27.22.4.5.6	PLAY TONE (UCS2 display in Katakana).....	191
27.22.4.6	POLL INTERVAL.....	191
27.22.4.6.1	Definition and applicability.....	191
27.22.4.6.2	Conformance requirement.....	191
27.22.4.6.3	Test purpose.....	192
27.22.4.6.4	Method of test.....	192
27.22.4.7	REFRESH.....	192
27.22.4.7.1	REFRESH (normal).....	192
27.22.4.7.2	REFRESH (IMSI changing procedure).....	202
27.22.4.7.3	REFRESH (Steering of roaming).....	214
27.22.4.7.4	REFRESH (AID).....	232
27.22.4.7.5	REFRESH (IMSI changing procedure, E-UTRAN).....	235
27.22.4.8	SET UP MENU and ENVELOPE MENU SELECTION.....	240
27.22.4.8.1	SET UP MENU (normal) and ENVELOPE MENU SELECTION.....	240
27.22.4.8.2	SET UP MENU (help request support) and ENVELOPE MENU SELECTION.....	241
27.22.4.8.3	SET UP MENU (next action support) and ENVELOPE MENU SELECTION.....	242
27.22.4.8.4	SET UP MENU (display of icons) and ENVELOPE MENU SELECTION.....	243
27.22.4.8.5	SET UP MENU (soft keys support) and ENVELOPE MENU SELECTION.....	244
27.22.4.8.6	SET UP MENU (support of Text Attribute) and ENVELOPE MENU SELECTION.....	245
27.22.4.8.7	SET UP MENU (UCS2 display in Cyrillic) and ENVELOPE MENU SELECTION.....	252
27.22.4.8.8	SET UP MENU (UCS2 display in Chinese) and ENVELOPE MENU SELECTION.....	253
27.22.4.8.9	SET UP MENU (UCS2 display in Katakana) and ENVELOPE MENU SELECTION.....	254
27.22.4.9	SELECT ITEM.....	255
27.22.4.9.1	SELECT ITEM (mandatory features for ME supporting SELECT ITEM).....	255
27.22.4.9.2	SELECT ITEM (next action support).....	256
27.22.4.9.3	SELECT ITEM (default item support).....	257
27.22.4.9.4	SELECT ITEM (help request support).....	257
27.22.4.9.5	SELECT ITEM (icons support).....	258
27.22.4.9.6	SELECT ITEM (presentation style).....	259
27.22.4.9.7	SELECT ITEM (soft keys support).....	260
27.22.4.9.8	SELECT ITEM (Support of "No response from user").....	260
27.22.4.9.9	SELECT ITEM (Support of Text Attribute).....	261
27.22.4.9.10	SELECT ITEM (UCS2 display in Cyrillic).....	267
27.22.4.9.11	SELECT ITEM (UCS2 display in Chinese).....	268
27.22.4.9.12	SELECT ITEM (UCS2 display in Katakana).....	269
27.22.4.10	SEND SHORT MESSAGE.....	270
27.22.4.10.1	SEND SHORT MESSAGE (normal).....	270
27.22.4.10.2	SEND SHORT MESSAGE (UCS2 display in Cyrillic).....	271
27.22.4.10.3	SEND SHORT MESSAGE (icon support).....	277
27.22.4.10.4	SEND SHORT MESSAGE (Support of Text Attribute).....	283
27.22.4.10.5	SEND SHORT MESSAGE (UCS2 display in Chinese).....	321
27.22.4.10.6	SEND SHORT MESSAGE (UCS2 display in Katakana).....	326
27.22.4.10.7	SEND SHORT MESSAGE (IMS).....	331
27.22.4.10.8	SEND SHORT MESSAGE (over SGs in E-UTRAN).....	343
27.22.4.11	SEND SS.....	344
27.22.4.11.1	SEND SS (normal).....	344
27.22.4.11.2	SEND SS (Icon support).....	356

27.22.4.11.3	SEND SS (UCS2 display in Cyrillic)	362
27.22.4.11.4	SEND SS (support of Text Attribute).....	364
27.22.4.11.5	SEND SS (UCS2 display in Chinese)	398
27.22.4.11.6	SEND SS (UCS2 display in Katakana)	400
27.22.4.12	SEND USSD	402
27.22.4.12.1	SEND USSD (normal)	402
27.22.4.12.2	SEND USSD (Icon support).....	412
27.22.4.12.3	SEND USSD (UCS2 display in Cyrillic)	418
27.22.4.12.4	SEND USSD (support of Text Attribute).....	420
27.22.4.12.5	SEND USSD (UCS2 display in Chinese).....	454
27.22.4.12.6	SEND USSD (UCS2 display in Katakana).....	456
27.22.4.13	SET UP CALL	459
27.22.4.13.1	SET UP CALL (normal).....	459
27.22.4.13.2	SET UP CALL (second alpha identifier).....	471
27.22.4.13.3	SET UP CALL (display of icons).....	473
27.22.4.13.4	SET UP CALL (support of Text Attribute).....	482
27.22.4.13.5	SET UP CALL (UCS2 Display in <i>Cyrillic</i>)	524
27.22.4.13.6	SET UP CALL (UCS2 Display in Chinese).....	527
27.22.4.13.7	SET UP CALL (UCS2 Display in Katakana).....	530
27.22.4.14	POLLING OFF	533
27.22.4.14.1	Definition and applicability	533
27.22.4.14.2	Conformance requirement	533
27.22.4.14.3	Test purpose	533
27.22.4.14.4	Method of test.....	533
27.22.4.14.5	Test requirement	536
27.22.4.15	PROVIDE LOCAL INFORMATION	536
27.22.4.15.1	Definition and applicability	536
27.22.4.15.2	Conformance requirement	536
27.22.4.15.3	Test purpose	536
27.22.4.15.4	Method of tests	537
27.22.4.15.5	Test requirement	555
27.22.4.16	SET UP EVENT LIST	555
27.22.4.16.1	SET UP EVENT LIST (normal)	555
27.22.4.17	PERFORM CARD APDU	564
27.22.4.17.1	PERFORM CARD APDU (normal).....	564
27.22.4.17.2	PERFORM CARD APDU (detachable card reader)	565
27.22.4.18	POWER OFF CARD	566
27.22.4.18.1	POWER OFF CARD (normal).....	566
27.22.4.18.2	POWER OFF CARD (detachable card reader)	567
27.22.4.19	POWER ON CARD	568
27.22.4.19.1	POWER ON CARD (normal)	568
27.22.4.19.2	POWER ON CARD (detachable card reader).....	569
27.22.4.20	GET READER STATUS	569
27.22.4.20.1	GET READER STATUS (normal)	569
27.22.4.20.2	GET CARD READER STATUS (detachable card reader).....	570
27.22.4.21	TIMER MANAGEMENT and ENVELOPE TIMER EXPIRATION	571
27.22.4.21.1	TIMER MANAGEMENT (normal)	571
27.22.4.21.2	ENVELOPE TIMER EXPIRATION (normal)	572
27.22.4.22	SET UP IDLE MODE TEXT.....	573
27.22.4.22.1	SET UP IDLE MODE TEXT (normal)	573
27.22.4.22.2	SET UP IDLE MODE TEXT (Icon support)	578
27.22.4.22.3	SET UP IDLE MODE TEXT (UCS2 support).....	579
27.22.4.22.4	SET UP IDLE MODE TEXT (support of Text Attribute)	580
27.22.4.22.5	SET UP IDLE MODE TEXT (UCS2 display in Chinese)	586
27.22.4.22.6	SET UP IDLE MODE TEXT (UCS2 display in Katakana)	587
27.22.4.23	RUN AT COMMAND.....	588
27.22.4.23.1	RUN AT COMMAND (normal)	588
27.22.4.23.2	RUN AT COMMAND (Icon support)	590
27.22.4.23.3	RUN AT COMMAND (support of Text Attribute).....	597
27.22.4.23.4	RUN AT COMMAND (UCS2 display in Cyrillic)	631
27.22.4.23.5	RUN AT COMMAND (UCS2 display in Chinese)	631
27.22.4.23.6	RUN AT COMMAND (UCS2 display in Katakana)	632

27.22.4.24	SEND DTMF	633
27.22.4.24.1	SEND DTMF (Normal).....	633
27.22.4.24.2	SEND DTMF (Display of icons).....	638
27.22.4.24.3	SEND DTMF (UCS2 display in Cyrillic)	643
27.22.4.24.4	SEND DTMF (support of Text Attribute)	645
27.22.4.24.5	SEND DTMF (UCS2 Display in Chinese)	693
27.22.4.24.6	SEND DTMF (UCS2 Display in Katakana)	695
27.22.4.25	LANGUAGE NOTIFICATION	696
27.22.4.25.1	Definition and applicability	696
27.22.4.25.2	Conformance Requirement.....	696
27.22.4.25.3	Test purpose	696
27.22.4.25.4	Method of Test	697
27.22.4.25.5	Test requirement.....	697
27.22.4.26	LAUNCH BROWSER.....	697
27.22.4.26.1	LAUNCH BROWSER (No session already launched)	697
27.22.4.26.2	LAUNCH BROWSER (Interaction with current session).....	704
27.22.4.26.3	LAUNCH BROWSER (UCS2 display in Cyrillic)	708
27.22.4.26.4	LAUNCH BROWSER (icons support)	711
27.22.4.26.5	LAUNCH BROWSER (support of Text Attribute).....	716
27.22.4.26.6	LAUNCH BROWSER (UCS2 Display in Chinese).....	758
27.22.4.26.7	LAUNCH BROWSER (UCS2 Display in Katakana)	760
27.22.4.27	OPEN CHANNEL	762
27.22.4.27.1	Void.....	762
27.22.4.27.2	Open Channel (related to GPRS).....	762
27.22.4.27.3	Open Channel (default bearer)	779
27.22.4.27.3.1	Open Channel (default bearer, E-UTRAN)	779
27.22.4.27.3.2	Open Channel (Default bearer, GERAN/UTRAN)	779
27.22.4.27.4	Open Channel (Local Bearer).....	782
27.22.4.27.5	Open Channel (GPRS, support of Text Attribute).....	782
27.22.4.27.6	Open Channel (related to E-UTRAN)	842
27.22.4.27.7	Open Channel (UICC Access to IMS).....	864
27.22.4.28	CLOSE CHANNEL	870
27.22.4.28.1	CLOSE CHANNEL (normal)	870
27.22.4.28.2	CLOSE CHANNEL (support of Text Attribute).....	876
27.22.4.28.3	CLOSE CHANNEL(E-UTRAN/EPC).....	919
27.22.4.29	RECEIVE DATA.....	927
27.22.4.29.1	RECEIVE DATA (NORMAL)	927
27.22.4.29.1.5	Test requirement.....	946
27.22.4.29.2	RECEIVE DATA (support of Text Attribute).....	946
27.22.4.30	SEND DATA	985
27.22.4.30.1	SEND DATA (normal).....	985
27.22.4.30.2	SEND DATA (support of Text Attribute)	1000
27.22.4.30.3	SEND DATA (E-UTRAN)	1031
27.22.4.31	GET CHANNEL STATUS	1040
27.22.4.31.1	Definition and applicability	1040
27.22.4.31.2	Conformance requirements.....	1040
27.22.4.31.3	Test purpose	1040
27.22.4.31.4	Method of test.....	1040
27.22.4.31.5	Test requirement	1055
27.22.5	Data Download to UICC.....	1055
27.22.5.1	SMS-PP Data Download.....	1055
27.22.5.1.1	Definition and applicability	1055
27.22.5.1.2	Conformance requirement	1055
27.22.5.1.3	Test purpose	1055
27.22.5.1.4	Method of Test	1056
27.22.5.1.5	Test requirement	1057
27.22.5.2	Cell Broadcast Data Download.....	1057
27.22.5.2.1	Definition and applicability	1057
27.22.5.2.2	Conformance requirement	1057
27.22.5.2.3	Test purpose	1057
27.22.5.2.4	Method of Test	1057
27.22.5.2.5	Test requirement	1062

27.22.5.3	SMS-PP Data Download over IMS.....	1062
27.22.5.3.1	Definition and applicability.....	1062
27.22.5.3.2	Conformance requirement.....	1062
27.22.5.3.3	Test purpose.....	1063
27.22.5.3.4	Method of Test.....	1063
27.22.5.3.5	Test requirement.....	1072
27.22.5.4	SMS-PP Data Download over SGs in E-UTRAN.....	1072
27.22.5.4.1	Definition and applicability.....	1072
27.22.5.4.2	Conformance requirement.....	1072
27.22.5.4.3	Test purpose.....	1072
27.22.5.4.4	Method of Test.....	1073
27.22.5.4.5	Test requirement.....	1073
27.22.6	CALL CONTROL BY USIM.....	1073
27.22.6.1	Procedure for Mobile Originated calls.....	1073
27.22.6.1.1	Definition and applicability.....	1073
27.22.6.1.2	Conformance requirement.....	1073
27.22.6.1.3	Test purpose.....	1073
27.22.6.1.4	Method of tests.....	1074
27.22.6.1.5	Test requirement.....	1094
27.22.6.2	Procedure for Supplementary (SS) Services.....	1094
27.22.6.2.1	Definition and applicability.....	1094
27.22.6.2.2	Conformance requirement.....	1095
27.22.6.2.3	Test purpose.....	1095
27.22.6.2.4	Method of tests.....	1095
27.22.6.2.5	Test requirement.....	1102
27.22.6.3	Interaction with Fixed Dialling Number (FDN).....	1102
27.22.6.3.1	Definition and applicability.....	1102
27.22.6.3.2	Conformance requirement.....	1102
27.22.6.3.3	Test purpose.....	1102
27.22.6.3.4	Method of tests.....	1103
27.22.6.3.5	Test requirement.....	1109
27.22.6.4	Support of Barred Dialling Number (BDN) service.....	1109
27.22.6.4.1	Definition and applicability.....	1109
27.22.6.4.2	Conformance requirement.....	1109
27.22.6.4.3	Test purpose.....	1110
27.22.6.4.4	Method of tests.....	1110
27.22.6.4.5	Test requirement.....	1120
27.22.6.5	Barred Dialling Number (BDN) service handling for terminals not supporting BDN.....	1121
27.22.6.5.1	Definition and applicability.....	1121
27.22.6.5.2	Conformance requirement.....	1121
27.22.6.5.3	Test purpose.....	1121
27.22.6.5.4	Method of tests.....	1121
27.22.7	EVENT DOWNLOAD.....	1122
27.22.7.1	MT Call Event.....	1122
27.22.7.1.1	MT Call Event (normal).....	1122
27.22.7.2	Call Connected Event.....	1124
27.22.7.2.1	Call Connected Event (MT and MO call).....	1124
27.22.7.2.2	Call Connected Event (ME supporting SET UP CALL).....	1131
27.22.7.3	Call Disconnected Event.....	1134
27.22.7.3.1	Call Disconnected Event.....	1134
27.22.7.4	Location Status Event.....	1138
27.22.7.4.1	Location Status Event (normal).....	1138
27.22.7.5	User Activity Event.....	1145
27.22.7.5.1	User Activity Event (normal).....	1145
27.22.7.6	Idle screen available event.....	1146
27.22.7.6.1	Idle Screen Available (normal).....	1146
27.22.7.7	Card reader status event.....	1147
27.22.7.7.1	Card Reader Status (normal).....	1147
27.22.7.7.2	Card Reader Status(detachable card reader).....	1147
27.22.7.8	Language selection event.....	1148
27.22.7.8.1	Language selection event (normal).....	1148
27.22.7.9	Browser termination event.....	1149

27.22.7.9.1	Browser termination (normal)	1149
27.22.7.10	Data available event	1151
27.22.7.10.1	Definition and applicability	1151
27.22.7.10.2	Conformance requirements.....	1151
27.22.7.10.3	Test purpose	1151
27.22.7.10.4	Method of test.....	1152
27.22.7.11	Channel Status event	1165
27.22.7.11.1	Definition and applicability	1165
27.22.7.11.2	Conformance requirements.....	1165
27.22.7.11.3	Test purpose	1165
27.22.7.11.4	Method of test.....	1165
27.22.7.12	Access Technology Change event.....	1172
27.22.7.13	Display parameter changed event	1175
27.22.7.14	Local Connection event.....	1175
27.22.7.15	Network search mode change event.....	1176
27.22.7.15.1	Definition and applicability	1176
27.22.7.15.2	Conformance requirements.....	1176
27.22.7.15.3	Test purpose	1176
27.22.7.15.4	Method of test.....	1176
27.22.7.16	Browsing status event	1178
27.22.7.17	Network Rejection Event	1178
27.22.7.18	CSG Cell Selection event.....	1182
27.22.7.18.1	CSG Cell Selection (normal).....	1182
27.22.7.19	IMS registration event.....	1188
27.22.7.20	Incoming IMS data event	1188
27.22.7.20.1	Incoming IMS data (normal)	1188
27.22.7.21	Data Connection Status Change event	1193
27.22.8	MO SHORT MESSAGE CONTROL BY USIM	1196
27.22.8.1	Definition and applicability.....	1196
27.22.8.2	Conformance requirement	1196
27.22.8.3	Test purpose	1196
27.22.8.4	Method of tests.....	1197
27.22.8.4.1	Initial conditions	1197
27.22.8.4.2	Procedure.....	1198
27.22.8.5	Test requirement	1211
27.22.9	Handling of command number	1211
27.22.9.1	Definition and applicability.....	1211
27.22.9.2	Conformance requirement.....	1212
27.22.9.3	Test purpose	1212
27.22.9.4	Method of tests.....	1212
27.22.9.4.1	Initial conditions	1212
27.22.9.4.2	Procedure.....	1212
27.22.9.5	Test requirement	1212
27.22.10	CALL CONTROL on EPS PDN Connection	1212
27.22.10.1	Procedure for Mobile Originated calls	1212
27.22.10.1.1	Definition and applicability	1212
27.22.10.1.2	Conformance requirement	1212
27.22.10.1.3	Test purpose	1212
27.22.10.1.4	Method of tests	1213
27.22.11	CALL CONTROL on PDP Context Activation.....	1222
27.22.11.1	Procedure for Mobile Originated calls	1222
Annex A (normative):	Details of Test-SIM (TestSIM).....	1242
Annex B (normative):	Details of terminal profile support	1244
Annex C (informative):	Change history	1258
History		1265

Foreword

This Technical Specification has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
 - 1 presented to TSG for information;
 - 2 presented to TSG for approval;
 - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

PREVIEW
STANDARD
PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/4a79926d-8b3c-495a-b44b-ed3bbb51c8ee/etsi-ts-131-124-v15.5.0-2019-07>

1 Scope

The present document describes the technical characteristics and methods of test for testing the USIM Application Toolkit implemented in 3rd Generation Mobile Equipments (ME) or Mobile Station (MS) for the 5G, LTE-Advanced, LTE, 3G and 2G digital cellular communications systems within the 3GPP digital cellular telecommunications system, in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [19] and ETSI ETS 300 406 [20].

The present document is valid for ME implemented according to 3GPP Release 99, or Release 4, or any later Release.

The present document covers the minimum characteristics considered necessary in order to provide sufficient performance for mobile equipment and to prevent interference to other services or to other users, and to the PLMNs.

It does not necessarily include all the characteristics which may be required by a user or subscriber, nor does it necessarily represent the optimum performance achievable.

The present document is part of the 3GPP-series of technical specifications. The present document neither replaces any of the other 3GPP technical specifications or 3GPP related ETSs or ENs, nor is it created to provide full understanding of (or parts of) the UMTS. The present document lists the requirements, and provides the methods of test for testing the USIM Application Toolkit implemented in a ME for conformance to the 3GPP standard.

For a full description of the system, reference should be made to all the 3GPP technical specifications or 3GPP related ETSIs, ETSs or ENs. Clause 2 provides a complete list of the 3GPP technical specifications, 3GPP related ETSI's EtSs, ENs, and ETRs, on which this conformance test specifications is based.

If there is a difference between this present conformance document, and any other 3GPP technical specification or 3GPP related ETSI, ETS, EN, or 3GPP TS, then the other 3GPP technical specification or 3GPP related ETSI ETS, EN or 3GPP TS shall prevail.

Within the context of this document, the term "terminal" used in ETSI TS 102 384 [26] refers to the Mobile Equipment (ME).

Within the context of this document, the term "UICC" used in ETSI TS 102 384 [26] refers to the USIM card.

Within the context of this document, the term "NAA" used in ETSI TS 102 384 [26] refers to the USIM application.

For the avoidance of doubt, references to clauses of ETSI TS 102 384 [26] or ETSI TS 102 221 [13] include all the subclauses of that clause, unless specifically mentioned.

The target test specification ETSI TS 102 384 [26] contains material that is outside of the scope of 3GPP requirements and the present document indicates which parts are in the scope and which are not.

A 3GPP ME may support functionality that is not required by 3GPP, but the requirements to do so are outside of the scope of 3GPP. Thus the present document does not contain tests or references to ETSI TS 102 384 [26] tests for features which are out of scope of 3GPP.

In the present document, unless explicitly stated otherwise, for Rel-13 onwards the term E-UTRAN implicitly refers to the E-UTRAN in WB-S1 mode. E-UTRAN in NB-S1 mode is always explicitly referred to as NB-IoT.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the relevant Release*.
- References to 3GPP Technical Specifications and Technical Reports throughout the present document shall be interpreted according to the Release shown in the formal reference in this clause, based upon the Release of the implementation under test.

- [1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".
- [2] 3GPP TS 22.001: "Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN)".
- [3] 3GPP TS 22.003: "Circuit Teleservices supported by a Public Land Mobile Network (PLMN)".
- [4] 3GPP TS 22.004: "General on supplementary services".
- [5] ETSI TS 101 220: "ETSI numbering system for telecommunication application providers"
- [6] 3GPP TS 21.904: "UE capability requirements".
- [7] 3GPP TS 23.038: "Alphabets and language-specific information".
- [8] 3GPP TS 23.040: "Technical realization of the Short Message Service (SMS)".
- [9] 3GPP TS 23.041: "Technical realization of Cell Broadcast Service (CBS)".
- [10] 3GPP TS 24.008: "Mobile radio interface layer 3 specification; Core network protocols; Stage 3".
- [11] 3GPP TS 24.011: "Point-to-Point (PP) Short Message Service (SMS) Support on mobile radio interface".
- [12] 3GPP TS 34.108: "Common test environments for User Equipment (UE) conformance testing".
- [13] If the device under test is a
- R99 ME: ETSI TS 102 221 v3.18.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-4 ME: ETSI TS 102 221 v4.16.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-5 ME: ETSI TS 102 221 v5.10.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-6 ME: ETSI TS 102 221 v6.15.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-7 ME: ETSI TS 102 221 v7.17.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-8 ME: ETSI TS 102 221 v8.5.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-9 ME: ETSI TS 102 221 v9.2.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-10 ME: ETSI TS 102 221 v10.0.0: "UICC-Terminal interface; Physical and logical characteristics",
 - Rel-11 ME: ETSI TS 102 221 v11.1.0: "UICC-Terminal interface; Physical and logical characteristics",