

SLOVENSKI STANDARD oSIST prEN 301 489-4 V3.3.0:2020

01-junij-2020

Standard elektromagnetne združljivosti (EMC) za radijsko opremo in storitve - 4. del: Posebni pogoji za fiksne radijske povezave in pomožno opremo - Harmonizirani standard za elektromagnetno združljivost

ElectroMagnetic Compatibility (EMC) standard for radio equipment and services - Part 4: Specific conditions for fixed radio links and ancillary equipment - Harmonised Standard for electromagnetic compatibility

(standards.iteh.ai)

SIST EN 301 489-4 V3.3.1:2021

https://standards.iteh.ai/catalog/standards/sist/9da43690-7017-46b7-8c0c-beecc0f32446/sist-en-301-489-4-v3-3-1-2021

Ta slovenski standard je istoveten z: ETSI EN 301 489-4 V3.3.0 (2020-03)

ICS:

33.060.20 Sprejemna in oddajna Receiving and transmitting

oprema equipment

33.100.01 Elektromagnetna združljivost Electromagnetic compatibility

na splošno in general

oSIST prEN 301 489-4 V3.3.0:2020 en

oSIST prEN 301 489-4 V3.3.0:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 301 489-4 V3.3.1:2021</u> teh ai/catalog/standards/sist/9da43690-7017-46b7

heecc0f32446/sist-en-301-489-4-v3-3-1-2021

oSIST prEN 301 489-4 V3.3.0:2020

Draft ETSI EN 301 489-4 V3.3.0 (2020-03)



ElectroMagnetic Compatibility (EMC)
standard for radio equipment and services;
Part 4: Specific conditions for fixed radio links
and ancillary equipment;
Harmonised Standard for electromagnetic compatibility

heecc0f32446/sist-en-301-489-4-v3-3-1-2021

Reference

REN/ERM-EMC-403

Keywords

EMC, FWA, harmonised standard, point-to-point, radio, regulation, RLL, WLL

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

(standards.iteh.ai)

Important notice

The present document can be downloaded from:

http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommitteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020. All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intelle	ectual Property Rights	5
Forew	ord	5
Modal	l verbs terminology	5
Introd	uction	6
1	Scope	7
	References	
2.1	Normative references	
2.2	Informative references.	
	Definition of terms, symbols and abbreviations	
3.1	Terms	
3.2	Symbols	
3.3	Abbreviations	8
4	Test conditions	9
4.1	General	9
4.1.1	Introduction	
4.1.2	Test conditions and configurations	9
4.1.3	Emission tests	
4.1.4	Immunity tests	10
4.2	Arrangements for test signals	11
4.2.1	Arrangements for test signals at the input of the transmitter	
4.2.2	Arrangements for test signals at the output of the transmitter	
4.2.3	Arrangements for test signals at the input of the receiver	
4.2.4	Arrangements for test signals at the output of the receiver	
4.3	Exclusion bands	
4.3.1	Exclusion bands for receivers	
4.3.2	Exclusion bands for transmitters	
5	Performance assessment eecc0f32446/sist-en-301-489-4-v3-3-1-2021	
5.1	Equipment which can provide a communications link	13
5.2	Ancillary equipment	13
5.3	Equipment classification	13
6	Performance criteria	
6.0	Introduction	
6.1	Performance criterion for Continuous phenomena applied to Transmitters (CT) and Receivers (CR)	
6.2	Performance criterion for Transient phenomena applied to Transmitters (TT) and Receivers (TR)	
6.3	Specific performance criteria	
6.3.1	Digital signal ports	
6.3.1.0		
6.3.1.1	<u>*</u>	
6.3.1.2	1	
6.3.2 6.3.2.1	Analogue voice frequency signal ports	
6.3.2.1 6.3.2.2		
6.3.2.2 6.3.3	Ethernet and packet-data interfaces	
0.3.3 6.3.3.0		
6.3.3.1		
6.3.3.1 6.3.3.2		
6.3.4	Service and maintenance interfaces	
6.3.5	Synchronization interfaces	
6.3.5.0		
6.3.5.1		
6.3.5.2		
6.3.6	Remote alarm interfaces	

Draft ETS	EN 301	489-4 V3	3.3.0 (2020-03)
-----------	--------	----------	-----------------

6.3.6.1	Performance	criterion for continuous phenomena	15
6.3.6.2		criterion for transient phenomena	
6.4	Performance criteria	for ancillary equipment tested on a stand alone basis	15
7	Applicability overview	w tables	15
7.1			
7.1.1			
7.1.2	Special condition	ns	16
7.2			
7.2.1	General		16
7.2.2	Special condition	18	17
Anne	x A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	18
Anne	x B (informative):	Examples of Fixed Radio Link equipment within the scope of the present document	20
B.1	•	; Point-to-Point equipment; intended for operation in the frequency bands GHz	20
B.2		; Point-to-Multipoint equipment; intended for operation in the frequency ad in frequency bands from 1 GHz to 40 GHz	20
Anne	x C (informative):	Change history	21
Histor	·V		22

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-4 V3.3.1:2021 https://standards.iteh.ai/catalog/standards/sist/9da43690-7017-46b7-8c0cbeecc0f32446/sist-en-301-489-4-v3-3-1-2021

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (https://ipr.etsi.org/).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI standards EN Approval Procedure.

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.11] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document is part 4 of a multi-part deliverable. Full details of the entire series can be found in part 1 [1].

Proposed national transposition da	tes
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the <u>ETSI Drafting Rules</u> (Verbal forms for the expression of provisions).

[&]quot;must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The structure of the ETSI EN 301 489 series has been changed for use under the RED from that used under the R&TTED. The following text briefly explains this new format:

• The product specific part would contain in clause 7 two new tables similar to that currently in ETSI EN 301 489-1 [1] clause 7.1 for emissions and clause 7.2 for immunity. These would inform the reader whether the requirements, etc. are to be found in ETSI EN 301 489-1 [1] or further in the product specific part.

As an example; the assessment of a Wi-Fi router would use ETSI EN 301 489-17 [i.12] which would normatively reference ETSI EN 301 489-1 [1] for certain aspects. Consequently:

• Changes to ETSI EN 301 489-1:

No references to product specific parts.

• Changes to product specific parts, e.g. the present document:

Two new tables, one for emissions in clause 7.1, and one for immunity in clause 7.2 that will point the reader to the location of the requirements, i.e. ETSI EN 301 489-1 [1] or the present document.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 489-4 V3.3.1:2021
https://standards.iteh.ai/catalog/standards/sist/9da43690-7017-46b7-8c0c-beecc0f32446/sist-en-301-489-4-v3-3-1-2021

1 Scope

The present document specifies technical characteristics and methods of measurement for Analogue and Digital Fixed Radio Links operating as fixed Point-to-Point, and Point-to-Multipoint systems as defined in annex B, including the associated ancillary equipment.

NOTE 1: Technical specifications related to the antenna port of the radio equipment are not included in the present document. Such technical specifications are found in the relevant product standards for the effective use of the radio spectrum.

The processing and protection switch, (de)modulator, transmitter, receiver, RF filters, branching networks and feeders are covered by the present document. The multiplexing and/or de-multiplexing elements are covered if they form part of the transmitter, receiver and/or transceiver.

NOTE 2: The relationship between the present document and essential requirements of article 3.1b of Directive 2014/53/EU [i.1] is given in annex A.

2 References

2.1 Normative references

References are specific, identified by date of publication and/or edition number or version number. Only the cited version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at https://docbox.etsi.org/Reference/.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

[1] ETSI EN 301 489-1 (V2.2.3) (11-2019): "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

[i.1]	Directive 2014/53/EU of the European Parliament and of the Council of 16 April 2014 on the
	harmonisation of the laws of the Member States relating to the making available on the market of
	radio equipment and repealing Directive 1999/5/EC.

- [i.2] Void.
- [i.3] Void.
- [i.4] Void.

Draft ETSI EN 301 489-4 V3.3.0 (2020-03)

[i.5]	ETSI EN 302 217-2: "Fixed Radio Systems; Characteristics and requirements for point-to-point equipment and antennas; Part 2: Digital systems operating in frequency bands from 1 GHz to 86 GHz; Harmonised Standard for access to radio spectrum".
[i.6]	Void.
[i.7]	ETSI EN 302 326-2: "Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive for Digital Multipoint Radio Equipment".
[i.8]	Void.
[i.9]	Void.
[i.10]	Void.
[i.11]	Commission Implementing Decision C(2015) 5376 final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
[i.12]	ETSI EN 301 489-17: "ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 17: Specific conditions for Broadband Data Transmission Systems; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI EN 301 489-1 [1] and the following apply:

Base Station (BS): alternative name for Central Station

Central Station (CS): two units comprising of: 6/sist-en-301-489-4-v3-3-1

- the exchange unit, also called Central Controller Station (CCS) (interface to the local switch); and
- the radio unit, also called Central Radio Station (CRS) (central base band/radio transceiver)

NOTE: In some deployments the term Base Station is also used in place of Central Station. For the purposes of the present standard either terms are assumed and are completely interchangeable.

operating frequency range: range(s) of radio frequencies covered by the Equipment Under Test (EUT) without any change of units

Repeater Station (RS): radio repeater outstations with or without subscriber interfaces

Terminal station (TS): outstations with subscriber interfaces

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI EN 301 489-1 [1] and the following apply:

BER Bit Error Ratio
BS Base Station

CCS Central Controller Station

CR	Continuous phenomena applied to Receivers
CRS	Central Radio Station
CS	Central Station
CT	Continuous phenomena applied to Transmitters
RS	Repeater Station
TR	Transient phenomena applied to Receivers
TS	Terminal Station
TT	Transient phenomena applied to Transmitters

4 Test conditions

4.1 General


4.1.1 Introduction

The test configuration and mode of operation shall represent the intended use and shall be recorded in the test report.

4.1.2 Test conditions and configurations

This clause defines the test conditions and configurations for the emission and immunity tests as follows:

• a transmitter shall, as a minimum, comprise the element between E' and A' of figure 1. Additionally the transmitter may comprise any of the other elements from the transmitter chain shown in figure 1. If these additional elements are part of the transmitter or system they shall also meet the requirements of the present document;



NOTE 1: For the purposes of defining the reference points, the branching network (B' to C') does not include a

NOTE 2: Points B' and C' may coincide, dependent on the equipment configuration.

Figure 1: Elements of a transmitter

• a receiver shall, as a minimum, comprise the element between A and E of figure 2. Additionally the receiver may comprise any of the other elements from the receiver chain shown in figure 2. If these additional elements are part of the receiver or system they shall also meet the requirements of the present document;



NOTE 1: For the purposes of defining the reference points, the branching network (B to C) does not include a hybrid.

NOTE 2: Points B and C may coincide, dependent on the equipment configuration.

Figure 2: Elements of a receiver

• a transceiver shall comprise as a minimum the elements E' to A' and A to E shown in figures 1 and 2, and additionally it may comprise any combinations of the other elements. If these additional elements are part of the transceiver they shall also meet the requirements of the present document;